

ABADZHI, K.I.; BOYTSOV, A.N.; VOLOSEVICH, F.P.; GOBERMAN, P.N.; KIFTAY, A.K.;
HARINSKIY, F.I.; CDING, G.A.; RUB!NOV, A.D.; SHTYURMER, G.A.;
BRZHEZINSKIY, M.L., kandidat tekhnicheskikh nauk, retsenzent; PETROV,
V.I., inzhener, retsenzent; KEMPINSKIY, M.M., inzhener, redaktor;
LEYKINA, T.L., redaktor izdatel'stva; POL'SKAYA, R.G., tekhnicheskiy
redaktor

[Reference manual for production control in machine building] Spravochnik po proizvodstvennomu kontroliu v mashinostroenii. Pod obshchei red.
A.K.Kutai. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry.
1956. 670 p,

(MERA 9:12)

(Machinery industry)





28-3-28/33 Kutay, A.K., Chairman of Organizatory Committee of Conference AUTHOR: The Third Scientific-Technical Conference on Interchangeability, TITLE: Precision and Inspection Methods in Machinebuilding (Tret'ya nauchro-tekhnicheskaya konferentsiya po vzaimozamenyayemosti, tochnosti i metodam kontrolya v mashinostroyenii) PERIODICAL: Standartizatsiya, 1957, # 3, May-June, p 85-88 (USSR) TRANSLATION: The Leningrad scientific-technical conferences are creative reviews of achieved successes in the theory and practice of interchangeability, precision and techniques of measurement. At the first conference (1936) such questions as surface finish were first brought up. Now this is a particular science, many problems of which are practically solved. The second conference (1950) dealt with new problems: influence of physical factors on interchangeability, tolerances, inspection of parts of complex shape, etc. By the time of the third conference, it was possible to organize thematic sections for everyone of the problems. The third conference, convened 18-22 March 1957, was the most extensive (90 reports in 8 sectional and 2 reports in

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000927910015-7"

plenary sessions were delivered) and the largest, at which

Card 1/13

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

752 delegates from 230 plants, 76 institutes of the Academies of Science of the USSR, the Ukraine and Uzbekistan Gostekhnika, the Committee of Standards, Measures and Measuring Devices, research institutes and educational institutions were present. Also, many were workers of enterprises, research institutes and VUZes from Kiyev, Omsk, Sverdlovsk, Tashkent, N.-Tagil, Baku, L'vov, Kazan', Zaporozh'ye and other industrial centers of the USSR.

At the plenary session reports by V.V. Tkachenko, Candidate of Technical Sciences and member of the Committee of Standards, Measures and Measuring Devices, and by the Organizatory Committee of the conference on the position of interchangeability at the Leningrad plants (Engineer K.I. Abadzhi) were heard. Tkachenko dealt with the questions of precision and interchangeability in state standards.

The precision of machine tools, hammers and presses is very essential for the interchangeability of products. The Committee of Standards, Measures and Measuring Devices, collectively with the Ministry of Machine Tool and Tool Industry, have revised

Card 2/13

The state of the s

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

these standards for a series of machine tools increasing the precision norms 20-50 %. New standards for machine tools of higher precision were issued (coordinate-boring, gear grinding and others). Lately, similar kinds of standards for hammers and presses have been developed.

Delegates Tkachenko, Kotel'nikov, Shteyn, Slavin and many more in the sectional sessions made suggestions, the most part of which were considered in decisions taken by the conference. For instance, it was pointed out that more scientists, intustrial engineers and scientific societies have to be attracted to standards development. It is not enough to collect reded to standards developments and organizations, the projects sponses to projects from plants and organizations, the projects must be published for extensive discussion, for they affect the interests of many industrial branches.

The delegates approved the plannad abridgement of typesizes for threads and suggested that the work be speeded up on projects for threads with guaranteed clearances, for tolerances for parts under corrosion-proof coatings, for tolerances for precision castings and non-ferrous castings and for plastic

Card 3/13

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

and ceramic parts. The urgent necessity to revise the design and tolerances of scales was recognised.

The conference participants stressed the necessity to work out unified series for tolerances and predominant deviations. Much attention was paid to the definition of "interchangeability in machinebuilding". It became evident that this term cannot be considered only from the point of view of fitting of parts and their geometric parameters. In some instances the weight tolerances are of no less importance (report by G.M. Shtanko). In time measurement, electronic, cinema-technical and bimilar-instruments the operational characteristics depend on geometrical, physical and even chemical elements and parameters. The new aspects of conditions of precision and interchangeability were particularly clearly outlined in reports by Professor E.A. Satel', Dotsent P.I. Bulovskiy, Professor A.P. Ivanov, Professor I.D. Faynerman, Candidate of Technical Sciences N.S. Brusnichkin and others in the section "Interchangeability in connection with physica-chemical parameters of machines and instruments". A diagram (shown on p 86) was demonstrated which shows the

Card 4/13

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

essence of the interchangeability questions in the field of design as well as in the field of manufacturing (from the report by A.K. Kutay). The planned discussion of this problem was cancelled.

M.N. Izhevskiy, Candidate of Technical Sciences V.P. Puzanova and G.A. Model' treated in their reports the problems of calculation of complex chains of tolerances (of parallel dimensions); the tolerances of location of aperture axles and experience with drawings from the viewpoint of interchangeability.

The accepted term "free dimensions" is unsatisfactory, and standardization of tolerances for such dimensions for which tolerances are not being indicated is absolutely necessary (report by A.S. Smirnov). Classification of dimensions for 1. functional (directly connected with operation function) parts which include not only the combined and the chain dimensions, but also the dimensions of elastic elements and other parameters and 2. non-functional (reports by A.K. Kutay and Considerable attention was paid to the problem of "space I.G. Fridlender)

Card 5/13

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

tolerances" in the reports by A.K. Kutay (three kinds of position-tolerances) and by Engineer I.N. Tylevich. They treated the basic principles of tolerance selection for position of pipes in ship piping systems, providing for a higher precision level of pipe manufacturing independent of the mounting.

P.N. Goberman delivered a report on a worked-out system of tolerances for galvanized screw thread and posed the problem of its standardization. A.S. Smirnov recommended establishing permissible deviations for dissipating capacity of the bath: without this no reliable interchangeability of galvanized smooth and threaded parts is possible. It is essential to extend interchangeability to aggregate components (Translator's note: "Aggregate" means composed of normalized, or standardized, parts) of ships, sircraft, building machines and the like.

Component interchangeability - as Candidate of Technical Sciences A.S. Goryacheva said in her report - must be developed by analysis of the technological dimension chains which correlate the elements of indexing, machining and assembling, including devices (or machine tools) for machining and assembling

Card 6/13

STALESCOND SECTION PARTIES 198 BELL

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

on the fitting surfaces of aggregates. It is the dimension analysis that solves the problem of mounting pipes in ships (report by I.N. Tylevich).

In petroleum machinery and drill pipes, the conditions for threaded bevel lock connections are worsening because of the higher speed of turbine-drilling. F.N. Sultanov determined, by experiments and calculation, the optimal tensions in pipe locks and suggested a practical calibration for lock connections.

The conference noted the necessity of more extensive application of the fits and tolerances system for wood products by "FOCT 6449-53".S.A. Il'yinskiy reported on the introduction of the system.

It could be seen in a series of reports "Interchangeability in connection with physico-chemical parameters of machines and instruments" how far the new techniques of machines and instruments require extension of calculation methods and an assured interchangeability. Professor Ye.A. Satel' stated that new interchangeability tasks arise when mechanical con-

Card 7/13

THE THE PERSON OF THE PERSON O

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

> nections in machines get replaced by electrical and radiotechnical, hydro-pneumomechanical connections, or their combinations. He considered some ways of solving the problem of interchangeability in such cases.

D.A. Braslavskiy delivered a report on interchangeability of machine and instrument elements comprising back couplings. Developing the theory of precision of mechanisms created by Academician N.P. Bruyevich and Doctor of Technical Sciences M.L. Bykhovskiy (IMMASh AN SSSR), he demonstrated a suitable method of solving problems for any physical values in measuring and adjusting systems.

I.G. Fridlender, who treated the calculation problem for tolerances of dimensions which determine the physico-chemical characteristics of parts, also indicated ways for obtaining a minimum hystereses for flat membranes. Professor I.D. Faynerman explained the problems of calculation and transformation of errors with consideration of operating time of mechanisms, as the characteristic of motion gradually changes and there accumulates an inaccuracy fund (deformation, wear, change of physical properties etc.). Hence it is necessary to introduce

Card 8/13

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

a conception of temporary chain, for which the calculation of inaccuracies differs in principle from calculation for a conventional dimension chain.

Professor A.P. Ivanov devoted his report to problems of dynamic accuracy. P.I. Bulovskiy demonstrated convincingly the effect of tolerances of geometric parameters of some parts on interchangeability of mechanisms in magnetoelectric instruments. N.S. Brusnichkin made a similar investigation and determined the connection between the accuracy of projection of an image on a screen and the tolerances of the maltess mechanism of a cinema projector, and established - by experiments and calculation - the tolerances for the parts of this complex mechanism.

Despite the novelty of subjects of this section, which became necessary due to development of automation in industry, there is a characteristic tendency to employ the known methods of calculation of tolerances for dimensional and kinematic series by modifying the methods for the new tasks.

Card 9/13

G.M. Shtanko treated in his aforementioned report a new

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Mothods in Machinebuilding

problem which has an independent importance. It turned out that the weight of parts is distributed in the same way as the linear dimensions – after Gauss law. Their weight-accuracy is low: the amplitude of deviations from the mean arithmetic value makes 9~% for parts made on automatic machines, and 20~% for stamped and cast parts.

In the section "Analysis of accuracy of technologic processes and the statistical inspection", Professor N.A. Borodachev analysed the application of statistical sciences in problems of precision in machinebuilding.

A.V. Derbisher and A.S. Shevelev reported on the application of the calculation method for determining the possible accuracy of processes. This method, with the extensive experiments performed by the authors, enabled a substantial improvement of finishing processes for parts.

A.K. Kutay, A.A. Syroyegin and L.P. Vladimirov spoke on the methods of accuracy-analysis of technologic processes in operation. Though the investigations were made under different industrial conditions, much in common was revealed in the se-

Card 10/13

A PROPERTY OF PROPERTY AND STREET AND STREET,

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

quence, methods and in the obtained results.

Member-correspondent of the Academy of Sciences USSR Yu.V. Linnik reported on work done by him and by A.P. Khasu, in which they used the method of differences and obtained evaluation of roughness as a casual stationary process and of waviness of a ground profile as a slowly changing function.

Reports by I.I. Balonkina, A.B. Rumyantsev were devoted to investigation of accuracy of complex shape parts by way of statistical analysis of technologic processes. It must be pointed out that in almost all investigations, the statistical methods are being coupled with experimental and calculative-analytical methods developed by Professor A.P. Sokolovskiy.

The methodologic basis of the statistical inspection was treated in reports by Kh.B. Kordonskiy, V.V. Golovinskiy and M.I. Eydel'nant. The latter also reported on the basic aspects of the "FOCT" project under development at the Institute for Mathematics and Mechanics imeni Romanovskiy of the Uzbek Academy of Sciences. A method of "undisplaced evaluation" developed by Academician A.N. Kolmogorov is to be considered.

Card 11/13

28-3-28

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

In the section "Automation and mechanization of inspection and setting", reports devoted to the problem of the accuracy of measuring and sorting automatics were delivered by Professor M.L. Bykhovskiy, Kh.B. Kordonskiy (collectively with S.N. Sokolov and G.A. Ivnova), V.I. Smilyanskiy and I.A. Klusov.

Much interest was shown to two reports by Professor B.A. Tayts on new tolerance-standards for gear transmission (The basic aspects were published in the article by B.A. Tayts in "Standartizatsiya" # 1, 1957) and various methods of inspection of these tolerances. An important feature of the new standards developed by TsNIITMASh is the structure of accuracy norms corresponding to various operational requirements: accuracy of angular turn, smoothness of drive and tooth contact. Apart from this, there are separate norms and a system of tolerances and fits for such complex parts as gears.

In three separate sections the problems of technical measurements as well as tolerances and measurements of curved surfaces and of multi-dimensional parts, of tolerances and inspection of large dimensions were discussed. More than 100 delegates parti-

Card 12/13

28-3-28/33

The Third Scientific-Technical Conference on Interchangeability, Precision and Inspection Methods in Machinebuilding

Over 100 of those attending the conference participated in the

discussions.

There is one chart.

AVAILABLE:

Library of Congress

Card 13/13

KUTAY, A.K., kand. tekhn. nauk, dots.; GOBERMAN, P.N., kand. tekhn. nauk, dots.

Conference in Leningrad on the interchangeability, precision, and methods of automatic control in the machinery industry. Yest. mash. 37 no.8:88-90 Ag 157. (MIRA 10:9) (Leningrad--Automatic control) (Leningrad--Machinery industry)

RUBINOV. Aleksandr Davidovich, KUTAY, A.K., kand.tekhn.nauk, dots., retuenzent, KHUDARKOVSKIY, N.P., inzh.retsonzent., ABADZHI, K.I., inzh.red.; BORODULINA, I.A., red.; POL'SKATA, R.G. tekhn.red.

[Organizing and carrying out laboratory work in the subject "Tolerances, fits, and engineering measurements."] Organizatsia i provedenia laboratorykh rabot po predmetu "Dopuski, posadki i tekhnicheskie izmerenia." Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit.

1it-ry, 1958.150 p.

(Monsuration)

(Monsuration)

(Monsuration)

(Engineering)

FREE TO SEE STATE OF THE SECOND OF THE SECON

KUTNY, AK
25(6) (33) PHASE I BOOK EXPLOITATION SOV/1328

CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE

Nauchno-tekhnicheskoye obshchestvo mashinostroitel'noy promyshlennosti. Leningradskoye oblastnoye pravleniye

Vzaimozamenyayemost', tochnost' i metody izmereniya v mashinostroyenii (Interchangeability, Accuracy and Measuring Methods in Machine Building) Moscow, Mashgiz, 1958. 251 p. (Series: Its: Sbornik, kn. 47) 6,000 copies printed.

Eds.: Kutay, A.K., Candidate of Technical Sciences, Docent; Puzanova, V.P., Candidate of Technical Sciences; Kempinskiy, M.M., Engineer; Rubinov, A.D., Candidate of Technical Sciences; Turetskiy, I. Yu., Candidate of Technical Sciences; and Abadzhi, K.I., Engineer; Ed. of Publishing House: Simonovskiy, N.Z.; Tech. Ed.: Sokolova, L.V.; Maraging Ed. for Literature on Machine Building Technology (Leningrad Division, Mashgiz); Naumov, Ye. P., Engineer.

PURPOSE: This book is intended for plant engineering, scientific and technical personnel and production innovators. It may also be

Card 1/9

Interchangeability, Accuracy and Measuring Methods (Cont.) SOV/1328 usef it to students of higher technical institutes.

1. DESCRIPTION TO THE PROPERTY AND THE

coverage: This collection of articles deals with the topics discussed at the Third Leningrad Scientific and Engineering Conference; on Interchangeability, Accuracy, and Inspection Methods in Machinebuilding and Instrument-making, held March 18-22, 1957. The book consists of three parts: 1) interchangeability in machine-building and instrument-making 2) manufacturing accuracy and quality control 3) engineering measurements. The first part deals with basic principles of interchangeability, estabishment of the system and calculation of tolerances. The second part deals with calculation and analysis of the accuracy of manufacturing processes, machine subassemblies and quality control. The third part consists of articles dealing with improvements in measuring instruments and methods. Special emphasis is placed on the measurement of large parts. A new method of calculating accuracies of measuring instruments is discussed in the article by M.M. Kempinskiy.

Card 2/9

Interchangeability, Accuracy and Measuring Methods (Cont.)	sov/1328	
TABLE OF CONTENTS:		
From the Editor	3	
PART I. INTERCHANGEABILITY IN MACHINE BUILDING AND INSTRUMENT-MAKING		
Vorob'yev, Yu. A. (Moscow). Principles for Standardizing Dimensional Tolerances for Castings	7	
Kutay, A.K. (Leningrad). Basic Premises of the Interchange Theory in Machine-building	ability 11	
Smirnov, A.S. (Leningrad). Dimensional Tolerances With Unspecified Values [on drawings]	20	
Paley, M.A. (Moscow). Principles of GOST (All-Union State Standard) 2689-54 System of Tolerances and Fits for Dimensions from 500 to 10,000 MM	25	
Card 3/9		
		<u>:</u>

nterchangeability, Accuracy and Measuring Methods (Cont.) SOV/13	328
olikev, V.I. (Moscow). System of Tolerances for Spur Gear Hobbing-cutters With 0.15-1 MM Modules	32
l'inskiy, S.A. (Moscow). Experience Using a System of Tolerances and Fits in Manufacturing Wooden Products	42
zhevskiy, M.N. (Leningrad). Practice Calculating Dimension- chain Systems	45
Puzanova, V.P. (Leningrad). Some Problems in Constructing Dimension-chain and Dimensioning Parts on Drawings	53
Cylevich, I.N. (Leningrad). Dimensional Tolerances in Ship Systems and Pipelines	60
Goryachev, A.S. (Kuybyshev). Securing the Interchangeability of Flange-Jointed Machine Units	71
Card 4/9	

Interchangeability, Accuracy and Measuring Methods (Cont.) SO	,,
Bykhovskiy, L.B. (Perm'). Interchangeability and Special Feature of Multiple Threads	res 77
Starosel'skiy, A.A. (Odessa), and Klyachkin, N.L. (Gor'ki, Mogilevskaya oblast'). Effect of the Progressive Error in Thread Pitch on Load Distribution on Threads	81
Faynerman, I.D. (Kiyev.). Error Compensation and Multibranch Dimesnion-and-time Chains	91
Satel', E.A. (Moscow). Some Aspects of Interchangeability in Machine-building	97
Bulovskiy, P.I. (Leningrad). Interchangeability of the Measuring Mechanisms of Permanent-magnet Moving-coil Instruments	10]
Fridlender, I.G. (Zaporszh'ye). Calculation of Tolerances for Dimensions Determining Physical and Mechanical Characteristi of Parts and Mechanisms Card 5/9	.св 106

。 1. 14-25年 1985年 1985年

了作的这些程序的特别的特别是一种特别的主要,但是是一种特别的。 "可能是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们	
Interchangeability, Accuracy and Measuring Methods (Cont.) SOV/	1328
Brusnichkin, N.S. (Leningrad). Overall Investigation of the Accuracy of Motion-picture Projectors and the Establishment of Tolerances for Manufacture of Projector Mechanisms	110
Ivanov, A.P. (Leningrad). Present Status and Outlook for Development of Accuracy in Machine-building	114
PART II. MANUFACTURING ACCURACY AND QUALITY CONTROL	
Shevelev, A.S. (Kuybyshev). Summation of Three-dimensional Deviations in Circular Scatter	119
Vayntraub, D.A. (Leningrad). Investigation of Accuracy in Punching and Bending of Small Parts	123
Balonkina, I.I. (Leningrad). Comparative Investigation of Accuracy in Manufacturing Basic Machine Parts in Several Machine-building Plants	130
Card 6/9	

nterchangeability, Accuracy and Measuring Methods (Cont.) SOV	/1328
ladimirov, L.P. (L'vov). Use of the Average Sample Method in Machine-building	139
innik, Yu. V., and A.F. Khusu (Leningrad). Some Consideration Concerning the Statistical Analysis of the Roughness of Ground Profiles	144
Fimonin, V.A. (Ordzhonikidze). Investigation of the Accuracy of Manufacturing Processes by the Cumulative Error Method	147
Klusov, I.A. (Tula). Application of Statistical Methods in Investigating the Accuracy and Stability of Automatic Checking and Sorting Machines	152
Kordonskiy, Kh. B. (Riga). Methodological Principles for Acceptance Inspection	159
Card 7/9	

Interc	hangeability, Accuracy and Measuring Methods (Cont.) sov/1328
	PART III. ENGINEERING MEASUREMENTS	
	hevskiy, V.V. (Omsk). In-process Control of Part ensions on Metal Cutting Machine Tools	170
Laabe,	I.K. (Leningrad). Room-temperature Thermostats	182
	vich, F.P. (Leningrad). Small-volume Mechanization ices Used in Measuring Techniques	185
	ov, A.D. (Leningrad). Survey of Foreign Literature of ge-scale Measurements	on 195
Ácc	N. (Leningrad) = Experimental Investigation of the uracy of Inside-micrometer Measurement of Dimensions to 6000 MM	s from 203
Card 8	3/9	
•		

Interchanges hill the Assume and Management West at 10 (0.11) governs	-0
Interchangeability, Accuracy and Measuring Methods (Cont.) SOV/13	28
Kayak, L.K. (Leningrad). Methods for Measuring Great Lengths	209
Makarevich, B.K. (Moscow). Optical Method of Measuring Large Parts	216
Vaganov, I.P. (Sverdlovsk). Some Improvements in the "Encircling" Method of Measurement [Determination of diameter by measuring circumference]	000
Turetskiy, I.Yu. Measurement of Periodic Errors in Turbine Gears Gipp, B.A. Experimental Equipment for Inspecting Individual	223 223
Parameters of Bevel Gears	235
Rumyantsev, A.V. (Leningrad). Measurement of Three-dimensional Cams	241
Kempinskiy, M.M. (Leningrad). Calculation for Accuracy in Designing Measuring Instruments	245
AVAILABLE: Library of Congress GO/ksv 3-19-59	

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000927910015-7"

16(2);25(6)

PHASE I BOOK EXPLOITATION

sov/2891

Kutay, Anton Konstantinovich, and Khaim Borisovich Kordonskiy

Analiz tochnosti i kontrol' kachestva v mashinostroyenii s primeneniyem metodov matematicheskoy statistiki (Precision Analysis and Quality Control in Mechanical Engineering With the Application of Mathematical Statistics) Moscow, Mashgiz, 1958. 362 p. Errata slip inserted. 10,000 copies printed.

Reviewer: E. A. Satel', Honored Worker in Science and Technology, Doctor of Technical Sciences, Professor; Ed.: A. K. Mitropol'skiy, Professor; Ed. of Publishing House: T. L. Leykina and M. A. Chfas; Tech. Ed.: R. G. Pol'skaya; Managing Ed. for Literature on Machine-building Technology (Leningrad Division, Mashgiz): Ye. P. Naumov, Engineer.

PURPOSE: This book is intended for engineering, technical, and scientific workers and may be useful to students at engineering institutes.

COVERAGE: This book presents the theoretical foundations of the

Card 1/8

Precision Analysis (Cont.)

SOV/2891

analysis of the accuracy and stability of processes in machine construction and the making of instruments and describes the practical applications of this theory. Methods for statistical preventive and acceptance control are outlined. Experience in applying these methods in individual, serial, and mass production industries are generalized. The means of applying these methods to continuous production on automated lines are discussed. Basic information from probability theory and mathematical statistics, handbook data in the form of tables, computational formulas and systems, and a large number of examples and technical documents are included in the book. No personalities are mentioned. There are 146 references; 123 Soviet, 17 English, 3 French, 1 Polish, 1 Swedish and 1 German.

TABLE OF CONTENTS:

Preface

3

Introduction (A. K. Kutay and Kh. B. Kordenskiy)

5

Card 2/8

AND STATEMENT OF THE PROPERTY OF THE PROPERTY

Precision Analysis (Cont.) SOV/2891 Ch. I. Basic Facts from Mathematical Statistics (A. K. Kutay) 9 Fundamental concepts and definitions General aspects. Samples and their formation. The concept of probability. Addition and multiplication of probabilities. Distribution of random values Numerical characteristics of the distribution of random 29 values Statistical characteristics and distribution parameters. The measure of a location (mean value, median, mode). The measure of scattering (mean absolute deviation, mean standard deviation, range) and measures of variability. Distribution moments 3. Distribution laws 41 Equiprobable distribution. Law of normal distribution. Distribution law of two-dimensional errors. Distribution law of one-dimensional errors. Applicability of the distribution laws of two-dimensional and one dimensional errors. Law of the distribution of rare events. [Poisson's distribution]. Various distribution laws. Composition laws of distribution Card 3/8

4.	Comparison of an empirical set bution Unbiased estimates and errors of teristics. Smoothing of distription of fit test	67 of statistical charac-	
5.		94	
6.		esis 100 mparing two samples	
7.	Correlation Fundamental concepts and definition and form of a relation. Equation of the statistical characteristics characteristics. Correlation wobserved values	ons of correlational ents for the computation cies of a relation. of the correlation	
ard 4	1/8		

SOV/2891 Precision Analysis (Cont.) Analysis of Accuracy of Technological Processes (A. K. Ch. II. Kutay) 8. Method of analysis by means of isochronous samples Accuracy and its definition. Methods of accuracy estimation. Estimating accuracy under the law of normal distribution. Estimation of accuracy under the law of two-dimensional distribution of errors. Estimation of accuracy under the law of one-dimensional distribution of errors and others. Determination of technological tolerances 154 9. Procedure of analysis by means of running samples General aspects. Calculation of control limits for the design method of analysis. Methods of analysis which demand a preliminary study of the accuracy of a process. Sequential analysis by point diagrams. Mechanization of observations and computations 195 10. Steadiness and stability of a technological process [special difinitions] Fundamental concepts. Estimate of steadiness and

Card 5/8

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000927910015-7"

)	n Analysis (Cont.)	SOV/2891	
recision	n Analysis (Cont.)	307/2091	
	tability by running sampling. et-up of processes and steadi	าess	
G(a) 1)	tudies of production by means eneral principles. A complex nd mass production. Studies ndustries. Experience in the ational analysis. Systematiz	study in continuous in serial and individual application of corre-	1
ch. III.	Preventive Control of the Q	uality of Production	
G C	(Kh. B. Kordonskiy) ethods and means of preventiv eneral information. Prescrib lassification of control meth ypotheses. Operative control	ing control methods ods according to	51
13. 0	rganization of preventive con	trol 26	
G	utomated preventive control eneral information. Blocking ontrol	control. Regulatory	97
Card 6/8			
		·	olovit trak i dali 🔭
2450 At 1450 DESCRIPTION			

h. IV.	Statistical Acceptance Control (Kh. B. Kordonskiy)	
15.	Input and output production quality General aspects. Input quality of production. Output quality of production	274
16.		292
17.	Estimation of input and output qualities by sample control data General aspects. Preliminary estimate. Sequential estimate	303
18.		310
19.		321
20.		326

Precision Analysis (Cont.)	S0V/2891
General aspects. Single and doubl	e sampling
21. Review of foreign standards on acc	eptance control 332
ppendix I. Tables 1-18,	335
eferemces and Sources	355
ppendix II. Probability Paper	
VAILABLE: Library of Congress (TS156.Q3K	:8)
	÷
ard 8/8	LK/mmh 1-14-60
,	1 11 00

"APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000927910015-7 。 [1] 《国际决定设计划 [3] 特什的共同影響和國際學學的問題。 [2] 《国际决定设计划 [3] 特什的共同影響和國際學學的問題,但是不是不是一个人,因此不是一个人,

sov/123-59-15-58894

Translation from: Referativnyy zhurnal. Mashinostroyeniye, 1959, Nr 15, p 11 (USSR)

AUTHOR: -

Kutay, A.K.

TITLE:

On Some Basic Aspects of the Theory of Interchangeability in Machine

Construction

PERIODICAL:

V sb. Vzaimozamenyayemost', tochnost' i metody izmereniya v mashinostr.

M.-L., Mashgiz, 1958, pp 11 - 19

ABSTRACT:

The problems of extending the conception of interchangeability are investigated, in connection with the fact that in the general system of motion transmission in machines and devices, particularly with an automatic operation cycle, not only mechanical but also electric, pneumohydraulic and other couplings are included. It is realized that at present an indispensible condition of interchangeability is the quality of operation of the machines, i.e. the condition of obtaining their

Card 1/2

performance within the given reasonable limits (tolerance) and of

CIA-RDP86-00513R000927910015-7" APPROVED FOR RELEASE: 03/13/2001


sov/123-59-15-58894

On Some Basic Aspects of the Theory of Interchangeability in Machine Construction

preserving the quality of the machines in time, as well as their stability and coordination, not only concerning the mechanical but also the physical relation between the mechanisms. An extended definition of the term "interchangeability" is formulated, and problems of specifying the conceptions of dimensions, tolerances and errors are

P.Ye.A.

Card 2/2



RUT! A.K., dotsent; HALONKINA, I.I., assistent; CALNYKIN, A.Ya.

Precision measurements of dimensions in motion-picture engineering.
Izv. vys. ucheb. sav.; prib. no.273-82 '58. (NIRA 11:7)

1. Leningradskiy institut kinoinzhenerov.
(Measuring instruments) (Motion-picture projection)

YAKUSHEV, Aleksandr Ivanovich, prof., doktor tekhn.nauk; KUTAY, A.K., kund.tekhn.nauk, retsenzent; VOLODIN, Ye.I., dotsent, kand.tekhn.nauk, red.; MOROZOVA, M.M., red.izd-va; GORDETEVA, L.P., tekhn.red.

[Fundamentals of the interchangeability and technical measurements]
Osnovy vsaimozameniaemosti i tekhnicheskie izmereniia. Moskva,
Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1959. 375 p.

(MIRA 13:2)

(Interchangeable mechanisms) (Mensuration)

KUTAY, A.K., dotsent, kand.tekhn.nauk

Statistical methods used in the technology and quality control of automatic production processes. Izv.vys.ucheb.zav.; prib. 2 no.5:121-131 '59. (MIRA 13:5)

1. Leningradskiy institut kinoinshenerov. Rekomendovana kafedroy tekhnologii tochnogo mashinostroyeniya.

(Instrument industry)

**XUTAY, A.K.; GALNYKIN, A.Ya.; STEPANOV, V.S.

Development and study of the contact method for film gauging.
Trudy LIKI no. 5:116-123 '59. (MIRA 13:12)

1. Kafedra tekhnologii tochnogo mashinostroyeniya Leningradskogo instituta kinoinzhenerov.

(Motion-picture photography--Pilms)

(Moasuring instruments)

EL'STER, Petr Borisovich; CHESNOKOY, Anatoliy Mikhaylovich; KUTAY, A.K., kand.tekhn.nauk, red.; LEYKINA, T.L., red.izd-va; SPERANSKAYA, O.V., tekhn.red.

[Technology of the manufacture of articles from vinyl plastic] Tekhnologiis izgotovleniis izdelii iz viniplasta. Moskva, Gos. nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960. 84 p.

(Plastics) (Vinyl compounds)

Ke	()	1-1		/ } ,	K.		<u> </u>												· · · · · · · · · · · · · · · · · · ·	146055 E.A.	22 / 4
- PA-/RC RESPECTATION AND A REPORT	real verystacetey I satematichetey s'	que sareatimativa por territ restrictuatey i matematiquestry erevea, 19-23 estychtry 19-28 : Allaharian Cadifornes ou tre ambility and hillority and statistica. Ball is "severa 19-25 ambility and millority and statistica. Ball is "severa 19-25 ambility transfer the several, there as Adding 1950. Fig. 9- ambility of crystes printed-	Sponsoring Agency: Absimitys neak Arrychesty SCR. Matemial Staff: Cale Medarisation, 5.7. Condenso, Ye.B. Dynke, Ye.F. Edinik and Matemial Staff: Cale Medarisation, 5.7. Condenso, Ye.B. Dynke, Ye.S. Hab. Espheren.	mangrag Mi. of Publishing Souds: Aid: Saddai, cour. The book is intended for amibmatitiese.	cod contains % actities submitted to the Chiforents and deathing with probability and actional action are set to contain a contain and action to the contract of action and action for publication, while other contains and action to the contract of action and action to the contract of the contains and action actions and action actions.	er pallucation) in the case of the second se	therease of parameters, wastern assessments, besidenced to the formattie, and interest of the section of the se	emiles of Matte	• •	A.B. On local behavior of frejectories of Diffeet Bressess 256 A.A. Som Properties of Sextor's Processes vits as Euserhale 259	Olithems, I.I. On the Problem of the Dumber of Interprettions of a Landon 257 Paggetton viter was Demandary of a Clean Domain	Tadrunks, H.L. Issutrupte Hartov-Type handon Fields in Parlidons and 269	Ometions, E. E. Maril Marrand for some classes of Rardon Punctions 750	I. h. Sam list theorem for Strictly Stationary Processes, 266 Liberty of Congress	Dargia, In.I. Some Properties of Stochastic Pales Processe	Enveloped A.V. Basica Resource and their Applications in the Theory of Stochastic Provesses and Statistics. (Theses)	Chesteer, 8.8. Topologie Heatures and the fleory of Mandon Punctions 89	Signologya, 9.P. On Braintin of a Matribuiton Parties based on the Malliation of Effect many Process	M Da Fredin af a handm Valle. (Theses)		
		The Checkline, Terres, statistics, Terres, reset of Tresselline payerber, 1979. ?	Spondering Agency: Alb Mateorial Staff: Gub-	i p. ii.	<u>;</u>	Line of 1	History of the property of the	Service.	Bratta, To. B.	Vertical', A.B.	OUTSERS, 1	Target Lines	Operior	Chartes Livery	Daurgia, Ta.I	Borelbot, A.	Charlen, E.S.	Standary'L,	Tilber E.L.		

MITROFAHOV, S.P., kend.tekhn.neuk, laurest Leninskoy premii, red.;

AZAROV, A.S., kend.tekhn.neuk, red.; GUTMER, N.C., inzh., red.;

KANKEY, P.V., kend.tekhn.neuk, red.; KUTAY, A.K., kend.tekhn.

neuk, red.; RITZIKOV, R.A., inzh., red.; SHALGIN, G.N., kend.

ekon.neuk, red.; SIMONOVSKIY, N.Z., red.izd-va; SPERANSKAYA,

O.V., tekhn.red.


[Group techniques in the manufacture of machinery and instruments]

Gruppovais tekhnologiis v mashinostroenii i priborostroenii, Moskva,

Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960. 378 p.

(Machinery industry) (Instrument manufacture)

	methodicovally a Machinery yez p.	Moorfal Cometti acres, Frofessor; Docesti, and O. In, "Fegoro, Dectar ottor, Canillan Patinital Silences, matter (Managis); matter (Managis); matters; Frofe, Ed.;	Train a	K K	支	ř	3	§ .	. *	3	÷.	?		3	3	2	3	9
STATE OF THE PARTY	ne manhipostroyeult; mering Meanurumine is menne, Manhili, 1992.	of Technical Sciences, Professor; El Bad, Twyl. Dector of Technical Sci B.B. Gorber, Dector; P.B. Gostman, cretary), Exfanct; Badfower; R. Te, cretary), Exfanct; Badfower; R. Te, Edwinsor; Elai, Badfower; R. Te, Edwin Decti; E.M. Greenery, Candidate of Technical Days on Mchine and Destrument Constru- ar; E., of Publishing States: Gastra	NUMBER: The collection of articles to invoded for extention and trimited processed for extension fraction with problems of interchanguality and engineering measurement laborations in laborations. The manufacture of behind followers), and NUMBER for the processes in a contract of positions for the processes of t	[Englisher], Optical Beards Bearding Belood for Large Paris Terazion, Eds. See Wilsols for Checking the Microscotts	Privilenty Hill. [Condition of Polatini Sciences]. Des of Larginitarity Hill. [Condition Sections of Grant Scales and it large Gages.		Northern 13. [Confidence of France Reserved]. Optimals of Different Landscenaries	March of March Control of the Control of March Spirality	and the state of t	To be the series of the series	nerve in all factions of femilial Science, Beenell, and Free Co.	Follows, E.S. (Exchange), We should for Measuring the Diserators of the Color (Enchange) and the state of the color (Enchange) and the state of the color (Enchange) and the state of the color (Enchange) and the color (Enc	RECTION III. ASTOMATICS OF COTINGA	Every A.E. [Thentials of the halved Sciences, Docert]. Bethods for Large and Control of Control Operation of Control Operation of Control Operation	Actives, M.M., System of Setup Albumant of Markins finite - Give so Albushaka Semititor Ship	forth veriefy, fig. fractitions of fermated defenses, Sevently, fig.5, for results, Repairement of dyriting by Louis to Perform	. Gos of Optical Interference of ['Name']	M. Chevrovatika [Senior Centrator], eDe k Ripraintal Central
	ayendat'i Bo. 2 (Esta Pej Balveri Ay laseried	Mi. A.I. Tahashar, Doctor A.I. Tahashar, Challama) Is. I. Wolnia, Borosti, Ispariyer (Sciantific Se of Terminal Actemen, of Terminal Actemen, of Terminal Actemen, II. Phicrotrial, Inferior II. Phicrotrial, Inferior	Marcel The callection Francisco Communication of the Communication of th	[Englisher], Optical Beneva Terastina, T.B. Bev Method	Properties of Male, Condition of the Con	Transfery O. To. (Asystract	North 1.3. Contact of the state	No. No. T. T. Serve to Charle	Tree	To the control of the	Entropy of the Control for the	ACTION OF THE PARTY OF THE PART	ı	Level are, Constitute of the ball but of the between the way to write all between the way to a vertice of Certains Operation	S to make the company of the second company to the second	For the control of the first section of the first s	A company Asta (Madrowells)	r ok o'ron fran Branda o'r Reelba k
			· T							٠	-		•	7	11	·	t.	$\lfloor n\gamma \rfloor$



s/028/60/000/06/02/028 BO12/BO05

AUTHOR:

TITLE:

Propagation of Ranges of Application of the Principal Tolerance Fields on the Basis of Functional Inter-Kutay

changeability

Standartizatsiya, 1960, No. 6, pp. 6 - 11

TEXT: In a number of Socialist countries, criteria have been worked out on the interchangeability of tolerance fields of the MCA(ISA) out on the interchangeaulilty of tolerance flatus of the flood law system with those of the OCT (OST) system. The principal factors de-PERIODICAL: termining an interchangeability are these: 1) The minimum permissible change in geometric parameters on which the working characteristics of the junction depend. 2) The permissible change in deformation under working conditions. 3) The permissible change in friction. 4) The fulfillment of the enorific mombing months (moment of torsion, adfillment of the specific working requirements (moment of torsion, adminstrated the innerions must justability). According to the factors enumerated, the junctions must Justantity). According to the lactors enumerated, the junctions and by types. Table 1 shows a list of tolerance be examined separately and by types.

Card 1/3

CIA-RDP86-00513R000927910015-7" **APPROVED FOR RELEASE: 03/13/2001**

Propagation of Ranges of Application of the S/028/60/000/06/02/028 Principal Tolerance Fields on the Basis of B012/B005 Functional Interchangeability

fields for shafts according to OST and ISA and their preferable application. By the example of probable interchangeability, the author explains the calculation possibilities (Formula (1), Fig. 1, Fig. 2). Table 2 indicates the values obtained by the Gaussian law for the fraction of dimensions (q%) which exceed the limits of the tolerance field. For the change of deformation in junctions with pressed inserts, the author indicates - as a criterion for interchangeability - the coefficient Ko for bending with $K_0 > 0.95$, for plastic deformation with $0.66 \le K_0 < 0.95$, and for completely plastic deformation with $K_0 < 0.66$. Professor M. A. Saverin and others arrived at similar values, Table 3 shows the character of deformation in inserts exchanged and to be exchanged of the 3rd precision class according to OST. The author concludes therefrom that the deformation does not change at all, or not very much. For an insert of 2nd class, Table 4 shows the values Q which characterize the variation of the distance of the individual part. Table 5 shows a list of recommended combinations of preferable tolerance fields for the 2nd, 3rd, and 4th precision class. The Poliskiy komitet normalizateii (Polish

Card 2/3

Propagation of Ranges of Application of the Principal Tolerance Fields on the Basis of B012/B005 S/028/60/000/06/02/028

Committee on Standardization; abbreviated: PKN), the Byuro vzaimozamenyayemosti v metalloobrabatyvayushchey promyshlennosti (Bureau of Interchangeable Manufacturing in the Metalworking Industry; abbreviated: BV), and the Leningradskiy institut kinoinzhenerov (Leningrad Institute of Cinema Engineers) are mentioned in the paper. There are 2 figures, 5 tables, and 2 Soviet references.

Card 3/3

\$/028/60/000/007/004/005/tx B013/E053

AUTHOR:

Kutay, A. K.

TITLE:

Determination of Surface Imperfections in Connection With

the Specification or Tolerances

PERIODICAL:

Standartizatsiya, 1960. No 7, pp 7-11

TEXT: This paper deals with proposals concerning the determination of deviations in the shape of workpieces. Imperfections are quite generally defined as a deviation of the real (technical) surface from the one laid down in the drawing. Such a definition requires a more exact formulation if the defect is to be determined with respect to the tolerance laid down. The two principal groups of proposals are discussed first of all. The range of admissible deviations in shape is determined in the first group with the aid of tangents and tangent planes (Fig. 1a). The main characteristic of the first group is the tolerance zone which is limited by two parallel or equidistant lines or planes. The second group is characterized by the fact that imperfections are determined as a difference (in the case of tolerance, the maximum permissible difference) between the cross-

Card 1/3

Determination of Surface Imperfections in \$\\$ \$/028/60/000/007/004/005/MM Connection Wit. The Specification of Tolerances B013/B058

sections of the workpiece, the dimensions being usually taken with retr to the normal onto the real surface (Fig. 1b). The first group correspond to the limits of the tolerance zone for dimensions. The difficult metrological control is a particular disadvantage of this group. The second principle of determination is less exact concerning geometric description, but offers some advantages to practical measuring technique For the third principle, the distance of points of the real surface from a geometric limit point, line, or surface, touching the surface of the workpiece or adhering to it, ranges as a deviation from the form. As an example for the application of the third principle, the determination of the boundary (Fig. 1c) may be mentioned, which is contained in the tentative standard elaborated by the Byuro vzaimozamenyayemosti (Bureau of Exchangeability) in 1959. The third principle is a compromise between the two first-mentioned principles, retaining the advantages of the first principle and widening its metrological basis. A compromise must be searched for, since there is no uniform principle that would meet the requirements of exchangeability regarding dimension, form, and position of the workpiece surface on the one hand, and efficient, practical, and convenient measuring methods on the other. The demand for exchangeability,

Card 2/3

Determination of Surface Imperfections in s/026/60/000/007/00:/cn5/xx Connection With the Specification of Molerances BO13/Pc58

control, and measurement of deviations in the position of surfaces must form the basis. As an example (Ref. 4), the author proposes to use the method of least squares for determining the radius $r_{\rm m}$ of the mean or smoothed circumference from the measured radii $r_{\rm k}$ of the real surface, smoothed circumierence that is, from the formula: $\sum_{k=1}^{n} (r_k - r_m)^2 + \min.$

n being the number of the equidistant values of the angles ϕ , from which the radii r_k in the range of the circumference $2\pi r_k$ were determined. The evaluation of measurements is illustrated (Fig. 2, Tables 1 and 2) There are 2 figures, 2 tables, and 5 references: 4 Soviet and 1 Spech

Carc 3/3

\$/115/60/000/012/001/018 B021/B059

AUTHOR:

Kutay, A. K.

TITLE:

Method of Estimating the Errors of Linear Measurements

PERIODICAL:

Izmeritel'naya tekhnika, 1960, No. 12, pp. 5-9

TEXT: This is an abridged reproduction of a report read before the All-Union Conference at the VNIIM (Vsesoyuznyy nauchno-issledovatel'skiy institut mashinostroyeniya - All-Union Scientific Institute of Machine Construction) in 1960. The guiding principles of the report comprise the results of discussions by members of the Committee on Interchangeability of the Leningrad Branch of the NTO Mashprom = Nauchno-tekhnicheskoye obshchestvo mashinostroitel'noy promyshlennosti (Scientific and Technical Society of the Machine Construction Industry) with the participation of a number of factories. The estimate of errors is categorized as follows: errors of the measuring method, reference being made to a paper by B. A. Tayts and N. N. Markov; estimate of random errors and detection of the total error. Errors due to temperature and contact must be considered part of the most important control errors. They depend on the power consumption while measuring, as well as the shape and number of contact faces.

Card 1/2

CIA-RDP86-00513R000927910015-7" APPROVED FOR RELEASE: 03/13/2001


"中华中华中国大学,中国共和国经验中国的政策和企业的企业,即将各种的企业,但是一个企业,但是一个企业的企业的企业的企业的企业的企业的企业的企业的企业的企业。"

Method of Estimating the Errors of Linear Measurements

S/115/60/000/012/001/018 B021/B058

The running errors also depend on specific errors, which comprise the elastic deformation of the parts of the measuring instruments, the effect of the fluctuation of the allowance in the machining of the products, the effect of control and self-adjustment of the measuring instruments, and the switching-off speed of the machine tool. The author finally emphasizes the necessity of discussing the trend and coordinating the elaboration of methods of estimating measurement errors. There are 1 figure and 6 references: 5 Soviet and 1 German.

Card 2/2



KUTAY, A.K., kand.tekhn.nauk, dotsent; BALONKINA, I.I., inzh.

Automatic collimation devices for measuring angles of recess
for toothed cylinders and other parts. Vzaim.i tekh.
izm.v mashinostr.; mezhvuz.sbor. no.3:227-239 '61.

(Collimators)

(Collimators)

TAYTS, B.A.; MARKOV, N.N.; KOLCHIN, N.I., zasl. deyatel nauki i tekhniki RSFSR, doktor tekhn. nauk, prof., red.; KUTAY, A.K., kand. tekhn. nauk, retsenzent; FIRUN, N.B., kand. tekhn. nauk, red.; ONISHCHENKO, R.N., red. 1zd-va; BARDINA, A.A., tekhn. red.

[Precision standards and control of gear wheels]Normy tochnosti i kontrol' zubchatykh koles. Pod obshchei red. N.I.Kolchina. Moskva, Mashgiz, 1962. 103 p. (Bibliotechka zuboreza, no.6) (MIRA 16:2)

(Gearing-Standards)

SELYUTIN, Abram Moiseyevich; EESFAL'CHIKOVA, Tat'yana Aleksamirovna;

KUTAY, A.K., kand. tekhn. nauk, retsenzent; NAUMOV, Ye.P.,
inzh., red.; LEYKINA, T.L., red. izd-va; SHCHETIRINA, L.V.,

[ilandbook on telerances and fits]Spravochnik po dopuskam i posadkam. Moskva, Mashgiz, 1962. 143 p. (MIRA 15:8)

(Tolerance (Engineering))

THE STATE OF THE S


BALAKSHIN, O.B., kand. tekhn. nauk; BYKHOVSKIY, M.L., prof., doktor tekhn. nauk; VOLODIN, Ye.I., kand. tekhn. nauk; GRIGOR'YEV, I.A., kand. tekhn.nauk; DRAUDIN-KRYLENKO, A.T., inzh.; IVANOV, A.G., kand. tekhn.nauk; KOZIOV, M.P., kand. tekhn. nauk; KOROTKOV, V.P., prof.; KOCHENOV, M.I., kand. tekhn. nauk; KUTAY, A.K., kand. tekhn. nauk; MARKOV N.N., kand. tekhn. nauk; FALEY, M.A., inzh.; RAYEMAN, N.S., kand. tekhn.nauk; ROSTOVYKH, A.Ya., kand. tekn. nauk; RUMYANTSEV, A.V., kand. tekhn.nauk; SARKIN, I.G., prof.; SMIRNOV, A.S., inzh.; TAYTS, B.A., prof., doktor tekhn. nauk; YAKUSHEV, A.I., prof., doktor tekhn. nauk, NESTEROV, V.D., inzh., nauchnyy red.; CHUDOV, V.A., inzh., nauchnyy red.; GAVPIIOV, A.N., dicktor tekhn.nauk, prof., red.; BLAGCSKLONOVA, N.Yu., inzh., red. izd-va; SOKOLOVA, T.F.,

[Manufacture of instruments and means of automatic control: a manual in five volumes] Pritorostroenis i sredstva avtomatiki; spravochnik v piati tomakh. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry. Vol.l.[Interchangeability and engineering measurements] Vzaimozameniaemost' i tekhnicheskie izmereniia. 1963. 568 p. (MIRA 16:8) (Electronic measurements) (Automatic control)

ABADZHI, K.I.; BOYTSOV, A.N.; VOLOSEVICH, F.P.; COHEICAN, P.N.;
KEMPINSKIY, M.M.; KUTAY, A.K.; HARINETY, F.I.; OLING,
G.A.; TATTS, B.A.; RUBINOV, A.D.; SHTYUMER, G.A.;
EKZHEZINSKIY, M.L., kand. tekhn. nauk, retsonzent;
SHALAYEVSKIY, O.V., rod.; LEYKINA, T.L., red.izd-va;
SPERANSKAYA, O.V., tekhn. red.

[Handbook on production control in the machinery industry]
Spravochnik po proizvodstvennomu kontroliu v mashinostroenii. Izd.2., perer. i dop. Moskva, Mashgiz, 1964. 748 p.

(MIRA 17:3)



EL'STER, P.B.; CHESROKOV, A.M.; KUTAY, A.K., kand. tekhn. nauk, retsenzent

[Technology of the manufacture of vinyl plastic articles]
Tekhnologiia izgotovloniia izdelii iz viniplasta. Izd.2.,
perer. i dop. Moskva, Mashinostroenie, 1964. 170 p.

(NIRA 17:11)


EUTAY. A.K.; BALONKINA, I.I.

Precision of die and investmen castings. Lit. proizv. no.8:37-39
Ag *164. (MIRA 18:10)

AUTAY, A.S., kand. tekhn. nauk

Unification of quality indices for namulacturing processes.
Standartizateiia 28 no.6132-38 Je '64. (MIRA 17:9)

1. Leaingradskiy institut kinoinzhenerov.




RETTY, A.K.; GUNNYKIN, T.Y..) STEPTHON, V.C.

Contact method for measuring the geometric parameters of 35 mm motion-picture files. The dy SEXT mc. 11:25:52 % for.

(MIRT 18:16)

L. Kafedra tekhnologii & ennoge machine stray-naya laninganisanga instituta kincinzhanerov.



ACC NRI AP6023051

V) SOURCE CODE: UR/0416/66/000/004/0045/0049

AUTHOR: Kutay, D. (Vice-admiral, Deputy commander for logistics of the Morthern fleet)

ORG: None

TITIE: Providing supplies for naval vessels

SOURCE: Tyl i snabsheniye sovetskikh voorushennykh sil, no. 4, 1966, 45-49

TOPIC TACS: ordnence, quartermester equipment

ABSTRACT: The author presents a general review of supply activities demonstrated by various commanders and officers belonging to the naval ships and supply bases operating in northern and arctic areas. The activities covers ordnance and quartermoster supplies to be provided for various types of naval vessels including atomic powered submarines.

The activity of supplying ships under severe arctic conditions is a great responsibility of officers in charge of command and supply. In this connection, the activities of the ship-commanding officer, V. Grinchuk, are described and highly praised. His assistant for political education advises him on supplies pertaining to the educational and party-political programs (books, movies, etc.). The deputy commander, acting as an executive officer, is responsible for seeing that the supply operations are efficiently carried out. Commander Boyko, acting as supply officer, deals mostly with supplying food, clothing and various materials. The activities of a supply base are also cited and praised especially

Cord 1/2

moderated with the first production of the produ

ACC NR: AP6023051

with regard to the preparations of supplies for subsarines. The supply plan is prepared and carried out in close cooperation with subsarine representatives. In general, the ships are used as supply bases for subsarines only during the execution of maneuvers and training exercises. It is recommended that such a method of supply be used more in every day practice. A more careful selection and control of food is recommended and more consideration be given to climatic conditions. The arrangement of naval bases is also reviewed and an example of a well equipped base is presented. The development of home farming and the cultivation of vegetables on the naval bases is praised. The storage and preservation of food on submarines is discussed and the establishment of new regulations is recommended. The organisation of medical aid, hospitals and rest houses in arctic areas is also mentioned. Orig. art. has: 3 photos.

SUB CODE: 15/ SUBM DATE: None

Card 2/2

MITROFANOV, Sergey Petrovich, kend.tekhn.nauk; KUTAY, K.A., dots.kend.tekhn.
nnuk, red.; FRECER, D.P., tekhn.red.

[Group milling parts as a scientific method fo technology] Gruppoveia
obrabotka detalei kak metod nauchnykh osnov tekhnologii. Pod red.
K.A.Kutai. Leningrad, Leningr. dom nauchno-tekhn.propagandy, 1957.
115 p. (Milling machines)

USSR/General and Specialized Zoology - Insects.

 \mathbf{P}_{\bullet}

Abs Jour

: Ref Zhur - Biol., No 8, 1958, 35332

Author

: Kutayev, F.S.

Inst

Title

: The Populating of Oak Timber and Stumps with Trunk Pests.

Orig Tub

: Nauchn-tekhn. sb. tr. po lesn. kh-vu Sev. Kavkaza. 1956,

vyp. 2, 141-145.

Abstract


: Winter, spring and summer cuttings of eak timber were studied in six forest kolkhozes on wood clearings and samples from select sanitation cuttings. The population of each pest on 1 dm2 of the trunk's surface was determined on circular sheets 50 cm. by 1-2 m. The rootless timber attracted many trunk pests, of which the most dangerous were: Agrilus biguttatus, A. angustulus, A. hastulifer, Chrysobothris affinis, Xyleborus monographus, Plangionotus arena-


tus, Clytus arietis and Thyratodes testaceus.

Card 1/1

- 33 -

CIA-RDP86-00513R000927910015-7" APPROVED FOR RELEASE: 03/13/2001






KONOBEYEVSKIY, S.T.; PRAVDYUK, N.F.; KUTAYTSEV, V.I.


[Effect of radiation on the structure and properties of fissionable materials] Vliianie oblucheniia na strukturu i svoistva delia-shchikhsia materialov. Moskva, 1955. 14 p.

SECTION OF THE PROPERTY OF THE

(Radioactive substances) (Radiation)

(MIRA 14:6)





BOCHVAR, A. A., KONOPEYEVSKIY, S.T., KUTAYTSEV, V. I. and CHEBOTAREV, N. T.

"Interaction Between P lutonium and Other Metals in Connection with their Arrangement in Mendeleev's Periodic Table."

paper to be presented at 2nd Un Intl. Conf. on the peaceful uses of Atomic Energy, Geneva, 1 - 13 Sept 58.

KUTAYT SEVE V. I.

AUTHORS:

Bochvar, A. A., Konobeyevskiy, S. T.,

SOV/89-5-1-1/28

Zaymovskiy, A. S., Sergeyev, G. Ya.,

Kutaytsev, V. I., Pravdyuk, N. F., Levitskiy, B. M.

TITLE:

Investigations Carried out in the Field of the Letallography. ... of Plutonium, Uranium, and Their Alloys (Issledovaniya v oblasti

metallovedeniya plutoniya, um A i ikh splavov)

is the contract of the executive energy of

PERIODICAL:

Atommaya energiya, 1958, Vol. 5, Nr 1, pp. 5-23 (USSR)

ABSTRACTS:

The purpose of this survey is to study the metallography of nuclear fuels; plutonium; uranium, and their aligns. The work concerned was carried out in connection with the development of atomic power engineering in the USSR. Three principal chapters contain data concerning the following subjects:

1.) Plutonium and its alloys:

a) Metallio plutonium

b) Alloys with the metals of group I (PuCu₂, PuCu₁, PuCu₆)

o) Alloys with the metals of group II (PuBe 13)

d) Alloys with the elements of group III (Pu3A1, PuAl2, PuAl3, PuAl1)

Card 1/3

FILESCATANTA PROPERTY CONTRACTOR OF THE PROPERTY REPORT OF THE PROPERTY OF THE Investigations Carried out in the Field of the Metall=30-12 SOV/89-5-1-1/28 ography of Plutonium, Uranium, and Their Alloys e) Alloys with the elements of group IV (PugZr) f) Alloys with the elements of group V-VIII (PuV2, PuOs2. g) Alloys with the metals of actinides (PuU) PuFe₂) 2.) Uranium and its alloys: a) Structure and physical properties of uranium b) Mechanic properties of coarse-grained uranium o) Deformation of uranium when subjected to irradiation or cyclic thermal treatment d) Change of the structure and properties of uranium as a result of thermal treatment (annealing) e) Change of the structure and properties of uranium as a result of plastic deformation followed by annealing at temperatures of the C-range f) Structure and properties of uranium alloys g) Treatment of uranium by means of pressure.
3.) The influence exercised by neutron radiation upon the structure and the properties of reactor building materials and fuels. There are 17 figures, 6 tables, and 6 references. which are Soviet. Card 2/3

Investigations Carried out in the Field of the Ketallin: SOV/89-5-1-1/26

SUBMITTED: March 18, 1958

1. Plutonium-Analysis 2. Plutonium alloys-Analysis 3. Uranium-Analysis 3. Uranium-Analysis 4. Reactors --Materials 5. Materials-Effects of radiation

Card 3/3

生生生,这些主义,但在自己的思想。但是我们是不是,我们就是是是一个人的,我们就是一个人的,我们就是一个人的,我们还是一个人的,我们还是一个人的人的人,我们就是一个人的人的人的人,我们就是一个人的人的人的人,我们就是一个人 1 Hunt - - - - 15 Villa dution Panning, L. A., Konobeyevskiy, S. T., Estavina, V. H., Menishikova, T. C., Chebetarev, N. T. T.T.E: The Reactions of Platenium Lith Other Metals With have et to Their Position in the Periodic Table of D. I. Mergary (Vzaimodovstviye plutoniya s drugimi metallami v r occ respolozheniyem v periodicheskoy sisteme P. I. Memis v ... CORRECTION LE Atomneya energiya, 1958, Vol. 5, Nr. 1, pr. 505-60 - 12 P. POTR ST. On the basis of phase diagrams the character of an innerwood of of plutonium with a number of other elements of the prejection table is described. Only characteristic examples are managined. Fu + Be, lu - Al, Pu + Fb, lu - Bi, Fu - Zr, Fu Euro Mo. Turo Os. Puro T. Puro W. A detailed time of the corecorning the crystal structure of some plut him a promise some added, in which plutonium is combined with the tallowing of a ments: Cu, Ag. Be. Mg. Hg. Al. In. Ta. C. Si. Co. Jo. et. Me. F. W. Bi. Te. Mn. Fe. Co. Ni. Oc. Th. and Well and Shirt foreign data). For the compilation of the phase is grown by the C. 25 1/3 dially the papers by the authors mentioned on.

The Rea	of one of Fintonium With Other Metale With Respect to Tonician term of the Table of D. I. Mendeleyev	
	=	
	mero each. The contaharature W. L. Ragmann, C. J. Ivan C. C. Smotritskaya and mentioned agencies. C. There are to figures and a refer news, and at the contained and the contained are the contained and the contained are the contained and the contained are contained as a contained are contained are contained as a contained are containe	•
(ari -		

Hammend and Contrements on the Processy lines of Anale Barry. Say, Balland constalls schooling to the Processy of the Contrement on the Contrement of the Contrement on the Contrement of the Contrement on the Contrement of Contrament of Co	Kulay	Tise.v	, U. J	TO STATE OF	£	***************************************	The state of the s	arcon igned distribution of the second	
		FLACE I BOOK EXPLOYMENTION B metamal Conference on the Percental Liese of Atomic Re men, 1995	(Regards of Series Selection, Section 7 and Resetor Residual Monocomplements of Series Section 7 and Resetor Residual Monocomplement, 1999, 670 p. (Series 12s: Trent, vol. 9, 0,000price prised.) M. (Riti page) A.A. Benner, Arabantelm, A.P. Finografor, Andemician, V.B. Temilymor, Cerresponding Resets, (SER Arabantel Selection, Section 9, 1988, Temilymory, Cerresponding Resets, (SER Arabantel Selection), M. Temilymory, Cerresponding Resets, (SER Arabantel Selection), M. Temilymory, Cerresponding Resets, (SER Arabantel Selection), N. Temilymory, Cerresponding Reset (SER Arabantel Selection), N. Temilymory, Cerresponding Resets, (SER Arabantel Selection), N. Temilymory, Cerresponding Reset (SER Arabantel Selection), N. Temilymory, N. Temilymory, Cerresponding Reset		ministry and 1.5. derprive. Self-diffusion mapping (hyper 50. 25.5) modernvill, did. filteres, 9.6, Mee, bilons,	la Trair de Canada Independi la Trair de Canadamani in Image (gr) de Canada de Canada (gr) de Canada de Canada (gr) de Canada de Can	T. Protection, I.d. Absent, B.D. Marapadas, M. Pastion by the Electrotries of Pased Balle (Report		
		, 1,							
	The state of the s			at the same of the				• • • • •	٠,

。 《注》为《共享的》的形式的复数自然的影响。 第四章 表现的意思的影响。

KUTAYISEV, Viktor Ivencvich; VORONOVA, A.I., red.; VLASCVA, N.A., tekhn. red.

[Thorium, uranium, and plutorium alloya: collection of materia.]

[Thorium] uranium, and plutonium alloys; collection of materials on constitutional diagrams and crystal structures] Splavy toriia, urana i plutoniia; sbornik materialov po diagrammam sostoianiia i kristallicheskim strukturam. Moskva, Gosatomizdat, 1962. 223 p.

(MIRA 15:7)

(Thorium alloys--Metallography) (Uranium alloys--Metallography) (Plutonium alloys--Metallography)

- KUTAYTSBV, V. I.

90

PHASE I BOOK EXPLOITATION

307/6176

Konobeyevskiy, S. T., Corresponding Member, Academy of Sciences USSR, Rosp. 过.

Deystvive vadernykh izlucheniv na materialv (The Effect of Nuclear Radiation on Materials). Moscow, Izd-vo AN SSSR, 1962, 383 p. Errata slip inserted. 4000 copies printed.


Sponsoring Agency: Akademiya nauk SSSR. Otdeleniye tekhnicheskikh nauk; Otdeleniye fiziko-matematicheskikh nauk. .

Resp. Ed.: S. T. Konobeyevskiy; Deputy Resp. Ed.: S. A.
Adasinskiy; Editorial Board: P. L. Gruzin, G. V. Kurdyumov,
B. M. Levitskiy, V. S. Lyashenko (Deceased), Yu. A. Martynyuk,
Yu. I. Pokrovskiy, and N. F. Pravdyuk; Ed. of Publishing
House: M. G. Makarenko; Tech. Eds: T. V. Polyakova and
I. N. Dorokhina.

,Card 1/14

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R000927910015-7"

THE STREET HIS TRANSPORT BY AND A STREET BY A



			8	!	
	The Effects of Nuclear Radiation (Cont.)	sov	/ 6176	1	
	Pravdyuk, N. P., V. A. Nikolayenko, and V. I Change in Lattice Parameters of Diamond and During Irradiation	I. Korpukhin. 1 Silioon Carbide	184	<i>i</i> :	
	Abdullayev, G. B., and M. A. Talibi. On One Cadmium Sulfide Photoresistors in Recording Dosimeter	e Method of Using X- and Y-ray	189		/
Ę	Konobeyevskiy, S. T., B. M. Lavitskiy, L. D Dubnovin, Y. I. Kutaytsev, and V. N. Koney. tion of Transformations in Copper-Tin Alloy Irradiation		<u>.</u>		
•	Levitskiy, B. M., and L. D. Panteleyev. X-the Relaxation of Internal Microstresses in Metals Under Neutron Irradiation	Ray Examination of Cold-Worked	209		
	Konobeyevskiy, S. T., N. F. Pravdyuk, Yu. I. V. I. Vikhrov. Effect of Neutron Irradiati Priction in-Metals	on on Internal	'219		
	Card 9/14	/		/ the control of the	
		7	/	<i>†</i>	<i>t</i>
				-	

KONOREYFVSKIY, S.T.; KUTAYISEV, V.I.

Plutonium alloys. Issl. splav. tovet. met. no.4:17-24 '63.
(Plutonium alloys)

KUTAYTSEV, V. I.; CHEBOTAREV, N. T.; et al

"Further Developments on Phase Diagrams of Plutonium Alloys."

report submitted for 2nd Intl Conf, Peaceful Uses of Atomic Energy, Geneva, 31 Aug-9 Sep 64.

L 9236-66 EWT(m)/EPF(n)-2/T/EMP(t)/EWP(b)/EWA(h)/EWA(c) JD/JG/GG/GS
ACC NR. AT5023799 SOURCE CODE: UR/0000/62/000/000/0194/0208

AUTHOR: 'Konobeyevskiy, S. T. (Corresponding member AN SSGR): Levitskiy, B. M.; 2/7
Panteleyev, L. D.; Dubrovin, K. P.; Kutaytsev, V. I.; Konev, V. N.

ORG: none

TITLE: X-ray diffraction analysis of transformations in a copper-tin alloy subjected to neutron irradiation (55, 27 27)

SOURCE: Soveshchaniye po probleme Deystviye yadernykh izlucheniy na materialy. Noscow, 1960. Deystviye yadernykh izlucheniy na materialy (The effect of nuclear radiation on materials); doklady soveshchaniya. Moscow, Izd-vo AN SSSR, 1962, 194-208

TOPIC TAGS: neutron irradiation, copper alloy, tin containing alloy, alloy irradiation, plutonium containing alloy, phase transformation, irradiation induced transformation

ABSTRACT: To determine the mechanism of homogenization which takes place in uranium-molybdenum and uranium-niobium alloys under the effect of neutron irradiation, specimens of two copper-base alloys, one containing 9 at% tin and the other 9 at% tin and 1 at% plutonium, were irradiated with an integrated flux of up to 6 x 10^{19} n/cm². Prior to irradiation, specimens of both alloys were homogenized and strain-hardened by cold rolling with a total reduction of 85—95%; half of the specimens were then aged (annealed at 220 \pm 5C for 500 hr) to induce a decomposition Cord 1/2

L 9236-66

ACC NR: AT5023799

of the solid solution and thus obtain a heterogeneous structure. Subsequent neutron irradiation had no effect on the structure of either the strain-hardened or annealed copper-tin alloy specimen. In the annealed specimens (heterogeneous structure) of the copper-tin-plutonium alloy, irradiation brought about a partial homogenization, i.e., a dissolution of secondary phases precipitated under the effect of aging. In the strain-hardened (homogeneous) specimens of the copper-tin-plutonium alloy, a partial decomposition of the solid solution under the effect of irradiation was observed. These results confirm the assumption that the phenomenon of homogenization in uranium-molybdenum and uranium-niobium alloys is a result of a rapid deceleration of fission fragments and not a result of a similar deceleration of primary atoms knocked out by fast neutrons (as suggested by some researchers), since in this case the copper-tin alloy would have been affected to the same degree as the copper-tin-plutonium alloy. Orig. art. has: 9 figures, 3 tables, and 4 formulas.

SUB CODE: 11,20/ SUBM DATE: 18Aug62/ ORIG REF: 006/ OTH REF: 004


Card 2/2

GUBANOV, A.; KISTAUBAYEV, K.; GROMADCHENKO, A. (stantsiya Shaktnaya);
VOLOSOVICH, A., brigadir; MASLOV, T.; TEL'TSOVA, A. (g.Ivanovo);
SVISTUNOV, V.; KOVALEV, V.; KISELOV, V. (g.Priozersk, Leningradskoy oblasti); AHISIMOV, P.; KUTAYTSEV, Ye.

Editor's mail. Sov.profsoiuzy 16 no.17:44-50 S '60. (MIRA 13:8)

1. Predsedatel' mestnogo komiteta upravleniya sovkhoza imeni Stalina, Krasnodarskogo kraya (for Gubanov). 2. Zaveduyushchiy avtoklubom Tuzhno-Kazakhstanskogo obkoma profsoyuza rabochikh i sluzhashchikh sel'skogo khozyaystva i zagotovok, g.Nal'chik (for Kistaubayev). 3. Chlen komiteta profsoyuza gil'zenabivnogo tsekha fabriki "Dukat," Moskva (for Volosovich). 4. Predsedatel' mestkoma passazhirskogo avtotransportnogo transporta, g. Nal'chik (for Maslov). 5. Instruktor kul'turno-massovogo otdela Leningradskogo oblsovprofa (for Svistunov). 6. Hedaktor gazety "Azovstal'stroyevets," g. Zhdanov (for Kovalev). 7. Nachal'nik otdela kadrov Ul'yanovskogo sel'skokhozyaystvennogo instituta (for Kutaytsev). 8. Starshiy instruktor Tyumenskogo oblastnogo soveta profsoyuzov (for Anisimov).

(Trade unions)



KatnyToren F.

18.1245 18.1200

81881 s/129/60/000/08/008/009

E073/E135

AUTHORS:

Kutaytseva, A.I. (Engineer), and Timonova, M.A. (Candidate of Technical Sciences)

TITLE:

Stability Against Corrosion of Magnesium Alloy Sheet

Material

PERIODICAL: Metallovedeniye i termicheskaya obrabotka metallov,

1960, No 8, pp 48-53

TEXT: The behaviour of magnesium alloy sheets (3, 1, 1.2 mm thick), containing 3.37% Al, 0.68% Zn and 0.30% Mn (MA2); % 6.05% Al, 1.03% Zn, 0.35% Mn (MA2-1, % batch I); and 4.1% Al, 1% Zn, 0.6% Mn (MA2-1, batch II), was investigated. Details on heat treatment and on their mechanical strength are given in Table 2. The experiments were contact out under conditions Table 3. The experiments were carried out under conditions pertaining in a normal industrial atmosphere and also in combination with alternate submersion in a 0.001% NaCl solution. The tests were carried out on bent strips as well as on strips which were in the shape of loops (Figs 2 and 3). They were subjected to oxidation in standard baths in the following states: no-load; during plastic deformation; during plastic and elastic

Card 1/3

生活主义的过去式和**的时间和影响以外经常在特别或外世界的现在分别的**多种影响,<mark>是我们和邓的</mark>是是特别的影响,也是这种是什么是这种是一个人,我们就可以是一种一个一个

81881 S/129/60/000/08/008/009 E073/E135

Stability Against Corrosion of Magnesium Alloy Sheet Material deformation. The tendency to corrosion cracking was evaluated on the basis of appearance of the first crack visible with a The results obtained on the influence of magnification of 7X, stresses on corrosion cracking of MA2 and MA2-1 sheets are entered The influence of the annealing temperature on the resistance to stress corrosion for the same alloys is given in The results of corrosion tests under various The following conclusions are Tables 4 and 5. conditions are entered in Table 6. 1) MA2 sheets in the annealed state have a high resistance to corrosion under stress in a natural atmosphere. 2) With increasing aluminium content the resistance to stress corrosion of the MA2-1 alloy decreases. 3) The resistance to corrosion of MA2 and MA2-1 sheets decreases with increasing stress; the critical stress is not reached for 3 mm thick sheets of the MA2-1 alloy for stresses between 90 and 50% of the yield point. For 1 2 mm thick sheets of the MA2-1 alloy a stress of 50% of the yield point stress is critical but below this stress the alloy is 4) Annealing of MA2 and MA1 not prone to corrosion cracking. sheets increases their resistance to stress corrosion. increasing annealing temperature (150-350 °C) the tendency to Card 2/3

CIA-RDP86-00513R000927910015-7" APPROVED FOR RELEASE: 03/13/2001

。 第一章,"我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就

> 81881 \$/129/60/000/08/008/009 E073/E135

Stability Against Corrosion of Magnesium Alloy Sheet Material corrosion cracking decreases appreciably. 5) It was found that chromate films produced in the baths which were used in the experiments bring about an increase in the stress corrosion resistance for MA2 sheets. Breaking up of the continuity of the film during manufacture of the specimens reduces the resistance to corrosion of this alloy but it will still be higher than for specimens which are not covered by an oxide film. There are 4 figures and 6 tablos.

Card 3/3



FRIDLYANDER, Iosif Naumovich, kand. tekhn. nauk; KUTAYTSEVA,
Yekaterina Ivanovna, kand. tekhn.nauk; UDAL'TSUV, A.N.,
glav. red.; AL'TMAN, M.B., kand. tekhn. nauk, red.

[High strength V95 aluminum alloy; system aluminum magnesium - zinc - copper]Vysokoprochnyi aliuminevyi splav
V95; sistemy aliuminii - magni - tsink- med'. Moskva, In-t
tekhniko-ekon. informatsii, 1956. 61 p. (Informatsiia o
nauchno-issledovatel'skikh rabotakh. Tema 6. No.I-56-34)
(MIRA 16:3)

(Aluminum-magnesium-zinc alloys)

s/137/62/ccc/co5/104/150 ACC6/A101

18.1210 (24.8)

AUTHORS:

Nikitayeva, O. G., Kutaytseva, Ye. I., Romanova, O. A., Karpovich,

Yu. M., Kondrat'yeva, N. B.

The effect of aluminum purity on the mechanical properties and TITLE:

heat-resistance of aluminum alloys

Referativnyy zhurnal, Metallurgiya, no. 5, 1962, 71, abstract 51432 PERIODICAL:

(V sb. "Deformiruyemyye alyumin. splavy", Moscow, Oborongiz, 1961,

30 - 43)

The authors studied the effect of Fe and Si admixtures upon the properties of deformed Al-alloys at room and higher temperatures. For the prepara-TECT: tion of grade 16, 19, AKY -1 (AKCh-1), A 20 (D20), A 21 (D21), B 95 (V95) and AMr 6 (AMg6) alloys, three Al grades were used, namely: Al AOO, and ABOOO (AVCOO); Mg- and Zn-metal, and addition-alloys Al-Cu, Al-Mn, Al-Ti, Al-Ni, Al-Fe. The strength of pressed rods made of D16 and D19 alloys increases somewhat at room temperature with a higher purity of the initial Al. The mechanical properties of forgings in short-lasting tension of D20 and D21 alloys, do practically

Card 1/2

CIA-RDP86-00513R000927910015-7" **APPROVED FOR RELEASE: 03/13/2001**

The effect of aluminum purity on...

S/137/62/000/005/104/150 A006/A101

not depend on the initial aluminum grade. The strength of AKCh-1 alloy forgings decreases with higher Al purity. The endurance strength of semi-products of all alloys decreases with a higher purity of the initial Al. A decrease in contamination of V95 and V96 alloys reduces somewhat the number of cycles until the breakdown in repeated static-loading tests. It is not expedient to use high-purity Al (AVOOO) to raise the heat-resistance of sheets and forgings made of Al alloys at 200°C.

T. Rumyantseva

[Abstracter's note: Complete translation]

Card 2/2