STAT

Copy of b

11 July 1956

MEMORANDAM FOR RECORD

SUBJECT: AQUATORE KLIFT Requirements

1. A meeting was held at 1000 hours in Roem 256, Berton Hall, for the purpose of reviewing on an all-service basis the status of the project from the point of view of (1) ELINT requirements, (2) priorities for ELINT data processing, and (3) methods for the exploitation of ELINT intelligence.

STAT

- project to date, the current status of the operation, outlined the inmediate and long-range KLIMT problems, and solicited recommendations
 and suggestions from the group. Several of the group expressed the
 desire to study the problems more in detail since this was their first
 contact with the project.
- 3. The following suggestions and recommendations were made and tentatively agreed upon:
 - a. That AFOIN-E be delegated the job of formulating ELINT requirements for the project and as such will work with the Senior Requirements Committee.
 - b. That HTFC be furnished with one copy of the tape (if it can be made in the field at no loss of time) as well as the original tape.
 - c. That WTPC be furnished with a copy of the daily reaction report.
- 4. Both the Army and Havy went on record as stating that their priority for explaintaien was first (1) flash reports on new and unusual signals and (2) RGS. The Air Force stated that they also wanted those same reports but in addition, two copies of each tope (from HTPC).
- 5. Tentatively, the persons named to work with AFOIN-Z on the KLINT requirements problem are as follows, and it was agreed that these nominees will meet with AFOIN-Z as soon as they have the opportunity to reflect on the problems presented at this meeting.

			- 2 -		
	JECT: AQUAT	ONE ELINE Requir	enests		
λ Τ					
λT	0. TROSS	present at this	macring series		
ΑT					^m ≪
			ELDE Staff	Officer	
D1.	stribition	31433			
•	Copies i a 2 1	- Mr. Rober			
λ Τ	5	- AFOIN-E - Project Chrono - Daily Reading			
	6	- Delly Receing			
	经货料的				

Sanitized Copy Approved for Release 2010/12/08 : CIA-RDP57-00011A001000180139-4