Approved For Release 2000/05/04: CIA-RDP67B00820R000200010028-3

PED/NPIC-25-63 14 January 1963

MEMORANDUM FOR: Executive Director, NPIC

SUBJECT:

Purchase of Equipment

25X1A

1. Because of the desire of the Director, MPIC to provide a limited capability for processing and printing original photography 25X1A on an emergency basis we have asked the EK consulting group, our to provide us with a list of necessary Lab people and equipment. In addition, we have discussed the problem with who has had a great deal of experience in this area in the recent past; he concurs in the selection of the following list

25X1A

of EK equipment.

<u>Q</u>	uantity	Item	Price	*
✓	1	9.5 Continuous Contact Printer		
1	1	Dual Head Titler		
	1	Densitometer Table		
	1	Versamat Processor w/Attachments and spare parts kit		
	4	Sets- Hand Rewind and adjustable plates		
		TOTAL		
		was whom amaileable		

*Price includes Fee where applicable

There are several other items which are not as critical as the above which we do not have price quotes on and can be purchased later.

2. It should be emphasized that all of the above equipment will be used in the Lab constantly and will enhance our overall capability and will not be held in stand-by in anticipation of emergency original material processing.

SEGRET



25X1A

Approved For Release 2000/05/04: CIA-RDP67B00820R000200010028-3

PSD/NPIC-25-63 14 January 1963

25X1A

Page 2

25X1A

3. It would be most advantageous to purchase this particular equipment through OSA; we have done this in the past and it has worked very well. people could transfer the funds to and he could negotiate the purchase through the existing EK contract.

25X1A

25X1A Chief, Production Services Division,
NPIC

Executive Director, NPIC

25X1A

Assistant for Plans, NPIC

Assistant for Administration, NPIC