Approved For Release 2000/08/24 CIA-RDP74-00005R000100070024 Long Fale

3 September 1971

IA-RDP74-00005R000100070024-1

25X1A	MEMORANDUM FOR:	·	
	SUBJECT : Temperature Surveys of Agency Records Co	enter,	25X1A
	1966 to 1971 which indicate humidity and temperature fluctations		25X1A
	of more than 40 percentage points and 15 degrees (instead than 5 normally allowable) inside portant to note that this long standing problem pre-dates installation of movable shelving and will have to be solve that installation is completed. Extreme temperature flucture detrimental to historic paper documents stored for long time but are even more harmful for microfilm and magnetic which we expect to receive in greater quantities in the future.	It is im- s the current red after ctations are periods of c tapes	25X1A
25X1A 5X1C	Chief, Support Services Staff, DDS has requested that I forward these to you for discussion with the Real Estate and Construction Division engineers and to be held with other plans and surveys of the Records Center, such as the engineering study of humidity, temperatures, and electricity which conducted prior to the development of specifications		' 25X1C
25X1A	3. We plan to take up review of the equipment to stabilize the temperature and humidity in upon completion of the current movable shelving project. In the meantime, please call me on #2468 if you or the engineers have any questions concerning these charts or the temperature and humidity problem.		
	CIA Records Administration	n Officer	25X1A
25X1A	Attachments: Ten Charts A thru E, 1 and 2 Two Memos on correction of equipment Transmittal from C/A&RC to C/SSS		
25X1A	DDS/SSS/RAB fine (3 Sep 1971) Distribution: Orig & 1 - Addressee	The section common to the section of	÷,
25X1A	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Chart 1 Excluded from amount of the company and declaration and declaration.	ili.

1 - C/A&RC

Approved For Release 2000/08/24 : C