

~~SECRET~~
CONFIDENTIAL 30 September 1955

MEMORANDUM FOR: THE RECORD

SUBJECT: Monitoring of RD-54, Task I, [redacted]

1. **Time and Place of Meeting:** 26 and 27 September 1955,

2. **Attendance:** [redacted]

3. **Purpose:** To pick up proposals for Model C and complete Task I. To monitor Task I and check on progress of the instruction book.

4. **Discussion:** [redacted] was concerned about two checks in the amount of \$115,000.00 that are due his company and the 60 day extension of Task I with additional money (\$23,000.00) which has not been received by [redacted]. He also had questions about accounting for parts used in the "D" unit but purchased originally for the "B" unit. How many copies of the final report? What happened to the clearance of [redacted]. They have no approval to buy secure safes. He stated that 6 units will be shipped 29 September and the other 14 by 22 October. [redacted] stated that certain proposals and equipment would be known to various government organizations, one specific piece of equipment was an automatic unattended relay station.

The question of building more gain into a "C" unit transmitter was raised and [redacted] opinion was that 1 or possibly 2 more stages could be added - limitations would be tube noise not the lead sulphide signal, noise ratio.

The work on the instruction book required some direction, as too much was being covered. Some guesses as to uses on [redacted] part were deleted.

5. **Conclusions:**

8

DOCUMENT NO. _____
NO CHANGE IN CLASS.
 DECLASSIFIED
CLASS. CHANGED TO: TS S C 02010
NEXT REVIEW DATE: _____
AUTH: HR 70-2
DATE: 08/17/79 REVIEWER: 010956

CONFIDENTIAL

~~SECRET~~
CONFIDENTIAL

5. Conclusions: [redacted] is doing satisfactory work on Task I. Their proposals for finishing the work on model "B" and for model "C" appear to be not too unreasonable with the possible exceptions of overhead and profit percentages.

[redacted]
TSS/APD

Distribution:

Orig. - P-101B

1 - P-101C ✓

1 - SPK

1 - Chrono

TSS/APD [redacted] (30 Sept 55)

CONFIDENTIAL