

TSS/GAKD, ROOM 25, CENTRAL BLDG.

CONFIDENTIAL

P- 5318

APD

7/10/01 B


DOCUMENT NO. 25
 NO CHANGE IN CLASS.
 DECLASSIFIED
 CLASS. CHANGED TO: TS S © 2010
 NEXT REVIEW DATE: _____
 AUTH: HR 70-2
 DATE: 1/26/80 REVIEWER: 010956

TSS/APD

Retain or destroy

CONFIDENTIAL

FIGURE 3-7. FRONT VIEW OF INFRARED VOICE COMMUNICATOR WITH FRONT COVER REMOVED






FIGURE 3-5. VIEW OF ASSEMBLED TRIPOD, SHOWN UPSIDE DOWN




FIGURE 3-2. TOP VIEW OF TRIPOD TABLE FOLDED FOR STORAGE




FIGURE 3-3. REAR VIEW OF INFRARED VOICE COMMUNICATOR PACKED FOR STORAGE BUT WITH REAR COVER AND TRIPOD TABLE REMOVED







FIGURE 3-3. REAR VIEW OF INFRARED VOICE COMMUNICATOR PACKED FOR STORAGE BUT WITH REAR COVER AND TRIPOD TABLE REMOVED










FIGURE 3-6. CONTROL PANEL VIEW OF INFRARED VOICE COMMUNICATOR




FIGURE 3-2. TOP VIEW OF TRIPOD TABLE FOLDED FOR STORAGE




FIGURE 3-5. VIEW OF ASSEMBLED TRIPOD, SHOWN UPSIDE DOWN




FIGURE 3-4. VIEW OF THE THREE TRIPOD LEGS SHOWING THE DIFFERENCES AND IDENTIFYING THE VARIOUS PARTS

ONE COMPLETE TRIPOD
LEG - INCLUDES THE TWO FOLDING
RODS - THIS ONE HAS TWO CHAINS




FIGURE 3-4. VIEW OF THE THREE TRIPOD LEGS SHOWING THE DIFFERENCES AND IDENTIFYING THE VARIOUS PARTS




FIGURE 3-1. REAR VIEW, OPERATING SIDE, OF INFRARED VOICE COMMUNICATOR WITH REAR COVER REMOVED AND THE EQUIPMENT SET UP TO OPERATE




FIGURE 3-1. REAR VIEW, OPERATING SIDE, OF INFRARED VOICE COMMUNICATOR WITH REAR COVER REMOVED AND THE EQUIPMENT SET UP TO OPERATE

FIGURE 3-7. FRONT VIEW OF INFRARED VOICE COMMUNICATOR WITH FRONT COVER REMOVED




FIGURE 1-2. INFRARED VOICE COMMUNICATOR PACKED FOR TRANSPORTING OR STORAGE (EXCEPT BEAM-WINDOW COVER AND INFRARED FILTER COVER IS OPEN)

