



CONFIDENTIAL

B200994	REVISIONS		
	SYM.	DESCRIPTION	DATE



DO NOT SCALE DRAWING

MATERIAL:	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 30° REMOVE ALL BURRS AND SHARP EDGES.	SIGNATURE	DATE	ASSEMBLY, SAD BI-STABLE UNIT 805-04	B200994
FINISH:		DR	5-28-59		
		CHK.			
		ENGR.			
		APPD.			
	SCALE	2/1			

CONFIDENTIAL

Date 5-28-59

25X1

(SCHEMATIC, SAD BI-STABLE UNIT,




ORIGINAL CL BY 235979
 DECL REVW ON 08/04/2010
EXT BYND 3 YRS BY SAME
REASON 3 d(3)

DOC 10 REV DATE 8 APR 1989 BY 064540
ORIG COMP 256 OPI 56 TYPE 08
ORIG CLASS M PAGES 2 REV CLASS C
JUST 22 NEXT REV 2010 AUTH: HR 10-2

CONFIDENTIAL

REVISIONS

SYM.	DESCRIPTION	DATE	APPROVAL



- NOTES:
1. UNLESS OTHERWISE SPECIFIED:
 - A. ALL RESISTANCE ARE 1/4 WATT
 - B. ALL DIODES ARE TR5G (IN283)
 - C. ALL CAPACITORS 150V

DO NOT SCALE DRAWING

MATERIAL:		UNLESS OTHERWISE SPECIFIED		SIGNATURE		DATE	
		DIMENSIONS ARE IN INCHES				4-29-55	
FINISH:		TOLERANCES ON:		CHK.			
		FRACTIONS ± 1/64		ENGR.			
		DECIMALS ± .005		APPD.			
		ANGLES ± 0° 30'		SCALE		805-04	
		REMOVE ALL BURRS AND SHARP EDGES.				C	

LIST OF MATERIAL
 SCHEMATIC
 SAD MODEL II
 BI-STABLE UNIT

CONFIDENTIAL