

NEGOTIATED CONTRACT	REQUISITION NO. 55-8722	CONTRACT NO. PSC 234-UNV
----------------------------	-----------------------------------	------------------------------------

ISSUING OFFICE <div style="border: 1px solid black; height: 60px; width: 100%;"></div>	SHIP TO: (Consignee and destination) Transportation Officer (55-8722) 25X1 Cameron Station Alexandria, Virginia For the Commanding Officer 8708th Administrative Area Unit, Cameron Station
---	---

CONTRACTOR (Name and address) <div style="border: 1px solid black; height: 60px; width: 100%;"></div>	INVOICES FOR PAYMENT WILL BE MAILED TO The Issuing Office 25X1
--	---

CONTRACT FOR Receiver-Recorder, test set and antennae	AMOUNT \$ 11,280.60
---	-------------------------------

PERFORMANCE PERIOD/DELIVERY SCHEDULE Begin within 45 days complete within 90 days after receipt of contract	F.O.B. POINT Cameron Station Alexandria, Va.	DISCOUNT TERMS Net - 30 days
INSPECTION See Schedule		

APPROPRIATION, ALLOTMENT AND OTHER ADMINISTRATIVE DATA

Order No. 55-8722
 Reqn No. SCS/1162-55
 MSB 55-488
 Proc & Acc Chgbl 5-7912-50-082
 Reqn Cy to: Supply, stock editing section
 Redeliver:
 Allocation #22
 AGENCY STERILE (STERILITY 1)

ENC 1 NEW DATE 2/5/80 BY 37169 25X1
 GRID COMP 35 OFF 56 YEAR 6
 GRID CLASS 5 FILE 4 REV CLASS C
 JUST 22 DATE DIV 2010 AUTH: NS TD-2

THIS CONTRACT is entered into as of 17 June 1955, by and between the United States of America, hereinafter called the Government, represented by the Contracting Officer executing this contract, and 25X1,
 (OR)
 I a corporation organized and existing under the laws of the state of _____
Maryland
 II a partnership consisting of _____
 III an individual trading as _____,
 hereinafter called the Contractor. The parties hereto agree that the Contractor shall furnish and deliver all the supplies and perform all the services set forth in the attached Schedule, or Task Orders issued hereunder, for the consideration stated therein.

CONFIDENTIAL

<u>ITEM</u>	<u>NOMENCLATURE</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>PRICE</u>	<u>AMOUNT</u>
1.	Modification to government-owned Minifon units necessary to equal [redacted] Part No. 88A Minifon, Crystal video, receiving/recording, including the following modifications: a. Present monitor at output stage to: (1) Be terminated in miniature jack of the Telex type. (2) Be provided with a shorting plug to permit recording without use of monitor ear set (blind recording condition) b. Incorporation of a pulse stretcher circuit. c. Coaxial cable fitting to be IPC 46025, Kel-F insulation. Must be keyfitted or otherwise made secure against movement under usage.	15	ea.	\$ 227.27	\$3,409.05
2.	[redacted] part no. 111, Microwave buzzer test set with flat black finish	15	ea.	19.80	297.00
3.	[redacted], Part No. 509 Loop antenna 47-5000 mcs. Present SM type cable fitting to be replaced by IPC type MB No. 45300 Kel-F insulation; coaxial cable impedance of 93 ohms; cable to be most flexible available to industry at time of contract, cable length not less than 35", not greater than 37"	40	ea.	26.28	1,051.20
4.	Dipole Antenna, 50-500 mcs, [redacted] [redacted] Part No. 505. Antenna to be provided with both flexible and plug-in (self-supporting straight) antenna horizontal sections. Present SM type connectors to be changed to IPC BM series or equal. Cable to terminate with IPC 45300 Kel-F insulation BM connector. Cable impedance 93 ohms - most flexible to industry at time of contract. Cable length minimum 35", maximum 37"	35	ea.	25.53	893.55
5.	Antenna, modified discone, [redacted] Part No. 501, 500-1000 mcs. Crystal holder to terminate in IPC type MB fitting 46025 in lieu of present SM type fitting. Fitting to be key-fitted, soft-solder or otherwise made immovable through usage. 93 ohm coaxial cable - most flexible available to industry at time of contract. Cable length minimum 35", maximum 37", One end of cable to be terminated with IPC (or equal) type ME 45300 and other end with type MB 45300.	20	ea.	38.66	773.20

25X1

25X1

25X1

25X1
25X1

25X1

<u>ITEM</u>	<u>NOMENCLATURE</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>PRICE</u>	<u>AMOUNT</u>
6.	Sleeve Dipole Antenna, 1 to 2.2 kmc. [redacted] Part No. 522. Crystal holder to be equipped with IPC type MB fitting 46025 or equal in lieu of present SM type receptacle. Fitting to be key-fitted, soft solder or otherwise immovable through usage. 93 ohm coaxial cable; length minimum 35" maximum 37"; to be most flexible available to industry at time of contract. Cable to be terminated with MB fitting IPC 45300 at one end and IPC type MB 45275 at other end. Flat-black finish.	20	ea.	\$ 54.15	\$ 1,083.00
					25X1
7.	Horn Antenna, 1 to 2.2 kmc. [redacted] Part No. 122, Present crystal holder SM type fitting to be replaced by IPC 46025 or equal. This fitting to be key fitted, soft solder or otherwise made immovable through usage. 93 ohm coaxial cable, length minimum 35" maximum 37". Cable to be terminated with IPC fitting MB 45300 at both ends. Glass laminated window to be secured by means of a flush mounting retaining fixture in lieu of existing flange mount. Flat-black finish.	20	ea.	65.40	1,308.00
					25X1
8.	Horn Antenna, 2.2 to 5kmc, [redacted] Part No. 225. Present crystal holder SM type fitting to be replaced by IPC type MB fitting 46025 or equal. Fitting to be key fitted, soft solder or otherwise made immovable through usage. 93 ohm coaxial cable most flexible available to industry at time of contract. Cable length minimum 35", maximum 37". Cable to be terminated with IPC fittings MB 45300 at both ends. Glass laminated window to be secured by means of flush mounting retaining fixture in lieu of existing flange mount. Flat-black finish.	20	ea.	65.77	1,315.40
					25X1
9.	Horn Antenna, 5-10 kmc., [redacted] Part No. 510. Present Crystal holder SM type fitting to be replaced by IPC type MB fitting 46025 or equal. This fitting to be key fitted, soft solder or otherwise made immovable through usage. 93 ohm coaxial cable, most flexible to industry at time of contract.				
					25X1

SECRET

AGENCY STATE

<u>ITEM</u>	<u>NOMENCLATURE</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>PRICE</u>	<u>AMOUNT</u>
9 (con'd)	Cable length minimum 35" maximum 37". Cable to be terminated with IPC fitting MB 45300 at both ends. Glass laminated window to be secured by means of flush mounting retaining fixture in lieu of existing flange mount. Flat-black finish.	20	ea.	\$ 57.51	\$ 1,150.20
TOTAL					\$ 11,283.60

PACKING: Shall be commercial for domestic shipment.

INSPECTION: Shall be at the Contractor's plant [redacted] 25X1
by a Government representative or representatives. The Contractor shall
notify the Contracting Officer sufficiently in advance of the date material
is ready for inspection in order that cognizant personnel can schedule such
inspection for expeditious handling. Final acceptance shall be at
destination.

GOVERNMENT FURNISHED PROPERTY:

The Government shall furnish in connection with item 1 hereof the
following, FOB the Contractor's plant [redacted] 25X1
within 2 working days after the execution of this contract:

15 each Minifon recorders

ORDER HANDLING:

Item number and order number 55-8722 must be marked on all individual
outer containers of this shipment.