


SYMBOL	DESCRIPTION	REQD



REVISIONS			
SYMBOL	ZONE	DESCRIPTION	DATE APPROVED

ITEM	PART NO.	REQD	DESCRIPTION	MATERIAL	MAT'L Q.
47	# 0 - 32	5	SCREW FLAT		
46	# 0 - 32	2	SCREW, SELF-DRILLING		
45	# 0 - 32	4	SCREW, SELF-DRILLING		
44	# 0 - 32	4	WASHER		
43	# 0 - 32	5	LOCK WASHER		
42	# 0 - 32	13	WASHER		
41	# 0 - 32	8	SCREW, SELF-DRILLING		
40	# 0 - 32	8	SCREW, SELF-DRILLING		
39	# 0 - 32	8	SCREW, SELF-DRILLING		
38	# 0 - 32	10	WASHER		
37	# 0 - 32	14	LOCK WASHER		
36	# 0 - 32	2	WASHER		
35	# 0 - 32	2	SCREW, TB LDRG		
34	# 0 - 32	2	WASHER		
33	# 0 - 32	2	LOCK WASHER		
32	# 0 - 32	2	WASHER		
31	# 0 - 32	2	SCREW, TB LDRG		
30	# 141 - 3	1	CLIP, PLATE		
29	# D2.2.5	1	CONNECTOR, CANNON		
28	SERIES 1805	1	SWITCH, JANCO CO.		
27	MODEL 1227	1	VOLTMETER, SIMPSON 271		
26	# 2A-285X-1-A	1	ELECTROLYTIC CAPACITOR SAFE-T-MATE		
25	# 2A-285X-1-A	1	ELECTROLYTIC CAPACITOR SAFE-T-MATE		
24	# 7274-1-5	1	CIRCUIT BREAKER THERMAL KLYXON		
23	# 7274-1-3	1	CIRCUIT BREAKER THERMAL KLYXON		
22	# 7274-1-2	1	CIRCUIT BREAKER THERMAL KLYXON		
21	2N174	1	POWER TRANSISTOR MOTOROLA		
20	1N1200	4	RECTIFIER DIODE WESTINGHOUSE		
19	# 22 20W	1	CORD & 2 PRONG NET PLUG		
18	122-0050	1	POWER TRANSFORMER		
17		4	SPACER HEX		
16	2194	4	RUBBER GUMBERS, HERMAN H. SMITH		
15	NO. 2	1	HANDLE BURG - HARDWARE, PASADENA		
14		4	RIVETS, ALUMINIUM		
13	HF6000-08	2	RAYLOCK, ALUMINUM CO		
12	TWE 004	1	BRACKET, T. CAPACITOR, ELECTROLYTIC		
11	8008-1-PS	2	BRACKET, TB MTG. AUGAT		
10		2	ISOLATOR		
9	123-1000	1	TERMINAL BOARD	ETDXY	
8	100-0231	2	BRACKET, HEAT SINK MTG.	C.R.S. 14 g.	
7	CMC - 16	1	SPRAGLE CAPACITOR		
6	123-0006	2	BRACKET, PANEL DIODES	ALUM. ALLOY	
5	123-0005	1	PANEL, DIODES	ALUM. ALLOY	
4	123-0004	1	HEAT SINK	ALUM. ALLOY	1063.7
3	123-0003	1	COVER	ALUM. ALLOY	1061.1
2	123-0002	1	PANEL, FRONT	ALUM. ALLOY	1024.1
1	123-0001	1	CHASSIS	ALUM. ALLOY	

DRAWING NO. 123-0000  
SHEET OF 1

DO NOT SCALE DRAWING		DATE		LIST OF MATERIAL		FFB 10
UNLESS OTHERWISE SPECIFIED		2-9-67		ASSEMBLY		
DIMENSIONS ARE IN INCHES				PS-10		
TOLERANCES ON						
XX ± .015						
XX ± .010						
ANGLES ± .30°						
CHECKED		DESIGN		SCALE		
DESIGNED		ENGINEER		WEIGHT		
APPROVED						