

~~SECRET~~

57-2700

7-2662

CONFIDENTIAL

26 Aug 57

MEMORANDUM FOR: Director of Logistics

VIA: Deputy Director (Support) *151 L&W* AUG 30 1957

SUBJECT: Establishment of Numerical Requirements for Initial Procurement

REFERENCE: Procedure for Establishing Numerical Requirements, MBI-5616/3

1. In accordance with the referenced procedure, the DD/P Materiel Board has considered certain items recommended by the Technical Services Staff for procurement and stockpiling. The findings of the Board are as follows:

a. Portable Privacy System (TSS/APD Project P-121)
- no stock control number.

- (1) Classification recommended: Limited Standard
- (2) Numerical requirement for initial procurement: None

(3) Additional pertinent information: The Board understands that 20 units together with 7 adapter units were originally procured by TSS and subsequently issued to the Office of Physical Security, which now has a substantial portion of the original group stored in the Washington area. It is recommended that these items be located and those not in use or contemplated for use be returned to general stock for issue to other elements of the Agency as the need arises. The Board requests that it be advised of the number and condition of serviceability of the items thus made available.

DD/S shows

CONFIDENTIAL
~~SECRET~~

| | |
|-----------------------------------|--------------------------|
| Document No. | <i>047</i> |
| No Change in Stock | <input type="checkbox"/> |
| <input type="checkbox"/> Reissued | |
| Class. Changed To | <i>TS S G</i> |
| Excl. In File | |
| Date | |
| By | |

~~SECRET~~
CONFIDENTIAL

25X1A

This item is non-recurring; [redacted] governed by those on hand; is not a Cold War Contingency item; does not replace other stock item.

25X1C

[redacted]

- (1) Classification recommended: Standard
- (2) Numerical requirement for initial procurement: 200 each (pad of 100 sheets, 3½ x 5½")
- (3) Additional pertinent information: As may be noted on the breakdown of requirements, attached, the estimates of the Area Divisions total 153 each for two years requirement. The larger number suggested by the Board includes an allowance for a minimum stock level of fifty units in addition to the estimated divisional requirements. This item may be recurring;

25X1A

[redacted] if possible; is not a Cold War Contingency item; does not replace other stock item.

25X1C

[redacted]

- (1) Classification recommended: Interim Standard
- (2) Numerical requirement for initial procurement: 100 each (books of 50 sheets, 8 x 11")
- (3) Additional pertinent information: Area Division estimated requirements for two years total 52 units. The larger number recommended by the Board includes an allowance for a minimum stock level of 50 units in addition to the estimated divisional requirements. This item may be recurring;

25X1A
25X1A

[redacted] if possible; is not a Cold War Contingency item; does not replace other stock item.

d. Water Purification Kit (Stock control number - 6010-005-1636)

- (1) Classification recommended: Standard
- (2) Numerical requirement for initial procurement: none
- (3) Additional pertinent information: Area Division estimated requirements for two years, 152 units,

²CONFIDENTIAL
~~SECRET~~

~~SECRET~~

CONFIDENTIAL

25X1A

plus Cold War Contingency requirements, 136 units, totaling 288 units are met by some 659 units the Board understands to be on hand. This item is recurring;

if possible; is a Cold War Contingency item but does not replace items presently stockpiled.

e. Stainless Steel Container 7 x 9 x 16" (Stock control number - 7/8110-000-1598)

This item is understood by the Board to have passed into normal procurement channels. No initial requirement should thus be stated. However, information supplied to the Board in the course of the survey indicates that a minimum stock level of 500 units is desirable and is recommended by the Board.

f. Stainless Steel Container, 7 x 9 x 8" (Stock control number - 7/8110-005-6924)

- (1) Classification recommended: Interim Standard
- (2) Numerical requirement for initial procurement - 350 each

25X1A

(3) Additional pertinent information: Area Division estimated requirements for two years are 124 units. However, based on experience with the larger container (item 3. above) the Staff feels that this item will be required in larger numbers than anticipated by the Divisions. Therefore, the Board has recommended a number sufficient to meet the estimated requirements of the Divisions plus an additional number to provide a minimum stock level of 200 units. This item is recurring; same as Stainless Steel Container, Stock No. 7/8110-000-1598; is not a Cold War Contingency item; does not replace other stock item.

25X1A

25X1A 15/

Executive Agent
DD/P Material Board

Attachment w/orig. only
Numerical Requirements

Dista:
Wj+1 - all w/act
3 - djs

Chrono. Subject Reading
24/4

~~SECRET~~

CONFIDENTIAL