

PRIORITY

SECRET

OUT63984

1968 JAN 4 20 55Z

P 042044Z JAN 68
 FM NPIC WASHDC
 TO RUCSAAA/SAC OFFUTT AFB OMAHA NEB
 RUCVAAA/4080 STRAT WG OL 19 BARKSDALE AFB LA
 RUCVAAA/2D RTIS BARKSDALE AFB LA
 RUEPJS/DIA WASHDC
 RUCIJRA/NAVRECONTECHSUPPCEN SUITLAND MD
 RUWBKNA/15TH AF MARCH AFB RIVERSIDE CALIF
 RUCVAAA/2 AF BARKSDALE AFB LA
 RUEFHQA/HQS USAF/AFRDR
 INFO RUEPIA/CIA WASHDC
 BT
 S E C R E T CITE NPIC 2641.
 15TH AF (FOR DI). SAC (GLASS LAMP/DOCR, DM 4) 2D AF (FOR DI).
 AFRDR [REDACTED]

DISTRIBUTION		
Cy No.	Office	Action
1	File	
2	OS	
	SEC BR	
	TOS	
	CSB	
	ICB	
	PO	
	PIO	
	PLS-ICB	
945	TID	
	IAD	25X1
	PAG	
	DIAXX-4	
	SPAD	
	NSA-10	
	DIA-AP	

Advance copy
 Sanitized

1. CAMERA B-18 WAS USED ON MISSION G-004 FLOWN 2 JANUARY 1968. PROCESSING WAS ACCOMPLISHED BY NAV RECON TEC SUPPCEN.
2. ORIGINAL NEGATIVE:
 - A. DENSITY AT THE BEGINNING THE MISSION IS SLIGHTLY THIN. AS THE SOLAR ELEVATION INCREASES THE DENSITY BECOMES GOOD AND REMAINS SO THROUGHOUT. RESOLUTION IS FAIR TO GOOD THROUGHOUT.
 - B. 9R SIDE: METERING IS SLIGHTLY ERRATIC, VARYING FROM 0.20 TO 0.77 INCH BETWEEN FRAMES. EMULSION DEFECTS ARE PRESENT IN FRAMES 762 AND 1969. THE 1R POSITION INDICATORS ARE UNDEREXPOSED THROUGHOUT. A MANUFACTURING SPLICE IS PRESENT IN FRAME 963. A HEAT SPLICE IS PRESENT IN FRAME 1067.
 - C. 9L SIDE: HEAT SPLICES ARE PRESENT IN FRAMES 1197, 1199/1200, AND 1314/1315.
 - D. BOTH SIDES: INBOARD AND OUTBOARD EDGE STATIC AND A PLUS DENSITY AREA NEAR THE VERTICAL DOT INDICATOR POSITION IS PRESENT THROUGHOUT. A PLUS DENSITY STREAK APPROXIMATELY 1.5 INCHES FROM INBOARD EDGE APPEARS INTERMITTENTLY FROM FRAME 901 TO THE END OF THE MISSION. MODE 5 WAS USED THROUGHOUT. CYCLE RATE WAS APPROXIMATELY 4.5 SECONDS. THE LAST TITLED FRAME IS 1979.
3. POSITIVE:
 - A. PRINTING AND PROCESSING ARE GOOD.
 - B. PI SUITABILITY IS GOOD.
 - C. CLOUDS OBSCURE APPROXIMATELY 50 PERCENT OF THE MISSION.

GP-1

S E C R E T

END OF MESSAGE

Declass Review by NGA

SECRET

GROUP 1
 Excluded from automatic
 downgrading and
 declassification