

IPO/OSB/M-146-66
16 May 1966

Declass Review by NGA.

MEMORANDUM FOR: Assistant for Plans and Development, NPIC

SUBJECT : Modification of [] Zoom 70 Microstereoscopes

1. The first group of dovetail modified microstereoscopes were received by PAG on 11 May 1966. A problem has arisen which we were not aware of during the discussions held prior to the actual modification of these instruments. There are two additional pieces resulting from this modification - one a cover for the rhomboid when it is not used, the other a mount for auxiliary 0.5X and 2.0X lenses used during monoscopic viewing. There are no serial number plates provided for identification of these pieces with the associated Zoom 70. It is requested that one be provided for each piece in order that all equipment can be accounted for and kept with its respective microscope.

2. According to memorandum NPIC/P&DS/D/6-735 dated 20 January 1966, the Zoom 70 Heads and Rhomboids were to have plates attached to them bearing large, well-defined serial numbers. The [] representatives now working on the modifications have received no instructions to provide these plates. The only solution at this point would be to keep a record of equipment that has no serial number plate and request this from [] These plates could then be affixed to the equipment during normal maintenance cycles.

3. In order to aid PAG in keeping account of the additional pieces of equipment and to simplify inventory, your attention to this matter as soon as possible would be appreciated.

[]
Colonel, USA
Assistant for Photographic Analysis, NPIC

Distribution:

Orig & 1 - Addressee
1 - Asst. for PA
1 - IPO/OSB/PAG

