Approved For Rele	ase 2009/08/12 : CIA-RDP78T05929A002300020003-1
	2 January 1966 Copy 2
E	LAUNCH AREA MBA MISSILE TEST CENTER, USSR
1. SIGNIFICANCE:	2 NEW, POSSIBLE LAUNCH POSITIONS ARE UNDER CONSTRUCTION.
2. REMARKS:	THE LAUNCH AREA CONTAINS 2 PADS, A SECURITY BUILDING, A VEHICLE STORAGE SHED, 2 SMALL SUPPORT BUILDINGS, AND AN EARTH-MOUNTED CONTROL BUNKER. A SUPPORT AREA APPROXIMATELY 1800 FEET EAST OF THE LAUNCH AREA CONTAINS A SECURITY BUILDING, 2 SMALL SUPPORT BUILDINGS, A GABLE-ROOFED BUILDING, AND A FLAT- ROOFED BUILDING WITH AN ADJACENT STACK. 2 PROBABLE "GANEF" SURFACE-TO-AIR MISSILES WERE IDENTIFIED ON
3. LOCATION:	14 NM SSW OF EMBA.
4. <u>COLLATERAL/COMINT</u> :	
5. FIRST IDENTIFICATION:	
6. <u>NEGATION DATE</u> :	

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid and only for the reporting period as indicated by the date of issue.

GRGUP 1 Excluded from sutematic downgrading and declassification



25X1

2 January 1966

Page 2

7. SUBSEQUENT COVERAGE: 7 KH-4 and 3 KH-7 MISSIONS.

8. <u>DIMENSIONS/</u>
<u>SPECIFICATIONS:</u>

DIMENSIONS OF THE 2 NEW LAUNCH PADS ARE NOT AVAILABLE AT THIS TIME. THE ORIGINAL LAUNCH PADS
MEASURE APPROXIMATELY 90 BY 85 FEET, WITH AN
APPROXIMATELY 35 BY 25 FOOT PAVED OVERRUN ON THE
FORWARD INNER CORNER.

9. MISSION READOUT: THIS MISSION REVEALS 2 NEW, POSSIBLE LAUNCH POSITIONS
ARE UNDER CONSTRUCTION ON A LINE WITH, AND OUTBOARD OF, THE ORIGINAL
LAUNCH PADS. EACH POSITION IS A ROAD-SERVED, SQUARE, SURFACED PAD WITH
A LOW EARTHERN EMBANKMENT AROUND THE OUTER EDGE. A TOWER IS NOW SEEN ON
THE HARDSTAND REPORTED ON
WHICH IS LOCATED BETWEEN THE
WESTERN NEW POSITIONS AND PAD A-1. UNIDENTIFIED VEHICLES/PIECES OF
EQUIPMENT ARE ON THE ORIGINAL PADS, A-1 AND A-2. 2 NEW BUILDINGS ARE
UNDER CONSTRUCTION EAST OF THE CHECKOUT AREA LOCATED APPROXIMATELY 1,800
FEET EAST OF THE LAUNCH AREA.

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.



25X1



25X1

REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART IS PROHIBITED EXCEPT WITH THE PERMISSION OF THE OFFICE OF ORIGIN.