Approved For Relea <b>TOP</b>	ase 2006/11/20 : CIA-RDP78T05929A002500050020-7 SECRET	25 <b>X</b> 1		
(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER				
	Attachment to 7 June 1967 Page 1 Copy 58	25X1		
REFERENCE TO:	ROCKET MOTOR TEST FACILITY BIYSK, USSR	25X1		
1. SIGNIFICANCE:	IDENTIFICATION OF LARGE MOTOR IN A FIRING			
	POSITION AT THE ISOLATED TEST AREA.			
2. LOCATION:	SW OF BIYSK ON THE NORTHERN SIDE OF BIYSK			
	EXPLOSIVES & PROPELIANTS PLANT.			
3. REMARKS:	THE BIYSK TESTING & PRODUCTION FACILITY IS			
	ONE OF SEVEN KNOWN INSTALLATIONS INVOLVED IN			
	THE SOVIET SOLID PROPELLANT EFFORT. THE BIYSK			
	FACILITIES INCLUDE A DOUBLE-BASE PROPELLANT			
	PRODUCTION PLANT, A MODIFIED SOLID PROPELLANT			
	PLANT, MAIN TEST FACILITY AND AN ISOLATED			
	TEST POSITION.			
		25X1		
These notes have been prepared for briefing should be restricted to the particular briefing	purposes only and should not be used for detailed analytical work. Their use poard(s) they were prepared for and must be considered valid only for the resue. For information concerning these notes contact Chief, Collateral Support			
porting period as indicated by the date of is:  Division, NPIC.	sue. For information concerning these notes contact Chief, Collateral Support	25X1		
GROUP   Excluded from automatic dawngrading and declassification	SECRET	20/(1		

	· · ·	sse 2006/11/20 : CIA-RDP78T05929A002500050020-7 SECRET	2 <b>5</b> ×1	
(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER				
		Attachment to 7 June 1967 Page 2 Copy	25X1	
		SERVED THE MOSCOW MISSILE & SPACE DEVELOP-		
		MENT COMPLEX KALININGRAD 88.	25X1	
		THE FIRST KY-6 SOLID FIRING TOOK PLACE FROM		
		THE PLESETSK FACILITY.		
5•	FIRST IDENTIFICATION:	ISOLATED TEST AREA:	25X1	
6.	NEGATION DATE:	NONE		
7.	SUBSEQUENT COVERAGE:	15 KH-4, 7 KH-7,	25X1	
8.	DIMENSIONS/ SPECIFICATIONS:	ISOLATED TEST: ROCKET MOTOR, IN DIAMETER.	25X1	
		MAIN TEST : ROCKET MOTOR,	25X1	
		IN DIAMETER.		
9.	MISSION READOUT:	A HIGH DEGREE OF ACTIVITY IS EVIDENT IN THE		
		ASSOCIATED MOTOR AND PROPELLANT PRODUCTION		
ı	1	NT SOLID ROCKET MOTOR, APPROXIMATELY	25X1 25X1	
		UNTED IN A FIRING POSITION AT THE ISOLATED TEST	23 <b>X</b> I	
		LAST MARK APPROXIMATELY 15 FT WIDE AT THE MID-		
		E BLAST MARK IS LIGHT-TONED AND HAS A TOTAL		
	should be restricted to the particular briefing to porting period as indicated by the date of iss Division, NPIC.	purposes only and should not be used for detailed analytical work. Their use poard(s) they were prepared for and must be considered valid only for the resue. For information concerning these notes contact Chief, Collateral Support	25X1	
	ТОР	SECRET		

Attachment to 7 June 1967 Page 3  Copy	5X1
~~Py	
LENGTH OF APPROXIMATELY TIS SEPARATED FROM THE END OF THE MOTOR . 25)	5X1
A SMALL POSSIBLE SOLID ROCKET MOTOR, APPROXIMATELY 25)	5X1
IS ON A RAIL SPUR IN THE MAIN TEST FACILITY WHERE 25X	5X1
THE PREVIOUSLY REPORTED CONSTRUCTION ADJACENT TO THE SMALLER OF THE 2	
TEST POSITIONS CAN NOW BE IDENTIFIED AS 2 SMALL BUILDINGS OR LARGE	
HORIZONTAL TANKS WHICH ARE PROBABLY SUPPORT FOR THE SMALL TEST CELL.	
THE 2 ROCKET MOTORS HAVE DIMENSIONS THAT APPROXIMATE THE FIRST AND SECOND	
STAGES OF THE SAVAGE MISSILE.	
25)	5X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information purposes, NPIC.


TOP SECRET

25X1





ROCKET MOTOR TEST FACILITY BIYSK, USSR 52-29N 85-07E



25**X**1

25X1