

Moscow

11

P R O T O C O L
of the Third Session of the Joint US-USSR
Working Group on Electrometallurgy

I. INTRODUCTION

1. This session of the Joint US-USSR Working Group on Electrometallurgy took place in the USSR from June 2-13, 1975. The specific meeting places, dates, itinerary, etc. are given in Appendix 1.

The Agenda was as follows:

a. Reports by the chairmen of the Task Forces on the work done in their specific fields of electrometallurgy on agreed subjects of the program from May 1974 to May 1975;

b. Discussion, definition and signing of a joint program of work on the subject: "Joining of Materials in the Solid State", approved by the Joint Commission at their meeting in November, 1974;

c. Brief presentation of new problems for further cooperative work in electrometallurgy;

d. Other questions that might arise.

2. The composition of the USSR working group is given in Appendix 2, and the composition of the US working group is given in Appendix 3.

3. In Moscow, on June 2 and 3, the two groups reviewed the progress in carrying out the joint work to date. Reports were made on the following original subjects of the program:

State Dept. declassification & release instructions on file

Electrometallurgy

-2-

- Electron beam evaporation of metallic and non-metallic materials in vacuum (by Messrs. Movchan and Bunshah);
- Electro-slag technology (by Messrs. Emelyanenko and Flemings);
- Plasma arc melting of metallic materials (by Messrs. Grigorenko and Wasilewski);
- Research and development of general and special purpose welding materials (by Messrs. Pokhodnya and Savage).

Also discussed in general terms were the two new topics previously agreed upon and approved, namely, cryogenic testing of materials (by Messrs. Yushchenko and Van Echo) and Joining of Materials in the Solid State (by Messrs. Kashin and Heckel). These two topics were discussed in detail at later meetings of the principal investigators during the various visits, and the conclusions are given elsewhere in this Protocol.

A discussion took place on the subject of possibly expanding cooperation and adding new topics to the program of cooperation. Both sides recognized that the present program would have to be essentially completed before expanding it further, but proposals for expansion must begin soon (see "Conclusions and Agreements" below).

4. During the period of June 4 to 12 the United States delegation visited industrial establishments, laboratories of scientific-research institutes and institutions of higher education for more detailed discussion of their cooperation and a study of their accomplishments in the field of electro-metallurgy (see Appendix 1). The Working Groups met again in Moscow on June 13 to discuss and finalize

-3-

agreements on a series of problems and details of the program of work.

5. Both sides noted the deep mutual interest existing in the discussion of, and agreements on, all the subjects and the absence of significant differences of opinion, as well as the mutual cooperation in arriving at conclusions and agreements.

II. CONCLUSIONS AND AGREEMENTS ON THE COOPERATIVE TECHNICAL WORK

(Note: In the following paragraphs, the numbers refer to the detailed items listed in the Appendices of the Second Protocol.)

A. Both sides took note of the following status of work completion in reviewing the cooperative work done:

Electron-beam evaporation of metallic and non-metallic materials in vacuum. Work on Part I of the subject is progressing in a satisfactory manner. The Soviet side has provided samples of condensates. The U.S. side will provide similar samples in October - November, 1975, during the Soviet visit to the U.S. A further exchange of samples will take place in 1975-1976.

Work under Part II is currently being delayed due to the absence of an agreed method of tool evaluation and a plan for the exchange of coated cutting tool bits. A plan is now under discussion and details will be arranged during the Soviet visit to the U.S. in October-November, 1975. It would

-4-

be helpful if both sides exchanged proposals on methods of research on tool evaluation (for hard metal cutting tools) before September 1, 1975.

Also necessary is the additional clarification of the plan and time periods for carrying out Part III by Airco-Temescal.

Plasma arc melting of metallic materials. (Note: G.M. Grigorenko has replaced V.T. Lakomski as the Soviet responsible person.) It was noted that by June 1, 1975 the U.S. and the Soviet sides had accomplished the following:

Part I

Point 1 (a) The Paton Institute and Stanford University have initiated work on the solubility of nitrogen in iron-carbon and iron-oxygen systems.

Point 1 (b) The Paton Institute, the University of Michigan and Stanford University have prepared alloys and have started accumulating experimental data on the solubility of nitrogen in specific types of steels to check the previously developed methods of calculation.

Point 1 (c) Stanford University has initiated studies of the effect of surface-active elements (oxygen and sulphur) on the speed of solubility and diffusion of nitrogen in liquid metals.

Point 2 (a) The Paton Institute is carrying out research on the interaction between nitrogen in plasma and liquid binary alloys of iron with copper and silicon.

Iron-nickel alloys with carbon have been prepared for this study.

-5-

Point 2 (b) The Baikov Institute has prepared experimental test equipment and has initiated studies of the interaction between carbon and oxygen in liquid metals during plasma arc melting.

Point 2 (c) MIT (Professor King) together with the Union Carbide Company (Dr. Reed) have initiated study of the kinetics of interaction of nitrogen with liquid metal.

Point 2 (d) The Baikov Institute has carried out a calculated evaluation of the surface temperature of the bath and has provided the U.S. side with the results. Michigan University has started the development of a mathematical heat transfer model.

Part II

Point 1 The Paton Institute together with "Glavspetzstal" has developed technology of the preparation of steel electrodes with a low nitrogen content for plasma-arc remelting.

Point 2 The Paton Institute and "Glavspetzstal" are doing research on alloying steels with nitrogen in plasma-arc remelting in order to select the optimum parameters. At the agreed time (third quarter of 1975), a 300-500 kg ingot (approximately 0.7 percent N₂) will be forwarded to the U.S. side to fulfill Point 3 of the work plan. The U.S. side will inform the Soviet side of the best port of entry into the U.S.

Point 3 Battelle is preparing to undertake this task on receipt of the ingot from the Soviet side.

-6-

Electro-slag technology. In the absence of Professor Medovar, the Soviet responsible person, the main discussions were held with Dr. Yu. G. Emelyanenko.

In accordance with the program of joint work on electro-slag technology, both sides agreed to conduct the necessary work aimed at creation of a mathematical model of the electro-slag process.

Part I

Work on Part I is in progress on both sides and it is agreed that a joint Task Force meeting will be held in the U.S. in October-November, 1975, to review that work, to agree on procedures for cooperation and to estimate the time at which the work will be completed.

Part II

As regards Part II, Points 1, 2 and 3, the two sides have clarified the direction of the work to be done and confirmed the target time period in which the investigation is to be completed. Both sides have noted that it is essential to obtain extensive and reliable experimental data on the process of formation of segregates, and also associated thermophysical data, in order to develop the desired mathematical model. Within the period of two months, the Soviet side will provide the U.S. side with the initial data concerning investigations of the formation of segregations in electro-slag ingots. The U.S. side will, within the same two months, provide the Soviet side information on the modeling methods and of investigations of the segregation processes in ESR ingots. Further detailed discussions are planned on this subject at the joint Task Force meeting in October-November, 1975.

-7-

Part III

The two sides have arrived at the single opinion that the subject of Part III can be dealt with only after work on Parts I and II has been completed.

Research and development of general and special purpose welding materials.

Part I

The Soviet side transmitted and the U.S. side received, on the day of departure of the U.S. delegation from the U.S., proposals for the exchange of welding and base materials for research purposes. The U.S. side has established working relationships with the following firms: Chemetron, Hobart, Union Carbide, Airco and McKay and has obtained their permission to provide welding materials to the USSR and their willingness to participate in the program of experimentation. On the Soviet side, because of licensing agreements, the Soviets have requested permission from Chemetron to furnish the U.S. two types of flux-cored welding wire. The U.S. side will inform the Paton Institute prior to August 1, 1975 of the materials and samples to be transmitted to the USSR and the estimated date of transmittal. The two sides will at the same time exchange information on the testing procedures to be used in testing the materials which they received.

The Paton Institute will, prior to the dates as agreed in Appendix 4, transmit to the RPI steel samples and welding materials for the experiments.

-8-

The Soviet side informed the U.S. side that, in 1974, the Paton Institute and Union Carbide exchanged representative welding materials. The Soviet side transmitted to that firm flux-cored wires of types IIII-AH4 and IIII-AH8 for welding in carbon dioxide gas and also both fused and ceramic fluxes.

Receipt is acknowledged on the U.S. side of fluxes "Linde-60" and "Linde-80", a ceramic flux and type C-707 flux-cored wire for welding in carbon dioxide gas. The testing of these welding materials will be completed in 1975 by both sides.

Part II

The Paton Institute has prepared the following programs of experiments:

(a) Development of experimental procedures for methods of predicting the hydrogen content in weldments made with type E-7018 electrodes. (see Appendix 4a).

(b) The development of experimental techniques for methods of predicting low temperature characteristics of weldments with an austenite structure, as given in Appendix 4b.

These programs and plans have been transmitted to the U.S. side, for submittal to four potential researchers from the U.S. side for a determination of their interest in performing the work. The USSR will be informed of the names of the potential researchers prior to August 1, 1975.

-9-

The Paton Institute, during 1974-75, finished work on the subject: "Development of an experimental calculation method for predicting the amount of porosity in weldments made with type E-7014 electrodes".

Part III

The U.S. and Soviet sides have initiated research of low temperature properties of construction materials.

Both sides determined the scope of research, the types of steels and alloys and agreed on basic low temperature tests.

In connection with the interest shown by such firms as Alcoa, International Nickel Company and Armco Steel to participate in carrying out the tests, both sides agreed to clarify Part III. This has been done and the details are given in Appendix 5 of this Protocol.

Prior to October 1, 1975, both sides will exchange the amount of materials necessary to carry out the experiments.

Joining of materials in the solid state. Both sides agreed on a program of work in this field (Appendix 6). This Appendix lists the subjects and work stages, the organizations and individuals being considered for carrying out the work on both sides, the time period assigned to the separate work stages, the target dates of the start and end of the various stages and the manner and forms in which their completion will be reported. The target period allotted for this work is 1975-1977.

III. NEW PROPOSALS

1. The U.S. side proposed the following additional subjects for joint study: "Analysis and development of test methods de-

-10-

signed to improve the service properties of ferritic steels and welded joints at elevated temperatures (ca.450° C)".

It was agreed that the U.S. side, by August 15, 1975, will present a program on this subject for consideration by the Soviet side.

2. The sides agreed to exchange, prior to August 15, 1975, proposals for new subjects for a further widening of cooperation in the field of electrometallurgy.

3. Some discussion was held with respect to including work on shaped ESR castings; for example, such products as large valve bodies for power plants. This possibility will be explored further by both sides for inclusion as stated in the previous paragraph.

4. The sides agreed that new projects agreed upon by both sides are subject to approval by the Joint US-USSR Commission. It was also agreed that the expansion of the program should be carried out as a function of the work achieved in the present program.

IV. EXCHANGE OF VISITS, SPECIALISTS AND SEMINARS FOR SELECTED PARTS OF THE PROGRAM

In accordance with the existing agreement to effect periodic exchanges of groups of specialists who would view the conduct of work, or accomplish it, as appropriate, at its various stages and discuss the results achieved, as well as for an exchange of information, the U.S. side agreed to examine the possibility of receiving in the U.S. the following:

(a) A group of four to five specialists for a period of 15 days in October-November, 1975, on the subject of:

-11-

"Plasma arc Melting of Metallic Materials". The group would acquaint itself with methods, with equipment and with results of research conducted by the following organizations:

- M.I.T. in Cambridge, Massachusetts;
- Union Carbide in Tarrytown, New York;
- Battelle in Columbus, Ohio;
- Michigan University in Ann Arbor, Michigan;
- Stanford University in Palo Alto, California.

(b) A group of Soviet specialists on electron-beam evaporation and condensation, consisting of four persons, up to 15 days, during the October-November period, at the Oregon Graduate Center, UCLA, Manlabs and Airco-Temescal. The objectives of their visits would be to develop a single method of testing coated cutting tool bits and to agree on arrangements for the order of exchange and testing of the cutting tools and for the balance of the program.

(c) Two specialists from the Paton Institute for a period of up to two months in the fourth quarter of 1975, for carrying out research (in accordance with Parts I and II of the subject) in the RPI and at Lehigh University. The problem of carrying out the work at ITTRI and at the Hobart and Airco firms will be explored by the U.S. side, and, before July 1, 1975, the Paton Institute will be informed of the results in this connection.

(d) With the object of clarifying and defining further details on the subject of "Electro-slag Technology", the sides agreed on a meeting of three-four specialists in October-November, 1975, at M.I.T., and other locations to be agreed upon.

-12-

(e) As regards Part III, in the fourth quarter of 1975, three specialists from the Paton Institute, at Lehigh University, Armco, National Bureau of Standards and Alcoa, for a discussion of research methods in the conduct of low temperature tests.

The Soviet side agreed to examine the possibility of receiving in the USSR the following:

(a) A group of up to five U.S. investigators in September-October, 1975, for a period of one week on the subject: "Joining of Materials in the Solid State".

(b) A group of four to five specialists in the fourth quarter of 1975, in Kiev for a period of one to two weeks in the field of welding and welding materials.

(c) A possible meeting in the USSR of U.S. specialists in the field of electro-slag technology, to be decided after the October-November meeting in the U.S.

The dates and places of the visits and the composition of the above delegations will be arranged by correspondence between the appropriate Task Force chairmen and responsible persons.

It was agreed that, at appropriate stages in the implementation of the work, limited seminars would be held in both countries on selected topics. The dates, locations and arrangements for these seminars would be decided as progress continues in the various parts of the program.

It was also agreed that in 1976-1977 a symposium would be held in Kiev in the Paton Institute to cover the work done and the results obtained.


Approved For Release 2000/09/06 : CIA-RDP79-00798A000300070019-8


Both sides agreed to hold the fourth meeting of the Joint US-USSR Working Group on Electrometallurgy during the period of May 15 to June 15, 1976 in Washington, D.C., for the purpose of examining the status of work done and to outline the direction of continued cooperation.

V. COMMUNICATIONS

Both sides have noted the delays in the receipt of correspondence (up to 2 1/2 months). The two sides have agreed to take appropriate measures to speed up the correspondence and transmittal of research materials.

VI. This Protocol has been prepared in the English and Russian languages and signed on June 13, 1975. The texts in both languages are equally authentic.


N.E. Promisel
Chairman
U.S. Side of the Joint
US-USSR Working Group
on Electrometallurgy


S.R. Antonov
Chairman
Soviet side of the Joint
US-USSR Working Group
on Electrometallurgy

Itinerary for the visit of the
American delegation to the USSR

June 1, 1975, Sunday

Arrival in Moscow (Rossiya Hotel).

June 2, Monday.

Session of the Joint Working Group in Moscow on the premises of the Committee on Science and Technology.

Evening at the Stanislavsky and Nemirovich-Danchenko Theatre (ballet - Swan lake).

June 3, Tuesday

Continuation of the session of the Working Group.

Visit to Quality Alloy Experimental Plant.

Visit to Metallurgical Institute.

Visit to the Problems Laboratory of the Meat and Dairy Industry Institute.

Visit to workshops and laboratories. Technical discussions.

Departure by train for Kiev.

June 4, Wednesday

Arrival in Kiev. Check into Dnepr Hotel.

Delegation received by the President of the Ukrainian Academy of Sciences, academician B. E. Paton (at the Presidium of the Academy of Sciences of the Uk.SSR).

Visit to the Rigidity Problems Institute of the AS (Academy of Sciences) of the Uk.SSR. (Wasilewski, Heckel).

Visit to the Casting Problems Institute of the AS of the UK.SSR (Flemings, Van Echo).

Technical discussions at the Electric Welding Institute.

June 5, Thursday

Discussions at the Electric Welding Institute.

Visit to the Rigidity Problems Institute (Stout, Van Echo).

Visit to the Kiev City Hospital (Promisel).

Continuation of technical discussions on boat during ride on the Dnepr.

Flight to Odessa. Check-in at Chernoye Morye Hotel.

June 6, Friday

Visit to Odessa Steel-Rolling Plant. Technical discussions with the plant director and in the workshops.

Visit to Odessa Opera Theater (ballet - Gisele).

June 7, Saturday

Sightseeing in Odessa. Visit to Odessa Catacombs.

Continuation of technical discussions with the directors of the Odessa Steel-Rolling Plant during boat trip on Black Sea.

June 8, Sunday

Work on Protocol of Third Session of Working Group.

Free time. Additional sightseeing in Odessa.

Flight to Donetsk. Check into Druzhba Hotel. Promisel and

Tatishchev remained in Odessa to work on English text of Protocol.

June 9, Monday

Visit to Special Electrometallurgy Problems Laboratory of the Donetsk Polytechnical Institute. Technical discussions in the laboratory.

Sightseeing in Donetsk.

Flight to Zaporozhye. Check into Zaporozhye Hotel.

Departure of Prof. Flemings by plane to Moscow and then on to U.S.

June 10, Tuesday

Arrival from Odessa of Messrs. Promisel and Tatishchev.

Visit to "Dneprospetsstal" Plant. Technical discussions with chief plant engineer and in workshops.

Sightseeing in Zaporozhye and environs.

Flight to Leningrad. Check into Leningrad Hotel.

June 11, Wednesday

Sightseeing in Leningrad and environs.

Visit to S. M. Kirov Opera and Ballet theater (ballet - "The Legend of Love").

June 12, Thursday

Visit to the Hermitage.

Visit to the Leningrad Polytechnical Institute.

Departure for Moscow.

June 13, Friday

Arrival in Moscow. Check into Rossiya Hotel.

Continuation of Session of Joint Working Group on premises of
Committee on Science and Technology.

Signing of the Protocol of the Third Session.

June 14, Saturday

Sightseeing in Moscow.

June 15, Sunday

Departure for U.S.

LIST

of members of the Soviet delegation
participating in the work of the Third
Session of the Joint Soviet-American
Working Group on Electrometallurgy

- S. P. Antonov - Division Chief, Committee on Science and Technology,
Doctor of Technical Sciences (Head of Delegation)
- I. K. Pokhodnya - Chief Scientist-Secretary, Presidium of the AS of
the Uk.S.S.R., Corresponding member of the AS of
the Uk.S.S.R.
- B. A. Movchan - Division chief, E. O. Paton Electric Welding
Institute, Corresponding Member of the AS of the
Uk.S.S.R.
- V. I. Kashin - Deputy Director, Metallurgical Institute, Candidate
of Technical Sciences
- L. V. Kovalenko - Chief Specialist, Committee on Science and Technology,
Candidate of Technical Sciences
- S. N. Glebov - Expert, Committee on Science and Technology
- G. M. Grigorenko - Senior Scientist, E. O. Paton Electric Welding
Institute, Candidate of Technical Sciences
- S. A. Fomina - Senior Engineer, E. O. Paton Electric Welding
Institute
- Yu. G. Yamelyanenko - Senior Scientist, E. O. Paton Electric Welding
Institute, Candidate of Technical Sciences
- M. Kh. Shorshorov - Laboratory Chief, Metallurgical Institute, Doctor
of Technical Sciences
- K. A. Yushchenko - Senior Scientist, E. O. Paton Electric Welding
Institute, Candidate of Technical Sciences

LIST

of members of the American delegation
participating in the work of the Third
Session of the Joint Soviet-American
Working Group on Electrometallurgy

- | | |
|---------------------|--|
| N. E. Promisel | - Chairman of U.S. Working Group,
Formerly Executive Director,
National Materials Advisory
Board, National Academy of
Sciences |
| R. F. Bunshah | - Professor, University of
California at Los Angeles |
| M. C. Flemings, Jr. | - Professor of Metallurgy and
Materials Science, Massachusetts
Institute of Technology |
| R.W. Heckel | - Professor of Metallurgy and
Materials Science and Head of
Department, Carnegie-Mellon
University |
| W. F. Savage | - Professor and Director of Welding
Research, Rensselaer Polytechnic
Institute |
| R. Stout | - Professor, Lehigh University |
| A. Van Echo | - Deputy Branch Chief, Fuels and
Materials, U.S. Atomic Energy
Commission |
| R. J. Wasilewski | - Section Head, Materials Research
Laboratories, National Science
Foundation |

Alexis B. Tatistcheff , Interpreter

Appendix M 4

Description, characteristics, amount and date of delivering steels for carrying out investigations on subject: "Investigation and development of general and special purpose welding materials delivered by the USSR and the USA"

U S S R			U S A			Date of delivery			
Steel grade	Thickness mm	Material state when delivering	Amount, t	Date of delivery	Steel grade	Thickness mm	Material state when delivering	Amount, t	Date of delivery
17GIS	14-15	after normalization	1.5	1.10.1975	APJ-5IX65	14-15	with controllable rolling	1.5	1.10.1975
15G2AFD	20	" "	1.5	1.12.1975	APJ-5IX65	20	after normalization	1.5	1.12.1975
17G2A	16.5	" "	1.5	1.10.1975	APJ-5IX70	16.5	" "	1.5	1.10.1975
14Kh2GNR	40	quenching with tempering	1.0	1.10.1975	SSS-100	30-40	quenching with tempering	1.0	1.10.1975
12GNZFAYu	40	" "	0.75	1.10.1975	T-1	30-40	" "	0.75	1.10.1975

PIPE STEELS

HIGH-STRENGTH STEELS

- Note: 1. Pipe steels should be delivered as plates of 1500 mm size - along the rolling.
 2. High-strength steels are delivered as plates of 1500x500 mm size.
 3. Welding materials should be delivered together with a steel to be welded with these materials.
 4. Recommendations on welding - welding conditions, welding speed, preheating and oth., should be supplied simultaneously with materials delivery.

N.E. Promisel

N.E. Promisel
 Chairman
 U.S. Side of the Joint
 US-USSR Working Group
 on Electrometallurgy

Samuel

S.A. Antonov
 Chairman
 Soviet Side of the Joint
 US-USSR Working Group
 on Electrometallurgy

1)
 Characteristics suggested to the American side for exchange of steels being suggested to the American side for exchange

Steel grade	Chemical composition, wt %											Mechanical properties				
	C	Mn	Si	Cr	V	N	Ni	Cu	Mo	S	P	σ_{T_2} kg/mm ²	σ_b kg/mm ²	δ_5 %	Impact va- lue J ₂ kg-cm ² at -40°C	
17G1S	0.15- 0.20	1.15- 1.55	0.4- 0.6	≤0.3	-	-	-	-	-	-	≤0.04	≤0.035	≥40	≥55	≥23	≥4
16G2AF	0.12- 0.18	1.2- 1.6	≤0.15	-	0.08- 0.18	0.015- 0.030	-	0.20- 0.40	-	-	≤0.04	≤0.035	≥40	≥55	≥19	≥4
17G2AF	≤0.20	1.3- 1.6	0.3- 0.5	-	0.08- 0.12	0.015- 0.25	-	-	-	-	≤0.020	≤0.025	≥45	≥60	≥20	≥6
14Kh2GNP	0.10- 0.17	0.9- 1.2	0.17- 0.37	1.4- 1.7	-	-	0.002- 0.006	≤0.03	0.45- 0.55	-	0.45- 0.55	≤0.035	≥60	≥70	≥14	≥4
12GN2WFAYu	0.09- 0.16	0.9- 1.3	0.4- 0.6	0.5	0.05- 0.1	0.02- 0.03	1.4- 1.7	AI 0.05- 0.1	0.15- 0.25	-	≤0.035	≤0.035	≥60	≥70	≥14	≥4

1) By August 1, 1975 the American side will indicate the specific grades of steels, their mechanical properties, manufacturers and chemical composition.
 2) Kennager-notched specimens

Page 4/11

COMPOSITIONS OF WELDING MATERIALS FOR WELDING PIPE AND HIGH-STRENGTH STEELS
DELIVERED BY THE USSR AND THE USA

USSR		U.S.A.			
Steel Grade	Compositions of welding materials	Amount of welding materials	Steel Grade	Compositions of welding materials	Amount of welding materials
1	2	3	4	5	6
Pipe steels (longitudinal welds)					
17G2F 17G2AF	Fused flux AN-60 in combination with sv-10G2 wire of 4 mm dia. When using the given composition of welding materials, the impact value at negative temperatures is not guaranteed	Flux AN-60 - 150 kg Wire sv-10c2 of 4 mm dia. - 80 kg	APJ-5LX65	Combination flux + wire (acc. to the suggestion of American side), providing the welded joint on a given steel that would meet the requirements of APJ-5LX standard for main pipeline	Flux - 150 kg Wire - 80 kg
17G2AF 15G2AFD	Automated flux ANK-34 in combination with wire sv-10G2 of 4 mm dia. Impact value of weld metal at -40°C is not less than 2.5 kgm/cm ²	Flux ANK-34 - 150 kg Wire sv-10c2 of 4 mm dia. - 80 kg	APJ-5LX70	" - "	Flux - 150 kg Wire - 80 kg

By: A. P. ...

	1	2	3	4	5
			Transverse welds - of circumferential type		
17G1S 15G2AFJ	Electrodes for welding with the method "downward" of root and hot welds with a cellulose type of the coatingx).	3 mm dia. 20 kg	APJ-5LX65	Electrodes for welding with the method "downward" of root and hot welds with a cellulose type of coating E-8010x).	3.25 mm dia. 20 kg
	Electrodes for welding the filling weld with the method "upward" with a basic type of the coatingx).	4 mm dia. 40 kg		Electrodes for welding the filling weld with the method "upward" with a basic type of coating E-8018x).	4 mm dia. 40 kg
17G2AF	Electrodes for welding root and hot welds with the method "downward" with a basic type of the coatingx).	3 mm dia. 20 kg	APJ-5LX70	Electrodes for welding root and hot welds with the method "downward" with a basic type of coating E-9016x).	3.25 mm dia. 20 kg
	Electrodes for welding the filling weld with the method "upward" with a basic type of coatingx).	4 mm dia. 40 kg		Electrodes for welding the filling weld with the method "upward" with a basic type of coating E-8018x).	4 mm dia. 40 kg
High strength steel					
14K21MR	Electrodes ANP -2 of 4 and 5 mm dia. of the E 11018 type	Electrodes ANP -2 4 mm dia - 25 kg 5 mm dia - 50 kg	SSS-100	Electrodes of the E 11018 type. Grade of electrodes is specified by the American side x).	Electrodes 4 mm dia -25 kg 5 mm dia -50 kg
12GN2MFAYU	Electrodes ANP -2 of 4 and 5 mm dia of the E 11018 type	Electrodes ANP-2 4 mm dia - 25 kg 5 mm dia - 50 kg	T-1	Electrodes of the E 11018 type. Grade of electrodes is specified by the American side x).	Electrodes 4 mm dia -25 kg 5 mm dia -50 kg

x) By August 1, 1975 both sides inform each other the concrete types and grades of electrodes.

Pages of Appendix

Description, amount and delivery date of the flux-cored wires supplied by the USSR and the USA

Type and application of a flux-cored wire	U S S R			U S A		
	Wire, grade	Amount and wire diameter	Delivery date	Wire grade	Amount and wire diameter	Delivery date 1)
Flux-cored wire of rutile type for CO ₂ welding	PP-AN 8	20 kg 2.5 mm	1.10.1975	Dual Shield 7000 "Chemetron Corp."	20 kg 2-2.5 mm	
Flux-cored wire of basic type for CO ₂ welding	PP-AN 9	20 kg 2.5 mm	1.10.1975	Fabco 81 "Hobart Brothers"	20 kg 2-2.5 mm	
Self-shielded flux-cored wire for flat welding	The delivery of wire will be clarified after the agreement with "Chemetron Corp."			The delivery of wire will be clarified after the agreement with "Chemetron Corp."		
Self-shielded flux-cored wire for all-position welding	" "			" "		

1) Delivery dates are specified by the American side

Approved For Release 2000/09/06 : CIA-RDP79-00798A000300070019-8

of the Soviet side according to the program of scientific-technical cooperation on subject "Investigations and developments of general and special purpose welding materials"

Section II

"Development of calculated-experimental method for predicting the hydrogen content in weld metal made with the type E 7018 electrodes"

It is suggested to investigate the effect of coating composition (content of CaF_2 , CaCO_3 , SiO_2 , MgO), its basicity, nature of deoxidation (various ratio of ferro-silicon and ferro-titanium in the coating), amount of iron powder, humidity of coating on the hydrogen content in deposited metal and to develop the calculated method of predicting the hydrogen content on the basis of experimental data.

The suggested ranges of changing the calculated composition of the coating are given below:

CaCO_3	- 25 + 55%
CaF_2	- 5 + 30%
SiO_2	- 10 + 30%
MgO	- 0 + 10%
FeSi	- 2 + 15%
FeTi	- 13 + 0%
FeMn	- 5%

The humidity of coating is changed by centering the electrodes at temperatures 300°C , 350°C and 400°C .

The additional conditions for compiling the plan of experiment:

$$(\text{CaCO}_3 + \text{CaF}_2 + \text{SiO}_2 + \text{MgO}) = 80 \%$$

$$(\text{FeSi} + \text{FeTi}) = 15 \%$$

The investigations are made using the 4 mm dia. electrode.

The coefficient of coating mass is constant and equals $\sim 40\%$, coating thickness is ~ 1.1 mm, $\frac{d_{el.}}{d_{core}} = 1.55$.

It is suggested to study the effect of iron powder, its content in the coating being amounted to 0%; 20%; 40%. In introduction of iron powder into the coating the amount of all remaining constituents proportionally decreased.

Welding conditions: welding is carried out with a semi-automatic machine at d.c., of reversed polarity. The welding current value should be equal to ~ 180 A. The voltage is nominal. In determination of hydrogen content in the deposited metal the welding is carried out only with a first half of an electrode.

Determination of hydrogen content in the deposited metal.

- a) Method of sampling - in accordance with a methodology, recommended by IIW.
- b) Determination of diffusion hydrogen amount is carried out according to the methodology recommended by IIW (in mercury) or by another methodology, providing the trustworthy results.
- c) Determination of the residual hydrogen is carried out by the method of vacuum melting.

N. E. Promisel
N. E. Promisel
Chairman
U.S. Side of the Joint
US-USSR Working Group
on Electrometallurgy

S. P. Antonov
S. P. Antonov
Chairman
Soviet Side of the Joint
US-USSR Working Group
on Electrometallurgy

P R O G R A M

for

"Prediction of Low Temperature Properties
of High-Alloy Austenitic Welds"

Objective

To establish a mathematical model, based upon published data and some experimental data, relating low temperature service properties to the chemical composition of weld metal and metallurgical processing variables.

Experimental Model

1. A search of the published literature properties of austenitic welds at low temperatures is to be made for the following systems:
 - Chromium - nickel
 - Chromium - nickel - molybdenum
 - Chromium - nickel - manganese
 - Chromium - nickel - nitrogen
 - Chromium - nickel - molybdenum - tungsten
 - Chromium - nickel - molybdenum - aluminium (titanium)
2. Agreement is to be made on a test matrix system for processing on computers.
3. Exchange of information on materials and their properties is to be made.
4. Development of algorithms for programs on statistical modelling is to be made for forecasting weld properties.
5. Statistical processing of data will be made for determination of mathematical relationships of chemical composition (alloying elements) with the mechanical properties and structure of the weld.
6. Develop methods for predictive control of austenitic weldment properties.

Suggested mass data matrix for statistic processing of test results of austenite welds

No	Steel Grade	Thickness, mm	Type of welding wire	Welding process		Shielding medium	Heat input	Chemical composition of weld metal, weight percent						H														
				MIG	TIG			Sub-arc coated by electrode and grade	Flux type and grade	Ar	He	O ₂	C		Cr	Ni	Mo	Ti	Al	Fe	Mn	V						
1	2	3	4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Heat-treatment after welding	Time at temp., Hrs.	Weld structure		Test temperature, °K	Mechanical properties of weld										Source of information				
		Austenite, %	Ferrite, %		σ_y , $\frac{kg}{mm^2}$	σ_t , %	σ_c , %	σ_c , $\frac{kg}{mm^2}$	Stress concentration factor	$\frac{\sigma_c}{\sigma_y}$	$\frac{\sigma_t}{\sigma_y}$	K_{10}	K_{1g}	R_v		δ	$\frac{d\sigma}{dN}$		
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45

Suggested mass data matrix for statistic processing of test results of austenitic base metals

No Steel grade	Melting process			Chemical composition, weight %								Heat temperature, °K	Rolling feature Time at Temp, Hrs.	Gauge (plate thickness) of deformed rod diameter, meter							
	in open arc furnace	in in-duction furnace	in in-duction in vacuum furnace + VAR	C	Cr	Ni	Mo	Pi	Al	Fe	Mn				V	W	N				
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

Heat treatment Temperature, °K	Time at Temp, Hrs.	Structure		Test temperature, °K	Mechanical properties										Source of information				
		Austenite, %	Ferrite, %		Stress concentration factor	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$	$\frac{\sigma_{ts}}{\sigma_{ys}}$					
22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	

Chairman
of the American Side of the Joint
US-USSR Working Group on Electro-
metallurgy Field
N. E. Promisel
N. E. Promisel

Chairman
of the Soviet Side of the Joint
US-USSR Working Group on Electro-
metallurgy Field
S. P. Antonov
S. P. Antonov

To section III of
"Research and Development of Welding Materials"
according to the US-USSR joint program

Project title:

1. Investigation of properties of structural materials and their welds for ING storage and transportation.

Participants: USSR - E.O. Paton Welding Institute,

Dr. K. Yushchenko and Prof. D. Rabkin

USA - National Bureau of Standards, Dr. R. Reed

- Lehigh University, Prof. R. Stout

- ARMO Steel, Dr. Bruner

- ALCOA, Dr. Kelsey

- International Nickel, Dr. Decker

Date - 1976, providing both sides receive materials before the end of 1975.

2. Analysis and development of test methods for evaluation of service properties of welds and welded joints resistant to low temperature, with emphasis on fracture toughness.

Participants: USSR - E. O. Paton Welding Institute,

Dr. K. Yushchenko, Prof. V. Maldnenko,

Dr. A. Ishchenko,

Institute of Problems of Materials

Strength, Dr. N. Novikov.

USA - Lehigh University, Prof. R. Stout

- National Bureau of Standards, Dr. R. Reed

Date - the first stage - 1976.

Investigations and tests will be performed by both sides.

On materials used in the USSR: chromium-manganese-nitrogen steel OX13AG19

and its weldments, and aluminium-magnesium alloy AMG-6 and its weldments.
On materials used in the USA: nickel steels with 5% and 9% nickel and their
weldments, and aluminium alloy 5083-O and its weldments.

Exchange of base materials, welding materials and welded joints by October 1975
in quantities given in the attached list.

The work is to be completed by discussion of results and by joint reports in 1976.
In the process of carrying out this work, an exchange of experts who conduct tests
in collaborating laboratories will be made by both sides.

Test procedures for conducting the work on
"Study of the properties of structural materials and their weldments for LNG storage and transportation"

1. USA side will conduct the tests according to the attached Table.
2. USSR side will conduct the tests on:
 - static tension;
 - sensitivity to stress concentration under static and dynamic loads;
 - C.O.D.;
 - instrumented Charpy-V with analysis of fracture diagram;
 - static bend;
 - compact fracture toughness by static tensile or bend tests;
 - fatigue strength;
 - fractography and structural analysis of fractured surface.
3. The two sides obtain the data on properties vs. temperatures within the range of 300-760°K.

TEST MATRIX: US-USSR JOINT PROGRAM ON MATERIALS FOR LNG STORAGE AND TRANSPORTATION

Properties, Supply of Alloys	NBS (Reed)	Organization			INCO (Decker)
		LEHIGH (Stout)	ARMCO (Bruner)	ALCOA (Kelsey)	
Tensile		Fe-12Cr-20Mn; Al-8Mg	Fe-12Cr-20Mn; long. trans.; 300, 111, 76 K; base and weld	AL-8Mg; 300, 76 K; base and weld; smooth and notched	Fe-9Ni; ferritic weld metal (USSR)
Impact		Fe-12Cr-20Mn; Al-8Mg	Fe-12Cr-20Mn; long. trans.; 76-300 K; base and weld	Al-8Mg; 300, 76 K; base and weld	Fe-9Ni; ferritic weld metal (USSR)
Dynamic Tear			Fe-12Cr-20Mn; 76-300 K; base		
C. O. D.			Fe-12Cr-20Mn; 76, 103, 123 K; base, HAZ		
R-Curve					
Bend			Fe-12Cr-20Mn; Al-8Mg		
Fracture Toughness, Compact tensile			Fe-12Cr-20Mn; Al-8Mg		
Fatigue Crack Growth Rate	Fe-12Cr-20Mn; Al-8Mg; 300, 111, 76 K; base, weld			Al-8Mg; 300, 76 K; base and weld	
Supply of Fe-5Ni, Fe-9Ni					
Supply of 5083 Al					5083-O Al; 2.5 cm plate; weldments in lengths 90 cm x 60 cm wide

LIST

of materials supplied in the USA and the USSR to carry out the works on "Investigation of properties of structural materials and weldments for LNG storage and transportation"

The USSR side supply to the USA (Lehigh University, National Bureau of Standards) the following representing samples of structural materials:

Grade of steel, of alloy	Sample dimen- sions, mm	Quantity	Date of supply
OX13A619 (base metal)	200x170x550	300+400	October 1975
OX13A619 (welded jo- int, submerged-arc process)	20x200x550	200+250	October 1975
welded joints of USA 5% or 9% Ni steel with lower nickel content in weld metal	25x200x500	200+250	April 1976
AM ₃ -6 grade alumin- um-magnesium alloy containing 6% Mg	20x300x600	300+400	October 1975
AM ₃ 6 welding wire with zirconium for aluminium welding	1.6 dia.	40+50	October 1975

The USA side supply to the USSR (E. O. Paton Welding
Institute the following representative structural materials.

Approved For Release 2000/09/06 : CIA-RDP79-00798A000300070019-8

Grade of steel, of alloy	Sample dimen- sions, mm	Quantity	Date of supply
5% Ni steel (quen- ching + tempering)	25x300x600	400+500	October 1975
9% Ni steel (quen- ching + tempering)	25x300x600	400+500	October 1975
welded joints of both steels	25x300x600	150+200	October 1975
Inconel wire 625 2	1.2 dia.	50	October 1975
Inconel wire 82	2.0 dia.	100	October 1975
Inconel wire 92	2.0 dia.	100	October 1975
Inconel electrode			
Welding Electrode	3+4 dia.	20	October 1975
Flux - Incoflux 4	-	50	
Aluminium alloy 5083-0	25x600x900	300+400	October 1975
Welded joints of 5083-0 alloy	25x600x900	300+400	October 1975
Welding wire of O-5183 alloyed with cobalt	1.6 dia.	40+50	October 1975

1. Address of the USSR side: Ukr.SSR, Kiev-5, 69 Gorky st.,
E.O.Paton Welding Institute
2. The USA side is to forward its address before August 1, 1975.
3. Both sides may correct the grades, size and quantity of the
samples supplied up to 1 August.

Chairman of the American
Side of the Joint US-USSR
Working Group on
Electrometallurgy Field

N. E. Promisel
N. E. Promisel

Chairman of the Soviet
Side of the Joint US-USSR
Working Group on
Electrometallurgy Field

S. P. Antonov
S. P. Antonov

Appendix 6

P R O G R A M M E
of the US-USSR scientific-technical collaboration on
the theme "Solid State Joining"

1	2	3	4	5	6	7	8	9	
N	<u>Themes</u>	<u>Contents</u>	<u>Possible Organizations from US</u>	<u>Possible Organizations from USSR</u>	<u>Term</u>	<u>Begin</u>	<u>End</u>	<u>Forms of work completion</u>	<u>Forms of collaboration</u>
I.	Diffusion joining	I. State of-the-art review of solid state joining of similar and dissimilar metals and alloys.	W.A. Owczarski Pratt and Whitney Aircraft East Hartford, Conn.	V.I. Kashin, 1975 M.Kh. Shorshorov Baikov Institute of Metallurgy AS USSR, Moscow, B.E. Paton, J.B. Malevsky, Paton Welding Institute, A.S. of Ukrainian SSR, Kiev. N.F. Kazakov Diffusion Welding Laboratory, Moscow E.S. Karakozov Metallurgy evening Institute, Moscow.	1977	Tables, Figures, Nomograms, Reports and articles.	I. Inde- percent in- vestiga- tions of each side.		

4. Annex 6
Page 2

1 2 3 4 5 6 7 8 9

2. Development of techniques and methods for intensifying the joining of similar metals and alloys, considering powders and hot isostatic compaction.

3. Exchange of experimental methods, materials and specifications.

3. Conduct seminars and meetings for discussion of results.

V.I. Kashin,
M.Kh. Shorshorov
Baikov Institute
of Metallurgy.

G.K. Dzeladze
Central Institute
for iron and
Steel Metallurgy,
Moscow.

A.T. Male
Westing-
house
Electric
Corp.
Pittsburgh,
Pa.

B.E. Paton,
S.M. Gurevitch,
Paton Welding
Institute.

V.N. Gridnev,
L.N. Larikov
Institute for
Physic of Metals,
A.S. of the
Ukrainian
SSR, Kiev

N. F. Kazakov,
Diffusion Welding
Laboratory, Moscow.
E.S. Karakozov,
Metallurgy evening
Institute, Moscow.

1	2	3	4	5	6	7	8	9
II	Composite materials	1. Investigations of the effect of residual stresses on the mechanical behavior of composites.	L.J. Ebert Case Western Reserve University Cleveland, Ohio.	V.I. Kashin, M.Kh. Shorshorov, L.M. Ustinov, V.V. Belov Baikov Institute of Metallurgy.	1975	1978	As in I. above.	As in I. above.
		2. Application of acoustical emission to the study of deformation and fracture of composites.	R.W. Heckel Carnegie-Mellon University Pittsburgh, Pa.	V.I. Kashin, M.Kh. Shorshorov O.V. Gusev, Baikov Institute of Metallurgy.				

Chairman
of the American Side of the Joint
US-USSR Working Group on Electrometallurgy Field

N.E. Promisel
N.E. Promisel

Chairman
of the Soviet Side of the Joint USSR-US
Working Group on Electrometallurgy Field

S.P. Antonov
S.P. Antonov