

GONT

21

CENTRAL INTELLIGENCE AGENCY
OFFICE OF RESEARCH AND REPORTS

PROVISIONAL REPORT NO. 2 (CIA/RR PR-2)

THE COKE-CHEMICAL INDUSTRY IN THE USSR

10 September 1951

Note

This document is a working paper. The data and conclusions contained herein do not necessarily represent the final position of ORR and should be regarded as provisional only and subject to revision. This report contains information available to ORR as of 1 August 1951.

WARNING

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794 OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

22

DOCUMENT NO.

NO CHANGE IN CLASS. I.I.

L.I. DECLASSIFIED

CLASS. CHANGED TO: TS S (C) (8)

NEXT REVIEW DATE:

AUTH: HR 70.2

DATE (10.7)

REVIEWER:

DOGUMENT NO NO CHARGE IN CLASS LI DECLASSIVIEU CLASS. CHARGED TO TS CONEXT REVIEW DATE:

DATE: 15.70.2

DATE: 15.70.2

25X1

25X1



CONTENTS

							Page
Sun	mmary	•	9	۰	o	•	1
1.	Introduction		•	•	٠		1
2.	First Five Year Plan (1928-32)	. •	•		•	•	1
3。	Second Five Year Plan (1933-37)		•	٠	0	4	2
4.	Third Five Year Plan (1938-42)		•	4		Ġ	2
5.	Fourth Five Year Plan (1946-50)		9	8	a	Ģ	. 3
6.	Production	ď		٠.	•		4
	Table 1. Approximate Average Yields of the Frincip Chemicals in the USSR	al •	Ce	oķ(g	Φ	5
	Table 2. Estimated Production of Coke-Chemicals in USSR, 1928, 1932, 1937, 1940, 1943, 1947-1949-50		10				6
	Table 3. Estimated Production of Coke-Chemicals in USSR, 1951-53			•	•	•	7
÷	Table 4. Estimated Raw Material Requirements for to Production of Soviet Coke-Chemicals in 1	bo 95()	9	٠	•	8
	Table 5. Comparison of Estimated Soviet Production Coke-Chemicals in 1950 with US Production 1949	n i	n	•	•	4	9
	Table 6. Pattern for Estimated Soviet Benzol Requi						10
	Table 7. Pattern for Estimated Soviet Toluol Requi:	ren		ıts •	9	•	11
App	pendix. Coke-Chemical Plants in the USSR and Their Proceedings (Estimated as of 1 January 1951)						12



THE CORE-CHEMICAL INDUSTRY IN THE USSR

SUMMARY

The restoration of the coke-chemical industry in the USSR has progressed rapidly, and the cutput in 1950 closely approached that of 1940, when the industry achieved its maximum production. The Soviet coke-chemical industry in 1950 produced approximately one-third of that in the United States. The plants in the Donbas region will probably be restored to their prewar capacity by the end of 1952, and those in the Dnieper region by the end of 1954.

From 1950 through 1953 the cutput of coke-chemicals in the USSR probably will increase by about 48 percent. This increase will be due to restoration of the plants in the South, to expansion of existing plants in the Urals and East Siberia, and to the installation of new facilities in conjunction with steel mills now under construction.

1. Introduction.

Coke-chemicals are the by-products derived in the production of coke. A study of the individual plants producing coke-chemicals in the USSR reveals that before 1927 the only domestic production of coke-chemicals was a small trickle from the prerevolutionary installation at Kemerovo, consisting of three batteries of French Koppers evens with by-products plants. 1/ The remainder of the coke, required for pig iron production, was produced by nine installations in the Donbes region, none of which recevered by-products. (For the production of individual coke-chemical plants in the USSR, see Appendix.)

2. First Five Year Flon (1928-32).

One of the first steps taken by the Soviets in embarking during the middle 1920's on the industrial rehabilitation and development of the USSR was the utilization of the vast coal resources in the creation of a large coke-chemical and steel industry. Considerable foreign equipment and engineering skill were enlisted, and in 1928 three coke-chemical plants were put into operation, two in the Donbas (Voroshilovsk and Kadievka) and one in the Crimea (Kerch). During the period of the First Five Year Plan (1928-32) intensive efforts were directed toward expansion of the newly created industry, and by 1932 nine additional plants had been put into operation. Five of these plants were located in the Donbas (Gerlovka, Makeevka, Stalino, Ruchenkovo, and Kramatorsk), three were located in the Dnieper region (Dnepropetrovsk, Zaporozhye, Dneprodzerzhinsk), and one was located in the Urals (Magnitogorsk). During this period the Soviets

^{1.} A battery is a number of individual coke ovens connected in one integrated system. In the coke ovens, coal is destructively distilled to produce coke and the gases, oils, and tars from which coke-chemical by-products are derived.

developed a by-product battery of their own, called the Soviet Koppers, and began to manufacture parts for this battery and its chemical plants. All of the plants put into operation during this period were built with Soviet Koppers batteries, with the exception of Gorlovkn (German Koppers), Magnitogorsk (US Koppers), and possibly Dnepropetrovsk (type unknown). At this time, however, not all of the parts for the Soviet Koppers battery were Soviet-manufactured. Thus, at the end of 1932, a total of 13 cokenchemical plants were in operation. The production of cokenchemicals in 1932 is rather difficult to assess because of the rapidly expanding status of the industry at that time. The 1932 production estimate (see Table 2) represents the maximum output attainable. Actual production was undoubtedly much lower because of normal operating difficulties that would have been encountered in starting up the chemical plants.

3. Second Five Year Plan (1933-37).

During the period of the Second Five Year Plan (1933-37), seven more coke-chemical plants were installed: two in the Donbas (Mariupol, Konstantinovka), one in the Dnieper region (Krivoi Rog), one in the Urals (Gubakha), and one in West Siberia (Stalinsk). In addition, the city gas plants of Moscow and Leningrad with their coke-chemical plants probably were installed during this period. Including the two city gas plants, a total of 20 coke-chemical plants were in operation by 1937, and production of coke-chemicals had increased by an estimated 300 percent during the 5-year period. (For an estimate of the production of coke-chemicals in 1937, see Table 2.)

4. Third Five Year Plan (1938-42).

During the period of the Third Five Year Flan (1938-42), one new plant at Tagil in the Urals was put into operation. The peak Soviet production of coke-chemicals was attained in 1940, and output during that year registered an increase of at least 21 percent over 1937. Undoubtedly production would have continued to increase and probably more new plants would have been installed, but World War II intervened, halting progress in the industry. Prior to the German invasion, 21 coke-chemical plants were operating in the USSR. The German advance in 1940-41 caused the immediate or eventual destruction of the Moscow and Leningrad gas plants and the 14 plants in the South, resulting in a loss of about 71 percent of the total production of cokechemicals and leaving only 5 plants in operation. Wartime shortages of cokechemicals were alleviated by large Lend-Lease shipments of toluci (113,884 short tons), phenol (38,594 tons), TMT (139,186 tons), picric acid (1,411 tons), and smaller quantities of cresols, anthracene, various intermediates, and finished products, including large quantities of amunition. (For the estimated production of coke-chemicals in 1940 and 1943, see Table 2.)

∞2 ∞

5. Fourth Five Year Plan (1946-50).

Following the expulsion of the German Army from Soviet territory, reconstruction of the coke-chemical plants in the Donbas was begun immediately. 1/Reconstruction of the plants in the Dnieper region was delayed because of the necessity of first reconstructing the Dnieper Power Plant.

25X1

In calculating the production of coke-chemicals of the individual plants and the total Soviet output (see Table 2), it was assumed that the plants in the Donbas did not produce in 1947. It is true that,

naphthalene, anthracene, and pitch in the Donbas in that year. However, the amount of these coke-chemicals compared to the total Soviet output was probably not contribute to 1947 production.

25X1

25X1

≈ 3 a

In calculating the total 1949 Soviet output, it was assumed that by then the Donbas plants had been sufficiently restored to allow the recovery of cokechemicals equivalent to approximately 50 percent of the maximum practical yield from the coal processed. It was also assumed that the plants in the Dnieper region did not produce any coke-chemicals in 1949. In calculating the total 1950 Soviet output, it was assumed that the Donbas plants and the Dnieper region plants would recover a quantity of coke-chemicals equivalent to approximately 75 percent and 25 percent, respectively, of the maximum practical yields from the coal consumed in the ooking process.

6. Production.

The production of coke-chemicals for the years 1951, 1952, and 1953 (see Table 3) has been forecast on the basis of the estimate of the output of coke for those years as modified by the following assumptions:

- a. That, in 1951, the plants of the Donbas and of the Dnieper region will recover coke-chemicals equivalent to 90 percent and to approximately 50 percent, respectively, of the maximum practical yields from the coal processed.
- b. That, in 1952, the Donbas plants and the Dnieper plants will recover coke-chemicals equivalent in quantity to 100 percent and to approximately 70 percent, respectively, of the maximum yields normally possible.
- c. That, in 1953, the Dnieper plants will recover coke-chemicals equivalent in quantity to 90 percent of the maximum yields normally possible.

The following tables (1-7) give production estimates and certain requirements for the Soviet coke-chemical industry.

Table 1

Approximate Average Yields of the Principal Coke-Chemicals in the USSR2

Product	Yield per Letric ton of Coke (lbs.)	Yield per 1,000 Metric Tons of Coke (Netric Tons)
Benzol, Refined Toluol Xylene Ammonium Sulfate Ammonia Gas Coal Tar Naphthalene Phenol Cresols Xylenols Anthracene Creosote Oil Pitch Solvent Naphtha	17.9 (2.44 ga 4.37(0.61 ga 1.57 29.0 7.5 95.0 (9.5 gal 4.0 0.84 1.32 0.24 6.3 25.2 41.0	113.) 1.98 0.71 13.15

These figures were arrived at by a consideration of US coking practice as modified by information concerning coking practice in the USSN.

Table 2

Estimated Production of Coke-Chemicals in the USSR 1928, 1932, 1937, 1940, 1943, 1947, 1949-50

		or throughout the state of the	residencial manus na voca mano Minde	antes in observation desirate. A	žiiom Žiiom	dia rifti	TO TOTAL	,
1928	1932	1937	1940	1943	<u> 1947ع</u>	1949	1950	
20.85	73.4	1.96.0	238.0	104.0	124.5	176.0	230.0	
15.49	54,45	145.67	176.74	77.37	92.43	130.69	171.23	
3.758	13,22	35。362	42,975	18,81	22.446	31,726	41.61	
1.348	4.735	12,68	15,38	6.74	8.03			:
22.5		212.0			134.0	190.0		
0.614	2,26	6.06	7.35	3.21	3.84	5.43	7,12	
81.7	287.0	767.0	935.0	109.0	1,88,0	690.0	907.0	
3.42	12.0	32,2						
			8,246		Ju. 305			
					6.824	بلباده و	12,63	
0,209	0.735	1,965			1,24,7			
5.42		51.0	61.8	27.1	32.4		60.0	
								25X
0.645		6,06	7.35	3.22	3.84			
	20.85 15.49 3.758 1.348 22.5 0.644 81.7 3.42 0.722 1.14 0.209 5.42 21.65 35.3 1.55	20.85 73.4 15.49 54.45 3.758 13.22 1.348 4.735 22.5 79.0 0.644 2.26 81.7 287.0 3.42 12.0 0.722 2.538 1.14 4.008 0.209 0.735 5.42 19.0 21.65 76.2 35.3 124.0 1.55 5.45	20.85 73.lt 196.0 15.lt9 5lt.lt5 1lt5.67 3.758 13.22 35.362 1.3lt8 lt.735 12.68 22.5 79.0 212.0 0.6ltlt 2.26 6.06 81.7 287.0 767.0 3.lt2 12.0 32.2 0.722 2.538 6.788 1.lt lt.008 10.73 0.209 0.735 1.965 5.lt2 19.0 51.0 21.65 76.2 203.9 35.3 12lt.0 332.0 1.55 5.lt5 1lt.57	20.85 73.4 196.0 238.0 15.49 54.45 145.67 176.74 3.758 13.22 35.362 42.975 1.348 4.735 12.68 15.38 22.5 79.0 212.0 257.0 0.644 2.26 6.06 7.35 81.7 287.0 767.0 935.0 3.42 12.0 32.2 39.1 0.722 2.538 6.788 8.246 1.14 4.008 10.73 13.03 0.209 0.735 1.965 2.386 5.42 19.0 51.0 61.8 21.65 76.2 203.9 247.5 35.3 124.0 332.0 404.0 1.55 5.45 14.57 17.67	20.85 73.4 196.0 238.0 104.0 15.49 54.45 145.67 176.74 77.37 3.758 13.22 35.362 42.975 18.81 1.348 4.735 12.68 15.38 6.74 22.5 79.0 212.0 257.0 112.0 0.644 2.26 6.06 7.35 3.21 81.7 287.0 767.0 935.0 409.0 3.42 12.0 32.2 39.1 17.1 0.722 2.538 6.788 8.246 3.612 1.14 4.008 10.73 13.03 5.7 0.209 0.735 1.965 2.386 1.045 5.42 19.0 51.0 61.8 27.1 21.65 76.2 203.9 247.5 108.2 35.3 124.0 332.0 404.0 177.0 1.55 5.45 14.57 17.67 7.74	1928 1932 1937 1940 1943 1947 ² 20.85 73.4 196.0 238.0 104.0 124.5 15.49 54.45 145.67 176.74 77.37 92.43 3.758 13.22 35.362 42.975 18.81 22.446 1.348 4.735 12.68 15.38 6.74 8.03 22.5 79.0 212.0 257.0 112.0 134.0 0.644 2.26 6.06 7.35 3.21 3.84 81.7 287.0 767.0 935.0 409.0 488.0 3.42 12.0 32.2 39.1 17.1 20.4 0.722 2.538 6.788 8.246 3.612 4.305 1.14 4.008 10.73 13.03 5.7 6.824 0.209 0.735 1.965 2.386 1.045 1.247 5.42 19.0 51.0 61.8 27.1 32.4 21.65 76.2 203.9 247.5 108.2 129.0 35.3 124.0 332.0 404.0 177.0 211.0 1.55 5.45 14.57 17.67 7.74 9.24	1928 1932 1937 1940 1943 1947 1949 20.85 73.4 196.0 238.0 104.0 124.5 176.0 15.49 54.45 145.67 176.74 77.37 92.43 130.69 3.758 13.22 35.362 42.975 18.81 22.446 31.726 1.348 4.735 12.68 15.38 6.74 8.03 11.43 22.5 79.0 212.0 257.0 112.0 134.0 190.0 0.644 2.26 6.06 7.35 3.21 3.84 5.43 81.7 287.0 767.0 935.0 409.0 488.0 690.0 3.42 12.0 32.2 39.1 17.1 20.4 28.7 0.722 2.538 6.788 8.246 3.612 4.305 6.043 1.14 4.008 10.73 13.03 5.7 6.824 9.544 5.42 19.0 51.0 <td< td=""><td>20.85 73.lt 196.0 238.0 104.0 124.5 176.0 230.0 15.lp 5lt.l5 1lt5.67 176.7t 77.37 92.lt3 130.69 171.23 3.758 13.22 35.362 lt2.975 18.81 22.ltl6 31.726 lt1.61 1.3lt8 lt.735 12.68 15.38 6.7lt 8.03 ll.lt3 lt.92 22.5 79.0 212.0 257.0 112.0 131.0 190.0 2lt9.0 0.6ltl 2.26 6.06 7.35 3.21 3.8lt 5.lt3 7.12 81.7 287.0 767.0 935.0 lt09.0 lt88.0 690.0 907.0 3.lt2 12.0 32.2 39.1 17.1 20.lt 28.7 37.9 0.722 2.538 6.788 8.2lt6 3.612 lt.305 6.0lt3 7.97 1.lt lt.008 10.73 13.03 5.7 6.82lt 9.5lt 12.63 0.209 0.735 1.965 2.386 1.0lt5 1.2lt7 1.55lt 2.318 5.lt2 19.0 51.0 61.8 27.1 32.lt lt5.lt 60.0 21.65 76.2 203.9 2lt7.5 108.2 129.0 181.5 2lt0.0 35.3 12lt.0 332.0 lt0lt.0 177.0 211.0 296.0 392.0 1.55 5.lt5 1lt.57 17.67 7.7lt 9.2lt 13.07 17.15</td></td<>	20.85 73.lt 196.0 238.0 104.0 124.5 176.0 230.0 15.lp 5lt.l5 1lt5.67 176.7t 77.37 92.lt3 130.69 171.23 3.758 13.22 35.362 lt2.975 18.81 22.ltl6 31.726 lt1.61 1.3lt8 lt.735 12.68 15.38 6.7lt 8.03 ll.lt3 lt.92 22.5 79.0 212.0 257.0 112.0 131.0 190.0 2lt9.0 0.6ltl 2.26 6.06 7.35 3.21 3.8lt 5.lt3 7.12 81.7 287.0 767.0 935.0 lt09.0 lt88.0 690.0 907.0 3.lt2 12.0 32.2 39.1 17.1 20.lt 28.7 37.9 0.722 2.538 6.788 8.2lt6 3.612 lt.305 6.0lt3 7.97 1.lt lt.008 10.73 13.03 5.7 6.82lt 9.5lt 12.63 0.209 0.735 1.965 2.386 1.0lt5 1.2lt7 1.55lt 2.318 5.lt2 19.0 51.0 61.8 27.1 32.lt lt5.lt 60.0 21.65 76.2 203.9 2lt7.5 108.2 129.0 181.5 2lt0.0 35.3 12lt.0 332.0 lt0lt.0 177.0 211.0 296.0 392.0 1.55 5.lt5 1lt.57 17.67 7.7lt 9.2lt 13.07 17.15

Table 3

Fatimated Production of Coke-Chemicals in the USSR 1.951-53

Thousand Metric Tons 1951 1952 1953 Product Benzol, Crude 270.0 310.0 340.0 230.0 252.0 Benzol, Refined 200.0 56.0 Toluol 48.7 61.3 21.9 17.45 20,0 Xylone 292.0 Ammonium Sulfate *3*36¦0 368,0 Ammonia Liquor 8,33 9.6 10.5 (NH, Content) 2/ Coal Tar 1,060.0 1,220,0 1,335.0 55.8 11.7 Waphthalene W.3 9.32 51,0. Phenol 10.7 Cresols U.,8 17.0 18.6 2,715 Xylanols 3.12 3.42 Anthracene 70₆2 80,8 88,5 Creosote Oil 281.0 324.0 355.0 Pitch 458.0 577₀0 527.0 Solvent Naphtha 20.1 23.1 25.3 Pyridine 8,32 10.5 9.57

25X1

... 7 cz

SECRET

Table 4

Estimated Raw Material Requirements for the Production of Soviet Coke-Chemicals in 1950 g/

	and we will refer to the state of the state	
	Kilowatt- hours	Metric Tons
Coal (As Mined) Coal (As Charged to Coke Ovens b/ Sulfuric Acid (60°Be) Idme	තර කර දැන කො	44,000,000 33,000,000 249,000 20,000
Steam Electric Power	297,000,000	8,250,000

a/ For the coke-chemicals output available from these raw material inputs in 1950, see Table 2.

b/ The high ratio of charged coal to the output of coke-chamicals is explained by the partial restoration of the plants in the Donbas and Daisper regions.

Table 5

Comparison of Estimated Soviet Production of Coke-Chemicals in 1950 with US Production in 1949

Product	US Production 1949	Soviet Production 1951 (Estimated) aric Tons	Soviet Production as % of US Production
Ensol, Refined a/	470,000	171,230	36.4
Toluol b/	226,000	53,610	23.7
Kylens o/	172,000	14,920	8.7
Naphthalene	135,000	37,900	28.1
Phenol d/	101,000	35,470	35.1
Cresols	5,570	12,630	226.0

The US figures includes motor benzol.

5/ The figures include toluol produced from petroleum which, in the case of the USSR, is tentatively estimated at 12,000 metric tons per year.

c/ The US figure includes xylene from petroleum; the Soviet figure does not.

d/ The figures include synthetic phenol which, in the case of the USSR, is tentatively estimated at 27,500 metric tons per year.

Table 6

Pattern for Estimated Soviet Benzol Requirements a/ 1950-1953

Use	% of Total	1950	1951 Metric	1952	1953
Dalan 3	American and an annual company of the		MIS OF T	7 10113	
Petroleum Industry (for Manufacture of Ethyl Benzene and Cumene for Aviation Gasoline)	30.0	51,370	60 ₉ 000	69,000	75,500
Phenol	16,0	27 ₉ 500	32,150	at 900	. 20 000
Aniline	6.0	10,000		35,800	39,200
Explosives	6.0		11,700	13,450	14,730
(Picric Acid, Ammonium Picrate, Tetryl, Dinitro- benzene, Diphenylamine, Centralite I) b/	V6V	10,000	11,700	13,450	14, 730
Styrene	3.0	5,000	5,850	6,725	7,,360
Dichlorobenzene	2。0	3,500	4,090	4,700	5,150
Monochlorobenzene (Exclusive of DDT, Phenol, and Aniline)	2,0	3,500	4,090	4,700	5,150
Ni trobenzene	1.0	2,,500	2,920	3,360	3,680
(Exclusive of Aniline)		- 3 /	37	٥٥٥	J ₉ 000
DDT	0.7	1,,200	1,400	1,610	1,760
Dipheryls	0.7	1,,200	1,400	1,610	1,760
Synthetic Detergents	0.6	1,000	1,170	1,345	1,470
Miscellaneous	32.0	54,460	63,530	74,250	87 510
(Exports, Motor Fuel, Mylon, Denaturant, Maleic Anhy- dride, Insecticides, etc.)	• •			1492,50	0,
Total	100.0	171,230	200,000	230,000	252,000

It is consumption pattern for 1950-1953 represents the estimated quantities of benzol that will be consumed by the USSR during those years for the uses specified. The assumption has been made that the current "cold war" conditions will continue to exist. Should the USSR become involved in a major war, the pattern outlined above would be considerably altered. The quantities of benzol now allocated for the manufacture of aviation gasoline, explosive, and other essential military products would be greatly increased at the expense of that benzol now allocated for less essential uses.

b/ This is a random estimate, no data having been received from the military regarding requirements for explosives.

SECRET .

Table 7

Pattern for Estimated Soviet Toluol Requirements a/
1950-53

Use	of Total	1950	<u>1951</u> Metric	<u>1952</u> Tone	1953
Explosives (TNT) b/ Chemicals (Benzoic Acid, Lacquers, Dyes, Perfumes, Toluidines,	13.7 56.0	10,000 30,000	11,500 34,500	13,000 39,200	14,200 42,700
Tolidines, Saccharin, etc.) Solvent (for Gums, Resins, Oils, etc.)	25,3	13,610	15,700	17,800	19,400
Total c/	100.0	53,610	61,700	70,000	76.300

of toluol that will be consumed by the USSR during those years for the uses specified. The assumption has been made that the current "cold war" conditions will continue to exist. Should the USSR become involved in a major war, practically all the toluene produced would be allocated for the manufacture of TNT.

b/ This is a random estimate, no data having been received from the military regarding requirements for explosives.

c/ The figures include the following produced from petroleum: 12,000 metric tone in 1950, 13,000 in 1951, 14,000 in 1952, and 15,000 in 1953.

ા હ્યું જ

SECRET

APPENDIX

COKE-CHEMICAL PLANTS IN THE USSR AND THEIR PRODUCTION

(Estimated as of 1 January 1951)

1. <u>Chelyabinsk</u> Chelyabinsk Oblast Urals

> Number of Batteries: Type of Batteries:

Probably 4 Soviet Koppers

By-products Plants

Complete

Estimated Production 1947, 1949-50

		Thousand	Metric Tons
Product	1947	1949	1950
Colce	840°0	1,260.0	1,400.0
Benzol, Refined	6.84	10 。27	11.4
Toluol	1.66	2.5	2,77
Xylene	0°596	0.895	0,994
Ammonium Sulfate	11.05	16.59	18.4
Coal Tar	<i>3</i> 6。1	54.2	60,2
Naphthalone	1.51	2.27	2,52
Phenol.	0.319	0.479	0,532
Cresols	0.504	0.755	0,84
Xylenols	0.092	0,139	0.154
Anthracene	2.4	3.6	4.0
Crecsote Oil	9.6	14.3	16,0
Pitch	15.6	23.4	26.0
Solvent Naphtha	0.684	1.02	1.14

25X1

2. <u>Drepropetrovsk</u>
Drepropetrovsk Oblast
South Region

Number of Batteries: 4
Type of Batteries: Unknown
By-products Flants: Complete

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

		CONTRACTOR OF THE PROPERTY OF			Thous	ard Meta	rie Tons
Product	1932	1937	1940	1943	1947	1949	1950
Coke Benzol, Refined	900 7.33	1,200 9,78	1,500	0	0	500	700
Tolucl	1.78	2,38	12.2 2.97	0	0	0	1.43 0.35
Xylene Armonivm Sulfate	0.64 11.84	0.85 15.78	1.06	0	0	, ŏ.	0.124
Coal Tar	<i>3</i> 8。7	51,5	19.7 64.5	0	0	0	2。3 7。51
Naphthalene Phenol	1.62 0.342	2。15 0。456	2.71 0.57	0	0	0	0.31
Cresols	0.54	0.72	0.9	0	0	0	0.067 0.105
Xylenols Anthracene	0.099 2.57	0。1 <i>3</i> 2 3 . 45	0.165 4.28	0	0	0	0.019
Creosote Oil Pitch	10.2	13.2	17.1	0	Ö	0	0.5 2.0
Solvent Naphtha	16.7 0.73	22.3 0.98	28.0 1.2	o 0	0	0	3.25 0.14

General Information.

Four batteries of coke ovens with complete by-products plants were installed here in 1929. All plants were demolished in 1941 and were still inoperative in 1947. Aerial photographs of May 1944 show the works to be extensively damaged, with some of the major installations destroyed. Reconstruction of the by-products plants in the Dnieper region lagged behind reconstruction of the Donbas plants, principally because of the necessity of first reconstructing the "Dnieperstroi" Power Plant. Reconstruction of two coke batteries was reported as completed in April 1948. It is assumed that the plants were not in operation in 1949, but it is believed that in 1950 they were sufficiently restored to recover by-products equivalent in quantity to 25 percent of the maximum yield from the coal processed. Reconstruction of the plants in this region probably will not be completed until about 1953-54.

3. Dneprodzerzhinsk (Kamenskoe) Dnepropetrovsk Ublast South Region

Number of Batteries:

4

Type of Batteries:

Soviet Koppers

By-products Plants: Complete

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

despitation of The control proposed Landson Control of the Control					Thous	and Metr	ic Tons
Product	1932	1937	1940	1913	1917	7949	1950
Coke	100	1,000	1,,200	0	0	260	500
Benzol, Refined	0.815	8,15	9.78	0	0	0	1.02
Toluol	0°138	1.98	2.38	0	0	0	0.25
Lylene	0.071	0.71	0°82	0	0	0	0.09
Ammonium Sulfate	1.315	13.15	15.7 8	0	0	0	1.64
Coal Tar	4.3	43.0	51.5	0	0	0	5.38
Naphthalene	0.18	1.8	2.15	0	0	0	0.22
Phenol	o.o38	0,38	0.456	0	0	0	0.047
Cresols	0.06	0.6	0.72	0	0	0	0.075
Xylenols	0.011	0.11	0.132	0	Q .	0	0.014
Anthracene	0.285	2.85	3.42	0	Q	0	0.36
Creosote Oll	1.14	11.4	13.7	0	0	0	1.43
Pitch	1.86	18.6	22.3	0	0	0	2.32
Solvent Naphtha	0.082	0.82	0,98	0	0	0	0.1

Goneral Informations

Four batteries of Soviet Koppers coke ovens with complete by-products plants were built here in 1932. A nitrogen fixation plant was installed in 1935. All plants were destroyed in 1941 and were still inoperative in 1947. Two batteries were reported as restored in June 1949. Reconstruction of this plant, along with the other plants in the Dnieper region, lagged, and probably no coke-chemicals were produced in 1949. In 1950, it is assumed that the by-products plants were sufficiently restored to recover some by-products equivalent in quantity to 25 percent of the maximum practical yield from the coal processed.

4. <u>Gorlovka</u> Stalino Oblast South Region

Number of Batteries: 4

Type of Batteries: By products Plants: 2 German Koppers, 2 Soviet Koppers Benzol, Sulfate, and Tar Plants

Estimated Production 1928, 1932, 1937, 1940, 1943, 1947, 1949-50

						T	housand lion	ric Tons
Product	1928	1932	1937	1940	1943	1947	1949	1950
Coke	600	900	1,480	1,500	0	650	780	1.050
Benzol, Refined	0	7.33	12.1	12,2	Ō	Ö.	3.18	6.42
Toluol	0	1.78	2,93	2.97	Ö	ŏ	0.77	1.56
Xylene	0	0.64	1.05	1.06	Ó	Ŏ.	0.275	0.56
Ammonium Sulfate	0	11.84	19.45	19.7	0	. 0	5.12	10.37
Coal Tar	0	38.7	63.7	64.5	. 0	0	16,775	33.9
Naphthalene	0	1.62	2.67	2.71	0	Ō	0.47	1.42
Phenol.	0	0.342	0.562	0。 <i>5</i> 7	0	0	0.099	0.296
Cresols	0	0.54	0.888	0.9	0	0	0.156	0.472
Xylenols	0	0.099	0,163	0.165	0	0.	0,029	0,086
Anthracene	0	2.57	4.22	4.28	0	0	0.745	2,25
Creosote Oil	0	10.2	16.9	17.1	0	0	3.0	8,92
Pitch	0	16.7	27.5	28 。0	. 0	0	4.83	14.6
Solvent Naphtha	0	0.73	1.2	1.2	0	0	0.32	0.645

General Information.

This plant began operations in 1928 after the construction of two batteries by German Koppers. In 1932, two additional Soviet Koppers batteries were installed with benzol, sulfate, and tar plants utilizing all gas. The Soviet Koppers batteries were batteries of Soviet design based on Koppers original designs and were built under Soviet supervision with equipment partly imported and partly manufactured by Soviet factories. A complete nitrogen fixation plant was put into operation about 1935.

Because of the German invasion, this plant was completely demolished in 1941 and remained inoperative until 1946, when two batteries were restored. As of 1947, all chemical plants were still inoperative. Three coke batteries were reported as operating in October 1949, and the chemical plants were reported to be producing benzol, tar, and unknown gases. The benzol rectification plant was probably also operating in October 1949, since the plant was reported to be producing saccharin at that time. The coal tar distillation plant was reported to have been put into operation in August 1949. The yield of coal tar products for 1949, therefore, has been calculated on a basis of a 4-month operation. The yield of other products for 1949 has arbitrarily been calculated on the basis of a 6-month operation. It is believed that in 1950 the by-products plants were

Approved For Release 2009/04/10 : CIA-RDP79-01093A000100020003-2

SECRET

sufficiently restored to produce a quantity of chemicals equivalent to 75 percent of the maximum practical yield from the coal processed.

The figures given above for the production of chemical by-products are believed to be reasonably accurate for every year except possibly 1932, when production was undoubtedly lower because of the starting up of the chemical plants. The maximum production of this plant was achieved in 1940 and probably will not be reached again until about 1952 or 1953.

- 16 -

5. <u>Gubeldia</u> Molotov Oblast Urala

Number of Batteries: Probably A Type of Batteries: Soviet Koppers By-products Plants: Probably Complete

Estimated Production 1937, 1940, 1943, 1947, 1949-50

			Mil or market there are a former to the	The	rusand Moto	ric Tons
Product	1927	1940	1943	1947	1949	1950
Coîte	280	350	500	700	750	750
Benzol, Refined	2,28	2,85	4.08	5.71	6.11	6,11
Toluol	0.554	0。6 9 3	0. 99	1.39	1.49	وپاه1
Xylene	0.2	0.25	0.355	0.5	0.533	0.533
Ammonium Sulfate	3,68	4.6	6.58	9.21	9.87	9.87
Coal Tar	12.0	15.0	21.5	30.0	32.3	32.3
Naphthalene	0.504	0.63	0.9	1.26	1.39	1,39
Phenol	0,206	0 .13 3	0.19	0,266	0,285	0,285
Cresols	0.168	0.21	0.3	0.42	0.45	0.45
Xylenols	0.031	0.039	0.055	0.077	0.083	0.083
Anthracene	0.8	1.0	1.42	2.0.	2.15	2,15
Creosote Oil	3.19	4.0	5.7	7.97	8.54	8,54
Pitch	5.2	6.5	9.3	13.0	13.9	13.9
Solvent Naphtha	0.23	0.28	0.41	0.57	0.61.	0.61

General Information.

Two batteries of Soviet Koppers coke ovens with by-products plants were installed here in 1933. One more battery was added during the war. As of 1941, three batteries were reported as operating with a production of 400,000 tons of coke per year, and a fourth battery was stated to be under construction.

6. <u>Kemerovo</u> Komerovo Oblast West Siboria

Number of Batteries:

7

Type of Batteries: By-products Plants: 2 French Koppers, 5 Soviet Koppers

Complete

Estimated Production 1928, 1932, 1937, 1940, 1943, 1947, 1949-60

		_				Thousa	nd Hetric	Tons
Product	1928	1932	1937	1940	1943	1947	1949	<u>1950</u>
Coke	800	800	855	1,100	1,600	1,700	1,800	1,300
Benzol, Refined	6.52	6.52	6.97	8.95	13.04	13,85	14.65	14.65
Toluol	1.58	1.58	1.68	2.18	3.17	3.37	3.56	3.56
Yylenc	0.567	0.567	0.607	0.78	1,13	1,21	1,28	1.28
Ammonium Sulfate	10,52	10.52	11.23	14.48	21.05	22.35	23.7	23.7
Coal Tar	34.4	34.4	36.8	47.25	68.8	73.0	77.5	77.5
Naphthalone	1.44	1.44	1.54	1.98	2,88	3.05	3.24	3.24
Phenol	0.304	0.304	0.325	0.418	0.608	0.646	0.684	0.684
Cresols	0.48	0.48	0.513	0.66	0.96	1.04	1.08	L,Q3
Xylenols	0.088	0.088	0.094	0,121	0.176	0.187	0.198	0.198
Anthracene	2.3	2.3	2.46	3.13	4.6	4.85	5.15	5.15
Creosote Oil	9.1	9.1	10.1	12.5	18.2	19.4	20,6	20.6
Pitch	14.9	14.9	15.9	20.5	29.8	31.6	33.5	33.5
Solvent Naptha	0.65	0.65	0.7	0.89	1.3	1.38	1.46	1.46

25X1

7. Kerch Crimea Oblast South Region

> Number of Batteries: 2 (until 1942) Type of Batteries:

French Koppers

By-products Plants: Complete

> Estimated Production 1928, 1932, 1937, 1940, 1943, 1947, 1949-50

					ene orașe de le compani de propri	Thousand	letric	Tons
Product	1928	1932	1937	<u>1940</u>	1943	<u> 1947</u>	1949	1950
Coke	200	500	700	700	0	0	0	0
Benzol, Refined	1.63	4.08	5.71	5.71	0	0	0	0
Toluol	0.396	0.99	1.39	1.39	0	0	0	0
Xylone	0.142	0.355	0.497	0.497	0	0	0	, 0
Ammonium Sulfate	2,63	6.58	9.21	9.21	O	0	Q	0
Coal far	ຣິ .6 ້	21.5	30.0	30.0	O.	Q	0	0,
Naphthalene	0.36	0.9	1.25	1.25	· O	. 0	0	0
Phenol Phenol	0.076	0.19	0.266	0。266	.0	. 0	• 0	0,
Cresols	0.12	0.3	0.42	0.42	0	0	0	0
Xylenols	0.022	0.055	0.077	0.077	0	•	0	0
Anthracene	0.575	1.43	2.00	2.0	0	O :	. 0	. 0
Creoscte Oil	2.28	5.7	7.98	7.98	0	0	0	0
Pitch	3.72	9.3	13.0	13.0	0	0	0	0
Solvent Haphtha	0.16	0.41	0.57	0.57	. 0	0	Ō	0

25X1

8, <u>Kirov (Old Hakeevka)</u> Stalino Oblast South Region

Number of Batteries: 4

Type of Batteries:

By-products Plants:

Unknown

Probably Complete

Estimated Production 1949-50

		Thousand ::etric Tons
Product	1949	1950
Coke Benzol, Refined Toluol Kylene Armonium Sulfate Coal Tar Naphthalene Phenol Cresols Kylenols Anthracene Creosote Oil Pitch Solvent Naphtha	675.0 2.75 0.67 0.24 4.44 14.5 0.61 0.128 0.203 0.037 0.97 3.85 6.28 0.28	780.0 4.77 1.15 0.414 7.69 25.1 1.05 0.222 0.351 0.645 1.68 6.67 10.87 0.48
	• • • •	0.40

General Information,

Prior to World War II (1940), four batteries of 326 coke ovens without by products recovery were installed here. The plant was demolished during the war and remained inactive until 1949, whon three batteries were restored with byproducts recovery.

lacking further information concerning this plant, it is assumed that complete by-products recovery plants are installed and that in 1949 the production of coke-chemicals amounted to 50 percent of the maximum yield from the coal processed. It is assumed that in 1950 the output of coke-chemicals was equivalent to approximately 75 percent of the maximum practical yield from the coal processed.

9. Konstantinovka Stalino Oblast South Region

Humber of Batteries:

1 (40 Ovens)

Type of Batteries:

Unlanovan

By-products Plants: Extent of by-products recovery unknown;

assumed to be complete.

Estimated Production 1937, 1940, 1943, 1947, 1949-50

THE PROPERTY OF THE PROPERTY O	Mary Major Languar Torquitary and mark the first state of the	·	i Lik silik alitok atti <u>musi la</u> fta frantsi ilifanya da ka asam ku asam:	T	housand lietr	ic Tons
Product	1937	1940	1943	<u> 1947</u>	1949	1950
ാര	200	200	0	200	250	300
enzol, Refined	1.63	1.63	0	O	1.02	1.84
ിuol	0。396	0.396	• 0	0	0 ₂ 247	0.447
ylone	0.142	0.142	0	0	0.089	0.16
Ammonium Sulfate	2,63	2.63	. 0	. 0	1.644	2,96
Coal Tar	8 ₂ 6	8.6	0	0	5。375	9.67
Naphthalene	0.36	0.36	0	O ,	0.225	0.405
Phenol.	0.076	0.076	0	0	0.048	0.086
Cresols	0,12	0 .12	0	0	0.075	0.135
Xylenols	0,022	0,022	0	0	0.014	0.025
Anth r acene	0.575	, 0。 575	0	0	0.36	0.637
Creesote Oil	2,28	2,28	0	0	1.42	2.57
Pitch	3.72	3.72	0	0	2.32	4,19
Solvent Naphtha	0,16	0.16	0	. 0	0.1	0.188

General Information.

As of 1940, 40 by-products ovens were installed here. This plent was destroyed during the war and probably remained inactive until about 1947, The planned production for 1950 was reported to be 1,000 metric tors of coke a day.

It is probable that no coke-chemicals were recovered in 1947, but it is assumed that by 1949 by-products recovery amounted to 50 percent of the maximum yield from the coke produced. It is probable that in 1950 the production of coke-chemicals was equivalent to approximately 75 percent of the maximum practical yield from the coal processed.

10. Kramatorsk Stalino Oblast South Ragion

Number of Batteries:

1 (50 Ovens)

Type of Batterios:

Collins 82-ton Ovens

By-products Plants:

Extent of by-product recovery unknown,

assumed to be complete.

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

CONTROL OF THE PROPERTY OF THE		international control of the second	Const.	distinguisment by Avendance	Thous	and Metric	Tons
Product	1932	1937	1940	194,3	1947	1949	1950
Coke	100	200	200	()	100	200	250
Benzol, Refined	0,815	1.63	1.63	· ()	0	1.63	2.04
Toluol	0,198	0。396	0.396	O	0	0,396	0.495
Xyleno	0.071	0.142	0,142	0	0	0.142	0.177
Ammonium Sulfato	1.315	2,63	2.63	0	0	2.63	3.288
Coal Tar	4.3	8,6	8,6	0	0	8,6	10.75
Naphthalone '	0.18	0.36	0.36	0	0	0.36	0.45
Phenol .	0.03 8	0.076	0.076	0	0	0.076	0.095
Cresols	0.06	0.12	0.12	0	0	0.12	0.15
Xylenola	0.011	0.022	0.022	0	0	0.022	0.028
Anthraceno	೦.288	0 ₀ 575	0.575	0	0	0.575	0.72
Creosote Oil	1.14	2,28	2,28	0	0	2.28	2.85
P itc h	1.86	3.72	3,72	0	0	3.72	4.65
Solvent Haphtha	0°08	0.16	0.16	0	Ø	0.16	0.2

General Information.

As of 1940, 50 Collins 82 ton ovens were installed here with by-products recovery. The extent of the by-products recovery is unknown, but until further information is received, it is assumed to be complete. This plant was demolished during the war and remained inactive until 1947, when the production was reported as 50 percent of prewar, and reconstruction to prewar capacity was planned to be completed in two years. It is probable that no coke-chemicals were produced in 1947, but it is assumed that by 1949 the by-products plants had been sufficiently restored to recover coke-chemicals approximately proportional to the quantity of coke produced,

11. <u>Krivoi Rog</u>
Dnepropetrovsk Oblast
South Region

Number of Batteries:

Type of Batteries:

Soviet Koppers

By-product Plants:

Complete

Estimated Production 1937, 1940, 1943, 1947, 1949-50

			:	Tho	usand Metr	ic Tons
Product	1937	1940	1943	1947	1949	1950
Coke	700	800	0	. 0	260	500
Benzol, Refined	5.71	6.52	0	õ	~~~	1.02
Toluol	1.39	1.58	Ö	Ŏ	Ŏ	0.25
Xylene	0.497	0.567	0 4	Ŏ	Ď	0.09
Ammonium Sulfate	9.21	10.52	Ó	Ŏ	ň	1.64
Coal Tar	30.0	34.4	0	Ō	Ö	5.38
Naphthalene	1.25	1.44	0	Ó	Ŏ	0.23
Phenol	0.266	0.304	0	0	0	0.047
Cresols	0.42	0.48	0	0	Ŏ.	0.075
Xylenols	0 ,077	0,088	0	. 0	0	0.014
Anthracene	2.0	2,28	0	0	0	0.36
Creosote Oil	7.98	9,12	0	. 0	0	1.42
Pitch	13.0	14.9	0	0	0	2,32
Solvent Naphtha	0.57	0.65	0	0	0	0.1

General Information.

Two batteries of Soviet Koppers coke ovens were built here in 1933 with complete by-products plants. All plants were demolished in 1941 and were still inoperative in 1947. As is the case with the other Dnieper region plants, reconstruction of this plant lagged, and it is probable that there was no coke-chemical production in 1949. Lacking definite information, it is assumed that by 1950 the by-products plants were sufficiently restored to recover coke-chemicals equivalent to 25 percent of the maximum yield from the coke produced.

Approved For Release 2009/04/10 : CIA-RDP79-01093A000100020003-2 SECRET

12. <u>Magnitogorsk</u> Chelyabinsk Oblast Urals

Number of Batteries: 10

Type of Batteries:

4 US Koppers, 6 Soviet Koppers

By-products Plants:

Complete

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

					Thous	and Hetri	nd Petric Tons			
Product	1932	1937	1940	1943	1947	1949	1950			
Coke Benzol, Refined Toluol Xylene Ammonium Sulfate Coal Tar Naphthalene Phenol Cresols Xylenols Anthracene Creosote Oil Pitch Solvent Naphtha	330 2.69 0.653 0.234 4.34 14.2 0.594 0.125 0.198 0.036 0.95 3.75 6.13	1,900 15.49 3.76 1.35 25.0 81.7 3.42 0.722 1.14 0.209 5.45 21.7 35.3	2,500 20.4 4.95 1.78 32.9 107.5 4.5 0.95 1.5 0.274 7.2 28.5 46.5	3,100 25,2 6,13 2,2 40,8 133,0 5,58 1,18 1,86 0,341 8,9 35,4	3,300 26.9 6.53 2.34 43.4 142.0 5.94 1.25 1.98 0.363 9.5 37.6 61.3	3,500 28.5 6.92 2.48 46.0 150.0 6.3 1.33 2.1 0.385 10.0 39.8 65.0	3,775 30.8 7,48 2.68 49.7 162.0 6.8 1.43 2.27 0.415 10.75 43.0 70.4			
sorvent waburna	0.27	1.55	2.04	2.52	2.69	2.85	3.08			

General Information.

Two batteries of US Koppers coke ovens were installed here in 1931, and two more were added in 1933. The fifth, sixth, and seventh batteries (all Soviet Koppers) were completed on 3 July 1942, 9 November 1943, and 24 July 1944, respectively. The eighth battery went into operation in July 1945. Two additional batteries were planned for the Fourth Five Year Plan (1946-50). Complete by-products plants were put into operation along with the ovens.

The yields of coke-chemicals listed above for 1932 probably are high, since the plant was just beginning operations, but it is believed that the yields listed for the other years are approximately correct.

-- 7th (-)

SECRET

13. <u>Makeevka</u> Stalino Oblast South Region

> Number of Batteries: Type of Batteries:

Soviet Koppers Complete

By-product Plants:

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

Tomas and the second se	Management bearing	ed. the Cross of the county of				Thousand	Metric Tons
Product	1932	1937	1940	1943	1947	1949	1950
Coke Bensol Toluol Kylene Ammonium Sulfate Coal Tar Naphthalene Phenol	600 4.89 1.19 0.426 7.89 25.8 1.08 0.228	1,200 9.78 2.38 0.852 15.78 51.5 2.16	1,500 12.2 2.97 1.06 19.7 64.5 2.7	0 0 0 0 0 0	600 0 0 0 0 0	1,050 4.28 1.04 0.37 6.91 22.6 0.95	1,200 7.33 1.79 0.639 11.83 38.6 1.62
Cresols Xylenols Anthracene Creosote Oil Pitch Solvent Naphtha	0.36 0.066 1.71 6.85	0.456 0.72 0.132 3.45 13.7 22.3 0.98	0.57 0.9 0.165 4.28 17.1 27.9	00000	0 0 0 0 0	0.198 0.315 0.057 1.5 6.0 9.75 0.43	0.342 0.54 0.099 2.59 10.3 16.7 0.735

General Information.

This plant began operations in 1932 after the installation of four batteries of Soviet Koppers 16-ton ovens. Complete by-products plants were installed but no nitrogen fixation was included. The entire installation was demolished in 1941 and remained inactive until 1946, when the reconstruction of two batteries was completed without by-products recovery. Lacking definite information, it is assumed that by 1949 all of the by-products plants were sufficiently restored to allow by-products recovery equivalent to 50 percent of the maximum yield from the coal processed. In 1950 by-products recovery probably was equivalent to 75 percent of the maximum practical yield from the coal processed.

Reconstruction of the fourth battery was reported to be completed as of December 1948. The maximum production of this plant was evidently reached in 1940 and probably will be reached again by about 1952.

≈ 25 a

14.

a. Noscow Oblast Central Industrial b. <u>Leningrad</u> <u>Leningrad</u> Oblast Northwest Region

Number of Batteries: Type of Batteries: By-products Plants: 2 at Each Plant Unknown

Complete

Combined Estimated Production 1937, 1940, 1943, 1947, 1949-50

Thousand Metric Tons 1937 1940 1947 Product 1943 1949 1950 Coke 200 0 0 200 250 250 Benzol, Refined 1.63 0 0 1.63 2.04 2.04 Toluol 0.396 0 0 0.396 0.495 0.495 Xylene 0.142 0 0 0.142 0.177 0.177 Ammonium Sulfate 2.63 0 0 2.63 3,288 3,288 Coal Tar 8.6 0 0 8.6 10.75 10.75 Naphthalene 0.36 0 0 0.36 0.45 0.45 Phenol 0.076 0.076 0 0 0.095 0.095 Cresols 0 0 0.12 0.12 0.15 0.15 Xylenols 0.022 0 0 0.022 0,028 0.028 Anthracene 0.575 0 0 0.575 0.72 0.72 2,28 0 Creosote Uil 0 2.28 2.85 2.85 4.65 Pitch 3.72 0 Ó 3.72 4.65 Solvent Naphtha 0.16 0 0 0.16 0.2 0.2

General Information.

The Moscom and Leningrad city gas plants have two batteries each of coke ovens and by-products plants. The combined production of both plants is listed above. The planned future combined production of these two plants is 350,000 metric tons of coke per year.

15. Orsk Chkalov Oblast Urals

Mumber of Batteries: 2
Type of Batteries: Soviet Koppers
By-products Plants: Probably Complete

Estimated Production 1950

and the particular of the property of the particular of the partic	usand Netric Tons
Product	1950
Coke Benzol, Refined Toluol Kylene Ammonium Sulphate Coal Tar Haphthalene Phenol Cresols Kylenols Anthracene Creosote Oil Pitch	475 3.87 0.94 0.337 6.24 20.4 0.85 0.181 0.285 0.052 1.365 5.41
Solvent Waphtha	8.82 25X1 0.39

as 27 as

SECRET

16. Petrovek-Zabaikal Chita Oblast Eastern Siberia

Number of Batteries:

ار الدرايين

Type of Batterios:

Unknown

By-products Flants:

Probably Complete

Estimated Production 1949-50

ORDITAL SUPERIOR SPRINGS AND A SERVICE AND A SERVICE AND SERVICE A	e de como e de tra distribuir es de esta esta distribuir en	Thousand Metric Tons
Product	1949	1950
Coke	100	200
Benzol, Refined	0,815	1,63
Toluol	0.198	0.396
Xylene	0.071	0,142
Ammonium Sulfate	1.315	2,63
Coal Tar	4.3	8.6
Naphthalene	0.18	0.,36
PhenoI	0~038	0.076
Cresols	0.06	0.12
Xylenols	0.011	0.022
Anthracene	0,288	.575
Creosote Oil	1.14	2, 28
Pitch	1.86	3,72
Solvent Naphtha	୦.୦୫	0.16

General Information.

As of 1943, a coke plant with two batteries of ovens and probably byproducts plants were installed here. The planned output of this plant was 208,000 metric tons of coke per year.

17. Rychenkovo

Stalino Oblast South Region

Number of Batteries:

L

Type of Batteries:

Soviet Koppers

By-products Plants: Complete

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

Product		io di contratta di Caracana.	The same of the sa	alia para cama ancara	mandaring of the man	Thousand.	Metric Tone
the second secon	1932	1937	1940	1943	1947	_22/2_	1950
Coke	500	1.300	1,400	O	500	780	7 050
Benzol, Refined	4.08	10.6	11.4	ŏ	0	3.18	1,050 6.42
Toluol	0.99	2.57	2.77	Ŏ.	ŏ	ő. 77	1.56
Xylene	0.355	0,922	0.995	0	Õ	0.277	0.558
Ammonium Sulfate	6.58	17.1	18.4	0	0	5.13	10.37
Coal Tar	21.5	56.0	61.3	0	· O	16.75	33.9
Naphthalene Phenoi	0.9	2.34	2.52	Ö	0	0.7	1.42
Cresols	0.19	0.494	0.532	0	. 0	0.148	0.296
Xylenols	0.3	0.78	0.84	0	0	0.234	0.472
Anthracene	0.055	0.143	0.154	O.	0	0.043	0,086
Creosote Oil	5.7	3.74 14.8	4.0 16.0	Ŏ	0	1,11	2.25
Pitch	9.3	24.2	26.0 26.0	0	Ő	4.45	9.0
Solvent Naptha	0.41	1.06	1.14	0	0	7,25 0,32	14.5 0.645

Gameral Information-

This plant began operations in 1931 after the installation of four batteries of Soviet Koppers ovens with complete by-products plants. Demolished in 1941, this plant did not resume operations until the restoration of two batteries was completed in 1946. Lacking definite information, it is assumed that by 1949 all of the plants had been sufficiently restored to allow by-products recovery equivalent to 50 percent of the maximum yield from the coal processed. In 1950 the production of coke-chemicals was probably equivalent to 75 percent of the maximum practical yield from the coal processed.

18. Sargo (Kadievke) Voroshilovgrad Oblast South Region

Number of Batteries: 4
Type of Batteries: Unknown
By-products Plants: Complete

Estimated Production 1928, 1932, 1937, 1940, 1943, 1947, 1949-50

A COUNTY LEADING TO THE TANK OF THE PARTY OF	1928	and the San Section of the Section o	·	inin 1977 Sikki in Sandari da sa sakan antar	idol la differencia y comprehensia da sa a cara managem	Thousa		
	m menoranananananananananananananananananana	ESSA.	1957	1.940	1966	1947	1969	1950
Colsa	400	500	1,200	1,200	o	500	780	1,050
Amsol, Rofined	3.26	4.08	9.78	9.78	ō	0	3.18	6.42
Toluol	0.792	0.99	2,38	2.88	ō	ŏ	0.77	1,56
Trleme	0.284	0.355	0.852	0.852	ŏ	ŏ	0.277	0.558
Ammonium Sulfato	6.26	6.58	15.78	15.78	ō	ŏ	5.13	10,37
Coal Tar	17.2	21.6	51.5	51.8	Ŏ	ő	16,75	33.9
limphthalene	0.72	0*8	2,16	S°16	Ó	ŏ	0.7	1.42
chemol	0.152	0.19	0,455	0.466	0	ō	0,148	0.296
Grewle	0.24	0.3	0.72	0.72	0	Ŏ	0.234	0.472
Xylem)la	0.044	0.055	0.132	0.132	0	Õ	0.043	0.086
Anthrasana	1.14	1.42	3.42	3.42	0	Ö	1,11	2,25
Greensota OII	4.56	5.7	15.7	13.7	0	O	4.45	9.0
Pitch	7-45	9.3	22.8	22.5	O	0	7.25	14,5
Solvent Haphtha	0.33	0.42	0.98	0.98	0	0	0.32	0.645

General Information.

Four butteries of coke ovens were installed here in 1928. The type of batteries is not known. Complete by-products plants elso were built, but nitrogen fixation was not included. This plant was demolished in 1941 and remained inactive until 1946, when the reconstruction of two batteries was completed. Full prewar production of coke and by-products at this plant probably will not be reached until about 1952. It is believed that the 1949 and 1950 output of coke-chemicals at this plant were equivalent to approximately 50 percent and 75 percent, respectively, of the maximum practical yields from the coal processed.

19. Stalino Stalino Oblast South Region

Number of Batteries:

Type of Batteries:

Soviet Koppers

By-products Plants: Complete

> Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

According to the special party and all the special party and the s					Phous	and lietr	ic Tons
Products	1932	1987	1940	1945	1947	1949	1950
Coke	600	1,300	1,500	0	500	780	1,050
Benzels Refined	4.89	10.6	12.2	0	0	5.18	6.42
Toluol	1.19	2,57	2.97	Õ	ő	0.77	1.56
Xylene	0.427	0.922	1.06	Ö	ŏ	0.277	0.558
Ammonium Sulfate	7,89	17.1	19.7	ŏ	ŏ	5.13	10.37
Coal Tar	25.8	56.0	64.5	ŏ	ŏ	16,75	33.9
Naphthalens	1.08	2.34	2.7	ŏ	Ö	0.7	1.42
Phenol	0.228	0.494	0.57	õ	ŏ	0.148	-
Cresols	0,36	0.78	0.9	ŏ	Ö	0,234	0.296
Lylenols	0.066	0.143	0,165	Ŏ.	ŏ	0,043	0.472
Anthracene	1.71	3.71	4,27	o o	o	•	0.086
Cracacte Oil	6.84	14.8	17.1	0		1.11	2.25
Pitch	11.15	24.2	28.0		0	4 _e 45	9.0
Solvent Naphtha	0.49			0	0	7,25	14 _e 5
	್ ೮೯೫೮	1.06	1.22	0	0	0.32	0°645

General Information.

The installation of four Soviet Koppers coke batteries (16 tons per oven) Was completed here in 1932. In addition, complete by-products recovery plants and a small nitrogen fixation plant were installed. The plants were demolished in 1941 and remained inactive until 1946, when two batteries were restored without by-products recovery. It is believed that by 1949 the coke-chemical plants were sufficiently restored to allow the production of coke-chemicals equivalent to 50 percent of the maximum yield from the coal processed.

The third coke battery was reported to be back in operation in 1948. This plant reached its peak production in 1940 and will probably attain it again by 1952 or 1953. It has been assumed that the 1950 output of coke-chemicals was equivalent to approximately 75 percent of the maximum yield from the coal processed.

20. Stalinsk (Kuznetsk) Aemerovo Oblast West Siberia

Number of Batteries:

: 5

Type of Batteries:

Unknown

By-products Plants:

Complete

Estimated Production 1932, 1937, 1940, 1943, 1947, 1949-50

					Thou	sand Motri	c Tons
Product	1982	1937	1940	1943	1947	1949	1960
Coke	350	1,650	1,650	2,400	2,600	2,600	2,600
Benzol, Refined	2,85	18,45	13.45	19,56	21.2	21.2	21.2
Toluol	0.693	3.26	3.26	4.76	5,14	5.14	5 .14
Xylene	0.248	1.17	1.17	1.7	1.85	1.85	1.85
Ammonium Sulfato	4.6	21.7	21.7	31.50	34.2	34.2	34,2
Coal Tar	15.1	71.0	71.0	120.0	112.0	112.0	112.0
Naphthalono	0.63	2.97	2,97	6.52	4.68	4.68	4.68
Phano1	0.133	0.627	0.627	0.912	0.988	0.988	0,988
Cresols	0.21	1.0	1.0	1.44	1.56	1.56	t.56
Xylenois	0,039	0.181	0.181	0.264	0,286	0.286	0.286
Anthracens	1.0	4.7	4.7	1.38	7.43	7.43	7.43
Creesute 011	3 _* 99 ₊	18.9	18.9	27 o.4	2 9.7	29.7	29.7
Pitch	6.5	3 0.7	30°7	44 _e 6	48.3	48.3	48.5 25X1
Solvent Naphtha	0.29	1,35	1.35	1.96	2.12	2.12	2.12

21. Tagil Sverdlovsk Oblast Urals

Number of Batteries: 4 or 8

Type of Batteries:

Soviet Koppers

By-products l'lants:

Complete

Estimated Production 1940, 1943, 1947, 1949-50

日本の大学の大学の大学によるないのでは、日本の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の	THE PART LINE CONTROL OF THE PROPERTY OF THE PARTY OF THE	erma emeturiste ferita emergen al la		Thousand :	etric Tons
Product	1940	1943	1947	1949	1950
Coke Benzol, Refined Toluol Xylene Amernium Sulfate Coal Tar Naphthalene Phenol Crosols Xylenols Anthracene Creosote Oil Pitch Solvent Naphtha	500 4.08 0.99 0.355 6.58 21.5 0.9 0.19 0.3 0.055 1.42 5.7 9.3 0.41	1,900 15,49 3.76 1.35 25.0 81.5 3.43 0.722 1.14 0.209 5.4 21.7 35.3	2,000 16.3 3.96 1.42 26.3 86.0 3.6 0.76 1.2 0.22 5.7 22.8 37.1 1.63	2,000 16.3 3.96 1.42 26.3 86.0 3.6 0.76 1.2 0.22 5.7 22.8 37.1	2,000 16.3 3.96 1.42 26.3 86.0 3.6 0.76 1.2 0.22 5.7 22.8 37.1 1.63

25X1

22. <u>Voroshilovsk (Alchevsk)</u> Voroshilovgrad Oblast South Region

25X1

Number of Batteries:

Type of Batteries:

German Otto

By-products Plants:

Complete

Estimated Production 1928, 1932, 1937, 1940, 1943, 1947, 1949-50

Product Commence	1358	1932	1937	1940	1943	1947	1949	1950
Coke	500	500	1,200	1 500	O	400	780	1,05
enzol, Refined	4。08	4.08	9.78	12,2	Ŏ	O	3.18	6.42
folual	0.99	0.99	2.38	2.97	0	Ö	0,77	1.56
ylene	0.355	0355	0,855	1.06	Ŏ	Ŏ	0.275	0.588
mmondum Suifats	6.58	6.58	15.78	19.7	Ō	Č	5.12	10.37
oal Tar	21.5	21.5	51.5	64.5	Ó	ő	16.75	33.9
aphthalene	0.9	0.9	2.15	2.7	ă	õ	.0 ₀ 7	1.42
henol	0.19	0.19	0.456	0.57	ō	ŏ	0.148	0.296
resols	0.3	. O.3	0.72	0,9	ō	Ö	0.234	0.472
y'enols	0.055	0.055	0.132	0.165	Ó	Ŏ	0.043	0.086
nthracene	1.42	1.42	3.42	4.28	ō	ŏ	1.11	2,25
recoute OII	5.7	5.7	13.7	17.1	Ō	ŏ	4.45	9.0
itch	9.3	9,3	22.3	28.0	0	ŏ	7.25	14.5
olvent Naphtha	0.41	Call	0,98	1.22	Õ	ŏ	0.32	0.645

25X1

The 1940 production of coke-chemicals at this plant probably will not be reached until about 1952-53.

As was assumed for the other Donbas plants, coke-chamicals production for 1949 and 1950 was calculated on the basis of 50 percent and 75 percent, respectively, of the maximum practical yields from the coal processed.

en 💯 🖛

SECRET

23. Yenakievo (Ordzhonikidze)

Stalino Oblast South Region

Number of Batteries: 4 (in 1940)
Type of Batteries: Soviet Koppers
By-products Plants: Probably Complete

Estimated Production 1949-50

County and the second s	Thousand	Metric Tons
Product	1949	1950
Coke	500.0	600,0
Benzol, Refined	2,04	3.67
Toluci	0.49	0.893.
Xylene	0.177	0.32
Ammonium Sulfate	3.29	5.91
Coal Tar Naphthalene	11.75	19.35
Phenol	0.45	0.81
Cresols	0,095 0,15	0.171
Xylenols	0°058	0.27
Anthracene	0.712	0.0495 1.28
Creosote Oil	2.85	5.11:
Pi.tch	4.65	8.36
Sclvent Maphtha	0.2	0.368

General Information.

As of 1940, four batteries of 180 ovens were installed here. It is believed that by-products were not recovered. This plant was demolished during the war and remained inactive until the start of production on 23 April 1947. Production as of March 1948 was reported to be 1,400 to 1,800 tons per day. Although definite information is lacking, it is believed that this plant was reconstructed with Soviet Koppers ovens and by-products plants. It is probable that by 1949 the by-products plants were recovering a quantity of chemicals equivalent to 50 percent of the maximum yield from the coal processed, and in 1950 chemicals production probably will be equivalent to 75 percent of the maximum practical yield from the coal processed.

and Bar

24. Zaporozhye Zaporozhye Oblast South Region

Number of Batteries:

Type of Batteries:

Soviet Koppers (142 Tons per Oven)

By-products Plants: Complete

> Estimated Freduction 1937, 1940, 1943, 1947, 1949-50

				Thous	and Meta	ic Tons
Product	1937	1940	1943	1947	1949	1950
Coke	800	1 ,200	0	0	500	780
Benzol, Refined	6,52	9.78	0	0	0	1,59
Tolucl	1.58	2。38	0	0	0	0°38
Xylene	0.567	0.85	0	0	0	0,139
Ammonium Sulfate	10,52	15.78	0	0	0	2,56
Coal Tar	34°4	51.5	0	0	0	8.37
Naphthalene	1.44	2,15	0	0	Q	0:35
Phenol	0.304	0,456	0	0	0 -	0 。 274
Cresols	0.48	0.72	0	0	0	0.117
Xylenols	0.088	0.132	0	0	0	0.021
Anthracene	2,28	3.42	O	0	0	0,56
Creosote Oil	9.1	13.7	0	0	0	2,23
Pitch	14.9	22.3	0	0	0	3.62
Solvent Naphtha	0.65	0.98	0	0	0	0.16

General Information.

Four batteries of Soviet Koppers coke ovens (14) tons per oven) were installed here in 1932 with complete by-products plants and a nitrogen fixation plant using coke-oven gas from Zaporozhye and Kamenskoe. All were demolished in 1941, and all were still inoperative in 1947. Two batteries of coke ovens were reported as restored in August 1948. This plant is located in the Dnieper region, and reconstruction lagged because of the necessity of first restoring the "Dnieprstroi" power plant, It is believed that the by-products plants were not in operation in 1949, but it is thought that by 1950 they were sufficiently restored to recover a quantity of cokechemicals equivalent to about 25 percent of the maximum yield from the coal processed.

25. Zhdanov (Mariupol) Stalino Oblast South Region

Number of Batteries:

Type of Batteries:

Soviet Koppers

By-products Plants:

Complete

Estimated Production 1937, 1940, 1943, 1947, 1949-50

				Thou	ısand Metr	de Tons
Product	1937	1910	1943	1.947	1949	1950
Coke	500	1,200	0	400	780	1,050
Benzol, Refined	4.08	9 78	0	0	3,18	6.42
Tolucl	0。99	2。38	0	0	0.77	1,56
Xylene	0 _° 355	0.85	0	0	0.278	0.588
Ammonium Sulfate	6.58	15.78	0	0.	5.13	10,37
Coal Tar	21.5	51.5	0	0	16.75	33.9
Naphthalene	0.9	2.15	0	0 /	0.7	1.42
Phenol.	0.19	0.456	0	0	0.148	0.296
Cresols	3ء0	0.72	0	0	0.234	0.472
Kylenols	0.055	0.132	0	0	0.0113	0,086
Anthracene	1.42	3.42	0	0	1.11	2 25
Creosote Oil	7.05	16.92	0	0	5.5	9.0
Pitch	9.3	22.3	0	0	7.25	14.5
Solvent Naphtha	0.41	0.98	0	0	0.32	0.645

General Information.

Four batteries of Soviet Koppers ovens were installed here with complete by-products plants in 1933. The plant was not destroyed by the retreating Russians in 1941 but was demolished by the Germans before they were driven from the Ukraine in 1943. Operations were not resumed until 1946, when the restoration of two batteries was completed.

The plant, as well as the other coke-chemical plants in the Donbas region, probably will not reach peak production until 1952-53. It has been assumed that by 1949 restoration of the coke-chemical plants had progressed sufficiently to allow by-products recovery equivalent to 50 percent of the maximum yield from the coal processed. The 1950 yield of coke-chemicals from this and other Donbas plants probably approached 75 percent of the maximum normally possible from the coal processed.

26. Possible Plants.

In addition to the operating coke-chemical plants previously listed, the following plants are believed to be under constructions

ao	Konsomolsk Khabarovsk Krai Soviet Far East					2
	504260 142 2500	·	· ·	•	·	
Ď.	<u>Fergana</u> Tashkent Oblast Uzbek SSR		· · · · · · · · · · · · · · · · · · ·			J
 •	Kazakhstan and Central Asia		• •	•	• .	2:
c.	<u>Tkyarcheli</u> Georgian SSR					. 2
	Transcaucasus					

Cherepoveta Vologda Oblast Northwest Region

A large steel mill, including a coke plant, is alleged to be under construction here and will use Pechora coal,

MEDENTIAL

27. Other Plants.

In addition to the coke-chemical plants previously listed as producing and as being under construction, the following prerevolutionary plants produced coke without by-products recovery: Almarnaya, two batteries; Kadievka, four batteries; Mushketovo, six batteries; Nikitovka, two batteries; Old Gorlovka, two batteries; Olkhovka (Artemovsk), two batteries; and Smolyanka, four batteries. All of these plants were located in the Donbas region, and it is estimated that the production of coke from them in 1950 amounted to a total of about 450,000 metric tons.

25X1

