- Senjouenvat

Chapter VII

*

COMMUNICATIONS AND

TRANSPORTATION

BULGARIA

(JANIS No. 38)

*

OCTOBER - 1943

DOCUMENT NO. 009

NO CHANGE IN CLASS. ID

DECLASSIFIED
CLASS. CHANGED TO: TS S C

NEXT REVIEW DATE:
AUTH: HR 10-2

DATE SUMMY SO REVIEWER: 018995

Ápproved For Release 2000/08/29 : CIA-RDP79-01144A000100010010-9

Table of Contents

										PAGE	S
	GENERAL DESCRIPTION										
	A. Communications			٠	•						
	B. Transportation	•	•		•		•			VII - 1	
71.	RADIO AND SPECIAL WIRELESS S.	ERV	ICES					VII	- 1	to VII - 4	4
	A. The radio system									VII - 2	
	B. Point-to-point communicat	ion								VĮI - 2	
	C. Communication with aircra	aft								VII - 2	
	D. Communication with ships	, .								VII - 4	
	E. List of stations									VII - 4	
								X7TT	. ,	** VII	_
72.	Telegraph)
	A. Pattern of the network .									TTTT 4	
	B. Ownership and operation .									VII - 4	
	C. Stations	. :		•	•					VII - 5	
	D. Route equipment										
	E. Vulnerable features									VII - 5	
72	Telephones							VI	- 5	to VII -	6
/5.											
										TTTT -	
	B. Centrals										
	C. Itomie squip				٠					VII - 6	
	D. Vulnerable features			-			٠	٠		. VII - 6	
74.	SUBMARINE CABLE									VII - 6	
75	Postal Service									. VII - 6	
15.	A. Extent of development of									. VII - 6	
	P. Type of service offered	JCI V.	100			•	•			. VII - 6	
	B. Type of service offeredC. Reliability of system		•	•							
											\sim
76.	Railroads									to VII - 4	
76.	A. Pattern of the system .									. VII - 6	,
76.	A. Pattern of the system .									. VII - 6	,
76.	A. Pattern of the system .									. VII - 6	,
76.	A. Pattern of the systemB. AdministrationC. Track and right-of-way									. VII - 6	3
76.	A. Pattern of the systemB. AdministrationC. Track and right-of-wayD. Equipment							•		. VII - 6 . VII - 7 . VII - 8	3
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment D. Equipment E. Shops, terminals and yards 							•		. VII - 6 . VII - 7 . VII - 8 . VII - 1	6.8
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic 									. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1	.6 .8
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity 	s .								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1	.6 .8 .8
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points 	s .								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2	3 .6 .8 .8 .20
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction 	s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2	3 .6 .8 .8 .20 .21
76.	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines 	s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2	3 .6 .8 .8 .8 .20 .21
	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction 	s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2	3 .6 .8 .8 .8 .20 .21
	 A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS 	s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 to VII - 6	6 .8 .8 .8 .20 .21 .21
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yard F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics	s s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 to VII - 6	3 .6 .8 .8 .8 .20 .21 .21 .21
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along	s								. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2 . VII - 4 . VII - 4	3 .6 .8 .20 .21 .21 .50 .40
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration	roac	ds							. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 4 . VII - 4	3 .6 .8 .8 .20 .11 .21 .20 .40 .46
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction	roac	ds	lity					. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 4 . VII - 4 . VII - 4	3 6 8 8 20 21 21 50 40 46 46
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance	ss	ds							. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2 . VII - 4 . VII - 4 . VII - 4	3 .6 .8 .8 .20 .21 .21 .50 .46 .46 .48
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of	roac	ds qua	lity				VII -		. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2 . VII - 4	3 6 8 8 20 1 21 50 40 46 48 48
	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles	roac	ds qua					VII -		. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4	3 6 8 8 20 21 21 50 40 46 48 48
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yard F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads	s and	ds					VII -		. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4	3 .6 .8 20 21 21 50 46 48 48 49
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yard F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads	s and	ds					VII -		. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4	3 .6 .8 20 21 21 50 46 48 48 49
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT	s and	ds					VII -	. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 2 . VII - 2 . VII - 2 . VII - 4	6 6 6 8 8 8 8 8 9 9 10 10 10 16 18 18 18 18 18 18 18 18 18 18
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT A. The Danube River	and	ds					VII -	. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4 . VII - 6 . VII	6
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT A. The Danube River B. Administration	and	ds					VII -	. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4 . VII - 4 . VII - 4 . VII - 4 . VII - 6 . VII - 7 . VII	6 6 6 8 8 8 8 9 10 10 10 16 18 18 18 18 18 19 10 10 10 10 10 10 10 10 10 10
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT A. The Danube River B. Administration Merchant Shipping	s s	ds	lity				VII -	. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4 . VII - 4 . VII - 4 . VII - 6 . VII - 7 . VII - 7 . VII - 7 . VII - 7 . VII - 8 . VII - 8 . VII - 9 . VII	6 8 8 20 10 10 10 10 10 10 10 10 10 10 10 10 10
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT A. The Danube River B. Administration	s s	ds	lity				VII -	. 40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4 . VII - 4 . VII - 4 . VII - 6 . VII - 7 . VII - 7 . VII - 7 . VII - 8 . VII - 9 . VII	6
77.	A. Pattern of the system B. Administration C. Track and right-of-way D. Equipment E. Shops, terminals and yards F. Traffic G. Capacity H. Vulnerable points I. Lines under construction J. Projected lines ROADS A. General characteristics B. Natural conditions along C. Administration D. Standards of construction E. Maintenance F. Traffic density and use of G. Vehicles H. Description of main roads INLAND WATER TRANSPORT A. The Danube River B. Administration Merchant Shipping	s	ds					VII -	40	. VII - 6 . VII - 7 . VII - 8 . VII - 1 . VII - 1 . VII - 2 . VII - 4 . VII - 6 . VII - 7 . VII - 6 . VII - 6 . VII - 6 . VII - 6 . VII - 7 . VII - 6 . VII	6





Chapter VII

Page VII - 1

COMMUNICATIONS AND TRANSPORTATION

70. General Description

Communication and transportation facilities in Bulgaria are relatively sparse and poor in comparison with western Europe and the United States. Neither the road nor rail net is built for heavy loads. Nevertheless, a network of rail, improved road, telephone and telegraph lines connects the major centers (Figures VII - 1 to 4; Plans VII - 1 and 2). Few inhabited places, for example, are more than 20 miles from a railroad and practically every commune has a telephone exchange. But radio stations and receiving sets are particularly scarce.

Bulgaria is strategically situated on the principal routes from western Europe to Turkey and the Aegean. The main route (followed by the Orient Express) enters northwestern Bulgaria, passes through Sofiya* and Plovdiv and on to Turkey in the southeast. This is the main rail and road connection as well as the main telephone and telegraph route, although since 194I, the main trunk wire service has been routed north from Plovdiv to Ruse and Bucureşti and on to Germany via Rumania because of guerilla activities in Yugoslavia. Outside the international route just described, there are only a few other connections to foreign countries. The Danube, the only navigable waterway, forms a barrier to rail connections on the north and is crossed by no bridge and only one car ferry at Ruse.

A. Communications.

The radio, telephone and telegraph facilities of Bulgaria are poorly developed according to Western European or American standards. The only known broadcasting stations are at Sofiya, Varna, and Stara-Zagora. Radio-telegraphic stations have been installed at several airfields and coastal points. Although telephones are few, the lines are widespread. The telegraph system is less extensive than that of the telephone.

Lines are almost wholly aerial and generally follow roads and railroads. All facilities are governmentally operated. The chief vulnerable points are the few repeater stations, the trunk high-frequency lines, and the main exchanges.

B. Transportation.

Sofiya is the principal focus of transport routes. From it all parts of the country can be reached more readily than from any other point. Improved rail and road routes connect Sofiya with Burgaz and Varna on the Black Sea and connect Sofiya with the Aegean on the south via the Struma Valley. The rail connection on the latter route is partly narrow gauge but a standard-gauge line is under construction.

Rough and mountainous terrain in many parts of the country handicaps transportation. Sharp curves and grades are common on the railroads and roads. Tunnels and bridges also make the railroads particularly vulnerable. The relative poverty of the country has prevented costly improvements and has accentuated the handicap of rough terrain.

All Bulgarian railroads are steam operated, practically all are single track and 90 per cent are standard gauge. The lines are owned and operated by the government under surveillance of German liaison officers.

The railroads are neither well built nor well maintained. Roadbeds are weak and rails are light. On a few routes the maximum permissible axle load is 17 metric tons, but on most standard-gauge lines it is only 14 tons. Equipment is poor as well as scarce. Freight cars, for example, are not equipped with air brakes.

Consequently the capacity of the railroads is low. Most lines cannot handle more than 12 trains daily in each direction. Net loads of military trains exceed 300 metric tons (330 short tons) on a few routes; they are lower, however, on all others.

The network of improved roads is sparse, although fairly good roads connect all major cities (Plan VII - 2). The main road is the international route from Yugoslavia to Turkey, described earlier. Other main routes connect Sofiya with Burgaz on the Black Sea, and with Greece and the Aegean via the Struma Valley. There are other connections, including a number of roads to the Yugoslav frontier.

Most major roads such as those described above are waterbound macadam. Almost all of them are two-way with occasional narrow sections in the mountains. However, local roads are generally narrow and have an unimproved dirt surface. Sharp curves and steep grades are the rule on mountain roads. The main weaknesses of the road system are the absence of good alternate routes and the limited capacities of the bridges.

Inland waterway transport is confined to the Danube which forms the northern border of the country. Its minimum depth of eight feet is enough to accommodate fairly large river steamers and barges of 2–3,000 metric tons capacity. Bulgaria's share in the traffic is less than her neighbors'.

Bulgaria's merchant fleet consists of only four vessels of over 1,000 gross registered tons, the newest of which was built in 1914. Its use has been restricted principally to coasting trade in the Black Sea.

71. Radio and Special Wireless Services

Information on the development of radio facilities in Bulgaria since 1940 is fragmentary and largely confined to aerial reconnaissance reports. Probably most of the facilities, concerning which information was available in peacetime (see Figure VII - 1), have been abandoned, altered, or used for new functions. Nearly all facilities seem to be under German control, and it is likely that in many places the Germans have installed their own equipment.

^{*}See Appendix I for spellings of all features. The following spellings of features as used in this Chapter differ slightly from those on G.S.,G.S. maps, Series 4072 and 4088: Bebrezh, Bozhurishte, Canara (Kana-Gol), Carasuum, Cherni Iskr, Chiporovtsi, Devna, Dobrich (Bazargic), Dobrinishta, Dubovo, Ellidere, Emine (town), Ghiaur Suiuciuc (Chiaur Suiuciuc), Gorna Dzhumaya, Gorna Orekhovitsa (Gln.-Orekhovitsa), Gulubovo (Gara-Glebovo), Kazanlk, Kharmanli, Koprivshtitsa, Kuri Burnu, Ladzhene (Lzhene), Musala, Panagyurishte, Paphia (Mt.), Peinirdzhik, Perushtitsa, Peshtera, Piraiévs, Pirdop (Pirdol), Polikraishte, Rakovets, Resen (Pesen), Sofiya, Sredets, Stizharov, Surnena Gora (Srneha Gora), Svishtov, Syuyutliika, and Trgovishte.



A. The radio system.

(1) Broadcasting stations. The principal station in Bulgaria is Radio Sofiya, with a 100-kilowatt transmitter at Vakarel, 25 miles southeast of Sofiya. A short-wave station at Sofiya and medium-wave stations at Varna and Stara-Zagora relay the programs of Radio Sofiya. The medium-wave stations also broadcast independently.

German reports state that five new medium-wave stations (probably for relaying) and a 50-kilowatt short-wave transmitter are being erected in Bulgaria.

(2) Administration. Broadcasting is a state monopoly. Technical operations are managed by the Office of Radio Service, under the Administration of Posts, Telegraphs, and Telephones in the Ministry of Railways and Communications, while the supervision of programs is in the hands of a Director of Propaganda, who appears to be subordinate to the Minister of Interior.

Bulgarian radio facilities are now available to the Axis, although the Bulgarian Government still uses more than half of the operating time. The Germans use the Bulgarian transmitters for broadcasts in Greek, Serbian, Turkish, and occasionally English.

(3) Reception of broadcasts. Radio is not an important means of influencing Bulgarian opinions, because receiving sets are scarce. In 1940 there were 79,314 registered sets in the country and an estimated 8–10,000 unregistered sets, or roughly one set to every 71 persons. One third of the registered sets were in Sofiya, another third in 16 other principal towns.

The Bulgarian Government has tried, with German encouragement, to increase the number of listeners. Loudspeakers are being installed in the central squares of some of the towns, particularly in the newly acquired territories, and sets have been imported for use in the schools. A March 1942 estimate of 156,000 private receiving sets, while probably including sets in the recovered provinces which did not appear in the earlier figures, suggests that a considerable number of sets have been imported in the last few years.

Most of the sets sold before the war could receive short-wave broadcasts. Since October 1941 all enemy aliens have been deprived of equipment enabling them to listen to foreign broadcasts, and regulations forbid listening to any but official Axis programs. However, official broadcasts are so unsatisfactory—they give only local news and a daily reading of German and Italian communiques—that most owners of sets are reported to listen regularly to British broadcasts.

The Moskva (Moscow) Radio, the B.B.C., and the German Donau station in Austria all carry regular short-wave broad-

casts in Bulgarian. In addition to these, the Russians, British, and Germans each maintain pseudo-clandestine stations claiming to represent patriotic Bulgarians. The German "United Bulgaria" station, probably located in Germany, operates on 7,410 kilocycles. The Russians operate a station, known as "Hristo Botev" or "Free Bulgaria," on 11,590 kilocycles. The British, using transmitters in England or Cairo, broadcast programs under the titles of "Vasil Levski" ("Bulgarian Freedom Station"), reported on 10,008 kilocycles; "Free and Independent Bulgaria," on 7,550 kilocycles; and "Bulgarians Speak for Bulgaria," on 7,070 kilocycles. "Clandestine" stations are being used less by the British and Russians as their official broadcasts show signs of becoming more popular in Bulgaria.

Most receiving sets are imported, primarily from Germany and the Netherlands; the most widely used seem to be Philips, Telefunken, Blau Punkt, Saba, and Standard. In 1939, fourtube sets were the most popular among those registered, with three- and five-tube sets coming next. Three-, four- and five-tube sets account for almost 80 per cent of the total number.

B. Point-to-point communication.

Facilities for point-to-point radio telegraphic communication have always been state-owned (Figure VII - 1); amateur and other private transmitting is prohibited. All installations are now in the hands of the Germans, who have brought in dynamos and other equipment to reinforce the existing facilities and have apparently erected additional stations to improve the communications network. In Sofiya, the Germans have requisitioned the Hotel Continental and other buildings for billeting some 400 women radio operators, who are replacing male personnel.

The transmitting equipment of the Bulgarian stations is mostly Telefunken (German) and Marconi (British), although some parts are locally made. Receiving equipment is Telefunken, Marconi, and Magnetti.

Up to 1940 no point-to-point radio telephonic equipment had been reported. The government has four teletypes, used experimentally only.

C. Communication with aircraft.

The airfields at Sofiya-Bozhurishte and Burgaz-Sarafovo, both owned by the Air-France Company until the war, were each equipped for both telegraphic and telephonic communication with planes (Figure VII - 1). They transmitted on 260, 284 and 333 kilocycles, and received on frequencies ranging from 100-1,710 kilocycles. Apparently neither field had direction-finder or radiobeacon equipment before the war. Probably the facilities at both fields have been altered.

TABLE VII - 1
BULGARIA, RADIO STATIONS, 1943

					,,		
Town Station Name Call Sign	Function (Type of Emission)		INATES SMITTER	LOCATIONAL DATA	Frequencies (kc.)	Power in Antenna	Remarks
Sofiya Radio Sofiya, National Radio	BC medium-wave	42 23		Transmitter at Vakarel, about 25 mi. SE of Sofiya. Studio (newly completed) in Sofiya.	850	100 kw.	Built in 1937 by German Telefunken Company. Used for broadcasting Axis propaganda in several lan- guages. Most of its programs are rebroadcast by the Sofiya short-wave station and the Varna and Stara- Zagora medium-wave stations.



COMMUNICATIONS AND TRANSPORTATION

	Table VII - 1—(Continued)						
Town Station Name Call Sign	Function (Type of Emission)		O-ORDINATES TRANSMITTER	LOCATIONAL DATA	Frequencies (kc.)	Power in Antenna	Remarks
LZA	BC (relay), FX, short- wave			In the Kurilo section N of the main railroad station.	• • •		Apparently handles both broad- casting relays and radio-telegraphy; it is not clear which of the frequen- cies and antenna powers listed is used for each function.
LZB LZC LZD	FX, short-way		43 25 N. 19 18 E.	Near the LZA transmitter	7460 10315 5835	7 kw. 8 kw. 8 kw.	British Marconi transmitters.
LZS	FX, long- wave		••	"	105.26	13 kw.	Transmitter of a Bulgarian make.
	FX			Reported to be in the S part of Sofiya just N of the military railroad station and W of the American college.		-	This German station is reported without details.
Bozhurishte Airdrome, LZJ	FA, D/F	42 23	46 00 N. 12 00 E.	Airdrome is 7 mi. WNW of Sofiya.		1 kw.	Bulgarian and German D/F's reported on east edge of field; German radio on west edge; field may also have radiobeacon.
Vrazhdebna Airdrome	FA	23	42 N. 25 E. irdrome)	Airdrome is 3 mi. E of Sofiya.			Radio facilities reported.
VARNA Radio Varna	BC, relay			3 mi. NW of Varna at junction of Shumen and Dobrich (Bazargic) highways, near the Polish war monument. Studio in center of town, probably just off Preslavska St. (See Fig. V - 3.)	1276	2 kw. (unmodulated power consumption 11.15 kw.)	Installed in 1936; its main function is to relay Sofiya broadcasts, although it also broadcasts programs of its own. Two masts, surrounded by white houses, are visible from the air. Studio and transmitter connected by two-wire, open-wire lines. Equipment made by Standard Electric Company of Hungary.
Varna Post Office Station	e FX			Transmitter in Post Office on Saborni St. (See Fig. V - 3.)	_	_	Mast on roof of Post Office building. Communicates with Sofiya and Beograd.
Old Post Office Station	FX		_	On a hill 3 mi. NE of BC transmitter, at the old "Ildiz-Tabia" Fort near Franga.			Despite its impressive appearance (it has 5 masts), this station is abandoned and would have to be re-equipped before it could be used.
Naval Station	FC		_	In courtyard of Naval Barracks at SW corner of harbor.	_	_	_
Naval Station	FC, D/F		-	On coast at Galata, just S of Varna.	_	_	_
Peinirdzhik Sea- plane Base	FA	27	11 N. 47 E.	5 mi. WSW of Varna on S bank of Lake Devna.	_	-	These facilities also serve nearby Chaika Airdrome.
_ :	Probably FX	беар	lane Base) —	/_	. · _	× 	Germans reported to have built a station near Varna, but no information on function or location is available.
STARA-ZAGORA Radio Stara- Zagora	BC, relay	42 25		Transmitter 3-4 mi. SE of Stara-Zagora, studio in town.	1402	2 kw. (unmodu- lated power consumption 11.15 kw.)	Installed in 1936; its main function is to relay Sofiya broadcasts, although it also broadcasts independently for two hours a day. Studio and transmitter connected by two-wire, open-wire lines. Equipment made by Standard Electric Co. of Hungary.
Stara-Zagora Airdrome	FA		25 N. 38 E.	2 mi. SSE of Stara-Zagora.	_	_	Latest (1943) aviation sources fail to mention radio facilities reported earlier.
Burgaz Sarafovo Air- drome, LZY	FA	42 27		6.5 mi. NNE of Burgaz 1.5 mi. inland.	_	250 w.	· -
	Probably FC			Transmitter at Sozopol, 14 mi. SE of Burgaz.	-	******	The headquarters of the coast guard service, at Cape Emine, is reported to be connected with this Sozopol transmitter.

COMMUNICATIONS AND TRANSPORTATION



Page VII - 4

COMMUNICATIONS AND TRANSPORTATION



				TABLE VII - 1(C	Concluded)		
Town Station Name Call Sign	Function (Type of Emission)	OF	O-ORDINATES TRANSMITTER	Locational Data	Frequencies (kc.)	Power in Antenna	Remarks
Caliacra Cape Caliacra Beacon, Z	RB, modulated telegraphy	43 28	21 45 N. 29 30 E.	On Cape Caliacra, in the southern Dobrogea.	309.3 kc.	250 w.	Range: 100 naut. mi. Automatic signal continuous in foggy weather at intervals in clear weather.
Ruse	_		_			200 w.	200 w. transmitter reported, no details given.
KYUSTENDIL	_				_		Station here reported to have been recently dismantled.
AIRDROMES AT:			ordinates of Airfields				-sound, disministed.
Gorna Orekhovi	itsa FA	43 25	07 N. 42 E.	2 mi. NNE of town.	_		_
Graf Ignatiev	FA	42 24	18 N. 42 E.	1 mi. NW of town, 11 mi. N of Ploydiy.	- '		_
Kazanlk	FA.	42 25		1.2 mi. NW of town.		_	<u></u>
Pleven (Opanets		43 24	28 N. 32 E.	6 mi. NW of town.	******	_	_
Plovdiv Yambol	FA	42 24	09 N. 44 E.	1.5 mi. SE of town.	_	_	
r ampor Karlovo	FA	42 26	30 N. 30 E.	1.2 mi. NNW of town.	_	_	
(Marino-pole)	FA	42 24	38 N. 52 E.	5 mi. SE of town.	- .		Latest (1943) aviation sources fail to mention facilities reported here earlier.
Lovech	FA	43 24	09 N. 42 E.	1 mi. N of town.			•
Telish	FA	43 24	20 N. 14 E.	1.2 mi. NW of town, on Pleven-Lukovit road.	_	_	"
Abbreviations: BC—Broadcasting FX—Point-to-point FA—Aeronautical s FC—Coastal station D/F—Direction-fine RB—Radiobeacon,	itation 1 ler, aeronautical or	mari ritim	itime e	w.—watts kw.—kilowatts kc.—kilocycles To transform kilocycles (fr metres (wave-length) or vice 300,000 by the known figure.	-versa, divide		

D. Communication with ships.

Bulgaria is reported to have coastal radio stations at Varna and Burgaz, a maritime direction-finder near Varna, and a maritime radiobeacon on Cape Caliacra in southern Dobrogea (Dobruja), (Figure VII - 1).

E. List of stations.

The radio stations of Bulgaria are listed in Table VII - 1. The power, frequencies and type of equipment of the airfield stations listed are not known. The Germans have presumably adapted all such facilities to their own operational methods.

72. Telegraph

A. Pattern of the network.

The pattern of the telegraphic network is indicated in Fig. VII - 1.

(1) Extent of system. The only telegraph and telephone facilities in Bulgaria are those operated by the state. The importance of the telegraph system has steadily declined as the telephone network has grown, so that in 1939 the total length of lines was one-fourth that of 1930, while the total length of wires had declined by one-third during the same period. This decrease cannot, as in some countries, be explained by the intensive use of a few conductors by rapid and

simultaneous working, with high-frequency and multiple equipment, as neither has been used for telegraphy in Bulgaria. However, telephone wires in Bulgaria have been used for telegraphy for many years, when necessary. Trunk telegraph lines are few, and operators in small places often have to cut in on lines already in use.

Length of lines (1939): 367 miles aerial, 5½ miles underground. Length of wire (1939): 3713 miles aerial, 187 miles underground. Number of circuits, simple, simplex and duplex (1941): 145.

(2) Chief international circuits. The principal international telegraph circuits are shown on Table VII - 2.

TABLE VII - 2

BULGARIA, INTERNATIONAL TELEGRAPHIC CIRCUITS Sofiya/Beograd, Yugoslavia Sofiya/Thessaloníki, Greece Plovdiv/Edirne, Turkey/Istanbul Ruse/București, Rumania Bitolj/Korca, Albania/Tirana (opened in 1942)

(3) Localization of lines. Lines usually follow the railroads, and offices are at the railroad station, town hall, or post office.

B. Ownership and operation.

The governmental agency operating telegraph lines other than those exclusively serving the railways, is the Posts, Telephone and Telegraph Administration, a branch of the Ministry of Railways and Communications.





C. Stations.

(1) Number. In 1939 there were 798 stations. By 1941, these had been increased to 963 of the post, telephone and telegraphic administration and 19 of the railroad system.

(2) Equipment. Statistics on the number of instruments are conflicting, but information as to the kinds of equipment is clear. In 1939 there were 893 telegraph instruments in use, according to official figures. A reliable source reports that there were 541 Morse, 42 Hughes, and four Siemens machines in use in 1940. This number is small compared with the number of stations, but the preponderance of Morse equipment and the use of a few Hughes teleprinters and several Siemens teletypes are in accord with other information. Equipment is almost exclusively German. Neither high-frequency nor multiple equipment was used on any of the 145 circuits reported in 1941.

Limited budgets in recent years have prevented much improvement of equipment or service.

D. Route equipment.

Lines are almost wholly aerial.

E. Vulnerable features.

Trunk lines are few. The system as a whole cannot carry a large volume of messages, so that any damage is likely to hamper communications, especially if done at a critical time.

73. Telephones

A. Pattern of the network.

The pattern of the telephone network is indicated in Figure VII - 1.

(1) Extent of system. The network of interurban lines is fairly extensive. There are almost as many exchanges as communes, but distribution is uneven, some communes having several exchanges, others none. Almost 1,800 telephones are scattered among a large number of rural communities. In 1941 there was a total of 35,000 telephone instruments in Bulgaria, less than one telephone for each two hundred inhabitants. Before the war, the government did not keep up with the demand for extension of telephone service to individuals, but gave more attention to improvement of longdistance lines. This tendency has been accentuated by wartime conditions. Long-distance lines have been constructed to serve Bulgaria's own needs in conquered areas and for her role as a key transit area between Germany and Mediterranean countries. Shortage of both apparatus and wire has precluded much other development, although the press periodically announces extensive plans. Recently private telephones not urgently needed have been confiscated for one year.

The extent of the telephone network is shown in Table VII - 3.

Table VII - 3

BULGARIA, EXTENT OF TELEPHONE NETWORK*

Length of urban aerial lines, 960 miles. Length of urban underground lines, 98 miles. Length of urban aerial wire, 12,698 miles. Length of urban underground wire, 27,618 miles. Length of interurban lines, 12,148 miles. Length of interurban wire, 49,682 miles. Number of real circuits on naked wire, 28,220. Number of phantom circuits on naked wire, 1,562. Number of carrier circuits on naked wire, 1,939. Number of real circuits in cable, 202. Number of interurban domestic circuits, 2,572. Number of interurban international circuits, 14.

- (2) Long-distance circuits. The following are the important long-distance telephone circuits in operation and projected.
- (a) Sofiya/Ruse/București, Rumania. A three-circuit cable was projected in 1942, from Sofiya to București, Rumania, via Ruse and Turtucaia on the Danube.
- (b) Sofiya/Edirne/Ankara, Turkey. Until 1941, the normal route between Turkey and Germany was by way of Bulgaria and Yugoslavia. However, in the summer of 1941 Bulgaria notified the International Telecommunications Union that the route by way of Bulgaria and Rumania was being regularly used instead. In the summer of 1943 the Germans announced that a new direct telephone connection between Ankara and Berlin was about to be established and would make unnecessary the relay station in Sofiya formerly required because of the difference between the English telephone system used in Turkey and that of Central Europe. The new line was to have a number of conductors, operating on high frequency, including at least ten direct circuits between Sofiya and Istanbul, and was to utilize a submarine cable under the Bosporus. The route probably is by way of Edirne.
- (c) Sofiya/Petrich/Sérrai/Thessaloníki, Greece. This is the principal pre-war route between Sofiya and Athénai (Athens), Greece.
- (d) Sofiya/Plovdiv/Xanthí, Greece. In December 1942, a 15-circuit, high-frequency line was opened between Sofiya and Plovdiv. An eight-circuit cable from Plovdiv to Xanthí, to connect Sofiya with western Thrace, was under construction in July 1942. Plans for extensions from Xanthí to Kaválla, Greece, Komotiní (Giumiurdzhina), Greece, and Alexandroúpolis (Dedeagach), Greece, were reported in late 1942. A three-circuit cable from Plovdiv via Nevrokop to Sérrai, Greece, and Dráma, Greece, was also planned.
- (e) Sofiya/Niš/Beograd (Belgrad), Yugoslavia. This is the trunk line between the Bulgarian and Yugoslav capitals.
- (f) Sofiya/Skoplje, Yugoslavia/Bitolj, Yugoslavia. A cable with a number of conductors is reported in operation.
- (g) Sofiya/Trnovo, with extensions to Shumen, Varna, and Dobrich (Bazargic) in the Dobrogea. This high-frequency line, with 15 circuits as far as Trnovo, was planned for immediate construction in 1942.
- (b) Sofiya/Stara-Zagora/Burgaz/Varna/Ruse; Sofiya/Vrattsa/Pleven/Ruse. These were peacetime long-distance circuits between Sofiya and Eastern Bulgaria.
- (3) Repeater stations. Pre-war repeaters were at Sofiya, Stara-Zagora, Gorna Orekhovitsa, Ruse, and Dobrich (Bazargic) in the Dobrogea (Dobrudja).
 - (4) Location of lines. Lines usually follow roads.
- (5) Automatic railroad dispatch system. Centers for the automatic telephone dispatching system of the railroads are at Sofiya, Plovdiv, Gorna Orekhovitsa, and Mezdra.

B. Centrals.

(1) Types of equipment. Of the 969 exchanges in operation in 1941, eight were automatic and the remainder manual.

^{*}The data on lengths of the network are dated 1939, those on numbers of circuits 1941.



Automatic centrals were at Sofiya, Burgaz, Varna, Gabrovo, Ruse, and Stara-Zagora, but not all telephones in these cities are directly connected with automatic centrals. A modern dial exchange was also planned for Plovdiv, which has an antiquated 1,000-line manual exchange. In recent years, equipment has been supplied chiefly by Siemens-Halske. A decade ago, when all exchanges were manual and Sofiya had the only central battery in the country, equipment was of varied make: Siemens-Halske, Ericsson, Bulgarian Telegraphia, Deutsche Privat, Wipest, and others. At that time Siemens-Halske had supplied more than twice as much equipment as any other firm.

(2) Number of lines. In 1941 there were 35,000 telephones. In 1940 only 8,000 were automatic. In the fall of 1942 Sofiya had 14,000 lines, of which 8,000 were connected with a manual exchange, and 6,000 with six automatic centrals. Materials were on order for enlarging the system to 30,000 lines by the spring of 1944, but a shortage of material is reported.

The number of lines in the various automatic exchanges is given in Table VII - 4.

TABLE VII - 4 BULGARIA, TELEPHONE LINES IN AUTOMATIC EXCHANGES

	1938	1941
Varna	920	1,040
Stara-Zagora	340	_
Ruse	622	715
Gabrovo	400	_
Burgaz	664	
Sofiya		11,686
Plovdiv		1,263

(3) Carrier-frequency equipment. High-frequency equipment has been used in Bulgaria since 1931.

C. Route equipment.

Lines are almost wholly aerial except for some large underground cables in cities. Aerial lines are mostly bare wire, copper or alloy in large towns and on important interurban lines, and galvanized iron in small towns and on minor interurban lines. The diameter of the wire varies. In large towns cables with a large number of pairs of conductors have impregnated paper and lead covering and may be set in concrete and masonry canals. Wires in cable are usually 0.6 millimeter in diameter, free wires are two millimeters.

D. Vulnerable features.

Damage to the few repeater stations, the trunk high-frequency lines and the important exchanges would interfere seriously with communications between Bulgaria and occupied regions and southern Europe.

74. Submarine Cable

The only submarine cable to Bulgaria was one from Odessa to Varna, inoperative in the years after the war of 1914–1918. A cable landing, presumably of this old cable, is reported at the west head of Varna Bay, east and somewhat north of the railway station and north of the harbor proper.

75. Postal Service

A. Extent of development of service.

Mail is distributed by train, bus line, carriage, and on foot. In 1939 there were 806 post offices (of which 156 were also telegraph offices), 793 postal agencies and mobile units, and 3,927 postal boxes. Length in miles of postal routes and total miles travelled in 1939 are shown in Table VII - 5.

Table VII - 5 BULGARIA, POSTAL ROUTES, 1939

	LENGTH OF ROUTES IN MILES	Total distance travelled, miles
Railroad	. 2,994	4,106,000
Road and path		4,027,247
Electric	_	10,707

In 1942, of 780 post and telegraph offices reported, five per cent were in postal buildings, 40 per cent in municipal buildings, and 55 per cent in private houses.

B. Type of service offered.

- (1) Regularity of deliveries. Deliveries in cities normally are twice daily, in rural areas once a day to twice a week.
- (2) Registered and special deliveries. Registered mail has been a regular service, but special delivery is a new development provided almost exclusively in the cities.
- (3) Airmail. Airmail to and from Bulgaria has been handled by the German Lufthansa (daily flights to Bucureşti, Thessaloníki, Wien [Vienna]), and the Italian line (week-day flights to Rome). Domestic airmail service has been sporadic.

C. Reliability of system.

The Bulgarian postal system is regulated by international postal conventions and has been fairly efficient.

76. Railroads

A. Pattern of the system.

The density of railroads per square mile and per person is lower in Bulgaria than in the neighboring countries of Yugoslavia or Rumania, as well as lower than in most other European countries and the United States (Table VII - 20).* However, the rail net is fairly evenly distributed through the country so that few places are more than 20 miles from a railroad.

Heavy and speedy traffic cannot be handled efficiently, and the strategic value of the system is limited. Most Bulgarian railroads were built cheaply in the first place, and comparatively small funds have been available for subsequent maintenance and construction. The extensive use of compulsory labor has not been very efficient. Many difficult engineering problems have not been solved.

The backbone of the rail net is a fairly even grid of two main east-west lines and three north-south connections. The main rail focus is Sofiya, in the west-central part of the country. From Sofiya a line runs north and east along the north flank of the Stara-Planina (Balkan Mountains) to con-

^{*}Tables VII - 16 to VII - 38 will be found on pages VII 27 through VII - 39



nect with Ruse on the Danube River and Varna on the Black Sea and forms the northern line of the grid (lines 2 and 19 on Figure VII - 2).*

A second line (line 1), runs south and east along the south flank of the Stara-Planina to Turkey, with a branch to the Bulgarian port of Burgaz on the Black Sea (line 12). This line (line 1) is the main artery of Bulgaria and forms a part of the Orient Express line between western Europe and Istanbul, Turkey.

Additional north-south lines and branches round out the network (Figure VII - 2). Important among them is the Sofiya/Struma Valley line in the west (line 3). The Sofiya/Pernik section of this route carries Bulgaria's heaviest lignite coal traffic.

New lines are under construction, the most important being the link between existing sections of the Sub-Balkan east-west line (5, 11) midway between the two main east-west routes. It will connect Sofiya with Burgaz and Varna.

A feature of the Bulgarian net is the scarcity of connections to neighboring countries. Except for the important Orient Express route, the only through connections are in the northeast through the Dobrogea to Rumania, the train ferry across the Danube at Ruse (interrupted in winter by ice), and a narrow-gauge connection down the Struma Valley to the Aegean and Thessaloníki. This latter connection is now being converted to standard gauge. Because of Bulgaria's location the country controls the only good rail connection between western Europe and Turkey. If the new borders of the country are considered, it controls the connections to Greece and the whole Aegean area as well.

B. Administration.

(1) Bulgaria proper. Bulgarian railroads are owned and operated by the government. There is one 11-kilometer (7-mile) stretch of privately owned line, but it is operated by the National Railroads. However, there are 72.1 kilometers (45 miles) of private track used as connecting links between private sidings in various industrial plants and in mines.

The Bulgarian National Railroads (Bulgarski Durzhavni Zheleznitzi) are under the general supervision of the Minister of Railroads, Posts and Telegraphs. The Director General of Railroads and Ports, with headquarters in Sofiya, is in charge of management. At present, the Director General is Eng. Georgi Popov, who took office in 1942. The railroads are autonomous in many respects. An administrative council, consisting of the Director General and the higher railroad officials, has only consultative functions. The headquarters of the Directorate General include the usual departments and services.

Regional Inspectorates are operated in Sofiya, Plovdiv, Gorna Orekhovitsa, and Dupnitsa. It is not known what authority has been delegated to them.

(2) Border areas. At present the National Railroads also operate newly acquired lines in the former Yugoslav, Greek and Rumanian territories. Two new inspectorates were established in Skoplje and Xánthi (Ksanti). In the southeastern

border area, management is divided between the Bulgarian and Turkish railroad administrations. The Píthion/Alexandroúpolis line is operated by the Bulgarian railroads, whereas the Svilengrad/Píthion section is operated by the Turkish railroads, as a part of the Svilengrad/Istanbul line. This includes the Edirne area, where a new stone bridge is being built across the Maritsa River.

(3) German control. German authorities exercise an important influence upon Bulgarian railroad affairs. German liaison officers are located at strategic points, and German railroad officials are working at headquarters as observers, to insure railroad management in the German interest.

(4) Personnel.

Railroad employees numbered 17,517 in 1938. The division of their functions may be seen in Table VII - 6.

TABLE VII - 6 BULGARIA, FUNCTIONAL DIVISION OF RAILROAD EMPLOYEES, 1938

THE LOTE LINE BOTTLE, 1930						
Division	NUMBER					
Administration	539					
Maintenance of way and structures	. 4,705					
Station service	. 3.702					
Train crews	. 1.904					
Locomotive crews	. 2,745					
Maintenance of equipment	. 724					
Major workshops	. 2.851					
Others (stores, etc.)	. 347					

In recent years, personnel has increased because of the operation of new lines. Skilled railroad men have probably been replaced by less experienced workers. Very unfavorable criticism of the efficiency of Bulgarian personnel was reported in 1920. However, special efforts have reportedly been made




Illustration VII - 1. Clearance standard. Standard-gauge Bulgarian State Railways. (Dimensions in millimeters.)

^{*}On Figure VII - 2, Plan VII - I and Tables VII - 16 to VII - 38, rail-road lines are numbered to correspond with numbers in the text. Line numbers 1-20 refer to principal lines; 101-117, to other standard-gauge lines; 201-210, to narrow-gauge lines; 301-312, to international connections. 401-413 lines under construction, and 501-508 projected lines, are not shown on Figure VII - 2.



by the railroad administration to improve the training of railroad personnel. A school for various groups of employees was established and it can be assumed that this has had favorable results. But it is hardly to be expected that the personnel standards of the large European railroad systems have been attained.

C. Track and right-of-way.

- (1) Clearance. The clearance of Bulgarian standard-gauge railroads is the same as standard-gauge clearance in other parts of Europe (Illustration VII 1).
- (2) Gauge. Most lines are standard-gauge, 1.435 meters (four feet, eight and one-half inches). There are, however, some narrow-gauge lines. Table VII 7 gives the lengths of standard- and narrow-gauge lines.

TABLE VII - 7 BULGARIA, LENGTH OF STANDARD AND NARROW-GAUGE RAILROAD LINES

	Км.	Miles	PER CENT OF TOTAL LENGTH OF LINE
Length of standard-gauge lines	3,173	1,971	87.2
Length of narrow-gauge lines			
76 cm. (2 feet, 6 inches)	236	148	6.5
60 cm. (1 foot, 11.6 inches)	227	142	6.3
Total narrow-gauge lines	463	290	12.8
· · · · · · · · · · · · · · · · · · ·			
Grand total	3,636	2,261	100.0

(3) Track operated.

(a) National lines. All lines in Bulgaria are single-track with the exception of a few short double-track sections around Sofiya. These have a total length of 31 kilometers (20 miles) or less than one per cent of the total length of line (Table VII - 16; Figure VII - 2).

Double-tracking of the Ruse/Varna line was reported in progress under German direction in 1940. However, it is not possible to verify this report. In addition, the double-tracking of several sections of the principal lines is projected; among them are Caribrod/Slivnitsa (line 1) (37 kilometers; 23 miles); Novoseltsi/Belovo (line 1) (69 kilometers; 43 miles); Sofiya/Mezdra (line 2) (87 kilometers; 54 miles); and Sofiya/Vladaya (line 3) (18 kilometers; 11 miles).

Length of sidings and additional tracks in Bulgaria is comparatively small. The total length of track in 1938 was 4,239 kilometers (2,634 miles), only 117 per cent of the total length of line. Corresponding ratios for other railroad systems are shown in Table VII - 8.

TABLE VII - 8 OTHER COUNTRIES, LENGTH OF TRACK COMPARED TO LENGTH OF LINE

Railroads			Per cent
Italian National	 		184
German National	 	Salada . 	226
Rumanian National	 		139
Yugoslav National	 عود والأنفي		133
United States (a) Eastern District	 غيب		214
(b) All Districts			
• •			

Sidings in many way stations are too short to accommodate long trains. An older source stated that sidings were available at all stations on standard-gauge main lines, and that they had a standard length of 500 meters (547 yards) between the switches at each end. In that case, the useful length of sidings

would be about 400 meters (approximately 440 yards). Between Ruse and Gorna Orekhovitsa (line 17), at all stations sidings 457 meters (500 yards) long are available.

(b) Private sidings. In 1938, 74 private sidings, with a total length of 50,328 meters (55,059 yards), were reported on standard-gauge lines and six private sidings, with a total length of 1,056 meters (1,155 yards), on narrow-gauge lines (Table VII - 21).

(4) Motive power.

(a) General. At present all railroads are steam-operated. The Bulgarian Ministry has recently announced that a 20-year plan for electrification is being prepared in order to save consumption and transportation of coal. The most important lines would be electrified first. It has been reported that the short stretch between Sofiya and Voluyak (section of line 1) and the branch to Bankya (line 103) has already been electrified.

(b) Fuel. In 1939 locomotives fuel consumption was 657,000 metric tons (724,000 short tons). Only domestic fuel was used, mostly lignite from Pernik (Figure VII - 3). The lignite was rated at 4,200-5,000 calories per kilogram (7,560-9,000 B.Th.U. per pound). In addition, several thousand old ties were used for locomotive fuel. The quantity of gasoline required for the few rail cars was negligible. It can be assumed that some stocks of lignite are available in the principal roundhouses. There is no indication that mechanical coaling equipment is available anywhere.

(c) Lubricants. About 2,000 tons of lubricants were used in 1939. As in all Axis-dominated countries in recent years, Bulgarian supplies of lubricants are small and of poor quality.

(d) Water. Water supply is inadequate and systems are poor. In many regions, water supply is insufficient, particularly in the area north of the Stara-Planina, where steep grades require comparatively large consumption. A Bulgarian survey of the water supply, made in 1935, reported that of 103 water stations, 92 had sufficient and 11 insufficient supply. It also stated that good water of less than 110 p.p.m.* was available at 76 stations, while in the 27 remaining stations, the water was too hard. The hardest water (500 p.p.m.) was found in Karnobat. Apparently there are no water-softening plants. Many reservoirs for water columns are old, and built at a height of only 16–20 feet above the rails, and therefore have insufficient pressure for quick filling of locomotives.

The maximum distance between water stations is usually 20 to 30 miles. However, one line of 39 miles has no water station (Table VII - 23). Inadequate water supply must make efficient operation very difficult.

(5) Ballast and standards of roadbed construction. Roadbeds are weak and inadequate. In initial construction apparently no efforts were made to move great quantities of earth to improve the subsoil where this was advisable. Ballast is also relatively light.

The usual measurements of the roadbed are shown in Table VII - 9.

Table VII - 9 BULGARIA, MEASUREMENTS OF ROADBED

	Meters	Feet
Formation width	5	16.4
Width of ballast at platform		9.8-11.2
Depth of ballast	.35	1.2

^{*}Parts per million of mineral content. 1 p.p.m. = 0.1 French degrees. Water of 100 p.p.m. is considered too hard in the United States.



Crushed stone and gravel 30–60 millimeters (1.2 inches–2.4 inches) in diameter is used as ballast. Suitable material is available, for there are many quarries throughout the country which can supply the railroads. The principal quarries equipped with crushing machinery are at Dragoman, at Sestrimo, at Iskr (line 1), and at Stoichevtsi (line 110). There is a plant for producing sand and gravel ballast at Podueni, near Sofiya (line 1).

(6) Ties.

(a) Wooden ties. Oak and beech ties are used. About 500,000 ties are required every year. The railroad personnel cut the ties with the help of compulsory labor service. The wood supply in Bulgaria is sufficient for this. Length of ties is 2.50 meters (8.1 feet), width, .26 meter (.85 inch), and height, .15 meter (.39 inch).

Oak ties are not treated. Beech ties are first treated with a small amount of zinc chloride and then with a greater volume of creosote. Plants for this treatment are located at Belovo (line 1), at Sindel (line 116) and at Preslav (line 115).

(b) Steel ties. Steel ties are used on the following sections: Caribrod/Plovdiv (line 1), Sofiya/Gorna Orekhovitsa (line 2), and Sofiya/Pernik (line 3). The usual weight of steel ties is 56 kilograms (124 pounds).

(c) Spacing of ties. There are 25 ties for each 18-meter (59-foot) length of rail, or 42 ties per 100 feet of track. Where 18-meter rails are laid, the space between the adjoining ties at section joints is 250 millimeters (9.9 inches). The space between the first and second ties from the joints is 627 millimeters (24.8 inches), and that between the second and third ties is 750 millimeters (29.6 inches). Where 15-meter (49-foot) rails are laid, the space between the adjoining ties at section joints is 530 millimeters (20.9 inches). The space between the first and second ties is 693 millimeters (27.3 inches), and that between the second and third ties, 770 millimeters (30.3 inches). All these measurements are taken from center to center of the ties. Maximum number of ties is 1,334 per kilometer (2,148 per mile).

(7) Rails.

(a) Type and weight. Three types of rails are used on standard-gauge lines. The heaviest type (first class) weigh only 41 kilograms per meter (82 pounds per yard). Second-class rails weigh 35 kilograms per meter (70 pounds per yard). Third class weigh 31 (62 pounds per yard) or 32.5 kilograms per meter (65 pounds per yard).

Dimensions of first- and second-class rails are shown in Table VII - 10.

Table VII - 10 BULGARIA, DIMENSIONS OF FIRST- AND SECOND-CLASS RAILS

	FIRST CLASS		Secon	D CLASS
	MM.	INCHES	MM.	INCHES
Height	72	2.8	59	2.3
Width of head	138	5.4	131	5.2
Width of web	14	0.6	13	0.5
Width of base	110	4.3	110	4.3

In 1934, only 16 per cent of the total length of track was laid with 82-pound rails, 12 per cent with 70-pound, and 72 per cent with rails of less than 70 pounds. In 1938, 82-pound rails had been laid on the following sections: Caribrod/Belovo (line 1); Sofiya/Pernik (line 3); Sofiya/Kozarevets and Asenovo/Kaspichan (line 2); and Plachkovtsi/Dubovo (line

17). It is not known whether first-class rails have been laid on other lines in recent years.

On narrow-gauge lines, rails weigh 20 and 9.5 kilograms per meter (40 and 19 pounds per yard) for 76-centimeter (two feet, six inches) and 60-centimeter (one foot, 11½ inches) gauge, respectively.

(b) Fastening of rails and joints. Rails are fastened to the ties by plates, screws, and bolts of several types. Plates are also used at the joints. On first-class rails, the joints have four to six bolts. Joints are squared, i.e., the joints of the two rails are opposite each other rather than staggered, as in the United States.

(8) Maintenance of way and structures. The condition of the lines is poor. In addition to the constructional weakness of the roadbed and the extensive use of light rails, re-laying of rails was often postponed even when rails were in very bad condition. The age of the rails (outside of tunnels) is shown in Table VII - 11.

TABLE VII - 11 BULGARIA, AGE OF RAILS, 1933-34

Age	Per Cent
Less than 5 years	 16.8
5–10 years	 10.3
10-15 years	
15-20 years	 4.8
More than 20 years	 54.5

From 1920-1937, sections totalling 793.3 kilometers (493 miles) were re-laid. This was only 44 kilometers (27 miles) per year or 1.8 per cent of the average length of line during that period. The minimum should have been 2.5 per cent.

Stocks of track material made of steel are probably very small, since all steel must be imported. Ballast and wooden ties, however, are available in adequate quantities.

Varying climatic conditions make for special maintenance problems in the different parts of the country. In winter, heavy snowfall occurs in the region north of the Stara-Planina. On Sofiya-Varna line and its branches snow depths are reported as ranging up to 14.5 feet. In one instance, snow depth on a line running in a cut was 23 feet.

Snow fences, usually made of used ties, are built where needed. In 1939 one snowplow was in operation as a special unit. However, the Germans have lent a number of snow plows driven by Diesel engines to the Bulgarian railroads. In general, it is possible to keep all main lines open in winter.

Many rivers are poorly regulated and sometimes flood the railroads where they run through valleys. Washouts are often caused by sudden thunderstorms in mountainous areas. Landslides also frequently block traffic.

(9) Axle loads. According to the Achsdruckverzeichnis (list of axle loads) of the Verein Mitteleuropäischer Eisenbahnverwaltungen (Association of Central European Railroads), a maximum axle load of 17 metric tons is permissible on only a few lines or sections of lines. The maximum permissible axle load is 14 tons on all other standard-gauge lines (Table VII - 16).

(10) Grades and curves. The mountainous character of the country has made railroad building extremely difficult and little effort has been made to avoid steep grades. The ratio of level sections is comparatively small, and that of sections with steep grades is high. This is indicated by Table VII - 22, which also illustrates the low percentage of level sections in Bulgaria in comparison with other countries. The same





Illustration VII - 2. Cherepich Bridge.
Bridge over Iskr River, near Mezdra; railway tunnel at right. (Bridge 20, line 2.)





Illustration VII - 3. Cherepich Bridge.
Bridge over Iskr River near Mezdra. Tunnel at left. (Bridge 20, Line 2.)




Illustration VII - 4. Iskr River Bridge. West branch, east of Ilientsi, near Sofiya. 1931. (Bridge 29, line 5.)






Illustration VII - 5. Stone arch Bridge at Makotsevo. Over the Makotsevo River on the Ilientsi/Makotsevo Route. 1931. (Bridge 29 (a), line 5.)




Illustration VII - 6. Bridge over Arda River.
Railroad and highway bridge southeast of Krdzhali. 1931. (Bridge 33, line 15. Also Illustration VII - 25.)



Illustration VII - 7. Syuyutliika River Bridge. North of Momchilgrad. (Bridge 34, line 15.)

119 VII-Z




Illustration VII - 8. Steel bridge over Maritsa River. Near Rakovski on the Mikhailovo/Rakovski route. 1936. (Bridge 35, line 16.)






Illustration VII - 9. Yantra Bridge near Bela. Looking westward. 1917. (Bridge 36, line 17.)



Illustration VII - 10. Railroad Bridge at Trnovo.

Looking west at north bridge over Yantra River. 1917. (Bridge 37, line 17.)






Illustration VII - 11. North railroad bridge at Trnovo.
Train crossing the Yantra River. Tunnel right foreground. (Bridge 37, line 17.)



Illustration VII - 12. South railway bridge at Trnovo.

Looking east at railroad bridge at left and highway bridge at right, over the Yantra River.

(Bridge 38, line 17. See Illustrations V - 13 and V - 14.)



situation is revealed by examining the grades of the individual lines (Tables VII - 16, 17, 18). There are also a great many curves on Bulgarian lines (Table VII - 24).

(11) Bridges and tunnels. Because of mountainous terrain and numerous streams, bridges and tunnels are numerous.

(a) Bridges.* In 1939, a total of approximately 8,300 bridges was listed. A large number are on the routes radiating from Sofiya: the lines through Caribrod and Sofiya (line 1);** through the Iskr Valley; between Sofiya and Cherven-Breg (line 2); and through the Struma Valley, between Sofiya and Petrich (lines 3, 203). The Ruse/Momchilgrad route (lines 15, 16, 17), extending from north to south, and crossing the Stara-Planina and the Rodopi Planina, also has a large number of bridges.

The principal bridges are of steel or iron, and rest on concrete or masonry piers. In general, they are of simple truss construction, but in the Iskr River Gorge and in the more mountainous sections, a rectangular truss is used, with tracks running on top. (See Illustration VII - 2.) All bridges are single track, except for the Maritsa bridge at Kostenets. In the area where wood is readily available, minor bridges may be wooden. Maximum axle load of most bridges on standard-gauge lines is between 18 and 22 metric tons.

The problem of Danube crossings has often been discussed, but little action has been taken. However, in 1942, Bulgaria and Rumania, under German pressure, agreed to construct a bridge between Ruse and Giurgiu. It was to be completed by 1948. Work is still confined to clearing the approaches. In the meantime ferry service is maintained, although interrupted by ice in winter.

- (b) Tunnels.† Tunnels are most numerous on three routes: the Ruse/Momchilgrad route (lines 15, 16, 17), where there is a series of bridges and tunnels (Illustration VII 13); the Sofiya/Cherven-Breg section (line 2), through the Iskr Valley, and in the Struma Valley on the Sofiya/Petrich route (lines 3, 203). The longest tunnel in the Balkans is the 3,700-foot tunnel north of Krdzhali on the Ruse/Momchilgrad route. There are no tunnels on the main Caribrod/Svilengrad line (line 1).
- (12) Signal system. All stations are connected by telegraph or telephone, and manually operated semaphores are used on main lines. In 72 stations, modern electric safety devices, which probably include interlocking of signals and switches, have been installed. An automatic or semi-automatic block system has been installed between Sofiya and Kunino (line 2). Long distance telephone connections between various large stations are used for centralized dispatching of trains.
- (13) New construction.‡ The railroad system has been considerably expanded since the first World War. In the twenties, new branch lines were built, but in the thirties, the government engaged in more far-reaching projects. The Shumen/

Karnobat line (line 18) was opened for traffic in 1941. At present, the standard-gauge Struma Valley and the Sub-Balkan routes are the most important lines under construction, but work is also progressing on other lines. In addition, a series of new construction projects has been approved by the National Assembly but no work will start on most of these projects in the near future.

D. Equipment.

(1) Supply.

(a) Locomotives. In 1938, there were 593 locomotives, of which 482 were standard gauge and 111 narrow gauge. Most were built in Germany, but some were purchased from Czechoslovakian, Polish, and British manufacturers. Average age of standard-gauge locomotives was 22.4 years; 112 were acquired prior to 1911, and 190 between 1911 and 1920; 124 were 1921–30 models and 56 were acquired after 1931. As Tables VII - 25 to VII - 28 indicate, a small number of powerful units was available, but in general, locomotives were far below modern standards (Illustrations VII - 15 to VII - 22).

In recent years, considerable sums have been appropriated for purchase of locomotives, but it is not certain how many units have been delivered. Those added to the existing stock after 1938 were fewer than those which had to be retired. At one time Germany leased locomotives to Bulgaria, but it is reported that these have been recalled. A limited number of locomotives were received from the recently annexed portions of Yugoslavia and Greece. Since service must be maintained on the annexed lines, the general locomotive position has not been improved, and a considerable shortage is reported.

- (b) Railcars. In 1938, four Diesel railcars were available (Table VII 25).
- (c) Passenger cars. In 1938, the railroads owned 709 passenger cars, of which 589 were standard, and 120 narrow gauge. Average seating capacity was 53.6 and 24.5, respectively (for details see Tables VII 27 and VII 29). Since no delivery of new cars is reported, it is certain that the number of cars has decreased since 1938, due to retirements, even though a limited number of cars is built in the country. The supply of passenger cars, however, is adequate for present traffic, since passenger train services have been restricted.
- (d) Baggage cars. In 1938, there were 295 baggage cars (Tables VII 27 and VII 30). The situation in regard to baggage cars is similar to that of passenger cars.
- (e) Freight cars. In 1938, 10,897 freight cars were available; of these 9,583 were standard gauge, and 1,314, narrow gauge. Included are 466 units, which were owned by private enterprises, but operated on the national railroads.

Practically all freight cars are of the two-axle type; the average number of axles per car for all cars in the country is only 2.03. The average loading capacity of all cars owned by the national railroads is 16.2 metric tons (17.6 short tons). (For details see Tables VII - 31 and VII - 32.)


As in the case of locomotives, considerable appropriations were made for the acquisition of new freight cars and orders for several thousand cars were placed in Germany and Czechoslovakia. It is unlikely that any large quantities were delivered, since German railroads have retained almost the complete output of the plants for their own heavy demand. On the other hand, necessary retirements have decreased the available number of freight cars. Some freight cars were allocated to Bulgaria when it acquired lines from neighboring coun-


^{*}Detailed descriptions of the main bridges on the principal lines, selected on a basis of length (in general over 100 feet) or of strategic location, are given in Table VII - 37. Bridges are shown on Figure VII - 2; also Illustrations VII - 2 to VII - 12.


^{**}An important bridge, the Pobit Kamik Viaduct on line 1, between Milkovitsa and Vakarel, has recently been converted into an embankment.

[†]Detailed descriptions of the main tunnels on the principal lines are given in Table VII - 38 and locations of the tunnels shown on Figure VII - 2.

[‡]Progress on lines under construction as well as principal new projects are described in Topics 76 - I and J; see also Plan VII - I.








COMPILED AND DRAWN IN THE BRANCH OF RESEARCH AND ANALYSIS, OSS

Approved For Release 2000/08/29 : CIA-RDP79-01144A000100010010-9





tries. However, just as in the locomotive case, these cars are used on annexed lines and their acquisition has not improved the situation in Bulgaria proper. Even in peacetime there were frequent car shortages in autumn, the time of peak movement. The ratio between basic and peak requirements is still unfavorable and the general increase in freight traffic has accentuated the shortage. As a result, the other Axis countries have had to send freight cars to Bulgaria to obtain foodstuffs and other export goods. They have also had to use their own cars to transport their troops and supplies through

ties might arise, since Bulgarian crews do not have the necessary training to handle such operations.

Standard-gauge locomotives are equipped with handbrakes, and with various types of airbrakes such as Westinghouse, Hardy (vacuum) and Knorr (compressed air) (Table VII - 28). Narrow-gauge locomotives have handbrakes only (Table VII - 26).

Only about 50 per cent of the standard-gauge passenger cars are equipped with airbrakes. Almost all other standard-gauge, and all narrow-gauge passenger cars have handbrakes.




Illustration VII - 13. Tunnel near Krustets.
North entrance of tunnel, railway embankment above. 1917. (Tunnel 11, line 17.)

Bulgaria. Consequently many foreign cars are always on Bulgarian lines.

- (2) Equipment production. There are no plants for large-scale production of main line locomotives and cars in Bulgaria. The Koralovag Company in Varna has facilities for building small locomotives, but could hardly produce units larger than switching locomotives. In 1941, it also received an order for 200 cars, but had to buy the axles abroad.
- (3) Brakes. No Bulgarian freight cars have airbrakes and only about 50 per cent have handbrakes (Table VII 32). No airbrake system for freight cars has been introduced in Bulgaria. When sufficient foreign cars equipped with airbrakes are available to form whole trains or larger sections of trains, these can be operated with continuous brakes, since the locomotives have proper braking equipment. However, difficul-
- (4) Couplings and buffers. Standard continental types of screw coupling and buffers are used on all vehicles.
- (5) Maintenance of equipment. Prior to the war, locomotives underwent major repairs every two years. But due to their age and the fact that a great part of them could not be housed in roundhouses, this did not keep them in a satisfactory state of repair. From 1939 to the end of 1941, heavy demands made it necessary to postpone all but vital repairs. To make up for this, train services were greatly curtailed during the spring of 1942 to facilitate overhauling of as many locomotives as possible. In spite of these efforts, the general state of repair of locomotives is poor.

A similar situation exists with respect to passenger and freight cars. Due to scarcity of lubricating oil hotboxes



doubtless are frequent and it is certain that the condition of passenger and freight cars is also unsatisfactory.

E. Shops, terminals and yards.

- (1) Repair facilities.* The main repair shop for locomotives and cars is in Sofiya. It can accommodate 15 to 20 locomotives at a time. A new workshop is reported under construction in Sofiya which, when completed, will be able to repair 20 to 30 locomotives per month. Other major workshops are in Plovdiv and Gorna Orekhovitsa. Two private plants, one at Drenovo and one at Varna, also repair cars of the national railroads. In addition, five running repair shops are available.
- (2) Terminals. The only major passenger terminal is in Sofiya. It has recently been enlarged so that platform tracks for eight trains are available. All other stations are smaller.
- (3) Switching yards. There is no modern classification yard in Bulgaria. Fairly large switching facilities are available in Sofiya, Plovdiv, Varna, Burgaz, and Pernik (for layout at Pernik, see Figure VII 3). Smaller switching yards are located at the more important junctions and at a few intermediate points (Table VII 35). Lack of adequate switching facilities offers particular difficulties for large-scale operation of troop and supply trains which do not move straight through the country.

F. Traffic.

(1) Passengers. The reported passenger traffic is shown in Table VII - 12.

TABLE VII - 12 BULGARIA, PASSENGER TRAFFIC

	DOLIGITIE	,		
Year	Number of passengers (millions)	Per cent increase over 1938	Passenger miles (millions)	Passenger kilometers (millions)
1938	11.6		469	755
1939	12.8	10	502	808
1940	13.8	19	_	_
1941	14	21	-	_
1942	18	55	-	Table 1

The figures for 1941 and 1942 include traffic in occupied areas and therefore are not comparable with statistics for the preceding years. However, since the areas taken over are not large, the large increase in passenger traffic in 1942 indicates an increase in Bulgaria proper.

In spite of pressing demands, passenger services have been somewhat restricted to make locomotives and crews available for vital freight traffic requirements.

(2) Freight.

(a) Volume. The volume of freight traffic is shown in Table VII - 13.

Table VII - 13 BULGARIA, VOLUME OF FREIGHT TRAFFIC

	Metric tons	SHORT TONS	Per cent increase over 1938 index figures
1938	6.2	6.8	100
1939	6.4	7.1	103
1940	7.2	7.9	116
1941	7.7	8.5	124
1942	7.8	8.6	126

As in the case of passenger traffic, the figures for 1941 and

1942 do not correspond with the statistics for 1940 and the pre-war years.

In 1940 an increase in traffic volume was caused by the growing demand for Bulgaria's products. It is obvious that subsequent to the German invasion of the Balkans, this increase has continued.

(b) Commodities. The commodities carried and their percentage of the total traffic are shown in Table VII - 14.

TABLE VII - 14
BULGARIA, COMMODITIES CARRIED AND
PERCENTAGE OF TRAFFIC, 1939

	,	Рвк с	ENT
Grain, fodder		1	0.9
Alcoholic beverages			4.8
Eggs			1.0
Lumber			6.4
Coal*		1	9.1
Stones, ceramics, gravel			7.1
Sand			0.3
Salt			1.3
Products of iron and steel industry			2.0
All others		4	17.1
		-	
		10	0.0

The war has only slightly changed this general picture. Coal shipments and export traffic in foodstuffs have increased more than the movement of other commodities. Through shipment of Rumanian oil, particularly to the south, has been greater than before the war. Traffic in industrial commodities is still of little importance, since major war industries have not been developed.

- (c) Traffic regulation. The railroads have taken several measures to secure shipment of vital commodities and make the best possible use of cars. On December 1, 1942, average freight rates were increased by 30 per cent. In many places, including the ports, a system of priorities for ordering freight cars has been established. Demurrage charges have been increased and surcharges for inadequate loading of cars have been established. The distribution of privately-owned tank cars has been taken over by the railroad administration.
- (3) Seasonal movements. The monthly ratios of passenger and freight traffic are given in Table VII 15. Passenger traffic is considered on the basis of the number of passengers carried and freight traffic on the basis of the number of tons.


TABLE VII - 15
BULGARIA, MONTHLY RATIOS IN PERCENTAGE
OF TOTAL ANNIIAL TRAFFIC 1940

OF IOTAL ANNUAL TRAFFF	Passenger	Freight
January	7.0	4.4
February		5.4
March		6.5
April	. 7.7	7.9
May	. 9.3	8.1
June		7.9
July	. 8.6	8.7
August		9.2
September	. 9.1	10.5
October		11.2
November	. 9.2	10.9
December	. 9.1	9.3
	100.0	100.0

*Mostly lignite from Pernik.

^{*}For a list of repair facilities see Table VII - 33. For location, size and capacity of roundhouses see Table VII - 34.







These figures show that the passenger traffic peak usually was in the summer months. For freight traffic, the ratio between basic and peak load was extremely unfavorable. Traffic in October and November was more than twice as high as in January and February. Consequently, the use of freight cars was unevenly distributed. A surplus of cars in the early part of the year, and car shortages during the crop season, were inevitable.


The monthly ratios of passenger traffic have probably changed since the outbreak of war. The basic load of necessary business trips and of travel by soldiers on leave is now distributed more evenly throughout the year. On the other hand, seasonal tourist and recreational traffic has declined. Therefore, the curve of monthly ratios has flattened to some extent.

The freight traffic has changed much less. Although military movement is heavy throughout the year, the great bulk of agricultural commodities must still be carried during a comparatively short season.

G. Capacity.

- (1) Potentialities of the system. Capacity of Bulgarian lines is low. The railroads are neither well built nor well maintained. Steep grades and sharp curves increase the difficulties of operation. Axle loads are generally low. The distances between stations and sidings are longer than in most European countries and the signal system is primitive. In addition, Bulgarian freight cars are not equipped with continuous airbrakes.
- (2) Normal capacity of the lines. On most standard-gauge lines, not more than 12 trains per day can be operated. Only on a few lines can 16 trains per day be handled. Moreover, on some standard-gauge lines and on all narrow-gauge lines, only eight to ten trains can be operated per day. These estimates are based on the assumption that the system has suffered no damage from bombing, sabotage, or other activities; that all facilities function normally, and that the supply of locomotives and cars is sufficient to meet all demands. An estimate has been made of the number of trains which can be operated continuously over the important routes in the country and over the international connections, including the Ruse/Giurgiu ferry. (See Tables VII - 19 and VII - 36, and Figure VII - 4.) The character of the lines has been taken into consideration. After six days of continuous traffic, one day should be allowed for general maintenance and for adjusting the schedules of delayed shipments.
- (3) Capacity under extraordinary conditions. No attempt has been made to estimate capacity of lines under extraordinary conditions, since all possible contingencies cannot be foreseen. Under actual military conditions it may not be possible to operate even the small number of trains given above. The limited switching facilities in junctions may constitute a severe handicap when traffic moves in other than the usual directions, or moves in several directions at the same time. The lack of experienced station and train crews and the reduction of regular train speeds, and especially the insufficient supply of standard-gauge equipment or of narrow-gauge equipment on individual lines, may seriously reduce capacities (see following sections).
 - (4) Speed. Since train speeds vary with the different char-

- acteristics of the lines and the changing operating conditions, no definite figures can be given for the speed of military trains. It can be assumed, however, that on the principal lines continuous military movements would not average more than 12 miles per hour, since train speeds in Bulgaria are generally very low.
- (5) Demand and supply of equipment. The estimates given in Tables VII 19 and VII 36 are based on capacity of lines without considering availability of equipment. If full capacity even on principal lines is desired much additional equipment must be brought in. The following figures for equipment requirements under varying conditions have been estimated by computing locomotive and car miles for each particular case and by making adequate allowance for performance of locomotives and cars under varying conditions.
- (a) For operating the lines 1, 2, 3, 4, 11, 12, 15, 16, 17, 19, 20, 203, 204 (shown in Figure VII 2) to full capacity, 950 standard-gauge locomotives, 21,200 standard-gauge cars, 45 narrow-gauge locomotives, and 670 narrow-gauge cars would be needed.
- (b) If on all other lines of the country, only a limited amount of traffic (one train daily in each direction) were operated, an additional 50 standard-gauge locomotives, 1,100 standard-gauge cars, 25 narrow-gauge locomotives, and 160 narrow-gauge cars would be needed.
- (c) For operating all lines listed in Table VII 36 to full capacity, 1,400 standard-gauge locomotives, 33,000 standard-gauge cars, 140 narrow-gauge locomotives, and 1,500 narrow-gauge cars would be needed.
- It is assumed that these locomotives are sufficiently efficient to handle the amount of tonnage required. If helper locomotives were required, the total number of locomotives would have to be increased. All car requirements are given in terms of freight cars, although passenger cars could be used in their place for the transport of troops. If additional equipment is brought in additional sidings, yards and maintenance facilities will also be required.
- (6) Weight of trains and trainloads. The weight of trains is limited by such factors as grades, curves, and the maximum permissible axle loads of the lines. In 1938, average gross weight of freight trains on standard-gauge lines was 454 metric tons (500 short tons). About 30 per cent of the car miles represented empty cars. Average tare weight of standard-gauge freight cars was nine metric tons (9.9 short tons) and loading capacity, 16 metric tons (17.6 short tons) (Table VII - 17). In general, however, loading capacity cannot be fully utilized owing to the bulky nature of military equipment, and the consequently unfavorable ratio between space and weight. Taking these factors into consideration, it is estimated that net loads of freight trains on a few standard-gauge lines are between 300 and 400 metric tons (330 and 440 short tons), but on all other lines under 300 metric tons (330 short tons). Net loads on narrow-gauge lines are much lower. Tables VII - 19 and VII - 36, as well as Figure VII - 4 give estimates of the gross weight (trailing weight, not including locomotives and tenders) and net load per train, as well as of the average daily net loads in each direction on all important lines and on the international connections under regular operating conditions. These figures apply to the main direction of traffic movement and empty car movements are not considered.





H. Vulnerable points.

Owing to the nature of the terrain, the network of the Bulgarian railroads is highly vulnerable. There are a great many bridges and tunnels which can easily be destroyed from the air, by sabotage, or by ground forces. Many bridges are located in gorges and narrow valleys where repairs are difficult. In many places, bridges and tunnels follow each other, as near Gorna Dzhumaya (line 202), where there is a bridge with a tunnel on each end, and on the Ruse/Stara-Zagora section (line 17) where there is a series of bridges and tunnels in the difficult terrain of the Stara-Planina. (The more important bridges and tunnels are listed in Tables VII - 37 and VII - 38 and are shown on Figure VII - 2.)

Major junctions are Sofiya (lines 1, 2, 3, 5, 104); Gorna Orekhovitsa (lines 2, 17); Plovdiv (lines 1, 12, 14, 106, 107); Stara-Zagora (lines 12, 17), and Dubovo (lines 11, 17). Ruse (lines 17, 19, 112, 306), with its rail ferry, is the important border terminus for Rumanian traffic. None of these stations covers a large area and therefore could be destroyed by a limited number of bombs. Their destruction would seriously interrupt the flow of traffic. Larger switching facilities are in Sofiya, in Pernik (line 3) (coal traffic), as well as in Plovdiv, Varna and Burgaz (port traffic). The only large repair shop is in Sofiya. Other repair shops and almost all roundhouses are of small capacity. (Workshops, roundhouses, and switching yards are described in Tables VII - 33, VII - 34, and VII - 35. These facilities and the railroad stations are shown on Plan VII - 1.)

I. Lines under construction.*

- (1) Batanovtsi/Kostinbrod 59 kilometers (37 miles), Line 401. This line will be a loop between the Orient Express (line 1) on one hand and the Struma Valley (line 4) and the future line to Skoplje, Yugoslavia, which is now under construction (412). No information is available as to the progress of work. However, it is certain that the line is not yet in operation.
- (2) Gorna Dzhumaya/Frontier/Kočane, Yugoslavia, 16 kilometers (10 miles), Line 402. This line will link the Struma Valley line with the Veles/Kočane branch of the Skoplje/Thessaloníki, Greece, route. Work began late in 1941 and is still in progress, but will not proceed with much speed before the standard-gauge line through the Struma Valley is completed.
- (3) Bansko/Simitli 39 kilometers (24 miles), Line 403. This line will connect the Struma Valley line with the recently completed Belovo/Bansko line, a branch of line 1. No information of the progress of work is available. It is doubtful whether it is being pushed.
- (4) Bansko/Nevrokop 56 kilometers (35 miles), Line 404. After the Belovo/Bansko line was recently completed, work began on this line and still is in progress.
- (5) Simitli/Frontier/Sidhirokastron, Greece, 61 kilometers (38 miles), Line 405. This standard-gauge line, which will replace the existing narrow-gauge line, is of particular strategic importance as a connection to Thessaloníki. The German Todt organization takes actual part in the work and forced labor is being employed. Standard-gauge operation ends at Simitli or Krupnik and will probably be extended to Sv.

Vrach in October 1943. Completion of the line is scheduled for 1944.

- (6) Makotsevo/Sopot 100 kilometers (62 miles), Line 406. This line is the still-uncompleted link between the existing sections of the Sub-Balkan line (5, 11). Work had begun in 1941. It is not certain whether it is continuing at present.
- (7) Momchilgrad/Zlatograd/Polianthos, Greece, 47 kilometers (29 miles), Line 407. This line will be a continuation of the north-south route of Ruse/Momchilgrad into former Greek territory, and will provide a connection to the Aegean Sea points. Work started at the end of 1941. In July 1942, the old frontier at Zlatograd had not been reached. No information is available about the present situation.
- (8) Lovech/Troyan/Kurnare 59 kilometers (37 miles), Line 408. This line is a new north-south connection between the Levski/Lovech and the Sub-Balkan lines. No information about the progress of work is available.
- (9) Leskovets/Elena 32 kilometers (20 miles), Line 409. The progress of work on this branch of the Sofiya/Kaspichan (line 2) is not known.
- (10) Popovo/Razgrad/Isperikh/Silistra, Rumania, 126 kilometers (78 miles), Line 410. A new line is under construction into the Dobrogea area with possible continuation to Silistra on the Danube. No information about the progress of work is available.
- (11) Preslav/Vrbitsa 27 kilometers (17 miles), Line 411. No information is available on the progress of work on this branch of the Sofiya/Kaspichan line.
- (12) Murna/Sindel 35 kilometers (22 miles), Line 412. This line will be an important connection between Varna and Burgaz and between Ruse and Burgaz.
- (13) Gyueshevo/Frontier/Kumanovo, Yugoslavia two kilometers (one mile), Line 413. This will be a new connection (short section in Bulgaria proper) between Sofiya and Skoplje, Yugoslavia, on the Niš/Thessaloníki line. Work was begun in February 1942. Some portion of the line is completed. It is expected to be open within two years.
- (14) Sofiya/Pernik 33 kilometers (21 miles), Line 414. A new connection between Sofiya and the mining town of Pernik.

J. Projected lines.

As far as information is available, no work has begun on any of the following projected railroad lines.

- (1) Bankya/Pernik 20 kilometers (12 miles), Line 501. A connection between the mining town of Pernik and the summer resort of Bankya is planned.
- (2) Batanovtsi/Breznik/Trn 60 kilometers (37 miles), Line 502. This line will serve as a branch of line 401.
- (3) Vidin/Kula 35 kilometers (23 miles), Line 503. A connection of Kula to the Danube at Vidin is planned.
- (4) Petrich/Frontier/Udovo, Yugoslavia, 23 kilometers (14 miles), Line 504. A new connection from the Struma into the Vardar Valley in former Yugoslav territory is projected.

 (Continued on page VII 40)

^{*}See Plan VII - 1.






Illustration VII - 14. Profile Sofiya-Saranovo Section on Caribrod/Svilengrad Line.




Illustration VII - 15. Pernik. Railroad yard on the Sofiya/Radomir/Simitli route. (Line 3.)






Illustration VII - 16 (a). Bulgarian National Railroads. 2-12-4 Standard-gauge Tank Locomotive. (Table VII - 28.)




Illustration VII - 16 (b). Bulgarian National Railroads.

Drawing of 2-12-4 Standard-gauge Tank Locomotive. Dimensions are in millimeters (one millimeter=0.328 foot).




Illustration VII - 17. Bulgarian National Railroads.

Drawing of 0-10-0 Standard-gauge Locomotive. (Table VII - 28.) Dimensions are in millimeters (one millimeter=0.328 foot).






Illustration VII - 18 (a). Bulgarian National Railroads. 2-4 + 4-0 Standard-gauge Locomotive. (Table VII - 28.)




Illustration VII - 18 (b). Bulgarian National Railroads.

Drawing of a 2-4 + 4-0 Standard-gauge Locomotive. Figures pointing to axles are metric tons.

Dimensions are in meters (one meter = 3.28 feet).






Illustration VII - 19. Bulgarian National Railroads.

Drawing of 2-10-0 Standard-gauge Locomotive. Dimensions are in millimeters (one millimeter = 0.328 foot). (Table VII - 28.)




Illustration VII - 20. Bulgarian National Railroads.

Drawing of 2-6-2 Standard-gauge Tank Locomotive. Dimensions are in millimeters (one millimeter = 0.328 foot). (Table VII - 28.)






Illustration VII - 21. Bulgarian National Railroads.
2-8-2 Standard-gauge Locomotive. Dimensions are in millimeters (one millimeter 0.328 foot). (Table VII - 28.)




Illustration VII - 22. Bulgarian National Railroads. 2-8-2 Standard-gauge, Express Locomotive.

COMMUNICATIONS AND TRANSPORTATION

TABLE VII - 16 BULGARIA, PRINCIPAL RAILROAD LINES (STANDARD GAUGE) AND THEIR CHARACTERISTICS*

Line No. Lines	Length (OF LINE MILES	Maximum Axle Load (Met. Tons)	Maximum Grade (Per Cent)	Maximum Curvature (Degrees)	Maxi Dist Betw Stati Km,	ANCE JEBN IONS	Principal Connections With the Following Lines
1. Caribrod, Yugoslavia/Svilengrad	364	226	17 (a) 14 (b)	2.5 (c) 1.5 (d)	6° 4′	13	8	At Voluyak, line 103; at Sofiya, lines 2, 3, and 104; at Saranovo, line 204; at
(Profile of Sofiya/Saranovo Section Illus. VII - 14)								Pazardzhik, line 205; at Krichim, line 13; at Plovdiv lines 12, 14, 106, and 107; at Rakovski, lines 15 and 16; at Zlati-dol, line 113.
Sofiya/Kaspichan (Kaspichan/Varna on line 19)	459 (e)	285 (e)	17 (f) 14 (g)	2.5	8° 7′ ,	. 13	8	At Sofiya, lines 1, 3, and 104; at Mezdra, line 6; at Cherven-Breg, line 206; at Yasen, line 8; at Levski, line 9; at Gorna Orekhovitsa, lines 17 and 111; at Tsar Krum, line 115; at Shumen, line 18; at Kaspichan, lines 19 and 207.
3. Sofiya/Radomir/Simitli	143 (b)	89 (b)	17 (i) 14 (j)	2.0	5° 8′	8	5	At Sofiya, lines 1, 2, and 104; at Pernik, line 105; at Vrba, line 4; at Dupnitsa, line 201; at Kocherinovo, line 202.
4. (Sofiya/Vrba on line 3) Vrba/ Gyueshevo	84	52	14	2.5	8° 7′	10	6	At Vrba, line 3.
5. Ilientsi/Makotsevo (k)	46	29	14	1.5	7° 0′	19	12	At Ilientsi, line 2.
6. Mezdra/Lom	119	74	14	2.2	8° 7′	11	7	At Mezdra, line 2; at Boichinovtsi, line 102; at Brusartsi, line 7.
7. Brusartsi/Vidin	87	54	14	2.5	6° 4′	10	6	At Brusartsi, line 6; at Vidin, line 101.
8. Yasen/Somovit/Nikopol	47	29	14	1.5	7° 0′	6	4	At Yasen, line 2.
9. Levski/Svishtov	48	30	14	1.5	5° 8′	12	8	At Levski, lines 2 and 10; at Oresh, line 109.
10. Levski/Lovech	47	29	14	1.5	7° 0′	16	10	At Levski, lines 2 and 9.
11. Zimnitsa/Dubovo/Sopot (I)	177	110	14	1.6	7° 0' (m) 3° 5' (n)	11	7	At Zimnitsa, line 12; at Dubovo, line 17; at Karlovo, line 107.
12. Plovdiv/Burgaz	293	182	14	1.2	6° 5′	15	9	At Plovdiv, lines 1, 14, 106, and 107; at Mikhailovo, line 16; at Stara Zagora, line 17; at Nova Zagora, line 113; at Yambol, line 114; at Zimnitsa, line 11; at Karnobat, line 18; at Burgaz, lines 118 and 209.
13. Krichim/Peshtera (0)	28	17	14	2.6	4° 4′	12	8	At Krichim, line 1.
14. Krumovo/Asenovgrad (†)	10	6	14	1.3	4° 4′	10	6	At Krumovo, line 1.
15. Rakovski/Momchilgrad	100	62	14	2.5	7° 0′	14	9	At Rakovski, lines 1 and 16.
16. Mikhailovo/Rakovski	31	19	14	1.5	5° 8′	10	6	At Mikhailovo, line 12; at Rakovski, lines 1 and 15.
17. Ruse/Stara Zagora (I)	258	160	14 (q) 17 (r)	2.5	7° 8′	15	9	At Ruse, lines 19 and 112; at Gorna Orekhovitsa, lines 2 and 111; at Tsareva Livada, line 110; at Dubovo, line 11; at Stara Zagora, line 12.
18. Shumen/Karnobat	133	83	14	1.2	4° 4′	10	6	At Shumen, line 2; at Karnobat, line 12.
19. Ruse/Varna	225	140	14	2.4	9° 1′	22	14	At Ruse, lines 17 and 112; at Kaspi- chan, lines 2 and 207; at Sindel, line 117; at Iovkovo, line 20; at Varna, line 116.
20. Iovkovo/Oborishte	52	32	14	(s)	(1)	14	9	At Iovkovo, line 19.
Total	2,751	1,708						

⁽a) Caribrod/Sofiya/Plovdiv.
(b) Plovdiv/Svilengrad.
(c) Dragoman/Belovo.
(d) Belovo/Svilengrad.
(e) Double Svilengrad.
(e) Double track, Voluyak/Iskr (short distance beyond station)—20 kms. (12 mi.).
(f) Sofiya/Gorna Orekhovitsa.
(g) Gorna Orekhovitsa/Kaspichan.
(h) Double track, Pernik to Vladaya—14 kms. (9 miles).
(f) Sofiya/Pernik.
(f) Pernik/Simitli (Izvorite).

^{*}See Plan VII - 1.

⁽k) Makotsevo/Sopot section under construction.
(l) Section, Dubovo/Tulovo—8 kms. (5 miles), forms part of lines 11 and 17.
Length of this section included only in line 17.
(m) Zimnites/Dubovo.
(n) Kazanlk/Karlovo.
(e) Section to Batak under construction.
(p) Projected to continue line to Ustovo.
(q) Ruse/Plachkovtsi.
(r) Plachkovtsi/Stara Zagora.
(s) No information.



TABLE VII - 17 BULGARIA, OTHER LINES (STANDARD GAUGE) AND THEIR CHARACTERISTICS*

L _{INB} No.	Lines	Lengt: Km.	H OF LINE MILES	Maximum Axle Load (Met. Tons)	Dist Bets	IMUM ANCE WEEN FIONS MILES	PRINCIPAL CONNECTIONS WITH THE FOLLOWING LINES
101	Vidin/Vidin Port	1.5	1	14	(a)	(a)	At Vidin, line 7.
102	Boichinovtsi/Berkovitsa	36	22	14	14	9	At Boichinovtsi, line 6.
103	Voluyak/Bankya	11.	7	14	(a)	(a)	At Voluyak, line 1.
104	Sofiya Loop Line	24	15	14	(a)	(a)	At Sofiya, lines 1, 2, and 3.
105	Pernik Branch Line	1.5	1	14	(a)	(a)	At Pernik, line 3.
106	(Plovdiv/Filipovo on line 12) Filipovo/Panagyurishte	71	44	14	22	14	At Filipovo, lines 12 and 107.
107	(Plovdiv/Filipovo on line 12) Filipovo/Karlovo	60	37	14	18	11	At Plovdiv, line 1; at Filipovo, lines 12 and 106; at Dolna Makhala, line 108.
108	Dolna Makhala/Khisar	11	7	14	(a)	(a)	At Dolna Makhala, line 107.
109	Oresh/Belene	13	8	14	(a)	(a)	At Oresh, line 9.
110	Tsareva-Livada/Gabrovo	17	11	14	(a)	(a)	At Tsareva-Livada, line 17.
111	Gorna Orekhovitsa/Leskovets	6	4	14	(a)	(a)	At Gorna Orekhovitsa, lines 17 and 2.
112	Ruse Loop Line (b)	5	3	14	(a)	(a)	At Ruse, lines 17 and 19.
113	Zlati-dol/Nova Zagora	62	39	14	23	14	At Zlati-dol, line 1; at Nova Zagora, line 12.
114	Yambol/Elkhovo	43	27	14	12	8	At Yambol, line 12.
115	Tsar Krum/Preslav	7	4	14	7	4	At Tsar Krum, line 2.
116	Sindel/Staro Orekhovo	28	17	14	(a)	(a)	At Sindel, line 19.
117	Burgaz/Pomoriye	25	16	14	(a)	(a)	At Burgaz, lines 12 and 209; at Sarafovo, line 209.
	Total	422 3,173	263 1.971				

Table VII - 18 BULGARIA, NARROW-GAUGE LINES AND THEIR CHARACTERISTICS*

Line No.	Lines	Lengt Km.	n of Line Miles	Maximum Axlb Load (Met. Tons)	Maximum Grade (Per Cent)	Maximum Curvature (Degrees)	Dis Bet Sta	TANCE WEEN TIONS MILES	Principal Connections with the Following Lines
201	Dupnitsa/Bobov-dol (a)	13 (b)	8 (b)	(c)	(c)	(c)	(c)	(c)	At Dupnitsa, line 3.
202	Kocherinovo/Rilski Mnastir (d)	41 (b)	26 (b)	(c)	(c)	(c)	(c)	(c)	At Kocherinovo, line 3.
203	Simitli/Petrich (e)	70 (b)	44 (b)	14	2	2° 5′	12	8	At General Todorov, line 204.
204	General Todorov/Kulata (f)	14 (b)	9 (b)	(c)	(c)	(c)	(c)	(c)	At General Todorov, line 203.
205	Saranovo/Chepino/Iztok/ Bansko (g)	115 (b)	72 (b)	14	3.0 (i)	34° 9′ (j)	15	9	At Saranovo, line 1; at Varvara, line 206.
206	Pazardzhik/Varvara	17 (b)	11 (b)	9.5	1.5	23° 3′	(c)	(c)	At Pazardzhik, line 1; at Varvara, line 205.
207	Cherven-Breg/Orekhovo	104 (b)	65 (b)	14	2.0	21° 8′ (k)	11	7	At Cherven-Breg, line 2.
208	Kaspichan/Tod. Ikonomovo (Krania)	57 (b)	35 (b)	(c)	(c)	(6)	11	7	At Kaspichan, lines 2 and 19; at Ruzhitsa, line 209.
209	Ruzhitsa/Bozhidar	8 (b)	5 (b)	(c)	(c)	(c)	9	6	At Ruzhitsa, line 208.
210	Burgaz/Sarafovo/Rudnik	24 (b)	15 (b)	(c)	(c)	(6)	(c)	(c)	At Burgaz, lines 12 and 118; at Sarafovo, line 118.
	Total Narrow Gauge		290 2,261						

(g) Line in course of construction beyond Bansko. No details available.
(b) Gauge 76 cm. (2 ft. 6 in.)
(j) Saranovo/Chepino. No details available for rest of line, but maximum almost certainly 3.0 per cent.
(j) Saranovo/Chepino. No details available for rest of line.
(k) Cherven-Preg/Bela Slatina.
(j) Bela Slatina/Orekhovo.

⁽a) No information.
(b) Section of loop not included in lines 17 and 19; all of which forms a loop line around Ruse.

^{*}See Plan VII - 1.

⁽a) Line is being converted to standard gauge.

(b) Gauge 60 cm. (1 ft. 11½ in.)

(c) No information.

(d) From Pastra/Rilski Mnastir, privately-owned line, operated by the government.

(v) Narrow-gauge continuation of standard-gauge Sofiya/Simitli line. At present, it is being converted to standard gauge.

(f) At present, it is being converted to standard gauge.

^{*}See Plan VII - 1.



 ${}^{\text{Table VII-19}}_{\text{BULGARIA, INTERNATIONAL CONNECTIONS WITH BULGARIA AND THEIR CAPACITIES*}$

BULGARIA, INTERNATIONAL CONNECTIONS WITH BULGARIA AND THARK STATE AND AVERAGE DAIL									
ЪС	LUM	ini, 11(1222-1222)	Number of Trains per	Average Weight per	Gross	NET LOAD PER TRAIN		Load in Each Direction	
BORDER STATION	Line	Connection	Day in Each Direction	Metric Tons	SHORT TONS	Metric Tons	Short Tons	Metric Tons	Short Tons
A. Yugoslavia 1. Caribrod	301	Niš/Beograd	16	770	847	385	424	6160	6776
B. Rumania 1. Vidin (b) 2. Boril or Gigen (c) 3. Nikopol (b) 4. Svishtov (b) 5. Ruse 6. Turtucaia (c) 7. Oborishte	302 303 304 305 306 307 308 309 310	Calafat/Craiova (/București) Corabia (/București)/Piatra Olt Turnul Magurele/Roșiorii de Vede (/București) Zimnicea/Roșiorii de Vede (/București) Train Ferry; Ruse/Giurgiu Giurgiu/Videle (/București) Giurgiu/București (/Ploești) Oltenita/Mogoșoaia/București Botevo/Dobrich/Medgidia (/Constanța and București)	12 12 12 10 16 16 16	880 440 440 660 440 660 880 660	968 484 484 726 484 726 968 726	440 220 220 330 220 330 440 330	484 242 242 363 242 363 484 363	7040 2640 2640 3960 2200 5280 7040 5280	7744 2904 2904 4356 2420 5808 7744 5808
C. Grebce 1. Svilengrad	311	Ormenion/Píthion/Alexandroúpolis/ Istanbul	. 10	550	605	275	303	2750	3025
2. Kulata	312	Sidhírókastron/Alexandroúpolis (Borisgrad) and Thessaloníki	. 10	550	605	275	303	2750	3025

Table VII - 20 BULGARIA, COMPARISON OF RAILROAD DENSITY TO OTHER COUNTRIES

BULGARIA, COMPARISON	01 11111111			Ratlroad Mileage	Railroa: per 100	MILEAGE
	Arba Sq. M1.	Population	Population per Sq. Mi.	Miles	Sq. M1.	Population
COUNTRY Bulgaria	39,825	6,385,000	160 (For Cor	2,261 aparison)	5.7	3.5
Rumania. Yugoslavia Italy France. United Kingdom. United States. Germany (proper).	113,884 95,849 119,764 206,776 96,000 3,027,000 186,080	19,933,000 15,400,000 42,445,000 39,300,000 47,485,000 131,669,000 73,692,000	175 161 360 190 494 43 395	7,068 6,468 14,255 27,307 20,682 251,819 38,884	6.2 6.8 11.9 13.3 21.5 8.3 20.8	3.6 4.2 3.2 7.0 4.4 18.6 5.3

Table VII - 21 BULGARIA, PRIVATE INDUSTRIAL AND OTHER RAILROAD SIDINGS

A. STANDARD GAUGE

				11.	OIZILIDI	III O					
Т	YPE OF		Point of Junction Railroad Station	Leno Mer.	тн Үрв.		Type of blishment	Owner	Point of Junction Railroad Station	Leng Met.	тн Үрэ.
ESTAI	BLISHMENT	OWNER	KAILROAD STATION	IVEE .			s.c. 1	Petrol	Burgaz Port .	390	426
2	Ceramics Sugar mill Distillery Distillery Steam mill	Izidk Sugar Co. T. Balabanov Holding Co. P. Petrov	Novoseltsi Zaharna-Fabrika Mezdra Plovdiv Yambol	663 595 866 207 465	725 651 947 227 508 294	21	Mineral oils Petroleum Steam mill Great mills Mill Steam mill	Petrol A. Peltekov Holding Co. Stoyanov Brothers Keleshov Brothers	Ruse Plovdiv Burgaz Kreta Chirpan	1,335 533 1,072 133 218	1,460 583 1,173 145 238
6	Steam mill	Bonev-Penchev	Kharmanli	269	669	26	Mill	R. Lambrev	Kyustendil	190	208
7	Steam mill	Nadezhda	Voenna-Rampa	612	586	27	Mill (water	N. Sapundzhiv	Ferdinand	223	244
8	Former distillery		Gorna Orek- hovitsa Gorna Orek-	536 4,825	5,279	28	and steam) Chemical	Company for	Kostinbrod	470	514
9 10 11	Sugar mill Cement Elevator	Bulgarian Czech Company Granitoid Food Export	hovitsa Batanovtsi Blgarovo	358 2,695	391 2,948	29	Repair shop for cars and	Chemical Production Cars and Engines Factory, Holding	Sofiya	588	643
12	Sugar mill	Directorate Bulgarian Co. Brewing Co.	Filipovo Shumen	2,883 5,510	3,153 6,028	30	engines Portland ce-	Company Granitoid	Podueni	327	357
13 14	Brewery Sugar mill	Sugar Co.	Ruse	1,641	1,795 279	31	ment depot Vegetable oil	Refina	Varna	380	415
15	Steam mill	Bulgarian Com- mercial Bank	Cherven-Breg	255 183	200	32	factory Petroleum	Petrol	Plovdiv	194	212
16	Vegetable oils	Olivia Rabotnik	Zemen Voennen Arsenal	_	262		depots	D. I A ceri	Belozem	218	238
17 18	Bricks Military line	Ministry of War	1.5 km. beyond	715	782	33	Petroleum	Bulgarian Agri- cultural Bank	Delozeid		
19		Mining Co.	Vrattsa Plachkovtsi	685	749	34	depot Mill	Record	Gavren	285	312

⁽a) Trailing weight (not including locomotives and tenders).
(b) No through connection across the Danube.
(c) No railroad connection in Bulgaria and across the Danube.

^{*}See Figure VII - 4.



	_			TAI	BLE VII -	21 (0	ontinued)				
	Type of Establishment	Owner	Point of Junction Railroad Station	Le: Mer.	мотн Yds.	F	Type of Stablishment	Owner	Point of Junctio Railroad Statio	n I	ENGTH
35	Repair shop for railroad cars and engines	Factory of rail-	Kr. Batalion	195	213	56	Sugar mill	Bulgarska Zakha	r Dolna Mitro-	1,28	
	and engines	road cars and engines				57	Mill	Br. Badzhev	poliya Sofiya		
36	Glass factory		- .			58	Vegetable oils	Rafina	Podueni	31-	
37		Holding Company Tundzha		1,136	1,243	59		Tsar Boris	Varna	30	- 551
38		Ustrem	Yambol	261	285	60		Klanitsa	v arna Podueni	40	
39		Electrical Com-	Devna	654	715		(Sofiya)	111111111111111111111111111111111111111	rodueni	590	652
-		pany in Sofiya and Bulgaria	Kurilo	1,301	1,423	61		Bulgaria-Belgian Co. Cristal	Km. 34.390 on line Sofiya/	262	2 286
40	Nail factory	Veriga	Burgaz	332	363	62	Bed factory	4	Gor. Dzhumaya		
41	Rice mill	Maritsa	Filipovo	408	446	63	Paper mill	Azmanov	St. Zagora	52	57
42	Petroleum depo		Burgaz	184	201	64	Petroleum depot	Maritsa	Kostenets-Banya	117	128
43 44	Mill	Orient	Levski	247	270	0.4	retroteum depot	Petrol	Voenna-Rampa	840	918
44	,	Koralovag	Varna	707	773	65	Paper mill	Sam Patak	(Sofiya)		
	locomotive and					66	Depot	Granitoid	Belovo	140	
45	car factory	T1: m					_ cpot	Grannond	Kr. Batalion	80	87
46	Tile factory Power station	Iliev Brothers	Brusartsi	528	577	67	Tube factory	Bulgarian Tube	(Sofiya)		
47	Bricks and tiles	Vucha	Plovdiv	1,405	1,537			Industry	Dragalevtsi	130	142
48	Ore depot		Plovdiv	462	505	68	Rice mill	Company for	(Sofiya)		
49	Coal	Plakalnitsa	Burgaz	88	96			Industry and	Filipovo	330	361
50	Coal mine	Mina Pernik	Pernik	2,852	3,120			Commerce			
51		Cherno More	Burgaz Port	386	422	69	Oil refinery	First Bulgarian	Ruse		
,,	and preserves	A. M. Chaliovsky & Sons	Burgaz	405	443			Co. for Petroleum	Ruse	400	437
	factory	& Sons						Industry			
52	Privileged	Gvardin &				70	Ceramics	Napreduk	Kaspichan		
-	export	Ramchikan	Levski	248	271	71	Public ware-	Community of	.Sofiya	60	65
	slaughterhouse	капіснікап					house	Sofiya	.sonya	460	503
53	Cement	Lev	*			72	Textiles	Prince Kiril	Kurilo	244	2.5-
54		Mikhov, Tchev-	Lev	632	691	73	Ceramics	Iv. Zhelezarev	Pleven	244 206	267
٠.	factory	venkov & Kolichev	Filipovo	157	172	74		Nacho Nachev	Ruse	323	225
55	Mill	Bugarchev's Sons							rease	343	353
		Dugarchev & Solls	Podueni	426	466		Total			50,328	55,038
				В. 3	NARROV	V GAI	JGE				
1	Tile factory	G. Dimitrov	Km. 75.938 on line								
			Dunning /D. 11	560	613	5	Caolin factory	Co. Caolin Varna	Bozhidar	150	164
2	Ceramics	Kitka	Dupnitsa/Petrich Novi/Pazar	1		6		A. Palankov	Km. 37.725 at	_	
			Km. 37.725 at	165	181			********************************	Ladzhene station	63	68
-			Ladzhene station,	68	74				nadznene station		
4	Wool works	Yundola &	Km. 37.725 at				T 1				
			Ladzhene station	50	55		Total			1,056	1,155
			THE STATION				Grand total			51,384	,
										2-1201	JU,1JJ

	Bu	OF SECTIONS LGARIA	PER CENT OF TOTAL LENGTH OF LINE				
A. Standard Gauge	Км.	Mı.	Bulgaria	GERMANY	ITALY	RUMANIA	Yugoslavia
Level Sections Sections on Grades	817	508	27.9	27.2	22.6	28.5	39.6
(a) Up to 0.5% (b) 0.5 to 1%	802 518	498 322	27.4 17.7	39.7 19.7	37.7 20.3	46.7	37.1
(c) 1 to 2.5%(d) Over 2.5%	791 —	492	27.0	12.6	17.3	16.7 8.0	12.7 10.0
Total Total Standard Gauge	2,111 2,928	1,312 1,820	72.1 100	72.8 100	2.1 77.4 100	0.1 71.5 100	0.6 60.4
B. NARROW GAUGE					100	100	100
Level Sections Sections on Grades	119	74	27.1	21.6	20.5	29.4	21.6
(a) Up to 0.5% (b) 0.5 to 1%	77 70	48 44	17.6 16.0	23.2 16.0	7.3	30.6	34.1
(c) 1 to 2.5%(d) Over 2.5%	173	107	39.3	32.2	6.0 42.1	22.0 17.9	18.1 · 23.5
Total Total Narrow Gauge.	320	199	72.9	7.0 78.4	24.1 79.5	0.1 70.6	2.7 78.4
Grand Total.	439 3,367	273 2,093	100 100	100 100	100 100	100 100	100

BULGARIA, WATER SUPPLY FOR LOCOMOTIVES, 1935

TABLE VII - 23

NUMBER OF SPOUTS 6 Incress 4 Incress Others	
OF SPC 4 Incres	0
NUMBER 6 Incers	2 2 1
8 Inches	8 8 1 1 1 1 1 1 1
ACITY Over 3,530 Cu. Fr.	2 4
RESERVOIR CAPACITY SELOW 1,765 TO OVER 1,765 3,530 3,530 Cu. Fr. Cu. Fr. Cu. Fr.	4 1 8 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
RESERV Below 1,765 Cu. Fr.	Hine 6.
Міхво	1 10 4 2 4 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
RIVER WATER	1 1 1 1 1 1 1 1 1 1
SOURCE Well Water	1 10 8 8 8 8 1 1 2 8 8 8 8 1 1 1 1 1 1 2 7 2 7 1 1 1 2 5 4 4
Spring Water	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mixed Grav. And Mech.	-
METHOD OF SUPPLY MIXE GRAN RAVI- MECHAN- AND ATTON ICAL MECI	21 8 9 7 1 1 1 8 8 1 1 5 7 5 8 5 7 7 1 1 1 7 8
METHC Gravi- 1	1 1 8 1 1
Max. Dist. Between Stations (Miles)	8 8 4 4 8 6 6 6 6 6 7 8 7 1 8 8 8 4 4 7 8 8 5
No. of Water Stations	TI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Length in Miles	26 7 7 7 7 7 7 7 7 7 7 7 7 7
LINB	Caribrod Svilengrad Voluyak Bankya. Sofya Loop Line Krumovo Asenovgrad Rakovski Momchilgrad Sofya Varna¹ Iovkovo Oborishte Sindel Saro Orehovo G. Orekhovitsa Leskovets Pleven Samovita² Sofya Makotsevo² Ruse StZagora Talovo Kazanlk¹ Dubovo Ziminisa⁴ Plovdiv Rayalkolo¹ Ruse StZagora Zalatidol. Plovdiv Karlovo³ Sofya Gyueshevo³ Sofya Gyueshevo³ Sofya Gyueshevo² Sofya Gyueshevo² Sofya Sishtov Bordin Brusartsi Lom³ Boichinovtsi Berkovitsa Radomir Dupuitaa³ Svishtov Lovech Svishtov Delene³ Svishtov Delene³ Sofsty Sasen (line 2). TOTAL TOTAL TOTAL Se Sofya Jime 11.
No. or Line	1 CG 104 SS 104 SS 104 SS 105 SS 105 SS 106 SS 107 SS 107 SS 107 SS 107 SS 107 SS 108 SS 108 SS 109

Includes Kaspichan/Varna section of line 19 (Ruse/Kaspichan/Varna).
Includes Pleven/Yasen (Jine 2).
Spliculdes Sofiya/Ilientsi (Jine 2).
Section of line 11.
Includes Plovdiv/Filipovo, section of line 12.
Includes Sofiya/Vrba (Jine 4).

^{*}Note: Greatest distance between stations on lines is 33 miles—one line, 39 miles long (Nova Zagota/Zlatidol), has no water station.



		of Sections Garia						
A. STANDARD GAUGE	Км.	Mı.	BULGARIA	PER CENT OF TOTAL LENGTH OF LINE GERMANY ITALY RUMANUA VIOLEN				
				GERMANI	ITALY	RUMANIA	Yugoslavia	
Straight Sections. Sections on Curves	1,906	1,184	65.1	66.7	60.0			
(a) With radius of 500 meters				00.7	68.9	77.0	73.2	
(1 640 4 fr. 38 204)								
(1,640.4 ft.; 3° 30') and over(b) With radius less than 500 meters	451	280	15.4	20.7	10.5			
(1.640.4 (c. 20.00)) meters			-5.1	20.7	18.5	10.5	12.3	
(1,640.4 ft.; 3° 30')	571	355	19.5	12.6	10.4			
Total Standard Communication	1,022	635	34.9	33.3	12.6	12.5	14.5	
Total Standard Gauge B. Narrow Gauge	2,928	1,819	100	100	31.1	23.0	26.8	
2: TIRROW GAUGE		72	100	100	100	100	100	
1. Straight Sections.	269	167	61.3	50.0				
2. bections on curves		107	01.5	59.9	50.7	74.4	61.3	
(a) With radius of 500 meters								
(1,640.4 ft.; 3° 30′) and over	11	7	2.4					
(D) WITH FACIUS less than 500 meters		,	2.4	6.1	20.2	3.6	8.8	
(1,640.4 ft.; 3° 30′)	159	99	36.3	2.4.4				
	170	106	38.7	34.0	29.1	22.0	29.9	
I Utal I Naltow (121196	439	273	100	40.1	49.3	25.6	38.7	
Grand Total	3,367	440	100	100	100	100	100	
	-,1	770	100	100	100	100	100	

TABLE VII - 25 BULGARIA, STANDARD- AND NARROW-GAUGE LOCOMOTIVES AND RAILCARS, 1938

			3 HOGE LOCOMOTIVES AND RAILCARS, 1938	3	
I. LOCOMOTIVES 1. TENDER LOCOMOTIVES	Standard Gauge Number	Narrow Gauge Number	2. Tank Locomotives	Standard Gauge Number	Narrow Gauge Number
2 coupled axles (2 pairs of drivers)	2 coupled axles (2 pairs of drivers) 1 3 coupled axles (3 pairs of drivers)		3		
3 coupled axles (3 pairs of drivers)	1		5 coupled axies (5 pairs of drivers)	83	17
5 coupled axies (5 pairs of drivers)	21		4 coupled axles (4 pairs of drivers)	3	85
4 coupled axles (4 pairs of drivers)	151		5 coupled axles (5 pairs of drivers)	34	6
5 coupled axles (5 pairs of drivers)	167		6 coupled axles (6 pairs of drivers)	22	
m			Total Total D		
Total Tender Engines	340		Total Tank Engines	142	111
			Total Number of Locomotives. II. RAILCARS	482	111
			Internal Combustion	4	

Series	Түре	Builder	Locomotive Numbers	Date of Construc- tion	ment*	(Shor Engine	F, Empty RT Tons) Tenders	Total	Axle Load (Met. Tons)	Brakes ³	Maximum Speed (M.P.H.)	WATER (Cu. Ft.)	OF TANKS COAL (SHORT TONS)	MATE NUM-
T76 2/2 T76 3/4 T76 4/4 T76 5/5	Switching Mixed tr. Mixed tr. Mixed tr.	? ? ? Ceskomoravska Praha; Berlin, M.A.G.	? ? ? 501-506	? ? ? 1927	0-4-OT 2-6-OT 0-8-OT 0-10-OT	2′ 6″ G 19.9 33.0 22.5 51.8	GAUGE — — — —	19.9 33.0 22.5 51.8	9 9 5 9.5	L. L. L. L. or L.H.	under 31 under 31 under 31 under 31	213.5 140.0 140.0 213.5	2.2 .9 .9 2.2	1 10 1 6
T60 2/2 T60 3/3 T60 4/4 ¹	Switching Mixed tr. Mixed tr.	? ? Henschel²	? ? 401-500 1001-1150	5	0-4-OT 0-6-OT 0-8-OT	7.1 7.1 9.9 14.7	Gauge — — —	7.1 9.9 14.7	3.3 3.0 3.3	L. L. L.	under 31 under 31 under 31	10.5 31.5 38.5	0.16 0.27 0.33	3 9 91 or less

Total Narrow-Gauge Locomotives 121

³Brake Legend: L.—Hand lever. H.—Hardy (vacuum).

Table VII - 27 BULGARIA, STANDARD- AND NARROW-GAUGE PASSENGER AND BAGGAGE CARS, 1938

					THOSE IMPORTAGE WIND BYC	GAGE C	ARS. 193	8	
		ER CARS	BAGGAG				,		
	STANDARD GAUGE	Narrow Gauge	Standard Gauge			Passeng Standard		BAGGAG STANDARD	
2 axles	192	-	159	GAUGE		Gauge	GAUGE	GAUGE	Narrow Gauge
3 axies	270	_	67		Average number of axles per car				
4 axles	117	120	19	50	Total number of seats		2 027	2.43	4
			_		Seating capacity per car	53.6	2,937 24.5		
Total	589	120	245	50	· · · · ·	33.0	27.5		

First are 64 tenders for attachment to these tank locomorives; weight empty 11.5 short tons, capacity 175 cu. ft. and 1.6 short tons coal. ²Germany.

^{*}Whyte's Notation (American System).



	, 1937
TABLE VII - 28	A, TYPES OF STANDARD-GAUGE LOCOMOTIVES,
	Q.
	TYPES
	BULGARIA,

Remarks	Rebuit 1933 (Sofiya) 23 Possibly some by Hanomag Poor condition	Poor condition Obsolete		9 rebuilt 1933/6 Pernik Line Used on Trans-Balkan Line. Tz 6/9 and Pc 5/6 have interchangeable parts
Number of Locomotives in Each Class	$ \begin{array}{c} 17 \\ 11 \text{ to } 13 \\ 2 \\ 4 \\ 42 \\ 29 \\ 71 \\ 10 \\ 10 \\ 86 \\ 6 \end{array} $	$ \begin{array}{c} 4 \\ 1 \\ 31 \\ 16 \\ 31 \end{array} $	$ \begin{array}{c} 37 \\ 18 \\ 20 \\ 38 \\ 25 \end{array} $	3 10 12 482
COAL HORT TONS	7.0 11.0 12.1 12.1 12.1 5.6 11.0 8.8 7.7 7.7 7.7	6.6 6.6 7.1 6.6 6.6 6.6	6.6 (1.5) (2.2) (2.2) (2.2) (2.2) (3.2) (4.2)	(5.5) (5.5) (5.5) (11.0) nottives
TENDER Capa Water Cu. Ft.	63.7 700 1050 1050 1050 336 700 630 630 577.5 630 1050	367.5 630 339.5 595 525 525	525 (182) (245) (245) (245)	5. 19-31 — (315) (5.5) 19-31 — (315) (5.5) 7. 28 — (420) (5.5) 7. 40 — (630) (11.0) Total Standard-Gauge Locomotives
No. of Axles	444 4400000044	<i>w</i> 4 ∞ ∞∞∞	ε	ard-Ga
Maximum Spreed No. of (M.P.H.) Axias 1	37-56 37-56 37-56 37-56 37-56 37-56 37-56 37-56 37-56 37-56	19-31 19-31 19-31 31-37 19-31 19-31	19-31 19-31 19-31 31-37 31-37 31-37	19-31 19-31 28 40 40
Brakes'	H-W H-band H.L.K. H.L.K. H.L.K. H.L. K.L. H.L.K. H.L.K. H.L.K.	L. W. H.L. H.L. H.L.	<u>,</u> 1 1 1 1 1 1 1 1 1 1 1 1 1	H.L.S. L. L.K. H.L.K. To
Axia Axia Load (Mer. Tons)	14 11 17 17 17 18 16 16 16 17 17	12.2 14 14 14 14 14 14 14 14 14 14 14 14 14 1	41 44 44 44	15 14.5 17 17
A	122.4 146.7 185.3 185.1 188.2 80.0 148.0 106.7 146.7 138.6 185.9	84.5 122.9 96.6 119.6 113.2	113.2 IIVES 47.7 47.7 74.0 74.0	79.8 79.8 111.1 163.9
Total In Ser Canar Tova (Seor Tova) (Seor Tova) (Seor Tova) (Seor Tova) (A. Tender Locomotives)	88.1 103.5 130.2 130.2 133.3 104.3 123.7 129.7 132.5	62.3 89,4 87.2 84.3 84.3	18.3 84.3 113. TANK LOCOMOTIVES - 34.8 47 - 34.8 47 - 56.3 74 - 56.3 74 - 56.3 74	57.8 63.4 84.1 122.1
TT (SHO: ENDER	4.7 23.5 30.2 30.7 31.3 14.3 22.0 20.2 20.3 20.3 20.3	13.9 22.8 14.8 14.8 18.3	18.3 TANK	1-111,
WRIGHT EMPTH (SHORT TONS) ENGINE TENDER TOTAL. A. TENDER LOCOM	63.4 80.0 100.0 97.8 102.0 41.0 82.3 52.7 79.2 83.6 100.4	66.6 66.6 67.1 66.0	B.	57.8 63.4 84.1 122.1
WHEBL ARRANGE- MENT*	4 + 4 + 6 + 6 + 6 + 6 + 6 + 6 + 6 + 6 +	0.80 0.80 0.80 0.100 0.100	0-10-0 0-6-OT 0-6-OT 2-6-2T 2-6-2T 2-6-2T	2- 8-OT 0-10-OT 0-12-OT 2-12-4T
Госомотич Мимвек	1,20 21 8.001-8.013 8.013-8.025 1.881/5 843-74 901-970 9.001/100			1401-3 3001-25 3501-10 4001-10
DATE OF CONSTRUC- TION	1904 1901/9 1931/2 1935/ 1935/6 1913/8 1911/6 1911/8 1931/8	1897/9 1890/9 1891-1908 1901/9 1901/9 1911/20	1897-1910 1925 1897 1910/16 1920/16	1921/9 1917 1922 1931/2 ((b))
Випрек	Maffeit Cockerilla Hanomagi Hanomagi d VII - 22) Pieraska³ (British ?) Henschelt Henschelt Henschelt Hanomagi Schwarzkopf " and Krmot		ing Maffei Pass. Hanomagi (Illust. VII - 17) ing Ceskomoravska' pass. Hanomagi pass. Amomagi Schwartzkopf	Ħ F
Typs	Express Maffeit Cockeril Express Cockeril Cockeril Express Hanoma Express Prieraska Passenger Hensche Passenger Schauser	Freigl Freigl Freigl Mixes Freigl Freigl	Freight (Illust. Switching Switching Local pass. Local pass.	Freigh Switcl Heavy Mixec
Series	Sc 3/5 Sc 3/6 Sz 4/6 Sz 4/6 Sz 4/6 Sd 4/6 Sd 4/6 Sd 4/5 Sd 4/5 Sd 4/5 Sd 8/3 Pc 4/5 Pc 4/5 Pc 4/5 Pc 4/5 Pc 4/5 Pc 4/5 Pc 4/5 Pc 4/5 Pc 3/6	Gz 4/4 Gz 2X2 Gc 2X2 Gc 4/4 Gc 4/7 Gc 4/5 Gc 5/5	GC 5/5 GC 5/5 Tz 3/3 Tz 3/5 Tz 3/5 Tz 3/5 Tz 3/5	Tz 4/5 Tz 5/5 Tz 6/6 Tz 6/9

'Brakes Legend: L.—Hand-lever.
H.—Hardy (vacuum).
K.—Knort (compressed air.

*Austria.
*Czechoslovakia.
*Figures in parenthesis: tank capacities of tank locomotives.
*Whyte's Notation (American System). Sn also Illustrations 17 - 22.

2 axles..... (a) 3 axles..... (a)



		BLE VII -				Table VII - 31 (Continued)							
BULGARI	A, TYPE	ES OF ST	ANDARI	D-GAUG	E								
	PASSEN	GER CA	RS, 19 3 7				STAND		UGE ERAGE	NARI	row Gauge Average	R	
				Average	Average Tare Wt.				ADING		Loading	+	
		No. ат	Average	Seating	PER CAR				PACITY		Capacity Metric		
Series		End of Year	No. of Axles	Capacity per Car	Metric Tons	Series	Number		ONS	Numbe			
I. Private cars				TER ONK	TONS	4 axles	(a)			141			
(3 axles		6	3		17.1	Total	4,256	1	14.8	141			
S 4 axles		5	4		17.1 38.4	Average number of axles							
6 axles		í	6		56.4	per car	2			4			
						B. Open cars							
Total		12	(3.7)		(29.2)	2 axles	(a)						
II. Passenger cars						4 axles	(a) (a)			9.40	. —		
2 axles	• • • • • • •	6	2	25	20.6	Total	5,083	1	7.6	840 840			
AB{3 axles		35	3	28.2	20.1	Average number of axles	3,003	-	.,.0	040	(4)		
(4 axies		44	4	42.4	38.4	per car	2.05	, .		4			
Total		85	(3.4)	(34.7)	(29.2)	C. Special cars	63	1	3.4	48			
B 3 axles		12	3	32.1	19.8	Average number of axles							
BC 3 axles		7	3	49.5	15.3	per car	2	-	_	4			
PC 3 axles		5	3	30.0	16.5	Total owned by national		_					
,					-5.5	railroads Number of axles per car	9,402	1	.6.2	1,029	(a)		
2 axles		164	2	65.2	20.4	—all cars	2.03	_		4			
C {3 axles		204	3	57.9	18.9	D. Private cars	2.05			4			
(4 axles	• • • • • • • •	64	4	86.6	39.2	(Operated on national							
Total C Series		432	(2.8)	(45.0)	(22.7)	railroads)	181			285			
TOTAL II		541	(2.9)	(58.9)	(23.5)	Average number of axles				20)			
Grand Total I ar		553	(2.9)	(57.1)	(23.5)	per car	2.22	-	_	4			
III. Service cars				()	(-5.5)	Grand Total	9,583	-		1,314			
Hospital, prisoner	and wrec	kage cars (not includ	led above)		(a) No information.							
Sa 3		1	3	_ ^	24.0	()							
Sb 2		4	2		14.0	T	***						
Sb 3 Sb 4		9	3	_	15.9		BLE VI						
Sb 4 Sz 3		1 1	4	_	32.8	BULGARIA, TYPI				-GAU	GE		
FSA 2		6	3 2		16.5 11.0	PREIC	HT CA	IKS, 1	937		Aver		
FN 2		12	2		10.2						TARE	3	
FN 4		5	4		20.0	-		No.	Aver.	No.	AVER. WT.		
							1	AT End of	No. or	With Hand-	WT. PER METRIC CAR		
Total		39	2.6		14.6	Series		YEAR	Axles	BRAKES	Tons Metr	IC	
Special cars						A. Box cars					Ton	S	
WL and WR (sleep						(Standard how are		3,696	2	1,833	15.0 10.0	n	
dining cars)	• • • • • • • •	21	4		36.4	F (Large box cars		4	4	4	20.0 17.2		
	т	3711				Fo Cars for raisins		302	2	256	15.0 9.8		
BULGARIA,	LADES C	BLE VII -	30 34 D.D. C.	ALICE		Fg Cars for fowl		71	2	71	11.0 12.6	5	
A)	ND BAG	GAGE C	JAKU-G.	AUGE M	IAIL	Fk Refrigerator cars		62	2	62	13.2 17.8		
711	ND DAY	ONOL C	11KO, 195) /	Average	G Livestock cars E Cars for bulk commodi		10 129	2	10	15.0 12.4		
					TARE WT.	E Cars for bulk commodit	iles	129	2	129	15.0 11.6)	
	NO. AT END OF	Av. No.	No	. WITH	PER CAR METRIC	Total		4.274	(2.0)	2,365	(14.8) (9.8	ر در	
	YEAR	of Axles		DBRAKES	Tons	B. Open cars		.,_, .	(=)	-,505	(11.0)	'	
I. Mail cars						J Standard							
2 axles	2	2		2	22.6	15-ton capacity		1,862	2	798	15.0 7.8	3	
P. 3 axles	21	3		21	18.0	20-ton capacity			2	1,148	20.0 8.4		
4 axles	17	4		17	34.8	JK Cars for lumber		125	2	61	15.8 9.6	5	
			-			L Cars for large commodi	ties	98	2	47	16.0 8.4	Į.	
Total	40	(3.4)		40	(25.5)	K Flat cars		20					
II. Baggage cars						2 axles		2 0 77	2 4	3 68	15.0 8.6		
2 axles	110	2		.10	14.0	Ob Gravel cars		48	4	48	34.8 17.6 30.0 18.8		
D {3 axles 4 axles	46 2	3 4		46 2	15.6	M Cars for stone, etc		804	2	244	14.8 8.2		
7D 2 axles	47	2		47	31.2 10.4		-					_	
		4-	_	• /		Total		5,163	(2.1)	2,417	(17.9) (8.6	(i	
Total	205	(2.2)	2	.05	(13.4)	C. Tank cars							
		. ,			/	Ww For water		2	2	2	10.0 6.8	3	
	TAI	BLE VII -	31			Gw For manufactured gas		6	2	6	- 17.2		
BULGARIA, S				OW-GAT	IGE	Pw For petroleum products		55	2	55	15.0 12.0)	
	FREIG	HT CARS	, 1938	0210		Total	-	62	2		12 4 12 2		
		Standard	Gauge	Narrow	GAUGE	**************************************		63	2	63	13.4 13.8	,	
			Average		Average	GRAND TOTAL (A, B, and C)		9,500	(2.0)	4,845	(16.0) (9.0	ñ	
			Loading Capacity		Loading Capacity	D. Service cars		,	()	.,-,5	(-0.0) (2.0)	-	
Course			METRIC).T	Metric	Z 3 and 4		3	4	3	14.8 44.0)	
Series A. Box cars	1	Number	Tons	Number	Tons	Sm 2 axles		1	4	í	— 66.5		
						Do 3 axles		3	2	2	17 4	4	

Z 3 and 4...
Sm 2 axles...
Do 3 axles...

3 4 1 4 3 2

3 14.8 44.0 1 — 66.5 3 — 17.4

7 (-) (36.0)

Table VII-32 (Continued)	Aver. Tare	Table VII-34 (Continued)	Size*
No. Aver.	No. Aver. Wt.	12. Plovdiv/Burgaz	
at No.	WITH WT. PER	(a) Plovdiv	medium
End of of	HAND- METRIC CAR BRAKES TONS METRI	(b) Stara-Zagorasn	nan-meuru
Series Year Axles	Tons	(c) Nova Zagora	small
		(d) Yambol	small
pecial cars Cars for fowl 9 2	9 12.0 13.	(a) Zimpites	(a)
g Cals for lowi	30 15.0 7.	(f) Burgaz	medium
JW Cars for coment	117 15.0 8.	13. Krichim/Peshtera (c)	
W Cars for petroleum produces.		14. Krumovo/Asenovgrad (c)	
Fk Refrigerator cars	3 15.0 15.	15 Rakovski/Momchilgrad	
	150 (146) (76	(a) Rakovski	small
Total 161 (2)	159 (14.6) (7.6	(b) Momchilgrad	(a)
	(0.1.5) (0.1		
Grand Total Freight Cars 9,668 (2)	5,011 (16.0) (9.0	16. Mikhailovo/Rakovski (a) Rakovski	small
Table VII - 33			-
BULGARIA, REPAIR SHOPS	*	17. Ruse/Stara-Zagora (a) Rusesi	mall-medii
	,	(a) Ruse	(a)
A. Major work shops	and care	(b) Bela	medium
1. SofiyaLocomotives	and cars	(c) Gorna Orekhovitsa	
2. PlovdivLocomotive	•	(d) Tsareva-Livada	(a)
3. Gorna OrekhovitsaLocomotive	}	(a) Plachkowsei	(a)
B. Running repair shops		(f) Stara-Zagoras	mall-medi
1. Radomir		18. Shumen/Karnobat	
2. Burgaz		(a) Shumen	small
3. Stara-Zagora		(a) Shumen (b) Karnobat	(a)
		10 P (V/	
4. Ruse		19. Ruse/Varna (a) Ruses	mall-med
5. Varna		(a) Ruse	small
C. Private repair shops	rina Co.)	(b) Kaspichan	mediun
1. Drenovo	1114 CO.)	(c) Varna	mediuii
2. VarnaCars (Koral	ovag Co.)	20. Iovkovo/Oborishte (c)	
		101. Vidin/Vidin Port	
See Plan VII - 1. TABLE VII - 34		(a) Vidin	small
BULGARIA, ROUNDHOUSE	\S†	102. Boichinovtsi/Berkovitsa	
BULGIKIN, ROCHBIICCE	Size*	(a) Berkovitsa	(a)
C . :1 1 /C-rilan and			
. Caribrod/Svilengrad (a) Dragoman	(a)	103. Voluyak/Bankya (c)	
(a) Dragoman		104. Sofiya Loop Line	1
(b) Sofiya	small	(a) Sofiya	large
(c) Saranovo		105. Pernik Branch Line	
(d) Plovdiv	small	(a) Pernik	mediur
(e) Rakovski	Siliali	106. (Plovdiv/) Filipovo/Panagyurishte	
(f) Zlati-dol	(a)	(a) Plovdiv	mediur
(g) Svilengrad	small	(a) Plovdiv	
Sofiya /Kaspichan (/Varna)		107. (Plovdiv/) Filipovo/Karlovo	mediu
(a) Sofiva	large	(a) Plovdiv	meara
(b) Mardra	sman	108. Dolna Makhala/Khisar (c)	•
(a) Channam Brown	(4)	109. Oresh/Belene (c)	
(d) Pleven	small-medi	110. Tsareva-Livada/Gabrovo	
(e) Levski	(a)	(a) Tsareva-Livada	(a)
(f) Gorna Orekhovitsa	medium	111. Gorna Orekhovitsa/Leskovets	
(1) Gorna Oreknovitsa		(a) Gorna Orekhovitsa	mediu
(g) Shumen			
(h) Kaspichan		112. Ruse Loop Line	emall_me
(i) Varna	·····	(a) Ruse	311111111111111111111111111111111111111
3 Softva/Radomir/Simitli		113. Zlati-dol/Nova Zagora	(3
(a) Softra	large	(a) Zlati-dol	(a)
(b) Pernik	medium	(b) Nova Zagora	smal
(c) Radomir	(4)	114 Yambol/Elkhoyo	
(d) Simitli (b)	(a)	(a) Yambol	smal
4. (Sofiya/) Vrba/Gyueshevo			
(a) Gyueshevo	small	115. Tsar-Krum/Preslav (c)	
(a) Gyuesnevo		116. Sindel/Staro Orekhovo (c)	
5. Ilientsi/Makotsevo (c)		117. Burgaz/Pomoriye	medi
6. Mezdra/Lom	small	(a) Burgaz	mean
(a) Mezdra	(a)	201. Dupnitsa/Bobov-dol (c)	
(b) Boichinovtsi		202. Kocherinovo/Rilski Mnastir (c)	
(c) Brugartei	sman	202. RUCHERINOVO/REIGHT THIRDER (C)	
(d) Lom	small	203. Simitli/Petrich	
7 Beneartei/Vidio		(a) Simitli (b)	
(a) Remonerei	small	204. General Todorov/Kulata (c)	
(b) Vidin	small	205. Saranovo/Chepino/Iztok/Bansko	
8. Yasen/Somovit/Nikopol (c)		(a) Saranovo	sma
O Tarelei/Swightow		206. Pazardzhik/Varvara (c)	
(a) Levski	(a)	207 Cherven-Breg Orekhovo	
(a) Levski		(a) Cherven-Breg	(a)
25.0.11		(a) Cherven-Dreg	ζ.,
(b) Svishtov	(a)	208. Kaspichan/T. Ikonomovo (Krania)	sma
(b) Svishtov	(4)	(a) Kaspichan	51112
(b) Svishtov		209. Ruzhitsa/Bozhidar (c)	
(b) Svishtov			
(b) Svishtov	(a)	and D. C. and and Pardnile	
(b) Svishtov	(a)	and D. C. and and Pardnile	. medi
(b) Svishtov. 10. Levski/Lovech (a) Levski	(a) small	210. Burgaz/Sarafovo/Rudnik (a) Burgaz	
(b) Svishtov	(a) small	and D. C. and and Pardnile	



Table VII - 35 BULGARIA, SWITCHING YARDS*

CONNECTIONS WITH THE FOLLOWING LINES	CONNECTIONS WITH THE FOLLOWING LENES
--------------------------------------	--------------------------------------

Table VII - 36 BULGARIA, CAPACITIES OF RAILROAD LINES UNDER NORMAL OPERATING CONDITIONS*

	Number of Trains per Day in Each	INS PER DAY TRAIN (a) PER TRAIN				GE DAILY LOAD IN DIRECTION	
A. Principal Lines	DIRECTION	Metric Tons	Short Tons	Metric Tons	Short	METRIC	Short
1. Caribrod/Svilengrad			10143	IONS	Tons	Tons	Tons
(a) Caribrod/Plovdiv	. 16	770	847	385	423	6,160	
(b) Plovdiv/Svilengrad	. 12	660	726	330	363		6,776
2. Sofiya/Kaspichan (/Varna)				330	505	3,960	4,356
(a) Sofiya/Gorna Orekhovitsa	. 16	770	847	385	423	6 160	
(b) Gorna Orekhovitsa/Kaspichan	12	440	484	220	242	6,160	6,776
3. Sofiya/Radomir/Simitli					272	2,640	2,904
(a) Sofiya/Pernik	16	770	847	385	423	6.160	
(b) Pernik/Simitli	12	550	605	275	302	6,160	6,776
4. (Sofiya/) Vrba	12	550	605	275	302	3,300 3,300	3,630
5. Ilientsi/Makotsevo/Gyueshevo.	12	440	484	220	242		3,630
6. Mezdra/Lom	14	550	605	275	302	2,640	2,904
7. Brusartsi/Vidin	12	550	605	275	302	3,850	4,235
8. Yasen/Somovit/Nikopol	12	660	726	330	363	3,300	3,630
9. Levski/Svishtov	12	660	726	330	363	3,960	4,356
10. Levski/Lovech	12	550	605	275	302	3,960	4,356
11. Zimnitza/Dubovo/Sopot			-	2/3	302	3,300	3,630
(a) Zimnitza/Dubovo (b)	12	440	484	220	242	2.640	
(b) Dubovo/Sopot (b).	12	550	605	275	302	2,640	2,904
12. Plovdiv/Burgaz	12	550	605	275	302	3,300	3,630
13. Krichim/Peshtera	12	550	605	275	302	3,300	3,630
14. Krumovo/Asenovgrad	12	550	605	275	302	3,300 3,300	3,630
15. Rakovski/Momchilgrad	12	440	484	220	242	2,640	3,630
16. Mikhailovo/Rakovski 17. Ruse/Stara-Zagora	12	660	726	330	363	3,960	2,904
				330	505	3,900	4,356
(a) Ruse/Plachkovtsi (b)	12	770	847	385	424	4.630	
(b) Plachkovtsi/Stara-Zagora (b)	12	550	605	275	302	4,620	5,082
18. Shumen/Karnobat	14	660	726	330	363	3,300	3,630
19. Ruse/Varna	12	440	484	220	242	4,620 2,640	5,082
20. Iovkovo/Oborishte	12	550	605	275	302	3,300	2,904
B. Other National Lines (Standard-gauge)				,,,	302	3,300	3,630
107. (Plovdiv/) Filipovo/Karlovo	10						
109. Oresh/Belene	12	440	484	220	242	2,640	2,904
113. Zlati-dol/Nova Zagora	12 10	550	605	275	302	3,300	3,630
116. Sindel/Stara Orekhovo	- -	550	605	275	302	2,750	3,025
	10	440	484	220	242	2,200	2,420
C. Other National Lines (Narrow-gauge)							,
203. Petrich/Simitli	10	220	242	100			
204. General Todorov/Kulata	10	220	242	100	110	1,000	1,100
205. Bansko/Saranovo	8	88	97	100	110	1,000	1,100
20/. Cherven-Breg/Orekhovo	8	88	97 97	40	44	320	352
210. Burgaz/Sarafovo/Rudnik	8	110	97 121	40 50	44	320	352
(a) Trailing weight (not including locomotives and tenders). (b) With simultaneous movements on both lines 11 and 17, number				3 0	55	400	440
and 17, number	of trains on line	11 depends or	use of line 17				

novements on both lines 11 and 17, number of trains on line 11 depends on use of line 17.

^{*}See Figure VII - 4.

TABLE VII - 37 BULGARIA, BRIDGES

INVENTORY AND DESCRIPTIONS OF PRINCIPAL RAILROAD BRIDGES

1 * Carib	rod/Svilengrad.	
. 1	3 masonry and 35 iron girder	bridges between Sofiya and Vakarel
. 1	4 masonry and 24 iron girder	bridges between Vakarel and Belovo bridges between Belovo and Svilengrad
-		the state of the s
Total 4	0 masonry and 237 iron girder	bridges Location
1 +	Name Ezhevitsa River bridge	6 mi. ESE of Caribrod and 5 mi. NW
1.1	EZHEVITOR TELVER PLANE	of Dragoman. 2.5 mi. from Letnitsa station.
2.	Ezhevitsa River bridge	2½ mi. NNW of Dragoman. 1.5 mi. from Letnitsa station.
2	Dallara Birrar baidan	1.9 mi. SE of Kostinbrod station.
3.	Belitsa River bridge (Kostinbrod)	1.9 mr. of or Rostingrou station.
4.	Iskr bridge	6 mi. E of Sofiya. 1.2 mi. E of Iskr station.
5.	Pobit Kamik RR and road viaducts (Vakarel)	3 mi. NW of Vakarel, 19 mi. SE of Sofiya.
6.	Maritsa River bridge (Kostenets)	Just NW of Kostenets
7.	Maritsa River bridge (Sestrimo)	2½ mi. NW by W of Sestrimo.
8.	Maritsa River bridge (Sestrimo)	1¾ mi. NW of Sestrimo.
9.	Maritsa River bridges A and B (Sestrimo)	Bridge A 490 ft. W of Sestrimo sta- tion. RR crosses 900-ft. wide peninsula formed by southern curve of river, then crosses bridge B 1,640 ft. W of station.
10.	Ellidere River bridge	2½ mi. E of Saranovo, 7½ mi. W of Pazardzhik, S of Maritsa River.
11.	Krichim River bridge	Between Plovdiv and Pazardzhik.
12.	Chaya River bridge (Stanimashka River)	6¼ mi. N of Asenovgrad. 3.7 mi. W of Katunitsa station.
13.	Mechka River bridge (Borisovgrad)	1½ mi. SE of Borisovgrad.
14.	•	.9 mi. from Skobelevo station.
15.		1.9 mi. from Rakovski station.
16.	Harmanli Viaduct	1.5 mi. N of Kharmanli station.
17.	Olu Dere River bridge	Between Zlati-dol and Edirne. 2,300 ft NE of Kharmanli.

DESCRIPTION

Length 98 ft. Single track. Height 39 ft. above water. One steel span, simple truss construction, end blocks of granite masonry. One of two bridges in Dragoman Pass. Deepest RR cut with wall 1,150 ft. high is on N bank of river, immediately E of bridge and extends for about 4,500 ft. Probably most vulnerable point in Dragoman Pass because of landslides.

Length probably between 82 and 115 ft. Single track. Height approx. 33 ft. above water. Iron bridge on granite masonry and blocks. N and W of bridge RR continues on retaining walls through deep cuts. Single span.

Length approx. 100 ft. Single span.

Length 393 ft., 3 spans 131 ft. each. Single track. Height approx. 33 ft. from water to rails. Iron: masonry piers.

Highway viaduct slightly to W of RR bridge. These viaducts were filled in and converted into embankments. Former RR viaduct 501 ft. long. Height 126 ft. Width about 13 ft. Present highway viaduct 100 ft. long. Height 30 ft. Width approx. 23 ft.

Length 82 ft. Height 21 ft. Double track. Steel, simple truss, with ends resting on concrete blocks.

Length 131 ft. Height 59 ft. Single track. Steel, simple span, end blocks of masonry. Danger of landslides.

Length 131 ft. Single track. Height 88 ft. Steel span, masonry

Bridge A 98 ft. long, single track, height 36 ft.

Bridge B 98 ft. long, single track, height 26 ft.

Length 157 ft., 2 spans 79 ft. each. Single track. Height approx. 19 to 26 ft.

Length approx. 130 to 165 ft., 2 spans. Height approx. 20 ft. Single track. Steel, simple truss bridge.

Second largest bridge on Sofiya/Edirne sections. Length 295 ft., 3 spans of 98 ft. each. Single track. Height approx. 20 ft. above water. Steel spans, piers, and end foundations of masonry. Length 114 ft. Width approx. 12 ft. Height approx. 20 ft. above water. Iron spans, stone masonry foundation.

Viaduct. Length 165 ft. 2 spans.

Length 165 ft. 2 spans.

Length 131 ft., 2 spans each 65 ft. Single track. Height about 20 ft. from road to tracks. Steel, simple truss spans. Masonry

Length 216 ft., 1 span 98 ft. and 2 of 59 ft. Single track. Height above water approx. 25 ft. in dry season. Simple truss construction, granite masonry piers.

Length between 130 and 165 ft. Height about 33 ft. Single track. Steel, simple box truss, 2 spans, masonry pier, masonry walls.

(There are 12 large steel bridges in the Iskr Gorge.)

Length approx. 190 ft. 2 steel spans and 1 masonry arch. Single track. Height above water 25 to 32 ft.

Length approx. 131-164 ft. Single track. Steel and masonry.

Length 300 ft., 2 spans. 30-50 ft. high. 1/5 mi. to SW is 150 ft. 40 mi.SW of Pleven.6mi.Sof Chervensingle span bridge over Iskr River.

Length 295 ft. Single track. Iron or steel spans, on 2 piers anchored to masonry abutments.

Length 100 ft. 1 span. Single track. Length 165 ft. 2 spans.

2.5 mi. from M. Stambolovo station. 24. Rositsa River bridge *Line number on Figure VII - 2. †Bridge number on Figure VII - 2. Bridges selected on basis of length (over 100 ft.) or strategic location.

ft. NE of Kharmanli.

and Mezdra.

nik station.

Junction.

Breg.

11/2 mi. NNE of Kurilo station. First

bridge in the Iskr Gorge between Sofiya

21 mi. N of Sofiya. 11/2 mi. S of Lakat-

300 ft. E of Cherepich station. 61/2 mi.

E of Eliseina. 7 mi. SW of Mezdra

1 mi. E of Yasen station

2 mi. E of Levski

185 bridges (48 over 32 ft. long). 135 metal, 48 stone, 2 ferroconcrete.

(Illusts. VII - 2 and VII - 3)

2. Sofiya/Kaspichan (/Varna)

18. Iskr River bridge

19. Iskr River bridge

(Lakatnik)

20. Iskr River bridge

(Cherepich)

21. Iskr River bridge

22. Vit River bridge

23. Osm River bridge

(Cherven-Breg)

(Romcha)

Approved For Release 2000/08/29: CIA-RDP79-01144A000100010010-9



TABLE VII - 37 (Continued)

Namb

DESCRIPTION

100 ft. span over Struma River. Exposed area with much road

Also another bridge (120 ft. long approx.) immediately N of

3. Sofiya/Radomir/Simitli

5 bridges on Sofiya/Radomir section between Vladaya and Radomir. 3 masonry and 9 iron girder bridges between Radomir and Dupnitsa.

25. Struma River bridge (Pernik)

4 mi. E of the Pernik mines.

26. Dzherman River bridge 27. Rilska River bridge

Between Delian and Dupnitsa.

Between Kocherinovo and Gorna

28. Struma River bridge

Between Gorna Dzhumaya and Simitli.

At least 3 spans.

Dupnitsa station.

4. (Sofiya/) Vrba/Gyueshevo

4 masonry and 25 iron girder bridges on Radomir/Kyustendil section. 13 masonry and 14 iron girder bridges on Kyustendil/Gyueshevo section.

5. Ilientsi/Makotsevo

8 bridges over 10 mi. in length.

29. Iskr River bridge (West branch)

5 mi. NE by N of Sofiya RR yards. (Illustration VII - 4)

2 bridges (near Ilientsi) over forks of Iskr River approx. 1/5 mi. apart. W branch 328 ft., 4 spans. E branch 246 ft., 3 spans. Single track. Iron, simple truss, concrete piers. Stone arch bridge. About 90 feet over the Makotsevo River.

South of village and west of the station. Approx. 100 ft. long.

29(a). Makotsevo bridge. (IllustrationVII - 5)

6. Mezdra/Lom

54 bridges (longest 395 ft.), 47 metal, 7 stone.

7. Brusartsi/Vidin

25 bridges (longest 350 ft.), 18 metal, 7 stone.

8. Yasen/Somovit/Nikopol

29 bridges between Yasen and Somovit. (Only 1 over 32 ft. long.) 21 metal, 4 stone, 4 wooden.

9. Levski/Svishtov

6 bridges (2 over 32 ft.), 5 metal, 1 stone.

10. Levski/Lovech

No large bridges.

11. Zimnitsa/Dubovo/Sopot

Zimnitsa/Dubovo: 55 bridges (10 over 32 ft. span, longest 130 ft.), 44 metal, 4 stone, 7 ferro-concrete. Tulovo/Kazanlk: 10 bridges. All metal, longest 53 ft.

12. Plovdiv/Burgaz

180 bridges. 165 metal, 15 stone. (Excluding section from Nova Zagora to Yambol for which no details are available.)

30. Maritsa River bridge

 $2\ mi.\ NW$ of Plovdiv RR yards and Wof city. Bridge crosses Maritsa River

in N-S direction.

31. Tundzha River bridge

Approx. 4½ mi. SW of Zimnitsa and about 6 mi. N of Yambol.

32. Azmak Dere River bridge

Between Devetak and Karnobat.

Length 558 ft. 5 spans of 111 ft. each. Height approx. 20 to 26 ft. above normal water level. Simple truss, steel spans. End foundations, piers of masonry and concrete. Second largest bridge in Bulgaria.

13. Krichim/Peshtera

RR follows Azmak Dere River through a narrow pass cut in volcanic rock.

8 bridges, 3 metal, 5 concrete. 32(a). Stare River bridge

Between Bratsigovo and Peshtera.

Length 246 ft., 2 spans of 59 ft., 2 spans of 41 ft. Height 62 ft.

14. Krumovo/Asenovgrad

Only 2 bridges and culverts with openings up to 10 ft.

15. Rakovski/Momchilgrad

61 bridges. 22 metal, 39 masonry.

33. Arda River bridge

1½ mi. SE of Krdzhali.

(Illustration VII - 6.)

34. Syuyutliika River bridge N of (Illustration VII - 7) N of Momchilgrad.

16. Mikhailovo/Rakovski

4 bridges. 35. Maritsa River bridge

Between Mariino and Rakovski.

(Illustration VII - 8.)

17. Ruse/Stara-Zagora

12 masonry and 26 iron girder bridges between Ruse and Trnovo.

31 masonry and 25 iron girder bridges between Trnovo and Plachkovtsi.
8 masonry and 1 iron girder bridges between Plachkovtsi and Borushtitsa.
5 iron girder bridges between Borushtitsa and Dubovo.

7 masonry and 7 iron girder bridges between Dubovo and Stara-Zagora.

Length 459 ft. 7 arches of 66 ft. each. Height about 15 ft. above water. Single track. Masonry piers, iron railings. Road to Momchilgrad also uses the RR bridge. Length 100-150 ft. approx. Height 50 ft. Single track. Masonry

blocks. 6 arches, 4 piers.

Length 623 ft. 4 spans of 114 ft. each, 1 of 164 ft. Single track. Superstructure approx. 15–20 ft. above tracks. Iron or steel. Simple truss. Stone piers.

58 masonry and 64 iron girder bridges (Total of 122 bridges)

Approved For Release 2000/08/29: CIA-RDP79-01144A000100010010-9

COMMUNICATIONS AND TRANSPORTATION

Page VII - 39

Table VII - 37 (Continued)

LOCATION

DESCRIPTION

Length approx. 250 ft. Height 40 ft. from water to tracks.

36. Yantra River bridge

½ mi. NE of Bela station.

Length 3 spans-200 to 250 ft. Single track. Height approx. 45 ft. Iron trestles, masonry piers.

Single track. Steel spans and stone arches.

(Bela) (Illustration VII - 9.)

37. Yantra River bridge (north railroad bridge)

(Illustrations VII - 10 and VII - 11.)

38. Yantra River bridge (south railroad bridge) (Trnovo)

(Illustration VII - 12.)

39. Tundzha River bridge

14 mi. N of Stara-Zagora, 2 mi. S of

Length approx. 160-200 ft. Height 40 ft. above water. Single track. Steel spans, masonry piers. Tunnel at both ends of Length probably 150 ft. Single track. 15 ft. above water. Iron and steel, single truss. Anchored to masonry abutment.

18. Shumen/Karnobat

40. Golema Kamchiya River bridge At Zlokuchen station.

About 22 bridges.

19. Ruse/Varna

69 bridges. 64 metal, 5 stone.

41. Lake Devna Canal. 42. Provadiska River bridge At Sindel station.

W of Varna at W end of Lake Devna.

Varna/Shumen. Road runs 3 mi. N

of bridge.

Length 110 ft., 2 spans, 33 ft. and 44 ft.

Length between 80 to 105 ft. Height 6 to 12 ft. above river.

Single track.

20. Iovkovo/Oborishte

No data.

OTHER ROUTES

113. Zlati-dol/Nova Zagora

2 bridges between Radnevo and Gulubovo.

2,600 ft. NW of Zlati-dol station. 43. Maritsa River bridge (Zlati-dol)

Length 820 ft. Single track. Iron or steel.

203. Simitli/Petrich (Narrow gauge)

8 bridges reported.

44. Struma River bridge (Kresna)

S of Kresna stop.

Length 330 ft. consisting of 150 ft. span, two 80 ft. spans, and one 110 ft. span. Bridge is in heavily wooded Kresna Gorge. Would be difficult to repair if destroyed during spring or fall flood seasons. Washouts have caused suspension of traffic for periods of one to three months.

45. Struma River bridge

Between General Todorov and Petrich.

Length 500 ft. Iron construction.

Table VII - 38

BULGARIA, INVENTORY AND DESCRIPTIONS OF PRINCIPAL RAILROAD TUNNELS

1.* Caribrod/Svilengrad

No tunnels.

2. Sofiya/Kaspichan/(Varna)
22 tunnels. Total length 12,600 ft., longest 1,440 ft.

1.† Between Rebrovo and Svoge.

2. Between Karlukovo and Cherven Breg.

Length 1,440 ft. Length 590 ft.

3. Sofiya/Radomir/Simitli

On Radomir/Dupnitsa section, 3 tunnels, longest of which is 675 ft.

Between Kocherinovo and Rilska bridge.

4. Between Rilska bridge and Gorna Dzhumaya.

Length 675 ft. (2 tunnels) one 537 ft. long and the other 405 ft. long.

4. (Sofiya)/Vrba/Gyueshevo

22 tunnels. Longest 1,335 ft.

9 tunnels, 13 to 650 ft. long, and 5 tunnels 650 to 1,335 ft. long, between Radomir and Kyustendil. 8 tunnels between Kyustendil and Gyueshevo.

5. Ilientsi/Makotsevo

No tunnels.

6. Mezdra/Lom

No tunnels.

7. Brusartsi/Vidin
2 tunnels. Total length 1,350 ft., longest 850 ft.

8. Yasen/Somovit/Nikopol

No data 9. Levski/Svishtov

No tunnels. 10. Levski/Lovech

No tunnels.

11. Zimnitsa/Dubovo/Sopot
At least I tunnel about 1,500 ft. long under Strazhata watershed (E. of Kalofer).

*Line number on Figure VII - 2. †Tunnel number on Figure VII - 2.

TABLE VII - 38 (Continued)



12. Plovdiv/Burgaz

No tunnels.

 Krichim/Peshtera No tunnels.

14. Krumovo/Asenovgrad No data.

15. Rakovski/Momchilgrad

3 tunnels. Total length 4,900 ft., longest 3,670 ft.5. Between Knizhovnik and Perperek at Most stop.

16. Mikhailovo/Rakovski

l tunnel

 Brest/Mariino tunnel. S entrance 1 mi. NE of Mariino station, 1¼ mi. N of Maritsa River bridge.

17. Ruse/Stara-Zagora

2 tunnels on Ruse/Trnovo section.

6 tunnels on Trnovo/Plachkovtsi section.

11 tunnels on Plachkovtsi/Borushtitsa section.

5 tunnels on Borushtitsa/Dubovo section.

24 tunnels

7. 2 tunnels under town of Trnovo.

8. Between Trnovo and Debelets.

9. Between Drenovo and Tsareva Livada.

Between Plachkovtsi and Krustets.
 Between Plachkovtsi and Krustets.

(Illustration VII - 13.)

12. Between Raduntsi and Yavrovets.

18. Shumen/Karnobat

3 tunnels, 240, 230 and 80 m.

19. Ruse/Varna

No tunnels.

20. Iovkovo/Oborishte No works of importance.

(5) Peshtera/Batak eight kilometers (five miles), Line 505. This line will be a continuation of line 13.

- (6) Asenovgrad/Ustovo 81 kilometers (50 miles), Line 506. This line will be a continuation of the north-south route, Ruse/Asenovgrad (lines 15, 16, 17).
- (7) Isperikh/Frontier/Silistra, Rumania, eight kilometers (five miles), Line 507. (Topic I. (10) above.)
- (8) Burgaz/Elkhovo/Gulubovo 161 kilometers (100 miles), Line 508. A connection is projected between Burgaz and the Tundzha/Elkhovo (line 114) and Nova Zagora/Zlati-dol lines.

77. Roads

A. General characteristics.

By comparison with other European countries the network of roads in Bulgaria is sparse. The average density of roads is .19 kilometer per square kilometer (.3 mile per square mile) by comparison with .62 kilometer per square kilometer (.97 mile per square mile) in Italy and 1.1 kilometers per square kilometer (1.75 miles per square mile) in France. In contrast to these countries, where two or three good routes commonly link important towns, few main roads in Bulgaria have alternates. The total length of roads in Bulgaria is approximately 24,500 kilometers (15,225 miles).

The present condition as well as the construction of Bulgarian roads varies greatly; in general their standards are far lower than in western Europe. At the end of 1938, 50 per cent of the roads were officially stated to be in good condition, which is interpreted to mean passable at an average speed of 30-40 kilometers per hour (20-25 miles per hour); the

Length 3,670 ft. Longest tunnel in Balkan Peninsula.

Length 731 ft.

Length of longest is 535 ft. Length 900 ft. Length over 650 ft. Length 2,400 ft. Length 2,000 ft.

Length 1,935 ft.

other 50 per cent were adjudged fair or bad, probably not allowing speeds above 20 kilometers per hour (12 miles per hour).

Extensive repairs and new construction have been carried out by the Bulgarian Government (with German assistance since 1941) and the quality of the road net has probably improved considerably.

B. Natural conditions along roads.

(1) Adaptation of roads to terrain. In general terms Bulgaria consists of two plain areas and two mountain areas trending in a general east-west direction across the country. On the north is a rolling plain area, in places level, elsewhere hilly, known as the Danubian Tablelands. In the approximate center of the country are the Stara-Planina (Balkan Mountains); south of these are the Maritsa and associated valleys. The southern and western border of the country is composed largely of the Rodopi Planina (Rhodope Mountains).*

These alternating plain and mountain regions give Bulgaria great diversity of relief, and are so cut off from one another that communication between them is difficult.

Although Sofiya is not centrally located, its position in relation to the natural routes connecting these regions makes it the focal point of the national road system. (Plan VII - 2.) To the northwest, a road from Sofiya through Dragoman Pass leads across the frontier to Niš on the Thessaloníki/Beograd Highway. Directly north a road leads through Prokhod Petrokhanski (Petrohan Pass) to Lom on the Danubian border of the Danubian Tablelands. To the east, a road from Sofiya runs through a series of east-west valleys

^{*}In this chapter the term Rodopi Planina (Rhodope Mountains) is applied to all the ranges of southwestern Bulgaria, including the Rodopi, Rila, Pirin, Vitosha, and the western frontier ranges.

lying between the Stara-Planina and the Sredna Gora (Anti-Balkans) to Burgaz on the Black Sea. From the Sofiya/Burgaz road a number of roads branch off to passes through the Stara-Planina and run north to Orekhovo (Orchovo),

they break up into three parallel chains, and though lower are much wider. The Stara-Planina constitute a formidable barrier between northwestern Bulgaria and Yugoslavia as well as between the Danubian Tablelands and the Maritsa



Illustration VII - 23. Minor road near Trnovo. Road leads from railroad station to village in valley.

Pleven, Ruse, and Shumen in the Danubian Tablelands. To the southeast, a major route through the Maritsa Valley connects Sofiya with Plovdiv and Kharmanli and with Edirne in Turkey. To the south a road from Sofiya through the Dzherman-Struma Valley in the Rodopi Planina provides the most direct connection with Sérrai, in Greece. At Pernik, Dupnitsa, Gorna Dzhumaya and Petrich roads branch from the Sofiya/Sérrai route and lead across the frontier to various points on the Thessaloníki/Beograd Highway.

(a) Danubian Tablelands. Most of the roads in the Danubian Tablelands run north and south. From the marshy banks of the Danube, the Danubian Tablelands rise abruptly in steep cliffs, and then rise gradually to the south, where they merge with the northern slopes of the Stara-Planina. Tributaries of the Danube have cut deep winding trenches in the surface of this undulating region. With few exceptions north-south roads avoid these deep trenches and stay on the uplands, descending only to serve the towns which are located in the valleys. (Illustration VII - 23.) East-west travel is difficult. The Danube Valley floor is extremely marshy and subject to flooding, and is crossed by only one important road, from Lom to Vidin. Thirty to 40 kilometers (19 to 25 miles) south of the Danube, where the valleys become broader and lower, east-west roads connect towns and settlements in the central portions of the Danubian Tablelands.

(b) Stara-Planina. The Stara-Planina form the southern border of the Danubian Tablelands. In the west their trend is southeast. East of Sofiya their course is directly east to the Black Sea, where they terminate at Cape Emine. They are highest in their western and central portions. East of Sliven

Valley, the most important agricultural regions in Bulgaria. In the northwestern corner of Bulgaria two passes, one of which is less than 1,000 feet in elevation, lead through the Stara-Planina to Yugoslavia. Four passes connect the western Danubian Tablelands and the Sofiya Basin. East of Sofiya a number of passes connect the Danubian Tablelands and the Black Sea area north and west of Burgaz with the east-west valleys south of the Stara-Planina. (Illustration VII - 24.) The principal passes are given in Table VII - 39.

TABLE VII - 39
BULGARIA, PASSES CONNECTING DANUBIAN
TABLELANDS AND BLACK SEA AREA
WITH STARA-PLANINA

WIII	SIVIVIA-ETVINI	IN/I
Route	Pass	ALTITUDE
Vidin/Negotin, Yug.	near Bregovo	236 m. (774 ft.)
Vidin/Zaječar, Yug.	Vrshka-Chuka	400 m. (1,312 ft.)
Lom/Niš, Yug.	Sveti Nikola	1,441 m. (4,738 ft.)
Sofiya/Lom	Petrokhan	1,438 m. (4,718 ft.)
Sofiya/Vrattsa	Iskr Gorge	510 m. (1,673 ft.)
Sofiya/Botevgrad	Churek	ca. 1,000 m. (3,280 ft.)
Sofiya/Botevgrad	Arabakonak	952 m. (3,123 ft.)
Zlatitza/Lukovit	Etropole	1,350 m. (4,429 ft.)
Karlovo/Lovech	Troyan	1,515 m. (5,003 ft.)
Kazanlk/Gorna		
Orekhovitsa	Shipka	1,333 m. (4,373 ft.)
Tvrditsa/Elena	Tvrditsa	1,092 m. (3,583 ft.)
Sliven/Elena	Zheleznávrata	1,097 m. (3,606 ft.)
Sliven/Omortag	Kotel	865 m. (2,838 ft.)
Straldzha/Shumen	Vrbitsa	824 m. (2,703 ft.)
Karnobat/Shumen	Karnobat	ca. 600 m. (1,968 ft.)
Burgaz/Varna	Dermen-Dere	419 m. (1,375 ft.)
-		





Illustration VII - 24. Shipka pass through the Stara-Planina. Looking east. Kazanlk/Trnovo road in foreground. (Page VII - 55.)




Illustration VII - 25. Khaskovo/Komotiní, Greece, Road.

Looking north toward Krdzhali. Road and railroad bridge over Arda River.

Rodopi Planina in distance. (Illustration VII - 6.)



(c) The Maritsa and associated valleys. The Maritsa drainage system is divided into two east-west valley routes separated by the Sredna Gora (Anti-Balkan Mountains), a low range of mountains along the southern flank of the Stara-Planina.

The more northerly of these two routes is composed of the Sofiya Basin and a series of longitudinal valleys, generally termed the Sub-Balkan Valley, providing a natural route from Sofiya to Burgaz on the Black Sea. These valleys, however, do not provide a continuous valley route, since low divides must be crossed from one valley to another. On the west some steep grades mark the passage from Sofiya to the

Sarantsi Basin, and from the latter to the Zlatitza Valley. eastward, these valleys are separated by low ridges, and passage over them is never more than moderately difficult. Passage south across the Sredna Gora (Anti-Balkans) is provided by several low passes; roads branch southward at Pirdop (Pirdol), Karlovo, Kazanlk, Gurkovo, and Sliven, and lead into the Maritsa Valley proper. From Burgaz two roads cross hilly country to Strandzha and Malko Trnovo on the Turkish frontier.

The Maritsa Valley proper is a broad plain bordered on the north by the Sredna Gora and on the south and west by the Rodopi Planina. (Illustration VII - 25.) The western por-



Illustration VII - 26. Sofiya/Sérrai road. Above Petrich in the Struma Valley. Looking south.



tion of the valley is relatively flat and has more roads than the eastern part, which is hilly. From Sofiya the principal road runs through the western spurs of the Sredna Gora following the Maritsa River, and connects in turn Banya Kostenets, Pazardzhik, Plovdiv, and Kharmanli. Each of these towns is the focal point of routes south to the Rodopi Planina and north to the Danubian Tablelands. From Plovdiv and Kharmanli two roads converge on Stara-Zagora, continuing as a single route to Sliven and Burgaz. From Kharmanli the main road from Sofiya continues to Svilengrad and from there to Edirne in Turkey. East of the Tundzha River, the terrain is increasingly rugged, and the road net is sparse; only one major road, the Svilengrad/Burgaz route, crosses the area.

(d) Rodopi Planina. The Rodopi Planina, which lie southwest of the Sofiya/Plovdiv/Edirne Highway, form a rugged mass. Few natural routes lead through the Rodopi Planina and road construction is consequently difficult and expensive. From Sofiya, a road following the Dzherman/Struma Valley runs to Sérrai in Greece and the Aegean Sea through a series of narrow river plains separated by gorges. (Illustration VII - 26.) From the Sofiya/Sérrai route a number of roads branch off to the west, leading into Yugoslavia. Originating at Dupnitsa, a branch road to Kumanovo runs through the Kyustendil Valley and crosses the frontier via the Devebair Pass. Farther south two less important roads branch off at Gorna Dzhumaya and Kriva-Livada, and by way of difficult passes lead into Yugoslavia, one running to Carevo-Selo and the other to Strumica. Finally, near the Greek frontier, a road from the Sofiya/Sérrai route follows the Strumitsa Valley into Yugoslavia. East of the Struma Valley there are few good north-south roads in the Rodopi Planina. Two routes to the Aegean, the Sofiya/Dráma and Plovdiv/Xánthi roads, are confined to winding mountain valleys. Adequate eastwest roads are also lacking. From Dupnitsa on the west the best of these follows the Klisura Valley east to Samokov, and from there crosses over a low pass leading to Banya Kostenets in the Maritsa Valley.

(2) Climate and weather. The annual precipitation in Bulgaria ranges between 20 and 30 inches. The heaviest rainfall occurs in May and June, and, combined with melting snows from the mountains, gives rise to serious floods in the lowland areas. The Danube and the lower courses of the rivers in the Danubian Tablelands inundate large areas. The soils in valleys of the Danubian Tablelands are fine-textured and probably very sticky when wet. The soils in the upland surface of the Danubian Tablelands are quite porous, drain rapidly, and should be passable most of the time. Roads in the Sofiya Basin, in the eastern portion of the Tundzha Valley, and along the banks of the Maritsa River are subject to flooding, and travel over them may be disrupted in spring and early summer. The area south of the Stara-Planina is very dry in late summer, producing extremely dusty roads. Since the sub-soil of the road beds is usually dry before freezing, heaving of road beds during spring is probably at a minimum.

The snowfall in the Danubian Tablelands is moderate, and of relatively short duration. Strong winds blowing from the northeast may build drifts of sufficient depth to block the roads in the upland surface. Valleys in the Danubian Tablelands are protected, and the snow cover seldom persists more than 30 days.

Many passes in the Stara-Planina are closed by heavy falls

of snow. Reports indicate that roads through passes at 460 meters (1,500 feet) and lower are usually open throughout the winter. The Vidin/Negotin route into Yugoslavia is open, while the Vidin/Zaječar and Lom/Nis routes are blocked from December through February. It is probable that the new road from Sofiya through the Iskr Gorge to Vrattsa was built to provide a route free from snow blockade. Other routes running north from Sofiya employ passes over 900 meters (2,950 feet) in altitude. East of Sofiya, principal roads through passes in the Stara-Planina are blocked intermittently from December through February. According to all reports, bus lines in this area are able to maintain fairly regular schedules in winter.

The snow cover in the Maritsa Valley is of short duration and does not hinder communications.

The heaviest snows in Bulgaria occur in the Rodopi Planina. Nevertheless, the route from Sofiya through Kyustendil to Kumanovo in Yugoslavia can be used throughout the year. The northern portion of the Sofiya/Sérrai route may be blocked intermittently during December and January. Other roads through the Rodopi Planina may be impassable for considerably longer periods of time. Snow in the high passes lingers far into the summer months.

(3) Terrain adjacent to roads.

(a) Cover. Cover suitable for concealing motor transport varies considerably from region to region. Though 28 per cent of the area of Bulgaria is classed as forest land, most of it lies in the Stara-Planina and the Rodopi highlands, where the terrain prevents deployment. It is probable that the rate of cutting has increased since the war, and that forests near good roads have been heavily depleted.

The Danubian Tablelands are practically treeless. Cover along roads through this area is limited to village streets and to thickets bordering streams. Toward the eastern portion of the Danubian Tablelands roads from Shumen and Razgrad into Rumania have good cover in the Deli-orman Forest. Along the coast of the Black Sea the Longoz and Genish-Ada forests afford good cover for roads converging upon Varna.

Roads crossing the Stara-Planina run through much wooded country (beech and oak). The northern slopes are more heavily forested than the southern, but the northern slopes are probably accessible at only a few points. Most of the favorable slopes in these mountains have long been deforested and are used for grazing.

In the valleys and basins south of the Stara-Planina and north of the Sredna Gora there are few extensive areas of woodland. Roads in the Sofiya Basin have very little protective cover. In the Zlatitza, Karlovo, and Kazanlk Valleys favorable terrain provides easy access to scattered groves of walnut and fruit trees, which may effectively conceal small units. In the Tvrditsa and Sliven Valleys, which lie farther east, cover is very sparse, being limited to isolated patches of oaks. In the western and central portions of the Sredna Gora, which form the southern border of these valleys, there are many well-wooded areas. Large groves of beech trees alternate with pasture land and provide good but discontinuous cover. Access to cover is usually good.

In the Maritsa Valley proper, most of the land is in cultivation. Willow and aspen grow along the main stream banks and may screen movements, but offer little concealment from the air. In the Plovdiv and Stara-Zagora areas orchards and



walnut groves provide limited, discontinuous concealment. East of Plovdiv small oak woods, and patches of scrub growth may conceal small units. Between the Tundzha Valley and the Black Sea wooded hills provide fair cover for the roads leading from Burgaz and Yambol into Turkey. Access to cover diminishes toward the frontier, where the terrain is rugged and, in places, mountainous.

The Rodopi Planina are clothed with dense forests. Access to cover from the road is usually difficult, and dependent upon local terrain. Orchards in the small valleys and mountain basins drained by the Struma may be reached from the roadside.

(b) Deployment. Conditions for deployment in Bulgaria range from fair to good in the Danubian Tablelands and the

there are limited areas favorable for deployment in valleys leading to the Black Sea.

In the basins and valleys south of the Stara-Planina the terrain is favorable for deployment and some cross-country movement. In the Sofiya Basin movement from the road is hindered by perennial marshes. In addition, the network of tributaries which joins the Iskr near Sofiya floods large areas during the spring months. The terrain in the Zlatitza, Karlovo, Kazanlk, Tvrditsa, and Sliven Valleys is generally favorable for deployment. Movement from the road is rather poor in the hilly areas which separate these valleys from one another. In the eastern end of the Sliven Valley, the Azmak River is bordered by large marshy tracts.



Illustration VII - 27. Minor road near Madara. Sixteen kilometers (ten miles) east of Shumen.

Maritsa Valley. Elsewhere they are poor. Movement across country for any considerable distance is uncertain and difficult.

In the Danubian Tablelands conditions for deployment are usually good. On the rolling upland surface, movement from the roadside is possible in most of the area. Cross-country movement from point to point is quite uncertain, and likely to be interrupted by deep, steeply walled valleys. Deployment from valley roads is limited by the marshy areas which border the lower courses of the streams. The banks of the Danube are also marshy, and can be traversed with safety only when frozen. Toward the east, the hilly area bordering the Rumanian frontier and the Black Sea is unfavorable for cross-country movement, but probably suitable for short-range deployment.

Deployment is usually impossible from roads leading through the Stara-Planina. East of Sliven, where the Stara-Planina are lower and divide into several parallel ranges, Roads leading through the Sredna Gora and connecting these east-west valleys with the Maritsa Plain employ low passes, whose approaches have moderate slopes. Deployment in the pass areas is restricted, especially on the road leading from Kazanlk to Stara-Zagora.

In the Maritsa Valley, much of the terrain is suitable for deployment. The network of roads serving this agricultural region is of moderate density, and could be used during dry weather for cross-country movement. The banks of the Maritsa, as well as the lower courses of its confluents, are marshy and difficult of access. Large, irrigated rice fields also border the river banks. East of the Tundzha River, roads to the Black Sea area cross rugged hilly land. Near the Turkish frontier hills become mountainous and seriously hinder deployment.

In the Rodopi Planina deployment is extremely limited



and local in character, and cross-country movement is virtually impossible. Subsidiary routes are few, and, where they exist, are little better than trails or cart tracks. Only in the small basins and valleys is movement from the roadside feasible. Southwest of Sofiya the route to Kyustendil runs through the plains of Pernik, Radomir, and Kyustendil. Movement across these lowlands is usually free, though the Radomir Plain is marshy and subject to floods in spring and early summer. South of Sofiya, the road following the Dzherman and Struma Rivers into Greece is confined for the most part to narrow, and at places gorge-like, valleys. East of the Struma Valley and south of the Maritsa Valley roads through the Rodopi Planina wind through ravines and gorges.

C. Administration.

It is reported that about half of the Bulgarian roads are owned by the state. Included are military roads and roads connecting the important towns, railroad stations, and ports. The state classifies these roads according to width, curves, and grades (Topic 77 - D, Standards of Construction and Quality). The administration of state roads is a function of the Ministry of Public Works, Roads and Plans, a department of which is devoted to roads and bridges. Maintenance stations located along state roads are established and supervised by the Ministry. Minor roads (Illustration VII - 27), communicating with principal roads and connecting villages of little importance, are generally administered by local authorities.

D. Standards of construction and quality.

(1) Surface and roadbed. According to official statements, Bulgarian roads are predominately waterbound macadam, with only a few kilometers of other types of surfaces. The surface and length of the roads is shown in Table VII - 40.

Table VII - 40 BULGARIA, SURFACE AND LENGTH OF ROADS

		938	1939		1940	
Waterbound	Км.	MI.	Км.	Mı.	Км.	Mı.
macadam1	8,813	11,690	19,141	11,894	20,000	12,427
Granite block	240	149	337	209	500	311
Cement concrete Bituminous	28	17	53	33	80	50
concrete	15	9	11	7	11	7
Block brick	2	1.2	2	1.2	2	1.2
_	-					

Total......19,098 11,866.2 19,544 12,144.2 20,593 12,796.2

Figures for 1940 are estimated, since surface statistics were withheld by the government. Although no figures exist on other types of surface, it is reported that local roads are likely to be unmetalled; some have improved earth or sand-clay surfaces.

The waterbound macadam roads consist of a base of broken stone, laid by hand, covered with a layer of crushed limestone or sand, and finished with road rollers. Frequently little attention is given the rolling process and some roads are consequently poorly compacted.

Stone-block paving, an endurable surface that can be built with local materials and little mechanical equipment, has increased in popularity in recent years. This type of surface is found especially around Sofiya and in other districts where granite is abundant (Table VII - 45).*

Maintenance of road surface varies considerably among individual roads; as a rule, however, it is poor. Poor drainage is a common defect, due both to construction and maintenance as well as to weather and soil conditions. Government regulations require ditches along every road. These together with numerous culverts are expected to provide adequate drainage. Nevertheless traffic is hindered even on the best roads because the surface becomes spongy and rough during the rainy season.

Since 1941 the Bulgarian Government, with the aid of German engineers, has improved considerably the quality of selected principal roads. Road connections between Bulgaria and newly acquired territories have been improved and widened; attention has been paid roads to the Dobrogea (Dobruja), to Greece, and to Yugoslavia, and according to one account these roads will now accommodate 30-ton tanks. In March 1943 the Todt organization undertook to build 1,200 kilometers (745 miles) of bituminous surfaced roads for the Bulgarian Government. As far as is known, however, construction was never begun.

(2) Width of road and shoulders. Surfaced roads are officially divided into four classes, distinguished according to grades and curves, but primarily according to width. The various classes of roads are expected to have the widths given in Table VII - 41.

TABLE VII - 41
BULGARIA, CLASSES AND WIDTHS OF ROADS

CLASS				Width		
		FACED ART	Betw	EBN DITCHES	Inclui	
	м.	FT.	м.	FT.	м.	FT.
Main		19.7	9.0	29.5	12.0	39.4
First		16.4	8.0	26.2	11.0	36.1
Second		13.1	7.0	23.0	10.0	32.8
Third	4.0	13.1	6-7.0	19.7-23.0	8.4	28.0

In 1939 only 9,000 kilometers (approximately 5,600 miles) of roads were listed as first class or better and consequently had roadways at least five meters (16.4 feet) wide. The strict accuracy of these figures may be questioned; they are probably somewhat too conservative. However, it is clear that a large proportion of Bulgarian roads are very narrow. Principal highways through rugged terrain, as well as minor roads generally, are suitable for only one-way traffic with occasional passing. Since 1941 many principal highways have been widened and improved for military purposes.

Shoulders on each side of the road are supposed to be approximately 1.5 meters (4.9 feet) wide. Where the terrain permits this rule is adhered to, but in the mountains and through numerous defiles, shoulders are likely to be either very narrow or entirely lacking.

(3) Grades and curves. According to government specifications, grades and curves on the various classes of roads must meet the requirements given in Table VII - 42.

TABLE VII - 42
BULGARIA, ROAD REQUIREMENTS

CLASS OF ROAD	Maximum grades (per cent)	R.A	IMUM DIUS URVES	Minimum distance between curves	
		М.	FT.	м.	FT.
Main		50	164.0	30	98.4
First		50	164.0	30	98.4
Second		30	98.4	20	65.6
Third	7	20	65.6	20	65.6

^{*}Tables 44 and 45 will be found on pages 59 and 60.

Few roads, regardless of class, come up to the standards for maximum grades. The ruling grade on the principal routes to Greece, Yugoslavia, and through the Balkans is commonly ten to 20 per cent. Construction of mountain roads is largely controlled by terrain; switchbacks and serpentine routes fail to conform to government specifications for the lowest class road.

(4) Bridges. Almost every road in Bulgaria crosses several streams and the total number of bridges and culverts is rather large. In 1939 there were 8,299 bridges and 34,283 culverts.

amount of road traffic. On slightly travelled mountain roads the width between parapets must be 3.6 meters (11.8 feet); width of the roadway on the bridge must be three meters (9.8 feet). On roads of medium or heavy traffic consisting of carts, motor cars, agricultural machinery, or light trucks, width between parapets must be five meters (16.4 feet); width of roadway 4.4 meters (14.4 feet). On roads of heavy traffic consisting of heavy trucks, carts, automobiles, or agricultural machinery, width between parapets must be 5.6 meters (18.4 feet) and five meters (16.4 feet) on the roadway. In spite of the low quality of existing bridges, they probably are not a




Illustration VII - 28. Bridge in Iskr Gorge.
Connects Lakatnik on the railroad to Sofiya with minor road on west bank of Iskr River.

According to official statistics, new construction of bridges proceeded steadily before the war. In 1937, 2,541 new bridges and culverts were built, 3,620 in 1938, and 2,390 in 1939 (Tables VII - 44 and VII - 45).

Although some very poor bridges have been replaced, the quality of bridges generally is poor. Their load capacities are particularly low, and many cannot bear loads of five tons. The width of bridges is regulated by the government. The specifications, which are probably observed in practice in new construction, are exceedingly unpretentious. Bridges with a single arch two meters (6.6 feet) or less in length must be as wide as the road. These are classed as culverts. The width of bridges with an arch over two meters (6.6 feet) in length or with more than one arch is to vary according to the

crucial factor in the road system. Mountain bridges are reported to be so short that they can be braced to bear most military loads. (Illustration VII - 28.) Many streams along valley floors are shallow with gravel beds, and in the dry season are easily forded by motor transport.

Although the rate of building throughout Bulgaria has doubtless dropped since the war began, German engineers and forced-labor battalions have speeded bridge building as well as surface improvements on strategic roads. In many parts of the country existing bridges are reported to have been strengthened under German direction. On the roads to Greece, particularly the Sofiya/Sérrai route, bridges are reported to be repaired. Bridge repairs are also said to have been made on the road from Sofiya to Kazanlk and on roads south of Ruse.



E. Maintenance.

In 1939 Bulgaria had 628 road maintenance stations, divided among the administrative regions as follows: Burgaz, 54; Vrattsa, 90; Plovdiv, 94; Pleven, 86; Sofiya, 99; Stara-Zagora, 69; Shumen, 136. Stations were added steadily in the years before the war, 43 in 1937, 60 in 1938, and 26 in 1939. The location of the stations is unknown.

As of January 1941, there were 350 gasoline or steam rollers in Bulgaria, 25 stone crushers, 11 boring machines, 10 trac-

The Bulgarian population has generally considered maintenance of automobiles for private affairs a luxury, and a rather large proportion of registered vehicles are engaged in hauling passengers or freight for hire. (Illustration VII - 29.)

The Bulgarian Automobile Administration, under the Ministry of Public Works, has exercised control over all highway transport lines. In 1939 the state operated 1,200 trucks, which transported 90 million ton-kilometers (62 million ton-miles) of freight. In the same year private companies carried 80




Illustration VII - 29. Truck caravan.
Road in the mountains of southern Bulgaria.

tor graders, 100 motor trucks, and 1 mechanical sprinkling machine. However, most work of maintenance is done by hand. Road material generally comes from the vicinity of the road to be built. Stone quarries, gravel, and sand are reported to be abundant, and the relatively small amount of cement used in road construction is of domestic manufacture.

Since the war, construction and repair gangs have been organized from forced labor. A report of May 1942 stated that 95 separate detachments had been formed. These contained approximately 5,000 men working in all parts of Bulgaria.

F. Traffic density and use of roads.

No statistics on the density of traffic in Bulgaria exist. The value of such statistics for estimating Bulgarian road capacity is doubtful, since motor traffic is very light and the capacity of a road is normally never reached. On rural roads much of the local traffic is carried in animal-drawn vehicles and few automobiles are seen.

million ton-kilometers (55 million ton-miles). Two hundred fifteen bus lines with a total length of 10,000 kilometers (approximately 6,200 miles) are reported to have carried 6,700,000 passengers in 1939, about half the number carried by the state railroads. Since that time bus lines have been cancelled where they duplicated service by railroad. While service is mostly on urban or local lines, several long-distance lines exist. Sofiya is the focus of lines to Skoplje, Petrich, Thessaloníki, Nevrokop, Razlog, Vrattsa, Samokov, Karlovo, and Kazanlk. Other bus lines reported are Burgaz/Varna and Trnovo/Sevlievo/Troyan.

G. Vehicles.

Although the number of automobiles in Bulgaria, especially trucks and buses, showed a steady increase immediately before the war, the total number remains inconsiderable. With an average of 9.7 automobiles for every 10,000 persons, Bulgaria has the smallest number of cars, in relation to population, in the Balkans.



TABLE VII - 43 BULGARIA, NUMBER OF MOTOR VEHICLES

AUTOMOBILES	1936	1937	1938	1939
Passenger	2,105	2,478	2,503	3,030
Buses		542	587	753
Trucks	709	1,091	1,616	2,316
Total	3,224	4,111	4,706	6,099

Many passenger automobiles are old models of American manufacture, while newer cars are mostly German and Italian. Approximately 400 of the listed passenger cars are taxicabs. An unknown proportion of converted passenger cars are used as buses and are included in the bus figures. Of the total number of trucks, 231 are reported to be Diesel powered. In 1939,

H. Description of main roads.

(1) Sofiya/Plovdiv.

1.00

	Км.	M1.
Sofiya	0.0	0.0
Vakarel	38.0	23.6
Ikhtiman	56.0	34.8
Banya Kostenets		48.5
Belovo	96.0	59.7
Pazardzhik	134.0	83.3
Plovdiv	171.0	106.3

This road is a part of the direct route between Caribrod, Yugoslavia, and Edirne, Turkey. From Sofiya to Pazardzhik the surface consists of granite blocks; from Pazardzhik to



Illustration VII - 30. Bridge over Maritsa River. Road into Plovdiv. Looking south.

in addition to the vehicles listed, there were 3,272 motorcycles. Late reports, while incomplete, suggest that the number of vehicles in Bulgaria has increased somewhat since 1939; a few trucks have been imported, probably for military purposes. Nevertheless, fewer vehicles are in use due largely to shortage of fuel, and, according to one report (1943), 300 buses are idle.

There is no recent general information on repair facilities or personnel. However, it is known that the Germans undertook large-scale construction of truck garages in Stara-Zagora and Plovdiv in 1941.

Although the exact percentage is not known, a large proportion of road traffic is carried by animal-drawn vehicles. Many rural roads, particularly in the mountains, are reported to be impassable except by wagon. The commonest type of such vehicles consists of small four-wheeled wagons, some of which carry loads up to 1,200 pounds. These are drawn by horses, oxen, or water buffalo. Another common vehicle is the two-wheeled country cart, drawn by a single horse, and capable of carrying loads up to 700 pounds.

Plovdiv it is concrete (1943). It is reported to be a three- to four-lane highway (1943). An alternate route from Sofiya to Banya Kostenets runs south along the Iskr River via Samokov. While the latter is in good condition, it covers more difficult terrain. When the Maritsa is in flood the Pazardzhik/Plovdiv section is in danger of interruption. There are few very sharp curves on the road as a whole, but some are found between Banya Kostenets and Belovo. Grades of 10–20 per cent are found northwest of Vakarel, and lesser grades (up to 10 per cent) in the vicinity of Ikhtiman.

(b) Route. The road leaves Sofiya and follows the river terrace. A more difficult alternate route to Plovdiv, via Samokov, branches south at kilometers seven (miles 4.3). About one-half kilometer (0.3 mile) further on, the road leads down into Iskr Plain and crosses the Golem Iskr River. The road continues, ascending gently with very few curves, to Novi Khan, altitude 621 meters (2,037 feet). East of Novi Khan the road crosses a steep-sided ravine and intersects the railroad three times within 2.5 kilometers (1.6 miles), climbing the steep slopes of the Ikhtiman Range. At an elevation of



Мı.

about 860 meters (2,822 feet) the road runs on an almost level course to Vakarelski Hanove (Vakarel Station), then downgrade, paralleling the railroad through a precipitous narrow gorge 2.5 kilometers (1.6 miles) long. Beyond the gorge, the road proceeds over undulating terrain to Ikhtiman. The road to Banya Kostenets and Pazardzhik crosses the Maritsa River twice, continues fairly straight and level through the Maritsa Valley rice and tobacco fields and grazing land to Plovdiv.

(c) Notes. Important bridges and viaducts are located at Vakarel, near Ikhtiman, north of Banya Kostenets, west of Pazardzhik, and in western Plovdiv. The Vakarel viaduct, located 31 kilometers (19 miles) from Sofiya, is of masonry construction, 129.8 meters (426 feet) long, seven meters (23 feet) wide, and 30.5–39.6 meters (100–130 feet) high. The viaduct at Ikhtiman crossing a minor stream at an altitude of about 305 meters (100 feet), constitutes a vulnerable point on the road. The Pazardzhik and Plovdiv bridges are iron, about 50 meters (164 feet) and 50–75 meters (164–246 feet) long respectively. (Illustration VII - 30.) Of the important bridges on this road, seven are stone, six concrete, two iron, one wooden, and one of unspecified material.

The Maritsa River in the Pazardzhik/Plovdiv area is very shallow, with a firm sand and gravel bed. It can be forded at Plovdiv when not in flood; average width of the stream is 100–300 meters (328.1–984.3 feet). Banks are likely to be marshy in places.

(2) Plovdiv/Edirne, Turkey.

(a) Log.	Км.	Mı.
Ploydiv	0.0	0.0
Khaskovo	77.0	47.8
Kharmanli	111.0	69.0
Svilengrad	145.0	90.1
Edirne	177.0	110.0

This road forms part of the Caribrod, Yugoslavia/Edirne, Turkey route. Average width is 'six to eight meters (19.7–26.2 feet); type of surface not known but is probably waterbound macadam. In late 1942 work on this road was still in progress. Floods endanger sections of it every spring. Curves are few, and there are no serious grades.

(b) Route. Road runs close to Maritsa River through rice fields (marshy during flood time) to Popovitsa, kilometers 26 (miles 16.2). There it swings away from river, and crossing numerous streams hugs the lower slopes of Rodopi Planina to Khaskovo, then follows Olu Dere Valley to Kharmanli. From Kharmanli to Edirne the road follows the Maritsa River, crossing to the right bank at Svilengrad.

(c) Notes. Important bridges are located at Plovdiv, Kharmanli, and Svilengrad, where the road crosses the Maritsa. Two other bridges are reported between Plovdiv and Kharmanli.

(3) Sofiya/Lom.

(a) Log.	Κм.	Mı.
Sofiya	0.0	0.0
Petrokhan	56.0	34.8
Berkovitsa		49.1
Ferdinand	104.0	64.6
St. Tserovene	129.0	80.2
Lom		98.8

This is a good macadam road, with an average width of six meters (19.7 feet). It is very winding and steep between

Kostinbrod and Berkovitsa. In winter, sections are often made impassable by snow and rain; between Berkovitsa and Lom, stretches of road are subject to floods.

- (b) Route. The road crosses Sofiya Plain to Kostinbrod, kilometers 12 (miles 7.5). Beyond Kostinbrod, it climbs the barren slopes of the Stara-Planina, crossing Iskrets (Iskret) Valley. The road then rises in a series of hairpin curves and long grades (up to 20 per.cent) to Petrokhan Pass, altitude 1,438 meters (4,718 feet). Leaving Petrokhan, it descends in steep hairpin curves through wooded terrain to Klisura village. The road follows the Klisura River through Berkovitsa to Ferdinand, after crossing the Danube Plateau. Three kilometers (two miles) south of Lom, the road drops abruptly into Lom Valley, crossing the river before entering town.
- (c) Notes. An important bridge crosses the Tsibr River south of St. Tserovene. Nine principal bridges are reported (1942) between Sofiya and Lom: two stone, one wooden, three iron (one of six spans, one of three, one unspecified), one iron and concrete, and one unspecified.
- (4) Sofiya/Vrattsa. A new road through Iskr Gorge provides a direct route from Sofiya via Kurilo and Svoge to Vrattsa. Until recently only the railroad and a rough wagon track followed this course. The new road was reported complete at the end of 1942. (According to a conflicting account, it was still under costruction at that time.) Jewish labor battalions were reportedly employed.

The exact itinerary of the new road is unknown. It was probably built to provide a route free of snow blockades from Sofiva north through the Stara-Planina.

(5) Sofiya/Varna. (a) Log.

Sofiya	0.0	0.0
Botevgrad	60.0	37.3
Lovech	166.0	103.1
Trnovo	250.0	155.3
Omortag	324.0	201.3
Trgovishte	346.0	215.0
Shumen	385.0	239.2
Varna	476.0	295.8
v ama		

This road is one of the two principal highways between Sofiya and Black Sea. The roadbed is metalled and has been repaired and widened to an average of six meters (19.7 feet), but is dusty and rough in places. Bridges in the Sofiya/Botevgrad section have been improved to take loads of 15 tons (1942). The road crosses moderately hilly country most of its way, with very few steep grades and sharp curves. The Lovech/Trnovo section is difficult in wet weather.

(b) Route. Sofiya/Lovech. From Sofiya the road starts east across the plain, turns north at kilometers 20 (miles 12.4), then leads over a 1,000-meter (3,281-foot) pass to Botevgrad, altitude 331 meters (1,086 feet), via Churek. An alternate route continues east through Sarantsi and Arabakonak Pass. Between Churek and Botevgrad the road is winding in places and steep. East of Botevgrad the road leaves the mountains, passes through a twisting gorge and, crossing Mlk. Iskr River, climbs rapidly to Yablanitsa, situated beyond a low ridge, altitude 429 meters (1,407 feet). Descending, it crosses Vit River, cutting through hills to Blgarski-izvor (Turski Isvor), kilometers 126 (miles 78.3). Leaving Blgarski-izvor, the road follows a fairly level course to Mikre, then climbs



steep grades (up to ten per cent) over a low divide to Lovech, kilometers 166 (miles 103.1).

Lovech/Trnovo. This road crosses two undulating, partly wooded plateaus which extend between the Osm River, crossed by road at Lovech and the Rositsa River, crossed at Sevlievo, and the Yantra River, crossed at Trnovo. Altitudes vary from about 500 meters to 200 meters (1,640–656 feet).

Trnovo/Shumen. Leaving Trnovo (Illustration VII - 31), this road crosses Yantra and runs through cultivated land cut by numerous streams to cross Karadere. Thence the road

(6)	Sofiya/Burgaz.
	Log.

	Км.	Mı.
Sofiya	0.0	0.0
Pirdop	80.0	49.7
Karlovo	148.0	92.0
Kazanlk	201.0	124.9
Stara-Zagora	235.0	146.0
Sliven	304.0	188.9
Aitos	384.0	238.6
Burgaz	415.0	257.9



Illustration VII - 31. Asenova, a suburb of Trnovo.

The Trnovo/Shumen road enters village in right foreground, crosses Yantra River over bridge in center, and climbs to plateau surface. Looking east.

rises through hilly country to Omortag. Continuing through woods to Prolaz, altitude 472 meters (1,548 feet), the road then descends through a narrow gorge and winds through hills to Trgovishte. From Trgovishte to Shumen, it crosses undulating partially wooded country, and crosses the Varna and a number of other streams and rivers.

Shumen/Varna. This road passes over hilly country, and crosses a great many streams. It winds over hills, most of them low and partially cultivated. One steep hill occurs 20–25 kilometers (12.4–15.5 miles) east of Vetreno (10–20 per cent grades). From Shumen to Vetreno, the road crosses several rivers.

This road, running from Sofiya to the Black Sea between Stara-Planina to the north and the low Sredna Gora chain to the south, is the southernmost of the two principal eastwest highways of Bulgaria. It is metalled, 6 meters wide (19.7 feet). Since German occupation, it has been subject to heavy military traffic. Although reported to be in excellent condition (1942) it is likely to be rough and dusty. In 1940 the Aitos/Burgaz section was in bad condition except for eight kilometers (five miles) of stone paving outside Burgaz; it has since been classified as a first-class motor road (October 1942). German engineers have strengthened bridges in the Sofiya/Kazanlk section (1942). While a few steep grades and



bad curves occur between Sofiya and Kazanlk, the road as a whole is not difficult. From Sofiya to Burgaz the road parallels the railroad, and crosses it at frequent intervals.

(b) Route. Sofiya/Karlovo. The terrain is rough, and the road crosses two water divides which are quite steep and are in danger of washouts in the rainy season. From Sofiya the road runs over the bare Sofiya Plain, crossing the Golem Iskr River at kilometers eight (miles five) outside Vrazhdebna. Around kilometers 25 (miles 15.5) it climbs rapidly to Sarantsi Basin, and reaches Sarantsi village (kilometers 35, miles 21.7) after crossing the Vominska River three times. Beyond Sarantsi village the road passes through Sarantsi Gorge, a very narrow passage between steep walls. From kilometers 42 (miles 26.1) the road climbs over Gulubets divide (Zlatitza ridge), altitude 900 meters (2,953 feet), and then descends into Zlatitza Basin, altitude 700 meters (2,297 feet), running on to Pirdop (kilometers 85, miles 52.8), on northeastern edge of basin. (Branch roads run north to Lukovit and south to Pazardzhik.) A few kilometers beyond Pirdop, the road crosses the hillside above the north bank of the Topolnitsa River, many streams and some marshy land. At kilometers 102 (miles 63.4) the road crosses a low pass at Kosnitsa, then descends steeply to Klisura defile, two to three kilometers (0.5-1.5 miles) long, a deep and narrow part of Strema Valley. Here the road crosses the Strema River near the entrance and then follows the valley to Karlovo.

Karlovo/Stara-Zagora. This road runs through the Valley of Roses, the rolling Tundzha Valley, and over the Surnena Gora. From Karlovo the road winds along mountain slopes, crossing many streams and some marshy ground, down through the upper part of Tundzha Valley to Kazanlk. (Branch roads run north to Gabrovo, and east to Sliven.) From Kazanlk the road continues down Tundzha Valley for 18 kilometers (11.2 miles), crosses the river, and begins ascent of Sredna Gora Range. The altitude near the summit is 469 meters (1,539 feet). The road then descends Sredna Gora along a small wooded valley to Stara-Zagora.

Stara-Zagora/Sliven. From Stara-Zagora roads branch southwest to Plovdiv, south to Kharmanli, and north to Kazanlk and Sliven. The road from Stara-Zagora enters vineyard country and continues along a plain southeast of Sredna Gora Range crossing several small streams. From Popovo, kilometers 273 (miles 169.6), the road climbs the eastern spurs of Sredna Gora. There are no steep grades, the altitude being not over 250 meters (820 feet). At Staro Selo the road descends into Tundzha Valley, crosses the Tundzha and an affluent, then continues fairly level through Chairli to Sliven.

Sliven/Burgaz. Roads branch from Sliven north to Trnovo, west to Kazanlk and to Stara-Zagora, and south to Yambol. From Sliven to Burgaz the road runs at an average elevation of about 100 meters (328 feet). It crosses the Azmak Dere (River) five to seven kilometers (8–11 miles) west of Karnobat, rising from that point to the summit of a low divide. From there the road drops gradually into the rolling plain extending to Burgaz.

(c) Notes. The following bridges are important: over the Tundzha west of Sliven; over the Azmak west of Karnobat; over the Aitoska west of Aitos.

As far east as Yambol the Tundzha has an average width of 46 meters (150 feet) and a depth of one to two meters (three to seven feet). The banks are generally low and in dry weather the river can be forded by carts in many places.

(7) Varna/Burgaz.

(a) Log.	Км.	Mı.
Varna	. 0.0	0.0
Vetreno		28.0
Provadiya		37.9
Aitos		83.3
December '	165.0	102.5

This is the principal road between Bulgaria's two Black Sea ports. There are numerous steep grades. The road is in good condition, with average width of at least six meters (20 feet) (1942). The surface is probably macadam except for a few kilometers outside of Burgaz and Varna where it is paved with stone (1942).

(b) Route. The route follows the Sofiya/Varna road to Vetreno. From Vetreno the road climbs over a rise to descend into Provadiska Valley, and crosses the river a few kilometers north of Provadiya to enter the town. From Provadiya the road descends into Ana-Dere Valley, then climbs over another divide into Golema Kamchiya Valley, and from there into Luda Kamchiya Valley. After following the Alma-Dere (River) for a few kilometers, the road ascends to the Dermen-Dere Pass, altitude 419 meters (1,375 feet), crossing it via the spectacular Bogaz-Dere defile and enters Aitos. From Aitos to Burgaz the route follows the Sofiya/Burgaz road.

(c) Notes. A shorter alternate route along the coast, via St. Orekhovo, has been widened and improved recently (1942). (Illustration VII - 32.) In latest reports (March 1943) it is classed as a second-class motor road. It passes through boggy ground south of the Kamchiya River. Between kilometers 43 and 58 (miles 26.7–36.0) there is an unmetalled strip of road which is impassable in wet weather; the rest is metalled (1942).

An important bridge on the alternate coast route is over the canal south of Varna. This bridge is of new, metal construction, 64 meters (210 feet) long, 11.6 meters (38 feet) wide; it lifts by electric power, creating an 18.3 meter (60 feet) clearance for ships.

(8) Ruse/Trnovo.

(a) Log.	Км.	M_{I} .
Ruse	0.0	0.0
Bela	51.0	31.7
Trnovo		63.4

Part of the road from Ruse on the northern frontier to Edirne, Turkey, is metalled and said to be in good condition (October 1942). (Illustration VII - 33.) The average width is six meters (19.7 feet). The bridges have been repaired by the Germans (1941). The road lies through fairly easy terrain and has very few steep grades.

(b) Route. After crossing the Lom River five kilometers (3.1 miles) southwest of Ruse, the road ascends a plateau leading to Bela, altitude 310 meters (1,017 feet). Leaving Bela, it enters Yantra Valley, which it follows to the Rositsa River. Seven kilometers (four miles) south of Bela, the road to Pleven branches west. Crossing the Rositsa River, the road passes over a low divide to Polikraishte, then descends and re-enters Yantra Valley which is a narrow defile at this point. Here the road follows up the west bank of the Yantra River to Trnovo and enters the city by means of a high single-span bridge.

(c) Notes. Road through Yantra defile, a section six to eight kilometers (3.7-5 miles) long north of Trnovo, can be



Illustration VII - 32. Varna/Burgaz road near Barakli.

Roadway cut through rock in eastern spur of Balkan Mountains. Road is narrow, and is alternate route to Varna (via Aitos) Burgaz road.





Illustration VII - 33. Pontoon bridge over the Danube River. Connects Ruse with Giurgiu in Rumania.



avoided by going from Polikraishte via Gorna Orekhovitsa (Gln-Orekhovitza, Gorna Orehovitsa).

(9) Trnovo/Kazanlk.

(a) Log.	Км.	Mr.
Trnovo	0.0	0.0
Drenovo	22.0	13.7
Gabrovo		26.1
Kazanlk	76.0	47.2

The surface is six meters (19.7 feet) wide at an average, metalled and in good condition (October 1942). Between Gabrovo and Kazanlk the road is very winding and steep. Some grades are as steep as 20 per cent. Snow makes this section extremely difficult to travel and occasionally impassable from December to March 1. Bridges and viaducts are numerous, and, because of the nature of the terrain, constitute vulnerable points.

(b) Route. About 3.2 kilometers (two miles) south of Trnovo the road crosses the Yantra River, following a fairly level course to Debelets village. Crossing the Belitsa River, the road runs to the Drenovo River, which it follows closely. There are several railroad grade crossings to Drenovo, whence the road continues to Gabrovo on the Yantra. Here a branch road runs to Sevlievo. The main road crosses the Yantra, following Yantra Valley for six to eight kilometers (3.7–5 miles). Upon leaving the valley, the road is extremely steep and winding to Shipka Pass, altitude 1,333 meters (4,364 feet) (Illustration VII - 24). The road then winds down the ridge (hairpin curves, 10–20 per cent grades) to Shipka village, altitude 548 meters (1,798 feet), descending from there into the rolling Tundzha Valley, then through bushes and trees to Kazanlk.

(10) Vidin/Negotin, Yugoslavia.

(a) Log.		
(1) -10	Км.	Mı.
Vidin	0.0	0.0
Smrdan		3.7
Gmzovo	17.0	10.6
Bregovo	29.0	18.0
Negotin		26.7

This road is one of the three most travelled routes from Bulgaria to Yugoslavia. From Negotin in Yugoslavia a road leads to Zaječar (Zaichar) and Cuprija on Niš/Beograd highway. A secondary road leads northward from Negotin to Tekija on the Danube, where there is reportedly a ferry connection to Orsovo in Rumania.

- (b) Route. From Vidin the road crosses the Topolovitsa River and a stream near Smrdan, and runs through rolling terrain and vineyards. At kilometers 26 (miles 16.2) the road is winding with grades up to ten per cent, then leads through a low spur of Stara-Planina, altitude 236 meters (774 feet) to Gmzovo and thence to Bregovo, crossing the Timok River to Yugoslavia. Here the road turns northeast, skirting the foothills to Negotin.
- (c) Notes. There is no recent information on construction details. The road can handle two-way traffic, and has a waterbound macadam surface.

Deployment is possible from most points along the road within Bulgaria. There is some marshy terrain on the outskirts of Vidin. Deployment would be limited near Gmzovo, and cover poor.

The only suitable alternate route is the Vidin/Zaječar road via Prokhod Vrshka-chuka (Vrachka-Chuka or Vrushka

Chuka Pass), altitude 400 meters (1,312 feet). This pass is subject to snow blocking and the road through it is poorly developed.

(11) Vidin/Zaječar, Yugoslavia.

(1) = 18·	KM.	Mı.
Vidin	0.0	0.0
Voinitsa (Voinitza)	16.0	9.9
Kula	32.0	19.9
Vrshka-chuka Pass	44.0	27.3
Zaječar	54.0	33.6

This road is a possible alternate for the Vidin/Negotin route. The distance from Vidin to the Niš/Beograd Highway is 50 kilometers (31 miles) shorter via Zaječar than via Negotin, but the Negotin road crosses less difficult terrain and is probably better surfaced.

- (b) Route. Out of Vidin the road crosses marshy land, then gradually ascends a plateau to Kula, altitude 229 meters (981 feet). Here the road leaves the treeless area at Kula and ascends the lower slopes of Vrshka-chuka Mountain. It passes through the low gorge of Topolovitsa River to Vrshka-chuka Pass, altitude 400 meters (1,312 feet), on the Yugoslav frontier. The descent westward into Timok Valley is steep with grades up to ten per cent. Timok River is crossed at kilometers 53 (miles 33).
- (c) Notes. There are two major bridges: one over the Topolovitsa at Vidin; the other over the Timok at Zaječar. The road is probably in poor condition as no recent construction or improvements have been reported.

Deployment from the road is possible between Vidin and Kula. Movement is restricted between Kula and Zaječar. The pass is likely to be blocked by snow from November to March.

(12) Sofiya/Caribrod, Yugoslavia.

(4) 108.	Км.	Mı.
Sofiya	0.0	0.0
Slivnitsa		16.8
Dragoman	41.0	25.5
Frontier		33:0
Caribrod	59.0	36.7

This is the principal road between Bulgaria and Yugo-slavia, and an important link in the international highway connecting Istanbul, Sofiya, and Beograd.

- (b) Route. From Sofiya the road runs over an open plain to Slivnitsa; from there it crosses a branch of the Iskr and enters a barren hilly region. From kilometers 36 (miles 22.7) it climbs steadily (grades up to ten per cent) to Dragoman Pass, altitude 726 meters (2,382 feet). After a short descent for about eight kilometers (five miles) the road again climbs with grades up to ten per cent, then descends into the wild Nišava (Nisava) Valley, which it follows into Caribrod.
- (c) Notes. The average width is six meters (19.7 feet), and type of surface varies. Some of the road is stone-set pavement, probably in the vicinity of Sofiya. The remainder is macadam, most of which is waterbound, and some portions are said to be asphalt surfaced. Reports indicate that extensive repairs are in progress (1943). Possibilities of deployment from the road are good to Dragoman Pass. The lowland area immediately west of Sofiya is subject to flooding from March to June. Cover is sparse, consisting in the main of scattered scrub-oak, which offers poor concealment.

Existing bridges have been strengthened and are reported to be capable of carrying military loads.

() T .-



(13) Dupnitsa/Kriva Palanka, Yugoslavia.

(a) Log.		
_	KM.	Mı.
Dupnitsa	0.0	0.0
Kyustendil	31.0	19.3
Gyueshevo	52.0	32.3
Develair Pass	55.0	34.2
Kriva Palanka	68.0	42.3

This is the route from the middle Struma Valley to Yugoslavia. From Dupnitsa good roads lead eastward to Plovdiv and northward to Sofiya. From Kyustendil a good road leads to Radomir and Sofiya. Beyond Kriva Palanka, the road leads west to Kumanovo in the Vardar Valley.

- (b) Route. The road, leaving Dupnitsa, crosses the Dzherman River and winds through hills to the Struma River. The bridge is at kilometers 30 (miles 18.6). The road then follows a tributary of the Struma through low, wooded hills to Kyustendil, thence through rugged terrain crossing numerous mountain streams to Gyueshevo. A steep ascent leads to Devebair Pass, altitude 1,191 meters (3,907 feet). The descent is by way of a deep gorge through heavily wooded mountains to Kriva Palanka.
- (c) Notes. The road is reported widened and improved to accommodate two-way traffic and heavy axle loads (1941). Much forced labor was reportedly employed (May 1942). It was still under construction with most bridges unfinished in October 1942. It has a metalled surface, which is kept in good condition (March 1943).

Devebair Pass is probably blocked by snow during December and January.

(14) Gornu Dzhumaya/Carevo-Selo, Yugoslavia.

(a) Log.		
	Км.	Mı.
Gorna Dzhumaya	0.0	0.0
Klisura	17.0	10.6
Frontier	24.0	14.9
Carevo-Selo	40.0	24.9

This is a difficult route over Lukov Vrkh in the Vlakhina (Vlahina) Mountains; an alternate to the Dupnitsa/Kriva Palanka route (13).

- (b) Route. The road crosses the Struma River at kilometers 5 (miles 3.1), and then leads through undulating terrain to Klisura Valley. A steep ascent from Klisura Valley climbs to the pass over Lukov (Vrkh Peak), altitude 1,297 meters (4,255 feet). The road then descends through rough mountainous terrain to Carevo-Selo.
- (c) Notes. The road is one-way only. Its surface is water-bound macadam, with some unmetalled stretches. It was reported to be in poor condition after use by military traffic (1941), but repairs were under way in 1942.

Bridges are located at kilometers five, seven and eight (miles 3.1, 4.3, 5.0).

(15) Levunovo (Deltchevo)/Strumica, Yugoslavia.

(a) Log.		
	Kм.	Mı.
Levunovo	0.0	0.0
Petrich	14.0	8.7
Frontier		23.6
Strumica	68.0	42.5

This is the southernmost of roads from Bulgaria to Yugo-

slavia. With a maximum altitude of 259 meters (850 feet) it is not subject to snow blockade. It branches from the Sofiya/Sérrai route in the Struma Valley, leading westward by way of Strumitsa Valley to Strumica, where it joins the Vardar Valley road from Skoplje to Thessaloníki.

- (b) Route. The road runs southwest from Levunovo crossing the Struma at kilometer one (mile 0.6) and the Strumitsa River at kilometers six (miles 3.7). It approaches Petrich across the floodplain of the Strumitsa. Leaving Petrich the road again crosses the Strumitsa at kilometers 16 (miles 9.9), continuing westward along the left bank. The road runs through orchard country (terrain of moderate relief), staying within one or two kilometers (0.6–1.2 miles) of the stream bed. At kilometers 60 (miles 37.3) the road crosses a bridge over the Strumitsa, where it is joined by a road from the northeast, originating at Kriva-Livada. At kilometers 66 (miles 41) the road crosses a bridge over a tributary of the Strumitsa, entering the town of Strumica two kilometers (1.2 miles) beyond.
- (c) Notes. This road is reportedly one-way throughout (May 1943), with metalled surface varying in quality from fair to poor (April 1943).

(16) Sofiya/Sérrai, Greece.

(a) Log.		
	Км.	Mı.
Sofiya	0.0	0.0
Tsrkva	22.0	13.7
Dupnitsa	64.0	40.0
Gorna Dzhumaya	99.0	61.5
Kriva-Livada	142.0	88.2
Levunovo	174.0	108.1
Marino-pole	180.0	111.5
Kulata	185.0	115.0
Sérrai	227.0	141.1

This is the principal road (Struma Valley route) from Sofiya to Greece. A fair but somewhat longer alternate road connects Sofiya, Samokov, Razlog, and Sérrai. Several roads lead from the Sofiya/Sérrai road to Yugoslavia.

(b) Route. From Sofiya the road follows a fairly straight course to Tsrkva. There are many grade crossings over the railroad. (Illustration VII - 34.) From Tsrkva (Tzrkva) the road leads up the narrow Struma Valley to Krapets kilometers 32 (miles 19.9). It then leaves the valley and climbs (ten per cent grades) over a water divide (altitude ca. 1,200 meters, 3,937 feet) to the headwaters of the Dzherman River. The road follows the right bank of the Dzherman River along the steep valley wall, while the railroad runs south on the opposite side. The valley widens at Dupnitsa, where the road crosses to the left bank, above the railroad. The road winds in and out of the sparsely wooded lower slopes of the Rila Planina, staying well above the valley floor. At Slatina, kilometers 78 (miles 48.5), the road enters the main valley of the Struma, pursuing a very winding, undulating course high above the valley plain, which is subject to flooding. From Gorna Dzhumaya to kilometers 110 (miles 68.4) the route is less winding. At the latter point, the road and railroad cross the river and follow wooded Kresna Gorge to Kriva-Livada. (Illustration VII - 35.) Some of the grades are ten per cent. At Kriva-Livada the road crosses to the left bank of the Struma, following the slopes of the Pirin Planina above the railroad and the marshy plain as far as Kulata (where the railroad formerly terminated). South of Kulata



Illustration VII - 34. Sofiya/Sérrai road to Greece. Route 16, near Sofiya.

the road runs through Rupel Gorge (length ca. 15 kilometers, 9.3 miles) to Sidhirókastron (Siderokastron). The road continues over undulating cultivated terrain on the east side of a broad marshy floodplain to Sérrai.

(c) Notes. The average width of the road is seven meters (23 feet); it narrows to a single-lane road in Kresna Gorge. Grades up to ten per cent occur between Dupnitsa and Tsrkva and in Kresna Gorge north of Kriva-Livada.

The type and quality of the surface vary: from Sofiya to Tsrkva it is granite block paving; from Tsrkva to Kulata, waterbound macadam; from the Greek frontier to Sérrai, tarmac.

The stretch from Gorna Dzhumaya to Levunovo is reportedly incapable of withstanding heavy motor transport in bad weather. A recent report states the road is kept in good condition (March 1943).

There are about 18 major bridges between Sofiya and Kulata. The type of construction varies, but almost all bridges are of stone, concrete, or steel. Since 1940, bridges formerly capable of supporting only five-ton loads have been strengthened to take ten tons, or have been replaced. North of Kriva-Livada two stone bridges, one over the Struma and the other over a tributary, are particularly vulnerable since they lead into the Kresna Gorge, a portion of the route that has no alternate. Small wooden culverts and a 15 meter (49.2 feet) wooden bridge south of Levunovo are reported to have been strengthened.


(17) Sofiya/Dráma, Greece.

(a) Log.	Км.	Mı.
Sofiya	0.0	0.0
Samokov	57.0	35.4
Banya Kostenets	86.0	53.4
Belovo	104.0	64.6
Bansko	172.0	106.9
Nevrokop	221.0	137.3
Frontier	246.0	152.9
Dráma	296.0	183.9
Drama		

This road is the more difficult of two routes from Sofiya into Greece. Most of it runs over mountains or through very rough country. Its surface is concrete or stone-set as far as Samokov, and macadam in fair to good condition beyond (1942). Its average width is six meters (19.7 feet) (seven meters as far as Samokov). Bridges and culverts are numerous.

(b) Route. The road to Samokov follows the Iskr River closely, sometimes running in the river valley, and sometimes on the hills above. Leaving Samokov, it crosses a divide, altitude 1,045 meters (3,429 feet) to Banya Kostenets, then proceeds along the Maritsa River for 18 kilometers (11.2 miles) to the Belovo turn-off. The road runs from there to Bansko, rising to elevations of over 1,000 meters (3,281 feet), then drops into the Mesta Valley. Leaving Bansko, the road runs along the Mesta River to Nevrokop, when it swings away from the Mesta and continues over rough country to the frontier.





 ${\it Illustration~VII-35.~Sofiya/S\'errai~road.}$ Looking north into the Kresna Gorge in the Struma Valley north of Petrich.



(c) Notes. From Sofiya to Samokov there are 13 bridges, one of wood and 12 of concrete or iron, and 25 culverts; from Samokov to Bansko there are at least 8 wooden culverts and about 6 wooden bridges.

A more direct route between Sofiya and Bansko runs by Belitsa. It is a very difficult mountain road, apparently in poor condition.

(18) Plovdiv/Xánthi, Greece.

(a) Log.	Км.	Mı.
Plovdiv	0.0	0.0
Asenovgrad	20.0	12.5
Raikovo	87.0	54.1
Raikovo	112.0	70.0
Frontier	164.0	102.0
Xanthi		

Used extensively by the military, this road has recently been widened to an average width of six meters (19.7 feet) as far as the frontier. It is a mountain road with numerous deep defiles, hairpin curves, and steep grades. In some narrow valleys, the road is subject to floods. Its surface is macadam as far as Asenovgrad; laid with stone blocks between Asenovgrad and Raikovo, beyond which the surface was under repair in 1942 and is believed to be in good condition at present.

(b) Route. From Plovdiv to Asenovgrad the road follows a level and fairly straight course across the cultivated Maritsa Plain. At Asenovgrad it crosses an important bridge over the Stanimashka River, following the river valley to Chepelare. The road is steepest over Bukova Range, beginning south of Chepelare. It ascends in a series of long grades (10–20 per cent) through Raikovo to a pass, altitude 1,198 meters (3,931 feet).

The descent is equally steep as far as the Arda River. After crossing the river, the road again rises to Eledja Pass, altitude 1,061 meters (3,481 feet). It then crosses the frontier into Greece.

(19) Khaskovo/Komotini, Greece.

(a) Log.	Км.	Mı.
Khaskovo	0.0	0.0
W.J.L.13	42.0	26.1
Momchilgrad	58.0	36.1
Komotiní	116.0	72.1
KOIIIOtiiii		

This is the best route across the Rodopi Planina east of the Sofiya/Sérrai road.

- (b) Route. Branching from the Edirne/Plovdiv road at Khaskovo, the road cuts across low ridges (no altitudes over about 650 meters, 2,133 feet) to Krdzhali. It then enters Syuyutliika Valley and, passing through Momchilgrad, proceeds along the valley for 18–20 kilometers (11.2–12.4 miles). At this point the road encounters steep grades (10–20 per cent) which continue as far as Makaz Pass, altitude 707 meters (2,320 feet), into Greece.
- (c) Notes. The road is two-way (probably 5-6 meters; 16-20 feet), and metalled throughout (1943). Damaged by heavy traffic in the winter of 1941-42, it was still being improved and repaired in the early part of 1943.

One stone bridge, just south of Krdzhali, and a simple truss iron bridge just north of Momchilgrad, are vulnerable (each 120 meters; 394 feet long). The road is subject to snow blocking in winter.

Table VII - 44 BULGARIA, ROADS AND BRIDGES, 1939

				ROAD I ROADS PER PERSONS	DENSITY LENGTH OF ROADS PER UNIT OF TERRITORY KM, PER MI. PER		Bridges			
Administrative Regions	Км.	OADS M1.	Км.	Mı.	Sq. Km.	Sq. M1.	Bridges	Culverts	TOTAL	
REGIONS		1,148	3.3	2.0	.14	.22	680	2,889	3,569	
Burgaz	1,848	1,513	3.5	2.1	.24	.38	724	2,849	3,573	
Vrattsa	2,435 2,340	1,454	2.9	1.8	.15	.23	1,613	4,353	5,966	
Plovdiv	4.010	2,496	4.0	2.5	.26	.41	1,549	7,468	9,017	
Pleven	2,889	1,796	2.5	1.6	.17	.27	1,981	6,732	8,713	
Sofiya	0.442	1,518	3.0	1.9	.15	.23	911	4,534	5,445	
Stara-Zagora	3,581	2,225	3.5	2.1	.27	.43	841	5,458	6,299	
Shumen	J, JO2								40.500	
Total	19,554	12,150	3.3	2.0	.19	.30	8,299	34,283	42,582	

TABLE VII - 45 BULGARIA, ROADS UNDER CONSTRUCTION

			Denoi			ROA	DS					BRIDGES		
_	Year		ATERBOUND I	Macadam Under I Km.	Repair Mi.	STONE :	Вьоск Мі.	Сомсі Км.	кетв Мі.	Віти Км.	MEN M1.	Culverts Number	RETAINING METERS	G WALLS FEET
REGIONS	YEAR	KM.	1411.			_				_		349	595	1,952
Burgaz	1937	143	89	55 117	34 73	5 6	3 4	_	_			529	804	2,638
	1938	121	. 75		65	10	6		-	_	-	335	129	423
	1939	148	92	105		10	3	. 3	2			105	843	2,766
Vrattsa	1937	60	37	78	48	2	4	,	_	_		148	296	971
714004	1938	83	52	143	89	1	4					128	463	1,519
	1939	73	45	175	109 57	4 15	9	_	_		_	320	2,755	9,039
Ploydiv	1937	97	60	92		27	17	_		_		- 500	4,677	15,344
	1938	19	12	188	117		20		_	_		361	1,899	6,230
	1939	32	20	104	65	32						325	1,718	5,636
Pleven	1937	93	58	158	98	1	0.6	_				500	1,950	6,398
rieven	1938	84 62	52 39	348 288	216 179	8 4	5 2		_	_	_	256	1,899	6,230
	1939	02	33	777										



TABLE VII - 45 (Continued)

		WATERBOUND MACADAM								Bridges					
REGIONS	YEAR	New Cor Км.	STRUCTION MI.		Repair Mi.	Stone Km.	Block Mi.	Conc Km.	скетв Мі.	Віти Км.	MEN Mi.	AND Culverts Number	R etainin Meters		
Sofiya	1937 1938	51 42	32 26	184	114	42	26		-			844	2,632	Fевт 8,635	
_	1939	73	45	218 230	135 143	48 48	30 30		-	_		833	4,760	15,617	
Stara-Zagora	1937	128	80	79	49	1	0.6					639	3,613	11,854	
	1938 1939	163 70	101 43	128	80	1	0.6	-				363 670	615 1,278	2,018 4,193	
Shumen	1937	101	63	109 249	68 155	3 2	2					346	431	1,414	
	1938	101	63	231	144	4	2			_	_	235 440	91	299	
Total	1939 1937	80 673	50 419	250	155	6	4	_		1	0.6	325	100 103	328 338	
	1938	613	381	895 1,373	555 854	69 101	42.2 62.6	3	2	_		2,541	9,249	30,345	
	1939	538	334	1,261	784	107	66			1	0.6	3,620 2,390	13,865 8,999	45,489 28.004	

78. Inland Water Transport

A. The Danube River.

The Danube is the only inland waterway in Bulgaria suitable for navigation. The Bulgarian sector of the Danube begins below the narrow passage of the Iron Gates at Kilometer 845* and extends for about 400 kilometers (about 250 miles) to Kilometer 447. Rumanian territory lies on the left bank for the whole distance.

- (1) Channel. The ship channel is along the left or Rumanian bank almost all the way. The Bulgarian shore is generally high, often 500 to 600 feet (150–180 meters), and the Rumanian shore low and marshy.
- (a) Depth. There is a minimum depth of 2.5 meters (8 feet).
- (b) Width. The width varies from 2,280 feet (695 meters) at Calafat (Kilometer 793.5) to 7,200 feet (2,195 meters) at the mouth of the Tsibr River (Kilometer 716.5).
- (c) Other bydrographic features. The widths of the river and the channel make any slight sinuosity unimportant. In general the Bulgarian Danube has easy bends. The fall is gentle, ranging from 0.033 per 1,000 at the Yugoslav border (Kilometer 844.5) to 0.069 per 1,000 at the narrowest part opposite Calafat (Kilometer 793–795). The current has a velocity of 0.4 to 0.6 meter per second, or about one mile per hour.
- (d) Seasonal variations. Ice may appear on the Danube from late November until mid-March. The river is frozen and shipping is suspended for an average of 39 days. During the winter of 1941-42, the coldest in 140 years, shipping was not resumed until March, but 1942-43 was very mild and the channel was open by February 10. The first water rise comes in April with the melting of snow in the lowlands, and the second rise in June as water from the mountain snows enters the river. Sometimes these seasons overlap. The lowest water level comes in September and October.
- (2) Obstructions. There are nearly a hundred islands in the Bulgarian Danube, ranging from some a few square yards in area, which are frequently inundated, to one 6½ miles (10.5 kilometers) long. Pilots are not required by law on the Bulgarian sector, but most shipping companies employ a regular staff of pilots. There are no fixed bridges on the Bulgarian Danube, although one is projected between Ruse and Giurgiu, with completion scheduled for 1948. In June 1943, pontoon bridges of German construction were reported at

the Nikopol/Turnu/Magurele and Ruse/Giurgiu crossings. (Illustration VII - 33.) (Also see Illustration V - 11.)

(3) Ports. Bulgaria is the least important country on the Danube, and has the smallest and most poorly equipped ports. Ruse is the chief Bulgarian port, transshipping 183,000 metric tons (approximately 200,000 short tons) in 1937.

(a) Wharfage and cranage. Transfers are made chiefly by hand throughout the Balkans; Ruse, Lom and Vidin are the only Bulgarian ports with any mechanical equipment (Table VII - 47). The Bulgarian Government has appropriated large amounts in recent years, principally since the war began, for the improvement and extension of Ruse and Lom.

(b) Storage facilities. Storage space in Bulgarian harbors is not adequate to care for increased traffic resulting from the war.

- (c) Clearance. Because of inadequate clearance facilities of the ports, official customs storehouses, public sheds and open storage space were all clogged with goods by the end of 1942.
- (4) Hauling facilities. Most Bulgarian imports and exports on the Danube have been carried in foreign bottoms, chiefly under German or Rumanian registry. There are no shipyards on the Danube in Bulgaria. The Bulgarian river fleet, which is of varied origin, is shown in Table VII 46.

Table VII - 46 BULGARIA, HAULING FACILITIES ON DANUBE—1937

		Hor	\$EPOWER	CAPACITY (MET. TONS)		
Type of vessel	No.	TOTAL	Average	TOTAL	Average	
(a) Steam and motor tugs(b) Powered cargo vessels	12	2,120	176	_		
Passenger steamers	3	1,500	500	225	75	
Motor boats	5	1,220	244	2,220	444	
Tankers(c) Non-powered vessels	14	1,600	114	5,600	400	
Barges	21			16,241	773	
Tankers	0		-			

(5) Capacity. The Danube has unlimited capacity along the Bulgarian sector, the only limits being established upstream along the Yugoslav/Rumanian part by the Iron Gates and the cataracts. Downstream the river can carry barges of 2,000 or 3,000 metric tons loading capacity. The limits for Bulgaria are established by the inadequate fleet, the poorly equipped ports, and the lack of clearance facilities to the interior.

^{*}All measurements are from the Danube Mouth at Sulina, Rumania

Commal

(6) Traffic. Bulgaria accounted for about a half million metric tons of Danube traffic before the war. This was almost equally divided according to flow, 55 per cent going upstream, of which the greatest part was Bulgarian agricultural products, and 45 per cent going downstream, consisting largely of machinery and manufactured goods from Germany, Czechoslovakia, and Hungary. The greatest traffic is recorded in autumn after harvest, the time when the water level is lowest. Of the 500,000 tons handled annually in Bulgarian ports, about 100,000 tons was local traffic with Rumania. Total figures give an unreal picture of Danube shipping in this sector, however, since most tonnage is transit traffic between Rumania and the middle or upper sections of the river. Bulgaria has been striving to increase her share of traffic, and volume has increased considerably since the war. This is partly due to railroad congestion, and agricultural products available information, consists of the following vessels listed in Table VII - 48.

- (2) Geographical distribution. Bulgarian vessels are usually employed in coasting trade in the Black Sea and the Bosporus, though a few have been reported at Piraiéus, Greece.
- (3) Present use. The Pirin is a trawler. The others are believed to be freighters, except the Evdokia which is reported to be a coastal passenger vessel. According to a report of January 1943, the Rila may be armed.
- (4) Owners. The ownership of the vessels is as follows: S.S.'s Balkan, Bourgas, Bulgaria, and Evdokia, owned by Soc. Commerciale Bulgare de Nav. a Vap. at Varna.

The S.S. *Pirin* and the M.S. *Rila* are owned by J. Hansen at Varna. No information is available as to the ownership of the remaining vessels listed above.

T_{ABLE} VII - 47 BULGARIA, DANUBE RIVER PORTS

	Vidin	Lom	Somovit	Svishtov	Ruse
PORT Km. above Sulina	791	744	608	535	496
Quays (Length in feet) Main quays Low quays Other transfer facilities	1,300 555 Dredged front-	4,230 (stone) 4 unloading floats 4 wharves, each 131 feet long	1,440 820 2 landing stages	1,270 1,600 —	2,600 427 Basin at mouth of Rusenski Lom/River, 16.35 acres;
Cranes	age 820' Hand	10-ton tractor crane or jetty 60-hp. motor (Diesel)	_	_	depth at quays, 6'. 2 6.6-ton cranes; 1 sling-chain with 300-ton lifting cap.
Power		440 volts DC.	_	220/380 volts AC.	120/210 volts AC.
Storage Sheds (sq. ft.)	1 wood, 12,300	1 concrete, 15,000	_	3 wood, 11,300	11 wood, 66,000
Open (sq. ft.)		3 wood, 44,500 85,000 4 tanks, 220 each 2 tanks, 33 each	286,000 4 tanks, total 308	12,300 7 tanks, total 320	97,000 91 tanks, 35,480 (largest, 1,650)
RAILWAYS Length of port railway (feet)	4,500	9,150		4,900	27,700

formerly carried by rail are now shipped upstream on the river. Downstream traffic, however, has decreased since the war.

B. Administration.

Ports and port construction are under the Office of Railroad and Port Construction, a subordinate of the Directorate of Railroads which, in turn, is one of the two divisions of the Ministry of Railroads, Posts, Telephone and Telegraph. Traffic is under the Ministry of Commerce, but German supervision of all Bulgarian Danube activity is exercised by the Advisory Committee for Danubian Affairs Above Braila. This committee was organized in the autumn of 1940, and meets from time to time in Danube cities. The sixth session was held in March 1943 and, like former meetings, "the deliberations resulted in complete unanimity on questions of interstate shipping."

79. Merchant Shipping

(Note. The following account of merchant shipping under the Bulgarian flag does not include vessels used exclusively on the Danube River, for which see Topic 77.)

A. Available tonnage.

(1) Type. The merchant fleet of Bulgaria, according to

Table VII - 48 BULGARIA, MERCHANT FLEET

Name	Винт	Gross Tons	Fuel	Last Reported
Balkan (Illust. VII - 36.)	1914	3,838	Oil	28/5/42
Bourgas	1900	2,941	Coal	6/6/43
Bulgaria	1894	1,108	Coal	18/4/43
Evdokia	1928	706	Coal	
Pirin		199	Coal	
Rila		194	Diesel	1/43
Tsar Ferdinand		1,994	Coal	25/5/43
Le Progres*		511	_	43
Small craft				
Raina*				23/8/42
Rodopi*				4/43
Biela Ptica*			-	16/4/43
Stariya Volk*		36		15/8/42

B. Immobilized tonnage.

(1) Repair pool. No data available.

*Nationality not confirmed.

Approved For Release 2000/08/29: CIA-RDP79-01144A000100010010-9

Page VII - 62

COMMUNICATIONS AND TRANSPORTATION



- (2) Building. The following shipbuilding plan was adopted by Bulgaria in 1940:
 - 2 coastal cargo ships, 800 T.
 - 2 passenger motor vessels, 700 T.
 - 5 passenger-cargo vessels for Black Sea and Aegean trade.
 - 3 cargo vessels, 1,000 T.
 - 6 large passenger motor vessels for lower Danube and coastal trade.
 - 5 tankers, 3,000 T.
 - 6 ocean going cargo ships, 6,500 T.
 - 5 ocean going cargo ships, 3,500 T.
 - an unspecified number of long distance coastal vessels.

No reports are available as to the extent this plan has been

put into effect. However, it was reported on 31 January, 1941, that the shipyards of the Danube Shipping Co. at Budapest, Hungary, had at that time three modern passenger vessels under construction for Bulgaria.



Illustration VII - 36. S. S. Balkan.

3,838. Length, 353.5 feet. Approximate Service Speed, 12 knots. Gross Tons, 3,838. Built, 1914