# REQUIREMENT

PREACCEPTANCE FIELD TESTING
BORROWED EQUIPMENT
NON-STANDARDIZATION
VARIOUS TECHNIQUES
NON-REPEATABILITY
TEST KIT
STANDARD MEASUREMENTS AND TESTS
WHY NOT IN-HOUSE



		•	•
	,		
•			•
	-		
•			
RESPONSE	·		
15 COMPANIES SOLICITED			
2 RESPONSES -			STA
13 NO BID			
			STAT
·			

O P T I C A L

T E S T K I T

# REQUIREMENT

TESTING INSTRUMENTS FOR CONFORMANCE TO SPECS

PRESENT PROCEDURES UNSATISFACTORY:

BORROWED EQUIPMENT

NON-STANDARDIZATION

NON-REPEATABILITY

UNRELIABLE DEVICES

NEED SOMEONE TO:

SELECT

DESIGN

VERIFY

GUARANTEE RESULTS

# PROJECT

TEST KIT

DEVICES FOR STANDARD MEASUREMENTS AND TESTS:

DIOPTER TELESCOPE

RESOLUTION TARGET

GRIDS

SCALES

TO MEASURE:


RESOLUTION


FIELD OF VIEW


FILM TENSION

MAGNIFICATION

DISTORTION







# APPLICATIONS

1540 LIGHT TABLES

DUAL-VIEWING MICROSTEREOSCOPE

ADVANCED STEREO RHOMBOID

AIL EQUIPMENTS DEVELOPED BY RED

COMMUNITY INTEREST

# RESPONSE

15 COMPANIES SOLICITED .

13 NO BID

CAPABLE BUT NON-COMPETITIVE

NO CAPABILITY

COST COMPETITIVE
INFERIOR PRODUCT

COMPETITIVE COST AND TECHNICALLY

COMPETITIVE - COST AND TECHNICALLY OPTICAL TESTING PROCEDURES CONTRACT

STAT

STAT

STAT



COST

RESEARCH SOURCES OF SUPPLY

SELECTION

PROCURE INDIVIDUAL ITEMS

DESIGN AND PRODUCE CUSTOM ITEMS

TESTING

DESIGN AND FABRICATE PACKAGE

WRITE AND PRODUCE MANUAL

NO DUPLICATION WITH OPTICAL TESTING PROCEDURES CONTRACT
PROCEDURES VS. IMPLEMENTATION
COMPLEMENTS RATHER THAN DUPLICATES

Declassified in Part - Sanitized Copy Approved for Release 2012/10/18 : CIA-RDP79B00873A000800010060-0

СТАТ

# RISK

OPTICAL TESTING PROCEDURES CONTRACT PREWORK

STANDARD MEASUREMENTS AND TESTS

PREACCEPTANCE VS. LABORATORY MEASUREMENTS

KNOWN TECHNIQUES

LOW RISK

