Approved For Release 2003/05/26 CIA-RDF79B01709A000100060007-9

25X1

NATIONAL RECONNAISSANCE OFFICE WASHINGTON, D.C.

OFFICE OF THE DIRECTOR

March 20, 1970

MEMORANDUM FOR Assistant to the President for National
Security Affairs
Attorney General
Deputy Secretary of Defense
Under Secretary of State (Political Affairs)
Director of Central Intelligence
Executive Secretary, 40 Committee

SUBJECT: TAGBOARD Missions

Following is a brief summary of the November 10, 1969 operational mission and the February 20, 1970 test mission. A summary of all flights to date is attached.

TAGBOARD flew its first limited operational mission over South China on November 10, 1969. Launch and early flight were successful as the drone obtained the programmed altitude of 84,000 feet and a cruise mach of 3.27. During the terminal phase of the flight the drone was not acquired (visually or electronically) and the payload was not recovered.

NSA reported no SIGINT that could be correlated with the mission. The drone's position was fixed at only 50 miles off the Island of Hainan and 80 miles from the China mainland, just prior to the drone's telemetry being turned off on the inbound track well within range of coastal air defense radars. The drone's operating altitude, speed and small radar cross section (.2 sq meter frontal area with a 15° depression angle) give it a high probability of survival.

Investigations and laboratory simulations now indicate that computational errors in the drone's inertial navigation system (INS) prevented the drone from flying the programmed

25X1A

| 25×1A | |
|-------|--|
| | |

NRO review(s)
Approved For Release 2003/05/28: CIA-RDP79B01709A000100060007697801 NO. COMPLET

| 2 | E | V | 4 | Λ |
|---|---|---|---|---|
| _ | J | Χ | | ~ |

25X1A

Approved For Release 2003/05/28 : CIA-RDP79B01709A000100060007-9

TOP SECRET

| route. Self destruction probably occurred after fuel exhaustion upon descent at the pre-set altitude 25X Software changes have since been made and tested to correct the computational errors, and a "fail safe" feature has been incorporated in the INS that will provide positive control of the drone's flight path. | (1) |
|--|-----|
| On February 20, 1970, TAGBOARD flew a completely successful test mission to validate the software and "fail safe" changes to the INS program. | (1/ |
| | |
| The TAGBOARD system is now ready for another operational test mission. Drones are located at Beale AFB and are ready for flight. | |

1 Attachment Summary of Flights

25X1

ILLEGIB.

Approved For Release 2003/05/28 SCIA RDP79B01709A000100060007-9

SUMMARY OF TAGBOARD B-52 LAUNCHES

November 6, 1967. Drone #507. PMR. (PACIFIC MISSILE RANGE)

Launch and boost were successful. Drone attained a mach
Cruise flight was not sustained
due to low inlet recovery; deformed inlet cone primary
suspect. Drone travelled 134 miles down range and the
hatch was not recovered.

December 2, 1967. Drone #509. PMR.

25X1A

Launch and boost were successful. Free flight continued on course for feet less than normal). Flight terminated prematurely after failure of the hydraulic system and subsequent loss of control. The hatch was not recovered.

January 19, 1968. Drone #508. PMR.

Launch and boost were successful. The drone travelled 550 miles down range, then the flight terminated prematurely when the drone began a pitch down and roll to the left. Telemetry was lost. Most probable cause of failure was electrical malfunction. The hatch was not recovered.

April 30, 1968. Drone #511. PMR.

Launch and boost were successful. Following booster ejection, the drone was unable to sustain cruise and lost altitude and speed due to low thrust from the engine (inlet not started). Drone travelled 150 miles down range and was destroyed. Hatch not recovered.

June 16, 1968. Drone #512. PMR.

Successful test flight.

25X1A

The hatch was air-recovered by JC-130 aircraft.

25X1

25X1A

Approved For Release 2003/05/28 : CIA-RDP79B01709A000100060007-9

Approved For Release 2003/05/28; CIA-RDP79B01709A000100060007-9

July 1, 1968. Drone #514. PMR.

During pushover at the top of boost phase, the drone became laterally unstable due to insufficient autopilot gains. At separation, the booster struck the drone, rupturing the drone's fuel tank. The hatch ejected upon command and was recovered from the water in good condition.

August 28, 1968. Drone #516. PMR.

Launch and boost were successful. However, the drone's engine remained at minimum power and cruise altitude was not maintained. The hatch ejected at an excessive speed on descent and was not recovered.

December 15, 1968. Drone #515. PMR

Successful test flight.

This was the first mission to test the total system with the camera aboard. The hatch was air-recovered by JC-130.

February 11, 1969. Drone #518. PMR.

Launch and boost successful. Apparent shift in autopilot control at excessive mach caused the drone to descend resulting in the inlet remaining only partially started with attendant loss in thrust. Severe oscillations resulted. Drone believed to have structurally destroyed itself. Hatch was not recovered.

May 10, 1969. Drone #519. PMR.

Successful test flight. 25X1A

Hatch was air recovered by JC-130.

July 10, 1969. Drone #520. PMR.

Successful test flight. 25X1A Hatch was air-recovered by JC-130.

25X1

NRÓ NRÓ

Approved For Release 2003/05/28 : CIA-RDP79B01709A000100060007-9

Approved For Release 2003/05/28 CIA-RDP79B01709A000100060007-9

November 10, 1969. Drone #517. First operational mission.

Launch and boost successful. Computational errors in the drone's Inertial Navigation System prevented drone from flying the programmed route. Self-destruct believed to have occurred upon descent at feet. Hatch was not recovered.

February 20, 1970. Drone #521. PMR.

25X1A

Successful test flight. Changes to INS program validated. Hatch was air-recovered by JC-130.