CLASSIFICATION CONFIDENTIA	L/SECURITY INFORMATION	
CENTRAL INTELLIGEN	CE AGENCY	25X1
INFORMATION	REPORT	
COUNTRY USSR SUBJECT Plant Insect Control	The stage of the s	1953
2001EC Trans Insect Consider	NO OF PAGES	1
	NO. OF ENCLS.	25X1
	SUPPLEMENT TO REPORT NO.	
THIS SECURISE CONTRINS INFORMATION AFFICENCE THE MAXIMUM DEFENDE OF THE UNITED STATES, ASTRONOME THE MEANING OF THIS CORNEL DEFENDE AND THAT OF USE USE, CORE, AS AMERICA. THE TRANSPORTION OF PERSON OF THE STATES CONTRINS TO AN OCCUPIENT OF THE MEANING DEFENDED FROM IS PROMISED BY USE. THE COMPANY OF THE FROM IS PROMISED AS	THIS IS UNEVALUATED INFORMATION	
		25X1
		North Market

In the Ukrainian SSR there are three basic methods of plant insect control. These are as follows: (a) Handpicking. As crude as it may be, this method is widely used and is carried on continuously. Whenever a heavy plague of insects threatens, pickers are mobilized and sent to the area. carload after carload of insects carried away that had been picked by this method. In addition to handpicking, chickens are also utilized, being turned loose whenever a heavy plague of insects arrives at an area. Chemical spraying. Much of this is carried out in the Ukraine. The various agricultural experimental stations will recommend the type of spray deemed advisable and forward their recommendation to the Minister of Agriculture for approval. The Minister will decide when and what to use. (c) Biological. This method has been used successfully for approximately 20 years. It consists of breeding certain types of insects that will feed on the particular plant insect which is destroying the eror. As an example, there is a small butterfly prevalent in the Ukraine called Organaga Souka (Latin name - Eurogasegatam Feltis). This butterfly attacks and destroys practically every type of crop. Entomologists finally discovered and bred numerous types of bugs to combat this butterfly. This bug is known as Trikogrom-Evaneccens. In addition to this insect destroying insect, entomologists in the USER have developed other insects for combatting various types of plagues.

25X1

- 2. The sugar beet industry has almost been wiped out on several occasions by a long nosed bug known as the Sugar Beet Long Nose. The Soviet name is Dolgonosik and the Latin name, Bothynoderes-Punctiventris. The breeding time of this peat is approximately four months. Each female lays approximately 120 eggs. Some of the eggs do not hatch during the four month period and will lie dormant in the soil for as much as a year.
- 3. Entomologists in the USSR are continually attempting to combat outbreaks of locusts, grasshoppers, etc. Their hardest problem with migratory pests of this type is trying to determine and predict outbreaks.
- 4. Whenever a plague of insects invades an area, there is an organization known as VIIR, the All-Union Institute for Defense of Plants that goes into action. This Organisation is located in Moscow. When the plague is reported, workers and equipment needed to contat the insects are rushed to the area. This is a central coordinating organisation for all other agricultural institutes. It was formerly headed by one Varilor, who is a brother of the very well known Seviet Inthematician. Vavilor, head of the VIZE was arrested at one time by the MRVD but has since been retreated as head of the institute."

CLASSIFICATION CONFIDENTIAL/SECURITY INFORMATION 8/051 DISTRIBUTION

- eng -

Sanitized Copy Approved for Release 2011/07/21 : CIA-RDP80-00809A000600040339-2