DEAFT

Approved For Belease 2000/08/16 CIA-RDP80-01826R000300150027-8

المهان

25X1A

25X1A

Pools

Recommendations:

1. that Personnel be relieved of all responsibility for the administration and training of CIA employees in the Holding Pools and that this responsibility te assumed by OTR.

25X1A

- 2. that the reference to "Holding Pool" be changed to the CLA Unclassified Training Pool.
- 3. that employees presently assigned to the administration and training activities of the Pool be placed temporarily under the jurisdiction of OTR.
- 4. that the administrative and training staff of the pool be augmented temporarily to handle adequately the activities therein.
- 5. that AD(Pers) repeat his instructions to PPD recruitors to:
 - (a) stress "quality" selection vs quantity.
 - (b) brief prospective employees on what to expect in matter of Security delays and Training Pool habitat, and procedures.
 - (c) urge prospective employees not to 200 till fully cleared.
- 6. that wherever possible, non-clerical GS-5s and above EDD every two weeks instead of daily.

- 7. that wherever possible, non-clerical 03-5s and above be assigned to UTG/A and UTG/B (Covert).
- 8. that all uncleared clerical employees take some training
 (the best need orientation in government gobbledegook
 in general and CIA in particular; the best can also be
 used until cleared to train the not so good).
- 9. that clerical training courses be given in blocks of ten work days or two work weeks over-all, and that employees be held to the and of a two week course regardless of clearance.
- 10. that IASO advise Personnel only of completion of Security clearance, and that Personnel in turn advise Offices of date employees will be released from Training Pool, not date of clearance.
- 11. that the make-work-project policy be revised so that it be used as an adjunct to training. (Offices have got into the habit of relying on the make-work project for work which is a functional responsibility of their Offices).
- 25X1A 12. that the Street quarters be refurbished to make them habitable. (Employees gain their first impression of CIA from these buildings).
 - 13. that OCD be requested to establish a branch library at the 25X1A Street Pool.
- 25X1A the Street Pool.

Approved For Release 2000/08/16 2010 PD 20 21936 PD 20

RECORD THE STREET

15. that policy effort be directed toward reducing ultimately the need for an uncleared Training Pool.