SECRET

DD/0/25.3774

Approved For Release 2006/03/17: CIA-RDP80B01495R000300030048-7

8 JUL 1975

1199 5

MEMORALIDUM FOR

Deputy Director for Intelligence

Defense Intelligence Agency

SUBJECT

Contractor Access to Selected CIA Controlled

Dissem and Warming Motice Publications

REFERENCE:

Messo to DCI from DIA/DI dated 24 June 1975.

Subject as above

- 1. Referent memorandum requests administrative release to contractor personnel involved in the development of the Advanced Indications Technology Experiment of those publications originated by CIA which bear dissemination caveats CONTROLLED DISSEM and WARNING NOTICE. The publications cited were the CIA STAFF NOTES. NATIONAL INTELLIGENCE BULLETIN and WEEKLY REVIEW. The memorandum further states that denial of CONTROLLED DISSEM and WARNING NOTICE information for this program imposes severe constraints on the experiment's data base.
- 2. It is our understanding that the purpose of this request is to permit the experiment to enter into a computer program political and diplomatic "events" so that they can be associated with data on military activities which have measureable facets. The intent is to enable the regularity or abnormality of military activity to be observed in relation to these "events."
- 3. On 30 May 1975 Mr. Paul V. Walsh, Acting Deputy Director for Intelligence, CIA, advised the Deputy Director for Intelligence. DIA, that he could not grant permission to ______contract personnel to have across-the-board access to OCI products marked CONTROLLED DISSEM. He did, however, offer to assist the DIA contract monitor in obtaining clearance to release to _____ personnel specific articles which the monitor identifies as being particularly useful to the experiment.

25X1

25X1

25X1

25X1

Approved For Release 2006/03/17 : CIA-RDP80B01495R000300030048-7

SECRET

25X1

SECRET

Approved For Release 2006/03/17: CIA-RDP80B01495R000300030048-7

4. It appears to us that Mr. Walsh's proposal is a most reasonable and constructive response to the referent request. The dissemination control CONTROLLED DISSEM is not applied hap-hazardly but only when protection of the source of the information requires it. To expose all such information to _____contract personnel so that they may select information useful to the experiment seems to us to be unnecessary.

25X1

- 5. Referent request also asks permission to release information carrying the caveat WARNING NOTICE SENSITIVE INTELLIGENCE SOURCES AND METHODS INVOLVED to _____ contractors. It should be noted that this caveat, by itself, is not a prohibition against dissemination to contractors.
- 6. In sum, I would regard the proposal made by Mr. Walsh to be a satisfactory response to your need and am willing to ensure the cooperation of the Directorate for Operations in carrying out the proposal.

25X1

Hilliam E. Nelson Deputy Director for Operations