OLASSIFICATION Approved For Rele COUNTRY Germany (Soviet Zone	ONEIDENTIAL 3 CONTROL OF THE PROPERTY CIAPROPSE 200457R011200530006-7
TOPIC Construction of an Airfield Upar Holthusen Buchholz	
(EVALUATION	D
DATE OF CONTE	TO AN INTERNATION AND THE RESIDENCE PROPERTY AND AN INTERNATIONAL PROPERTY AND AN INTERNATIONAL COMMUNICATION AND AND AND AND AND AND AND AND AND AN
DATE OBTAINED.	PREPARED 6 North 1952
REFERENCES.	25X1
PAGES	Po de l' simples
REMARKS	
Commence of the comment of the comme	
K1	25X1
	onstruction of a narrow-gauge field railroad line crossing slust railroad line was planned. *
proper was begun on 2	plans for the construction of irfield were started in mid-October 1951 and that work 2 January 1952. The completion date of the project was 1952. The work aren Baumion has the contract for the work.
meters is to be clear jected field was clear top soil will be rend	Id is in a state owned forest. An area of 400 x 2,800 red. ** A 50-meter stretch both north and south of the property of trees but the stumps have not been uprooted. The byed. Grading will be done by a Soviet unit which has not dot construction supervisor had arrived.
available includes to Ruebezahl type catery stations 0 and 20 wer construction material	mel and 160 workers were employed at the field. Equipment wo stump grubbers, one powered by a Diesel engine and one pillar tractor. The trees in the southern section between re uprocted. The portion of the wooded area opposite the 1 dump (Bauhof) was cleared, and the logs were being hauled being done on a site of about 70,000 square meters near
the terrain, particul Holes were, therefore by the air force cons to be built there. O be constructed not fa of humus. This proje	construction of hangars had been awarded. while working har attention was given to avoid uneven spots on the ground. It is filled with particular care. As the contract was placed struction staff, the Lauunion believed that an airfield was freat stress was placed on the fact that the field was to ar from a heath in order to save the transportation costs sect was about 6 to 7 km from a swamp. No spur track was sect was designated "O ll" by the Greer construction staff.
tentatively granted, construction sites an	Construction Chief Loebel (fnu), 1,300,000 eastmarks was This sum would suffice only for the establishment of the ad the cutting and uprooting of trees. The actual cost of determined by a detailed tabulation of all the services
Air Ev LO/B CLASSIFICATIO	CONBUDENT OF THE OFFICIALS ONLY
Approved For Polo	Document No

## Approved For Release 2006/02/27 : CIA-RDP82-00457R011200530006-7 25X1 CONFIDENTIAL TRULIUS CEPTETALS COM required cannot be provided by the construction staff, some of the work will be performed by Soviet units. 25X1 the soil consisted of a top layer of heath of 6 to 8 cm, a sand layer slightly mixed with humas up to 15 cm, and another layer of fine grained gravel with a slight admixture of loam and 25X1 surveying was done by the Dresden Dauunion in Retzow which is located on the narrow-gauge field railroad line to Rauen between Senzke and Rauen. The Dauunions of Brandenburg and Dresden had allegedly refused to take the contract for this work. It is possible that Maren Bauunion, which already inspected the construction site, will get the contract for the Letzow project. \*\*\* 25X1 Comment. For copy of document, see Annex 1. The railroad line is used to transport the earth required for grading the airfield near Holthuson-25X1 Buchholz. Concent. 25X1 The planned construction of an airfield near Molthusen-Suchholz was previously reported 25X1

believed to be correct. The location of the field in a wooded and swampy

Comment. The construction of an airfield in Netzow is reported for the

area indicates that a training field is to be constructed there.

25X1

first time.

This information is

CONFIDENT/QCTIRL/US OFFICIALS ONLY