	OLASSIFICATION 9.444
COUNTRY	Last Approved Eqr. Release 2003 108/h2: CIA-RDP82 upgs/hm3600380002-2
10 <b>9</b>	Last Approved Eq. Release 2003508/12: CIA-RDP82-4945774073600380002-2  Lilitary Information from Acurumoin 25X1  25X1  PLACE OBTAINED
	25X1 PLACE OBTAINED
EALITON CONTRACTOR	25X1
DATE OF CON 25X	1
DATE OBTAIN	DALE PREPARED
REFERENCES	25Y1
PAGES	4 ENCLOSURES (No. & TYPE)
REMARKS	
State Literatura States States (17 pr Austrianum 1879) Busilla sich sedaller	The control of the co
angulagin-girah-girah-girah-yangan papanan subsection an	THE OF THE PROPERTY OF THE PRO
25X1	
ория рестудування меням од негольности од негольности од облич Стану	, marketing entering the state of the state
051/4	
25X1	Prior to 20 June 1952, the military
	hospital at the intersection of Karl Liebknecht Strasse and February February (N 53/Z 49), was
25X1	S Danie a Commence
	referred to as
25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant
25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the
25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.
25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the
25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsento (fnu)  was chief of the equipment depot.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsento (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel
25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsento (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as commanding officer and Gds
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsento (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit Lieutenant Colonel Dyukov (fnu) as supply officer; Unit Lieutenant Colonel Dyukov (fnu) as commanding officer and Gds
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsenbo (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer and Gds Lieutenant Colonel Dyukov (fnu) as supply officer; Unit which requisitioned electricity through Gds Lieutenant Colonel To addition to these officers. Gds Lieutenant
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as supply officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as supply officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as supply officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit Lieutenant Colonel Dyukov (fnu) as supply officer; Unit Lieutenant Colonel Dyukov (fnu) as supply officer; Unit Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsento (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer and Gds Lieutenant Colonel Dyukov (fnu) as supply officer; Unit and Unit which requisitioned electricity through Gds Hajor Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who pould not be determined.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altrurpiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Burly officer; Unit with Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Dyukov (fnu) as supply officer; Unit with Gds Lieutenant Colonel Colonel September (fnu) as supply officer; Unit with Gds Lieutenant Colonel September (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Townshikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Townshikh (fnu) as supply officer; Unit and Unit which requisitioned electricity through Gds Major Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who bould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant Colonel Debrovolski (fnu) as supply officer and
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Bulashov (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edshikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edwinkh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edwinkh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edwinkh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edwinkh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Edwinkh (fnu) as commanding officer; Unit and Unit which requisitioned electricity through Gds Hajor Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Eddorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who pould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant Colonel Dobrovolski (fnu) as supply officer and Lieutenant (Tech) Huzlimov (fnu) as deputy were identified with the See Kaserne on Karl Liebknecht Strasse.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Unit Steblovski. Supply officer of this unit was dds Lieutenant Shilov (fnu). Supply deputy commander was Gds Lieutenant Colonel Balashov (fnu) who was responsible for the entire supply of the post in Neuruppin.  Gds Major Protsenho (fnu)  was chief of the equipment depot.  Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer and Gds Lieutenant Colonel Dyukov (fnu) as supply officer and Gds Lieutenant Colonel Dyukov (fnu) as supply officer; Unit and Unit which requisitioned electricity through Gds Eajor Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who pould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant Colonel Dobrovolski (fnu) as supply officer and Lieutenant (Tech) Huzlimov (fnu) as deputy were identified with Unit at the See Kaserne on Karl Liebknecht Strasse.  A total of six 120-mm mortars were under repair from this unit.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Bulanto officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Royalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Rieutenant Colonel Dyukov (fnu) as commanding officer; Unit and Unit which requisitioned electricity through Gds Lieutenant Colonels Fajor Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedomenko (fnu) were also observed at the barracks installation. They were supply officers of units who bould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant (Tech) Huzlimov (fnu) as deputy were identified with Unit at the See Kaserne on Karl Liebknecht Strasse.  A hatal of six 120-mm mortars were under repair from this unit. Unit Installation of the paintenanced.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altrurpiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer; Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Nikitin (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Dyukov (fnu) as supply officer; Unit colonel Sign Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who bould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant (Tech) Huzlimov (fnu) as deputy were identified with Unit at the See Kaserne on Karl Liebknecht Strasse.  A Fotal of six 120-mm mortars were under repair from this unit.  Unit equipped with T-34/85  tanks, including eight tanks which were seen being maintenanced, was stationed in the installation. Gds Captain Zemyonov (fnu) was stationed in the installation. Gds Captain Zemyonov (fnu) was stationed as surply officer.
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altruppiner Allee prior to 20 June Included: Unit with Gds Lieutenant Colonel Supply officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Kovalev (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit and Unit which requisitioned electricity through Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who could not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant Colonel Dobrovolski (fnu) as deputy commander, Gds Lieutenant (Tech) Luzlimov (fnu) as deputy vere identified with Unit at the See Kaserne on Karl Liebknecht Strasse.  A Ental of six 120-mm mortars were under repair from this unit.  Lieutenant Colonel Tanks which were seen being maintenanced, was stationed in the installation. Gds Captain Zemyonev (fnu) was
25X1 25X1 25X1 25X1 25X1 25X1 25X1 25X1	Units seen at the Fridericus Kaserne on Altrurpiner Allee prior to 20 June included: Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer and Gds Lieutenant Colonel Nikitin (fnu) as supply officer; Unit with Gds Lieutenant Colonel Nikitin (fnu) as supply officer; Unit with Gds Lieutenant Colonel Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Nikitin (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Zukhikh (fnu) as commanding officer; Unit with Gds Lieutenant Colonel Dyukov (fnu) as supply officer; Unit colonel Sign Toropov (fnu). In addition to these officers, Gds Lieutenant Colonels Grebenshikov (fnu) and Zadorosni (fnu) and Fedonenko (fnu) were also observed at the barracks installation. They were supply officers of units who bould not be determined.  In mid-June, Gds Captain Marusin (fnu) as deputy commander, Gds Lieutenant (Tech) Huzlimov (fnu) as deputy were identified with Unit at the See Kaserne on Karl Liebknecht Strasse.  A Fotal of six 120-mm mortars were under repair from this unit.  Unit equipped with T-34/85  tanks, including eight tanks which were seen being maintenanced, was stationed in the installation. Gds Captain Zemyonov (fnu) was stationed in the installation. Gds Captain Zemyonov (fnu) was stationed as surply officer.

Approved For Release 2003/08/12 : 25A RDP82-00457R013600380002-2

是我们就是他们的事故,但我们是一种可以是不是一种最高的

25X1

Approved For Release 2003/08/12 : CIA-RDP82-00457R013600β80002-2

and fired three shots at stationary mock buildings. The shots were registered subsequently. Machine gun bursts which followed were

Shipments seen at the altruppin railroad station on 13 June included:
1 T-34 tank | bound for Quencorf; 13 T-34 tanks |

25X1

again registered. After firing, the three tanks backed out from the position. At 6 a.m. on 13 June, a biplane towed a sleeve target over the Gentzrode troop training grounds and was fired

at 8 to 10 times by 20-mm guns. (1)

25X1

25X1

25X1 25X1

25X1

25X1 25X1 Approved For Release 2<del>003/08/12 : CIA-RDP82-00457R01360</del>03<del>80002-2</del>