

IPRO

A. 21068

## INTERNATIONAL PATENT RESEARCH OFFICE

25X1A2g

WORLD-WIDE PATENT INTELLIGENCE

TELEPHONE: 772975  
CABLES: INPATRESTHE HAGUE - NETHERLANDS,  
Postal address: 120 STUYVESANTSTRAAT

Gentlemen,

Re: Patent literature.

We have made an investigation into recent patent literature of various countries and have pleasure in sending you herewith some titles in which you may be interested.  
Copies of these specifications incl. drawings, if any, are to be had at \$3.- each; delivery within 8 weeks. Kindly mention our list number when ordering literature!  
Owing to currency regulations in our country we only may order such literature if it has been paid in advance; we therefore ask you kindly to let us have your remittance, preferably in an American Express Money Order together with your order.

Yours truly,  
INTERNATIONAL PATENT RESEARCH OFFICE  
P. PEGELS (Manager)

## CPYRGHT

List/Liste Nr. 1728 Internal-combustion engines - Brennkraftmaschinen  
Moteurs à combustion interne - Verbrændingsmotoren

USA

- 1 Nettel: Control system for turbocharged compression ignition i-c engines.
- 2 Westinghouse: Fluid pressure control apparatus for free piston machines (i-c engines).
- 3 Schnurle: Two-stroke cycle i-c engine.
- 4 Pescara: Cylinder head for i-c engines.
- 5 Schweiz. Lokomotiv- und Maschinenfabrik: Air-duct means for air-cooled i-c engines.
- 6 Daimler-Benz AG: Controllable cooling system for i-c engines.
- 7 Austin Motor Co.: i-c engine poppet valve cooling.
- 8 Research Eng. Corp.: Opposed piston i-c engine.
- 9 Allday: Exhaust and induction system for i-c engines.
- 10 Worthington Corp.: Apparatus for automatically switching from gas fuel to oil fuel in dual fuel i-c engines.
- 11 Alward: Method and apparatus for controlling the crankcase pressure in i-c engines.
- 12 Gen. Motors Corp.: Governor for i-c engines.
- 13 Backus: Temperature regulating apparatus for i-c engines.
- 14 Austin Motor Co.: Combustion chamber of i-c engines.
- 15 Teegen: Two-cycle crankcase compression engine.
- 16 Sulzer Frères SA: Multicylinder two-cycle i-c engine.

Great Britain

England

Angleterre

- 501 Hallinger: Construction or fabrication of i-c-engine cylinders.
- 502 Schnurle: Two-stroke i-c engines with scavenging blowers.
- 503 The same: Two-stroke i-c engines incorporating scavenging blowers.
- 504 The same: Driving fuel-injection pumps in two-stroke i-c engines.
- 505 Duncan Parking Meter Corp.: Crank-case compression i-c engines.
- 506 Lohmann Werke AG.: Two-stroke i-c engines.
- 507 Schnurle: Two-stroke cycle engine with scavenging air blower.
- 508 Crossley Bros. Ltd.: Two-stroke cycle i-c engines.
- 509 Daimler-Benz AG.: Regulation of charging blowers for i-c engines.
- 510 Daimler-Benz AG: Construction of i-c engines.
- 511 Daimler-Benz AG: Square or over-square i-c engines, particularly four-stroke engines.
- 512 Barnes Automotive Dev.: i-c engines.
- 513 Continental Motors Corp.: Multicylinder overhead valve i-c engines.
- 514 List: Two-stroke i-c engine with V-arrangement of the cylinders.
- 515 Miller & Co.: Two-stroke i-c engines.
- 516 Buchi: Combustion space for i-c engines.
- 517 Gräf & Stift: i-c engines.
- 518 Daimler-Benz A: i-c engines.

nsl.

- 11 -

IPRO

C 27178

## INTERNATIONAL PATENT RESEARCH OFFICE 25X1A2g

WORLD-WIDE PATENT INTELLIGENCE

TELEPHONE: 772975  
CABLES: INPATRESTHE HAGUE - NETHERLANDS,  
Postal address: 120 STUYVESANTSTRAAT

Gentlemen, re: Patent Literature.

We have made an investigation into recent patent literature of various countries and have pleasure in sending you herewith some titles in which you may be interested.

Copies of these specifications incl. drawings, if any, are to be had at \$3.- each; delivery within 8 weeks. Kindly mention our list number when ordering literature!

Owing to currency regulations in our country we only may order such literature if it has been paid in advance; we therefore ask you kindly to let us have your remittance, preferably in an American Express Money Order together with your order.

Yours truly,  
INTERNATIONAL PATENT RESEARCH OFFICE  
P. PEGELS (Manager)

## CPYRGHT

List/Liste Nr. 1726 Tractors Schlepper Tractoren

## USA

- 1 Ford Motor Co.: Tractor speed transmission.
- 2 Tutton: Track-laying tractor.
- 3 The same: Track-laying tractor.
- 4 Pretzer: Soil mixing attachment for power tractors.
- 5 Harshberger: Garden tractor with vibratory tool.
- 6 Smith: Automatic engine cutoff for tractors.
- 7 White: Auxiliary wheel for tractors.
- 8 Caterpillar Tractor Co.: Tractor steering mechanism.
- 9 Meissner: Combination lift and drawbar for tractors.
- 10 Int. Harvester Co.: Safety device for trail-behind agricultural implements.
- 11 Provost: Forwardly mounted tractor sod cutter.
- 12 Kucera: Dual wheel steering system, (for tractors).
- 13 Bell: Row marker for tractor implements.
- 14 Ludema: Laterally adjustable endless tracks for tractors.
- 15 Syracuse Chilled Plow Co.: Offset drive for tractors.
- 16 Dotson: Implement attachment for tractors.
- 17 Budd Co.: Hitch for tractor drawn implements.

## Great Britain

## England

- 501 Schröter: Coupling means for fully-supported agricultural working tools connected to a tractor.
- 502 Rubery, Owen & Co.: Power take-off shaft for a tractor or other vehicle.
- 503 Sutherland: Means for connecting a tractor to a trailer or implement.
- 504 Ferguson Inc.: Power lifts for tractors.
- 505 Morgen: Arrangements for hydraulically lifting implements carried by a tractor.
- 506 Bendix Aviation Corp.: Hydraulic control system with automatic stops (for farm tractors).
- 507 Allis-Chalmers: Power take-off mechanism for a tractor.
- 508 Dufour: Mechanism for steering a tractor.
- 509 Allis-Chalmers: Tractors and implements therefor.

## Switzerland

## Schweiz

- 1001 SA. Ets Emile Regnier: Tracteur agricole.
- 1002 Klöckner-Humboldt-Deutz: Verfahren zum Betrieb eines Schleppers mit einem Verbrennungsantriebmotor und Motorsteuerungseinrichtung an Schleppern zur Durchführung des Verfahrens.

## France

## Frankreich

- 2001 Bungartz & Co.: Dispositif de commande pour tracteur à essieu unique.
- 2002 Idem: Dispositif de commande pour roues motrices de tracteurs à un (essieu).
- 2003 Idem: Dispositif pour le réglage des mouvements et des commandes d'un tracteur à essieu unique.
- 2004 Dispositif de direction pour tracteur agricole à essieu unique.
- 2005 Constr. Mécaniques Comtoises: Perfectionnements aux tracteurs.
- 2006 Ballu: Tracteur léger.
- 2007 Rotthaus: Dispositif permettant de diriger les remorques de tracteurs et, en particulier, de camions.
- 2008 Legoube: Remorque transformable et son véhicule tracteur.
- 2009 Valin: Dispositif de commande de la position en travail des outils portés par les tracteurs.

nsl.

C 27178

Approved For Release 1999/09/10 : CIA-RDP83-00423R000900630002-1

25X1A2g

CPYRGHT

| <u>List Nr. 1726-A.</u>    | <u>Germany</u>                                                                                                                              | <u>-</u> | <u>Prices as stated !</u> |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------|
| Ferguson:                  | Mit Druckflüssigkeit arbeitende Vorrichtung zum Heben und Senken für von einem Schlepper getragene landwirtschaftliche Geräte,              |          | \$ 9.-                    |
| Ziegler:                   | Schaltvorrichtung für Schlepperwechselpflüge,                                                                                               |          | \$ 5.-                    |
| Fella-Werke:               | Aushebevorrichtung für von Hand, Fuss oder durch Kraftantrieb auszuhebende Anbaugeräte für Schlepper,                                       |          | \$ 7.-                    |
| Wittenburg KG:             | Schlepper mit Frontlader,                                                                                                                   |          | \$ 6.-                    |
| Lanz AG.:                  | Antriebsvorrichtung für landwirtschaftliche Maschinen und Geräte,                                                                           |          | \$ 4.-                    |
| Landmaschinenfabrik Essen: | Anhängevorrichtung für Geräte am Schlepper,                                                                                                 |          | \$ 5.-                    |
| Gramse:                    | Vorrichtung zum Verhindern der Beschädigung von Pflanzen beim Befahren von Feldern mit landwirtschaftlichen Fahrzeugen, insbes. Schleppern, |          | \$ 4.-                    |
| Hanomag:                   | Zugmaschine wie Schlepper, Traktor o.ägl., insbes. für die Landwirtschaft,                                                                  |          | \$ 3.-                    |
| Salzmann:                  | Vorrichtung an Traktoren zum Aufziehen seitlich montierter Zusatzgeräte,                                                                    |          | \$ 3.-                    |
| Printz:                    | Vorrichtung zum Verbinden von landwirtschaftlichen Anbaugeräten und einer Zugmaschine,                                                      |          | \$ 6.-                    |
| Kramer GmbH:               | Mehrgängiges Zahnräderschaltgetriebe für Kraftfahrzeuge, insbes. Kraftschlepper,                                                            |          | \$ 3.-                    |
| Beaudoux :                 | Schlepper auf vier gleich grossen Treibrädern,                                                                                              |          | \$ 13.-                   |
| List:                      | Einachsschlepper mit Antrieb durch Dieselmotor,                                                                                             |          | \$ 3.-                    |

ns1.

Approved For Release 1999/09/10 : CIA-RDP83-00423R000900630002-1

C 27178

CPYRGHT

List Nr. 1728

- II -

Switzerland

Schweiz

Suisse

- 1001 Klöckner-Humboldt-Deutz AG.: Zweireihige luftgekühlte Brennkraftmaschine.  
 1002 Schnürle: Zweitakt-Brennkraftmaschine mit Spülgebläse.  
 1003 Fichtel & Sachs AG.: Zweitaktmotor mit einem Hubvolumen bis zu 600 ccm.  
 1004 Schlör: Zweitaktmotor.

France

Frankreich

France

- 2001 Klöckner-Humboldt-Deutz: Moteur à combustion interne à refroidissement par air.  
 2002 L'Orange: Moteur à combustion interne à deux temps.  
 2003 Südwerke GmbH: Moteur à combustion interne, (la culasse comportant au moins trois soupapes par cylindre).  
 2004 SA. des Usines Chausson: Moteur à combustion interne à deux temps.

-.-

GermanyPrices as stated !!!

- Bendix Aviation Corp.: Regel- und Steuervorrichtung für die Gemischverbesserung durch Zusatz besonderer Mittel für insbes. Verbrennungsmotoren mit Auflader, \$ 13.-  
 Schnürle: Zweitakt-Brennkraftmaschine, \$ 6.-  
 Fiat SA: Brennkraftmaschine mit Tellerventilen, \$ 3.-  
 MAN AG.: Manövrier Vorrichtung für Brennkraftmaschinen, insbes. für den unmittelbaren Antrieb von Schiffen, \$ 6.-  
 Daimler-Benz AG.: Pleuelstange, insbes. für schnellaufende Kraftfahrzeugmotoren, \$ 4.-  
 Perret: Brennkraftmaschine mit äusserer Verbrennung, \$ 6.-  
 Motoren-Werke:  
 Luftgekühlter Zylinderkopf für Brennkraftmaschinen, \$ 5.-  
 Auto Union GmbH: Vorzugsweise schlitze gesteuerte Zweitakt-Brennkraftmaschine, besonders für Kraftfahrzeuge, \$ 5.-  
 Elwert: Zweitakt-Brennkraftmaschine, \$ 5.-  
 Klöckner-Humboldt-Deutz AG: Anordnungen der Hilfseinrichtungen zum Betrieb einer wassergekühlten Antriebsbrennkraftmaschine für Kraftfahrzeuge, \$ 3.-

ns1.