Declassified in Part - Sanitized Copy Approved for Release 2013/06/11 : CIA-RDP83-00586R000300030008-0 UNITED STATES GOVERNMENT WURTHINIAL

1emorandum

Chief, FBIS

10 June 1964 DATE:

FROM : Chief, Panama Bureau

SUBJECT: Monthly Progress Report - May 1964

I. **GENERAL**

With Headquarters approval, a contract for modifications to the operations building was signed. Details were submitted to Headquarters.

OPERATIONS II.

Α. Monitorial

50X1

50X1 1. Iowa State BA in political science, 50X1 reported for duty to replace monitor who had resigned. Monitor Trainee made excellent progress.

50X1 50X1

2. To insure rapid coverage, Panama Bureau assumed responsibility for important speeches carried during hours West Coast Bureau is not staffed even when such speeches occur in areas of primary WCB responsibility.

B. Communications

teletypist for seven years with a 50X1 local telegraph office, reported for duty to replace who had resigned. teletype operator 50X1

III. ADMINISTRATIVE

was designated Bureau Cruising Officer. 50X1 50X1

Attachments

- Classified Personnel Report
- 2. Foreign Personnel Report
- Operations Attachment
- Technical Attachment

GROUP 1 Excluded from automatic downgrading and -declassification

OPERATIONS ATTACHMENT - Panama Bureau - May 1964

Net publishable wordage wirefiled to Headquarters during May by country of origin:

Panama Peru Colombia Argentina Venezuela Bolivia Costa Rica Chile Ecuador Brazil Honduras Nicaragua Uruguay El Salvador Paraguay Guatemala	68,200 37,080 23,760 17,320 17,990 15,470 11,880 8,590 7,860 6,580 5,520 1,540 1,040 830 60
Total	224,950

TECHNICAL ATTACHMENT - Panama Bureau - May 1964

I. Reception: Strong atmospherics reduced overall reception below that of April.

II. Projects:

- A. A teletype patch panel was constructed and installed. It provides for the word counter, line meters, and intercom system.
- B. Two model 28 printers were sent to the Army shop for a modification to the automatic linefeed on the carriage-return.
- C. Excess teletype equipment and parts were transferred to the Army.
- D. Antenna projects based on possible year-end funds were proposed to Headquarters.
- E. Monitoring booth partitions were designed and are being built by the Army.
- III. Outages: Send and receive circuits were out 2.5 hours.