Polygraph Tests Unreliable,

Pentagon Doctor Tells Brass

DETECTORS, From A1 to Weinberger warning that wide use of polygraphs within the Pentagon could be "a public relations disaster." Catto said the Beary memor adds a technical rationale to my own public affairs perspective."

itations of the Polygraph:

Normachine can detect a lies the moment.

The Reagan directive goes beyond however like stress may result from the one now in force at the Pentagon several emotional causes other than by ordering departments to draft

men that the theory is flawed, there ish employes who refused to submit the accuracy problems. We have only to them.

Taft, when asked his view of lie been able to locate two scientifically detector tests, said of the polygraph. In one, the polygraph accuracy is 62 per fining, you use it with its limitations in the polygraph accuracy is 72 mind, you can get some benefit from the other the accuracy is 72 mind, you can get some benefit from the polygraph misclassifies in indicate "people behaving badly that

49 percent of truthful subjects were The Pentagon last year launched scored as deceptive. In another study 55 percent of the innocent were find who disclosed to The Washing-

alternatives to propose to solve the five years than Reagan had budgeted serious problem of security leaks; to buy the forces the military said it but I feel it is important for you to would need to carry out his policies.

the authenticity of the memo, said

the health affairs director "felt it was his duty as the senior adviser" in the health field to apprise Weinberger of his own views on polygraphs as well as those of experts in the field. The Beary memo was dated Dec. 16, 1982, when it was a classified doc-Beary, after having a physiologist tument. It was declassified March 15. on his staff. Jerome Bricker, make a Catto said yesterday that Weinpreliminary review of the literature berger "hasn't focused on" the polymade these claims in his memo to graph issue yet, and that the Penmade these claims in his memo to graph issue yet, and that the Penmade these claims in his memo to graph issue yet, and that the Penmade these claims in his memo to graph issue yet, and that the Penmade these claims in his memo to graph issue yet.

guilt, such as fear, surprise or anger regulations that would enable them would enable them would enable them argust to require polygraph tests and pun-

"The polygraph misclassifies in indicate people behaving badly that nocent people as liars. In one study, you had no suspicion of."

misclassified ton Post the finding in an internal Defense Department report that it berger by stating: "L regret I have no would cost \$750 billion more, over

but I feel it is important for you would held a Pentagon notified a Pentagon. The Pentagon notified a Pentagon of the serious scientific. The Pentagon notified a Pentagon of the serious scientific of the serious scientific of the serious scientific of the memo, said despite the polygraph results. The Pentagon notified a Pentagon

House Committee Votes to Cut Off eral Funding for Clinch River

A measure to eliminate federal funding for the Clinch River Breeder Reactor was approved yesterday by House committee, hinging the proforts to arrange private financing achieved," Brown said.

amendment introduced by Rep. more nuclear fuel than it uses, only amendment introduced by rep. more nuclear fuer than a congressional George E. Brown Jr. (D-Calif.) that to have it restored in a congressional conference committee after it pre-conference committee after it pre

department provided tax incentives and ensured a market for the power.

Brown-said his-amendment was not intended to kill the breeder. "I'm willing to go ahead with the

project if suitable cost sharing is The House Science and Technol-The House last year eliminated ogy Committee voted 24 to 16 for an funding for the reactor to make

RCA, Zenith And Sony Video Recor Camera In Stock Is On Sale! THE RESERVE OF THE PARTY OF THE

WE GUARANTEE OUR PRICES YOU CAN BUY THE SAME MODEL YOU PURCHASED FROM



nicrophone.



\$499 76 VR8910 - ZENITH Front Lo











