

BRAZAUSKAS, V. K., Cand of Geog Sci -- (diss) "Economico-geographical
Characteristics of Eastern Lithuania," Vil'nyus, 1959, 32 pp
(Vil'nyus State Univ im V. Kapsukas) (KL, 2-60, 110)

BRAZAUSKAS, V.V., master; KLAUSIS, V.V.

Improving the efficiency of adsorption dyeing of wool and fabrics.
Tekst. prom. 18 no.3:37-40 Mr '58. (MIRA 11:3)

1. Fabrika "Liteksas"
(Dyes and dyeing--wool)

Brazauskas V.V.

PURENAS, A.K., prof.; BRAZAUSKAS, V.V., inzh.; KLUSIS, V.V., inzh.

Vat dyeing of wool. Tekst.prom. 18 no.5:36-38 My '58.

(MIRA 11:5)

1. Kaunasskiy politekhnicheskiy institut (for Purenas). 2. Nachal'nik
otdelochnogo tsekha fabriki "Liteksas" (for Brazauskas). 3. Fabrika
"Liteksas" (for Klusis).

(Dyes and dyeing--Wool)

KAPLAN, V.I.; BRAZAUSKAS, V.V.; TSINELENE, M.A. [Cineliene, M.]

Pressure dyeing of lavsan. Tekst.prom.22 no.3:69-71 Mr '62.
(MIRA 15:3)

1. Kirektor Nauchno-issledovatel'skogo instituta tekstil'noy promyshlennosti, g. Kaunas (for Kaplan). 2. Nauchno-issledovatel'skiy institut tekstil'noy promyshlennosti, g. Kaunas (for Brazauskas, TSinelene).
(Dyes and dyeing) (Textile fibers, Synthetic)

TSIPARIS, I.N. [Ciparis, I.]; SMORIGAYTE, N.Yu. [Smorigaite, N.];
BRAZAUSKENE, D.I. [Brazauskiene, D.]

Physicochemical investigation of saturated solutions of salts
in mixtures of water and carboxylic acids. Ukr. khim. zhur.
29 no.2:142-149 '63. (MIRA 16:6)

1. Litovskaya sel'skokhozyaystvennaya akademiya.
(Salts) (Solution(Chemistry))

BRAZAUSKAS, V.V.; MORYGANOV, P.V.; Primala uchastiye STALERAYTITE, G.

Wool dyeing with acid metal-complex dyes of the complex 1:1
type. Izv. vys. ucheb. zav.; tekhn. tekst. prom. no.1:103-
109 '64. (MIRA 17:5)

1. Ivanovskiy khimiko-tekhnologicheskii institut.

BRAZDA, Josef

Automatic transmission of measuring instrument data over telephone
lines. Sdel tech 9 no.9:335-337 S '61.

L 45076-65 DWA(d)/ENP(v)/ENP(t)/ENP(r)/ENP(h)/ENP(b)/ENP(l) Pf. 4 JD

ACCESSION NR: AP5014326 CZ/0057/64/000/008/0383/0383

19

AUTHOR: Brazda, Josef (Engineer)

TITLE: Apparatus for removing ingots from forms 14

SOURCE: Hutnik, no. 8, 1964, 383

TOPIC TAGS: metal casting, ingot

Abstract: An apparatus designed in authors' works is described, and shown on 3 photographs. It uses the moment of inertia of the ingot and form, carried by a crane, to remove the ingot from the form. The crane operator can handle the whole process without any outside help. The forms are protected, and their turn around increased. The consumption of forms was reduced from 22 kgs / ton to 18 kgs / ton.

ASSOCIATION: SONP, Kladno

SUBMITTED: 00

ENGL: 00

SUB CODE: MM, IE

NO REF SOV: 000

OTHER: 000

JPRS

Card 1/1 *cl*

BRAZDA, J.

Disinfectants in hygienic and epidemiologic regional centers, Czech.
nemoc. 21 no. 1:20-22 Jan 1953. (GLML 24:2)

BRAZDA, Dr. J.

POJER, J., prof. Dr; BRAZDA, J., Dr; VANYSEK, V., RNDr

Incidence of myocardial infarction. Lek. listy, Brno 9 no.21:
481-484 1 Nov 54.

1. Z III. vnitřní kliniky M.U. a astronomického ústavu M.U.
Prednosta prof. Dr J. Mohr.

(MYOCARDIAL INFARCT, epidemiology,
in Czech., seasonal factors)


(CLIMATE,
seasonal variations in incidence of myocardial infarct
in Czech.)

EXCERPTA MEDICA Sec.6 Vol.12/5 Int. Medicine May 58

BRAZDA J.
2743. LIVER ABSCESS IN AMOEBIASIS - Jaterní hlíza při amoebiasé.
Zkušenosti ze Severní Koreje - Brázda J. and Melichar F. II a
III Vnitřní Klin. MU, Brno - VNITŘ. LÉK. 1957, 3/8 (698-703) Graphs 2
In North Korea 17 cases of liver amoebiasis were seen. The presence of an ab-
scess without diarrhoea in the past history is possible. There was no eosino-
philia in any of the 17 patients, and the therapeutical success of the combination
of emetine and chloramphenicol is emphasized.

CZECHOSLOVAKIA

UDC 356.33:616.33-002.44

BRAZDA, Jan; MOSTAK, Jan; Internal Department, Military Hospital
(Vnitřní Oddělení Vojenské Nemocnice), Brno, Head (Nacelnik)
Dr Jan BRAZDA. 

"Duodenal Ulcers in Soldiers Undergoing Basic Training."

Prague, Vojenske Zdravotnicke Listy, Vol 35, No 6, Dec 66, pp
253 - 255

Abstract: The disease is a result of hereditary inclination and of corticovisceral pathogenesis. The hereditary inclination plays a decisive role; when this is known to exist, an early diagnosis of the disease is possible. This is very helpful when the clinical course is atypical, and when the X-ray picture is not clear. The authors suggest that military drivers should be selected from soldiers who do not have hereditary inclination to ulcers. 2 Figures, 3 Tables, 9 Western, 15 Czech, 3 Russian references.

1/1

HORKY, Jos.; BRAZDA, L.; PODLAHA, Jiri

Coarctation of the abdominal aorta successfully treated by an arterial graft. Cesk.pediat. 15 no.9:827-833 S 160.

I. I.detska klinika v Brne, prednosta doc. MUDr. Zd. Brunecky
II chirurgicka klinika v Brne, prednosta prof. MUDr. Jan Navratil
(AORTIC COARCTATION surg.)
(ARTERIES transpl.)

BRAZFA, K.

The peaceful use of atomic energy.

P. 23 (Statni sutav pro projektovani energetickych zavodu a zarizeni.
TENHNICKE ZPRAVY. No. 3, 1956, Praha , Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1958

BRAZDA L.

NAVRA~~TIL~~, Jan, prof. Dr; BRAZDA, L., Dr; HRDLICA, Mil., Dr; SRAMEK, Z~~d.~~,
Dr; VITEK, Z~~d.~~, Dr; OLEJNIK, O., Dr

Surgical treatment of mitral stenosis. Lek. listy, Brno 9 no.22:
516-520 15 Nov 54.

1. Z II. chirurgicke kliniky M.U. v Brne. Prednosta prof. MUDr
J.Navratil a z II. vnitřni kliniky M.U. v Brne. Prednosta prof.
MUDr J.Polcak.

(MITRAL STENOSIS, surgery,)

BRAZDA, Ludvik., MUDr.

~~XXXXXXXXXXXX~~
Surgical treatment of carcinoma of the lungs.
Vnitr. lek., Brno 1 no.4:277-279 Apr 55.

1. II. chirurgicka klinika MU v Brne, prednosta prof. MUDr. J.
Navratil
Brno, Krizova 17.
(LUNGS, neoplasms
surg.)

BRAZDA, Ludvik, MUDr.; MUSIL, Jan, MUDr.

Dermoid cyst of the lung. Vnitr. lek., Brno 1 no.10:
730-732 Oct 55.

1. Z II. chirurgicke kliniky MU v Brne, prednosta prof. MUDr.
Jan Navratil Brno, Pekarska 53.

(LUNGS, cyst
dermoid, surg.)

(CYSTS
dermoid of lungs, surg.)

BRAZDA, Indrık, Dr.

NAVŘATIL, Jan, Dr.; BRAZDA, Indrık, Dr.; HEDLIČKA, Miroslav, Dr.; ČERNÝ, Otavěk,
Dr.; SRAMEK, Zdeněk, Dr.; VITK, Zdeněk, Dr.

Our experiences in surgical treatment of coarctation of the aorta.
Vestn. chir. 35 no.9:554-561 Aug 56.

I. S II chirurgické kliniky MU v Brně, přednosta prof. Dr. Jan
Navrátil.

(COARCTATION OF AORTA, surg. (Cz))

BRAZDA L.
EXCEPTA MEDICA Sec.18 Vol.1/5 Cardiovascular May 57

1500. BRAZDA L. 2. Chir. Klin. MU, Brno. Prevence komorové fibrilace pri operacích v hypothermii *Prevention of ventricular fibrillation by operations with hypothermia* Rozhl. Chir. 1956, 35/2 (98—102) Graphs 1

As a preventive of abnormal irritability of the myocardial surface and pericardial sac it is possible to apply 1 ml. of hydergin with 1 ml. of 0.5% 'percain' (Ciba) solution. In order to eliminate the spastic reaction of the coronary arteries, temporary pericardial sympathetic block is achieved by the use of 2% procaine solution. By these measures it is possible to prevent ventricular fibrillation; but in case the measures mentioned above fail and ventricular fibrillation takes place, it is possible to succeed by electric defibrillation. Thus 18 dogs were operated on without pharmacological pericardial sympathectomy: 12 dogs had ventricular fibrillation and 8 died. When pharmacological sympathectomy was used, ventricular fibrillation was established in 3 cases out of 16, and only one dog died. Köppl - Prague (IX, 18)

EXCERPTA MEDICA Sec 18 Vol. 1/11 Cardiovas. Dis. Nov 57

3230. BRÁZDA L. 2. Chir. Klin. MU, Brno. *Náš postup při operaci mitrální stenózy*
A procedure in the operation for mitral stenosis Rozhl. Chir. 1956, 35/10 (573—578)
Tables 1

The procedure and technique of operation for mitral stenosis as developed on the basis of experience with 315 operations at the 2nd Surgical Clinic of Brno, are described. Great stress is laid on the prevention of complications, especially of cerebral embolism and cardiac activity. Cerebral embolism occurred in 1.3% of the patients operated upon with prevention as proposed by Bailey. Prevention and control of some complications, such as rupture of the atrium, cardiac arrest etc. are discussed. The anaesthesia employed is neuroplegia combined with endotracheally administered nitrous oxide with oxygen and a small quantity of ether. (IX, 18)

NAVRA¹TIL, Jan; BRAZDA, L.; HRDLICA, Mil.; OLEJNIK, G.; SRAMEK, Zd.;
VITEK, Zd.

Transaortic commissurotomy in stenosis of aortic valve.
Cas. lek. cesk. 96 no.6:173-179 8 Feb 57.

1. II Chirurgická Klinika MU v Brno. Prednosta: prof. MUDr.
Jan Navratil. J. N., Brno, II. Chirurgická Klinika.
(AORTIC VALVE, stenosis
surg., transaortic commissurotomy (Cs))
(COMMISSURATOMY, in various dis.
transaortic, in aortic valve stenosis (Cs))

BRAZDA, L.

NAV RATIL, Jan; BRAZDA, Ludvik; HRDLICA, Miloslav; OLEJNIK, Oldrich; VITEK, Zdenek

Repair of defects of cardiac septum in open-heart surgery in hypothermia. Rozhl. chir. 36 no.11:763-771 Nov 57.

1. II chirurgicka klinika NU v Brne, prednosta prof. Jan Navratil.
(CARDIAC SEPTUM, abnorm.
surg., open-heart surg. in hypothermia (Cz))
(HYPOTHERMIA,
in open-heart surg. for abnorm. of cardiac septum (Cz))

BRAZDA, L.; OLEJNIK, O.; SUMBERA, J.; DLUHOS, M.

Successful extirpation of a pulmonary hamartia from the pericardium.
Rozhl. chir. 40 no.7:480-482 JI '61.

1. II chir. klinika University J. Ev. Purkyne v Brne, prednosta prof.
MUDr. Jan Navratil II detska klinika University J. Ev. Purkyne v Brne,
prednosta akademik prof. MUDr. O. Teysehl; II patologicko-anatomicky
ustav v Brne, prednosta doc. MUDr. M. Dluhos.

(LUNG abnorm) (PERICARDIUM abnorm)

MAZEL, A.; BRAZDA, L.; HONZA, M.

Simultaneous resection of the lungs in tuberculosis with mitral commissurotomy performed during pregnancy. Cas. Lek. Cesk. 101 no.13: 392-394 30 Mr '62.

1. II chirurgická klinika v Brně, přednosta prof. MUDr. J. Navrátil -
Tbc léčebna v Jablunkově, ředitel MUDr. B. Urbánek.

(PREGNANCY complications)
(TUBERCULOSIS PULMONARY in pregn)
(PNEUMONECTOMY in pregn)
(MITRAL STENOSIS surgery)

BRAZDA, L.

Transduodenal divulsion of the papilla and its role in suturing
after choledochotomy. Rozhl. chir. 44 no.12:800-805 D '65.

1. Chirurgické oddelení Obvodního ústavu národního zdraví v Hav-
lickové Brodu (vedoucí MUDr. L. Brazda).

CA BRN-DA, M.

The feeding value of an improved variety of sainfoin (Onobrychis). J. Herzig, M. Brázda, and J. Sedláček (Státní Vys. Ústav pro Vyt. Živ., Brno, Czech.). Sbor-

nik Českoslov. Akad. Zemědělství 21, 340-57 (1948) (Pub. 1040).—By experimenting, sainfoin of Věšňov was improved so that it can be harvested several times a year, and in org. nutrients as green forage it compares favorably with lucerne. The ash is lower, especially in Ca, which is twice as high in lucerne as in sainfoin. For cutting as green forage, the beginning of the blooming period is the best. The digestibility coeff. of sainfoin hay, cut before full blossoming, based on the expts. on sheep, is: org. 64, total N 72, fat 63, fiber 49, N-free matter 71. Dry matter (88.02%) has a feeding value equiv. to 0.81% protein and 31.81% starch. Jan Micka

L 13578-66

ACC NR: AP6006065

SOURCE CODE: CZ/0053/65/014/004/0305/0306

AUTHOR: Mikulaskova, J.; Brazda, O.; Hava, M. 27B

ORG: Research Institute for Natural Medicinal Substances and Second Stomatologic Clinic, Charles University, Prague (Vyzkumny ustav prirodnich leziv a II. Stomatologic klinika KU)

TITLE: Cause of reparative phenomena in dental marrow following administration of some anabolic steroids [This paper was presented during the Twelfth Pharmacologic Days, Smolenice, 29 Jan 65.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 305-306

TOPIC TAGS: biochemistry, endocrinology, pharmacology, drug effect, rat, experiment animal, dentistry

ABSTRACT: Study of the effect of methyltestosterone, 17 α -methyl-17 β -hydroxy-2-androstene, 17 β -hydroxy-2-androstene, 1 α -17 α -dimethyl-5 α -androstane-17 β -ol-3-one and 1,2 α -oxy-5 α -androstane-3,17-dione in rats; topical and systemic nandrolone phenylpropionate in rats and monkeys on artificial caries; formation of lamellae of predentine and secondary dentine was favorably affected, especially the latter. [JPRS]

SUB CODE: 06 / SUEM DATE: none / OTH REF: 001

Card 1/1 HW

BRAZDA, O.; KRATKOVA, E., MUDr., CSc.

Tetracycline deposit in children's teeth. Cas. lek. cesk. 104
no.23:630-633 11 Je'65.

1. II. stomatologicka klinika fakulty vseobecneho lekarstvi
Karlovy University v Praze (prednosta: prof. dr. F. Urban,
DrSc.); a Detske interni odeeleni Thomayerovy nemocnice v
Praze (vedouci: MUDr. E. Kratkova, CSc.).

BRAZDA, R.

"Some Remarks on the Organization of the Distribution of Electric Power",
P. 341, (ENERGETIKA, Vol. 4, No. 8, Aug. 1954, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12,
Dec. 1954, Uncl.

BRAZDA, R., BOHUSLAV, V., KADELA, J.

Organization of the sale of electric power and steam and rates in the decade of 1954-1955. p.192. ENERGETIKA. (Ministerstvo paliv a energetiky. Hlavni sprave elektraren) Praha. Vol. 5, no. 5, May 1955

SOURCE: East European Accessions List, (EEAL), Library of Congress, Vol. 4, No. 12, December 1955

BRAZDA, R.

BRAZDA, R. Lines for 220-230 kv. in Western Europe. p. 329.

Vol. 6, no. 7, July 1956

ENERGETIKA

TECHNOLOGY

Czechoslovakia

So: East European Accession, Vol. 6, no. 5, May 1957

BRAZDA, R.

"Today's situation and future possibilities of the exchange of electric power between the countries of central and southeastern Europe."

p. 566 (Energetika) Vol. 7, no. 11, Nov. 1957
Prague, Czechoslovakia

ŠO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

BRAZDA, Z. ; SOUCEK, J.

The 1 FNO 35 a single furrow reversible plow.

p. 41 (Zemedelske Stroje) Vol 2, no 2, Feb. 1957 Praha, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, -Vol. 7, No.1, Jan. 1958

~~BRAZDA, Z.; SOUCEK, J.~~

"Agricultural machinery at the Leipzig Spring Fair."

p. 158 (Zemedelske Stroje) Vol. 2, no. 7, July 1957
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

BRAZDA, Zdenek, inz.

The RP 190 rotary plow. Zemedel tech 10 no.12:685-706 D '64.

1. Research Institute of Agricultural Machines, Chodov near Prague.
Director of the Institute: [inz.] J. Homolka. Submitted on September
17, 1964.

Brazdil, J.

Experiences in technical and economic control of estimates for preliminary projects. p. 347. INZENYRSKE STAVEBY. (Ministerstvo stavebnictvi) Praha. Vol. 4, no. 15, Aug. 1954.

Source: EEAL LC Vol. 5, No. 10 Oct. 1956

BRAZDIL, J.

Planning indicators for temporary buildings on the construction site.
p. 192. POZEMNI STAVEBY. (Ministerstvo stavebnictvi) Praha. Vol. 3,
no. 5, May 1955.

SOURCE: East European Accessions List (EEAL), Library of Congress,
Vol. 4, No. 12, December 1955.

Brazdil, J.

Three national conferences of the Scientific Technical Society for the Building Industry. p. 223. NOVA TECHNIKA. (Rada vedeckych technickych spolecnisto pri Ceskoslovenske akademii ved) Praha. Vol. 1, no. 7, July 1956.

Source: EEAL LC Vol. 5, No. 10 Oct. 1956

BRAZDIL, J.

Measures against soil sliding during the construction of a dam on the Stupavka River near Korycanv. p. 243

VODNI HOSPODARSTVI (Ustredni sprava vodniho hospodarstvi)
No. 3, Sept. 1956

Praha, Czechoslovakia

SOURCE: East European List (EEL) Library of
Congress, Vol. 6, No. 1, January 1957

Brazdil, J.

Brazdil, J. The National Conference on economical building of
brick buildings. p. 468.

Vol. 4, no. 12, Dec. 1956
POZEMNI STAVBY
TECHNOLOGY
Czechoslovakia

So. East European Accessions, Vol. 6, No. 5, May 1957

ERAZDIL, J.

ERAZDIL, J. Equipment used in moving buildings. (To be cont'd.) p. 16
Vol. 5, no. 1, Jan. 1957 INZENYRSKE STAVEBY.
(Ministerstvo stavebnictvi)
Praha, Czechoslovakia

SOURCE: EAST EUROPEAN ACCESSIONS LIST (EEAL) VOL 6 NO 4 APRIL 1957

BRAZDIL, J.

BRAZDIL, J. Equipment used in moving buildings. (Conclusion) p. 73.

Vol. 5, No. 2, Feb. 1957

INZENYRSKE STAVBY

TECHNOLOGY

Czechoslovakia

So: East European Accession, Vol. 6, No. 5, May 1957

BRAZDIL, J.

BRAZDIL, J.; PAVLICEK, F.

Construction of the first prestressed concrete tanks in Czechoslovakia

p. 397 (Inzenyrske Stavby) Vol. 5, no. 8, Aug.1957, Praha, Czechoslovakia

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

BRAZDIL, J.

Construction of a circular tank made of prestressed concrete.

P. 73. (INZENYRSKE STAVBY) (Praha, Czechoslovakia) Vol. 6, No. 2, Feb. 1957

SO: Monthly Index of East European Accession (EEAI) LC Vol. 7, No. 5, May 1958

BRAZDIL, Jaroslav, ~~mladší~~ inž.

Construction of a lentil-shaped reservoir of prestressed concrete.
Inz stavby 10 no.1:24-27 Ja '62.

1. Stavby silnic a zeleznic, n.p., Praha,

BRAZDIL, Jaroslav, inz.

Czechoslovak Standard 73 3050: Earthwork. Normalizace 12 no.6:
164-165 Je '64

1. Vodni stavby National Enterprise, Sezimovo Usti.

BRAZDIL, S.

High yields per hectare are reducing production cost.

p. 28 (ROLNICKE HLASY) Vol. 11, no. 11, Nov. 1957,
Praha, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 3,
March 1958

CA *Branzica, K.*

Water, Sewage, Janadom
14

Experiences with new oligodynamical preparations for disinfection of water. M. Polster and K. Brázdová (Univ. Brno, Czech.). *Českoslov. farm.* 1, 353-7 (1952).—Ag compls. were studied as water disinfectants. The complex Na-Ag chloride, called Sag 1, which decomp. in contact with water to give fine colloidal AgCl, gave best results. Dagmar Hubíková

BRAZDOVA, Kvetuse; ALDOVA-KLECKOVA, Eva

Experiences with the parasitological examination of the inhabitants of the province of North Hamgen in Korea. Cesk. epidem. mikrob. imun. 6 no.3:186-187 May 57.

1. Hygienicky a epidemiologicky ustav lekarske fakulty v Brne.
Ustav epidemiologie a mikrobiologie v Praze.
(PARASITIC DISEASES, epidemiol.
in Korea (Cz))

BRAZDOVA, Kvetuse; NEZVAL, Jaroslav; TABORSKY, Ivan; Techn. spoluprace:
TOMEK, J.; KOCUROVA, J.; ZAJICOVA, V.

Our experiences with ethylene oxide disinfection. Scr. med.
fac. med. Brunensis 36 no.4:181-186 '63.

1. Katedra hygieny a epidemiologie lekarske fakulty University
JEP v Brne Prednosta prof. MUDr. et RNDr. Karel Halacka.

(ETHYLENE OXIDE) (DISINFECTION)
(BACILLUS SUBTILIS) (STAPHYLOCOCCUS)
(MYCOBACTERIUM) (TEMPERATURE)

BRAZDOVA, K.; NEZVAL, J.; VELECKY, R.

Bactericidal effect of spontaneously evaporated peracetic acid on *Ps. Aeruginosa*, *St. pyogenes aureus*, and *B. subtilis*.
Scr. med. fac. med. Brunensis 38 no.2/3:107-113 '65.

1. The Department of Hygiene and Epidemiology of the Medical Faculty of the Purkyne University in Brno (The Head of the Department: Professor MUDr. et RNDr. Karel Halacka).

BRAZDOVA, R. /

CZECHOSLOVAKIA

STASTNY, F., MD; BRAZDOVA, R., MD.

Protective ?

1. Department of Virus and ~~Eye-(?)~~ Materials
(Odbor virovych a ockovacich latek); 2.
Institute of Serum and Protective Materials,
Prague (for all)

Prague, Prakticky lekar, No 3, 1963, pp 89-93

"Some Present Information Regarding Epizootology and
Imunoprohylaxis of Hydrophobia."

STASTNY, F.; SIMON, J.; HRAZDOVA, R.

Contribution to the problem of the dynamics of reproduction
of fixed rabies virus in the brain of experimental animals.
Cesk. epidem. 13 no. 1:1-7 Ja'64.

1. Ustav ser a ockovaciho latek, Praha.

*

CHUDOMEL, Vl.; JEZKOVA, Zd.; Technicka spoluprace: V. Mikulova; V. Brazdova

Demonstration of substances inhibiting leukocytic antigens. Cas.lek.
cesk 100 no.20:616-621 19 My '61.

1. Ustav hematologie a krevni transfuze v Praze, prednosta prof. Dr.
Sc. MUDr. J. Horejsi.

(ANTIGENS) (LEUKOCYTES)

HAKOVA, I.; BRAZDOVA, V.

CSSR

Pharmacognostic department, Pharmaceutical Faculty, Charles University,
(Katedra farmakognosie Farmaceuticke fakulty UK), Bratislava

Bratislava, Farmaceuticky Obzor, No 3, 105-110.

"Contribution to the Evaluation of Glycyrrhiza Glabra L. (Liquorice)

(2)

CZECHOSLOVAKIA

HAJKOVA, I; BRAZDOVA, V.

Chair of Pharmacognosis of the Pharmaceutical Faculty UK
(Katedra farmakognosis farmaceuticke fakulty UK),
Bratislava (for both)

Bratislava, Farmaceuticky obzor, No 8, 1963, pp 343-346

"Content Determination in Flos and Fructus Dambuci During
the Period of Vegetation."

BRAZDZHYUNAS, P. P.

USSR/Physical Chemistry - Crystals, B-5

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 237

Author: Brazdzhynas, P. P., and Mikal'kevichus, M. P.

Institution: ~~None~~

Title: Some Photoelectric Properties of Antimony Trisulfide and Antimony Triselenide

Original
Periodical: Lietuvos TSR mokslu akad. darbai, 1956, Vol B2, 31-40 (published in Russian with Lithuanian summary)

Abstract: The photoconductivity and absorption spectrum of crystalline and amorphous layers of Sb_2S_3 and Sb_2Se_3 was investigated in the temperature range -70 to 235° together with the spectral and temperature dependence of the photosensitivity and of the absorption coefficient in the region $400-1,200 m\mu$. At the IR end of the absorption spectrum of Sb_2S_3 there was observed an additional absorption band ascribed to electronic excitation. A decrease in the energy of optical activation of Sb_2S_3 and Sb_2Se_3 with increasing temperature is explained on

Card 1/2

USSR/Physical Chemistry - Crystals, B-5

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 237

Abstract: the basis of an increase in the depth of the barrier region, produced by changes in the interaction between the electrons and the thermal oscillations of the lattice.

Card 2/2

USSR / Optics *Brazdzhunas, #*

K

Abs Jour: Referat Zhur-Fizika, 1957, No 4, 10346

Author : Brazdzhunas, Vishchakas

Inst : Not Given

Title : Optical Properties of Polycrystalline Layers of Cadmium Selenide.

Orig Pub: Liet. TSR. mokslu Akad. darbai, Sb. AN Lit SSR, 1956, 4B, 21-33

Abstract: Results are given on an investigation of the absorption, reflection and refraction of thin polycrystalline layers of cadmium selenide in the spectral region from 0.23 to 1.34 microns. The thickness of the layers varied from 0.1 to 3 microns. The absorption constant was determined with allowance for the reflection. On the edge of the band of intrinsic absorption, at 0.7 microns, there was observed a slight maximum of absorption, whose position corresponds to the position of the maximum of the photosensitivity of the layers. The energy of the optical activity, as determined from the absorption curve, is 1.67 ev. Two different values are obtained for the index of refraction in the spectral region from 0.4 to 1.34 microns

Card : 1/2

USSR / Optics

K

Abs Jour: Referat Zhur-Fizika, 1957, No 4, 10346

and these give rise to the assumption that the "surface" index of refraction differs from the "volume" index and that at $\lambda = 1$ micron the value of the former is 2.47, that of the latter is 2.73.

Card : 2/2

BRAZDZHYUNAS, P.P.

USSR/Physical Chemistry - Crystals, B-5

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 238

Author: Brazdzyunas, P. P., and Mikal'kevichus, M.

Institution: Vilno University

Title: Some Photoelectric Properties of Antimony Trisulfide (Sb_2S_3)

Original

Periodical: Mokslo darbai. Vilniaus valst. univ. Mat. fiz. ir chem. mokslu ser., 1956, No 5, 57-68 (published in Lithuanian with Russian summary)

Abstract: The photoelectric properties of polycrystalline layers of Sb_2S_3 obtained by sublimation in vacuum have been investigated. A layer of Sb_2S_3 containing an excess of S was obtained by the sublimation of Sb_2S_5 in vacuum according to the reaction $Sb_2S_5 \rightarrow Sb_2S_3 + 2S$. The curve giving the dependence of the photosensitivity (PS) on the amount of excess S shows a sharp maximum. The spectral characteristic of the PS was investigated; maxima were found in it for the various samples in the region 6,200-6,900 Å, the maxima exhibiting a shift toward longer wavelengths with increasing S concentration. The PS increases

Card 1/2

USSR/Physical Chemistry - Crystals, B-5

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 238

Abstract: with temperature in the range -70 to 60° . The activation energy for dark conductance was 1.4-1.6 ev and is the same as that for large samples, which indicates the absence of a barrier region. Energy levels are proposed.

Card 2/2

68945

SOV/81-59-24-85079

24.7700

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 24, p 56 (USSR)

AUTHORS: Brazdzhunas, P.P., Shiktorov, N.K.

TITLE: Electrical Properties of Zinc Antimonide (SbZn)

PERIODICAL: Uch. zap. Vil'nyussk. un-t, 1958, Vol 25, pp 159 - 172 (Lithuanian summary)

ABSTRACT: Hall's constant and the electric conductivity were measured on SbZn alloys of stoichiometric composition. Hall's constant was measured by the method of a constant magnetic field and a-c. It has been shown that the electric conductivity of SbZn samples within the range from -200° to 100°C has a metallic, and from 100 to 400°C a semiconductor character; the admixture conductivity of the SbZn lattice is masked by the metallic electroconductivity of excess Zn or Sb. The change in the concentration of charge carriers in the SbZn samples has a semiconductor character in the whole temperature range of measurements; the constancy of concentration in the range from -40° to 180°C , which was indicated earlier, is not confirmed. The activation energies of the admixture levels ΔE_1 and ΔE_2 in

Card 1/2

Electrical Properties of Zinc Antimonide (SbZn)

68915
SOV/81-59-24-85079

SbZn have values from 0.012 to 0.016 eV and from 0.003 to 0.007 eV, respectively. The mobility of the SbZn charge carriers within the range from 20 to 400°C varies according to the $T^{-3/2}$ law; within the range from -200° to +20°C the dependence has a more complicated character.

L. Andreyev

4

Card 2/2

SHILEYKA, A.Yu. [Sileika, A.]; BRAZDZHYUNAS, P.P. [Brazdziunas, P.]

Temperature dependences of the optical properties of Sb_2Se_3 layers.
Liet ak darbai B no.4:31-43 '59 (EAI 9:3)

1. Institut fiziki i matematiki AN Litovskoy SSR.
(Antimony selenide)

VAIATSKA, K.K. [Valacka, K.]; BRAZDZHYUNAS, P.P. [Bradziunas, P.]

The question of photoelectromotive force of the CdSe-Se contact.
Liet ak darbai B no.4:45-55 '59 (EBAI 9:3)

1. Institut fiziki i matematiki AN Litovskoy SSR.
(Photoelectricity) (Cadmium selenide)
(Selenium)

SHILEYKA, A.Yu. [Sileika,A.]; BRAZDZHYUNAS, P.P. [Brazdziunas,P.]

Temperature dependence of the index refraction of Sb_2Se_3 layers.
Liet ak darbai B no.1:99-105 '60. (EEAI 9:10)

1. Institut fiziki i matematiki AN Litovskoy SSR.
(Refractive index)
(Antimony selenide)

SHIRVAITIS, A.I. [Shirvaitis, A.]; DENIS, V.I. [Dienys, V.]; BRAZDZHYUNAS,
P.P. [Brazdziunas, P.]

Photoconductivity and absorption of polycrystalline cadmium sulfide
and cadmium selenide in X-ray spectrum. Liet ak darbai B no.2:
33-46 '60. (EEAI 10:1)

1. Institut fiziki i matematiki Akademii nauk Litovskoy SSR
(Photoconductivity) (Absorption) (Cadmium sulfide)
(Cadmium selenide) (X rays) (Spectrum analysis)
(Cobalt) (Radioisotopes)

24.7700 (1043,1055,1482)

35147

S/058/62/000/002/039/053
A001/A101

26.2420

AUTHORS: Širvaitis, A., Brazdžiūnas, P.

TITLE: Electric conductivity of polycrystalline CdS, CdSe and CdTe

PERIODICAL: Referativnyy zhurnal. Fizika, no. 2, 1962, 37, abstract 2E344 ("Uch. zap. Vil'nyussk. un-t. Matem., fiz.", 1960, v. 33, no. 9, 181-186, Lithuanian, Russian summary)

TEXT: The authors describe the results of investigating temperature dependences of electric conductivity and photoconductivity of CdS, CdSe and CdTe. The activation energy of photoresistances varies in a rather wide range. The curves of temperature dependence of electric conductivity for increasing and decreasing temperatures do not coincide. At the temperatures corresponding to the bends in the curves of electric conductivity, photoresistances of CdS and CdSe possess the maximum photosensitivity, and inertia of photocurrent sharply drops in both the visible and X-ray ranges of the spectrum. The spread in the values of activation energies and non-coincidence in the run of temperature curves of electric conductivity for increasing and decreasing temperatures can be explained by the presence of impurities. The sharp drop of photoconductivity

Card 1/2

Electric conductivity ...

S/058/62/000/002/039/053
A001/A101

at a certain temperature is explained by Rouse's hypothesis (RZhFiz, 1956, no. 2, 4390), and inertia of photocurrent by impurity levels.

[Abstracter's note: Complete translation]

✓

Card 2/2

35118
S/058/62/000/002/040/05
A001/A101

9.4179 (1051)

AUTHORS: Brazdžiūnas, P., Valacka, K., Šileika, A.

TITLE: On the origin of photo-emf in thin film Al-CdSe-Au systems in the infrared region of spectrum

PERIODICAL: Referativnyy zhurnal, Fizika, no. 2, 1962, 37-38, abstract 2E346
("Uch. zap. Vil'nyussk. un-t. Matem., fiz.", 1960, v. 33, no. 9, 193-201, Lithuanian, Russian summary)

TEXT: Spectral distribution of photo-emf was investigated in thin film systems of Al-CdSe-Au at room and low (down to liquid nitrogen) temperatures. It was established that at room temperature photo-emf of these systems is detected already in the visible region of spectrum. The red edge lies at 800-1,000 m μ . In the low temperature region the spectral distribution of photo-emf changes essentially: the red edge of photo-emf is shifted to 2,500 m μ , and its sign is reversed. The photosensitivity of the systems in the infrared spectral region, as well as the sign reversal, indicate the existence of two mechanisms causing the origination of photo-emf. The results of investigations of the Au-CdSe-Al system and auxiliary systems Au-CdSe-Au and Al-CdSe-Al indicate

Card 1/2

On the origin of photo-emf ...

S/058/62/000/002/040/053
A001/A101

that two barrier layers operate simultaneously in the Al-CdSe-Au system. The barrier layer in the region of the Al-electrode contact contributes to emergence of photo-emf at room temperature in the visible spectral region. The barrier layer in the Au-electrode zone is very weakly developed at room temperature and practically does not affect the spectral distribution of photo-emf. In the region of low temperatures, the main role in originating photo-emf is played by the developing barrier layer at Au-electrode. Current carriers are produced by infrared light in the thin transition CdSe layer with Au impurity. The last hypothesis was confirmed by an investigation of spectral distribution of internal photoeffect in CdSe layers with Au impurity prepared by Vekshinskiy's method. Spectral distribution of photocurrent in these specimens at low temperatures was displaced into infrared spectral region. At room temperature, the spectral distribution of photocurrent of such specimens does not essentially differ from the spectral distribution of pure CdSe photocurrent. A marked absorption of light was discovered in infrared region of spectrum (of the order of 10^3 cm^{-1}) in CdSe specimens with Au impurity.

[Abstracter's note: Complete translation]

Card 2/2

BRAZDIUNAS, Povilas; PUODZIUKYNAS, A., prof., retsenzent; VANAGAS, V.,
kand. fiz.-mat. nauk, red.; PETRAITIS, A., red.; LUKOSEVICIUS, St.,
tekh. red.

[General physics] Bendroji fizika. Vilnius, Valstybine Politines
ir mokslines literaturos leidykla. Pt.2. [Electricity and
electromagnetism] Elektra ir elektromagnetizmas. Redagavo
V.Vanagas. 1961. 405 p. (MIRA 15:3)
(Electricity) (Electromagnetism)

L 30082-65

ACCESSION NR: AT5002024

S/2910/64/004/003/0413/0423

9
B+1

AUTHOR: Sakalauskas, K. I. (Sakalauskas, K.); Brazdzyunas, P. P. (Brazdziunas, P.)

TITLE: The effect of the magnitude of the injected charge on some nonstationary processes in the base of a semiconductor triode

SOURCE: AN LitSSR. Litovskiy fizicheskiy sbornik, v. 4, no. 3, 1964, 413-423

TOPIC TAGS: triode, electronic circuit, solid state circuit, semiconductor triode, nonstationary process, injected charge, transistor, recombination theory

ABSTRACT: Frequently, electronic circuits consisting of solid state components operate unsatisfactorily under different conditions and present additional difficulties to the experimenter who looks for ways and methods of fine tuning and stabilization. These difficulties result from the fact that triodes may change their parameters under the different conditions of operation. The transistor parameters change with changes in the operating conditions, the temperature, the magnitude of the signal and other external conditions. Consequently, in designing a semiconductor triode containing circuits and in the operation of systems using them it is necessary to know what parameters are the most sensitive to changes in the external

Card 1/2

L 30082-65

ACCESSION NR: AT5002024

conditions and how they change. The authors investigated some of the nonstationary processes in the base of a triode and how they are related to the level of injection. It was found that with an increase in injection into the base region of the junction of semiconductor triodes of the P12, P14, P15 and P16 type, the lifetime of the nonequilibrium carriers τ and the diffusion time τ_{diff} of minority carriers

increases. The increase of τ_{diff} and τ with an increase in the injection level is in agreement with the defects near the junction, and does not contradict the recombination theory proposed by Shockley and Read. The higher frequency transistors possess lower values of τ and τ_{diff} while the low-frequency transistors possess higher values. Orig. art. has: 19 formulas, 4 figures, and 1 table.

ASSOCIATION: Vil'nyusskiy Gosudarstvennyy universitet im. V. Kapsukasa (Vilnius state university)

SUBMITTED: 28Dec63

ENCL: 00

SUB CODE: EC

NO REF SOV: 011

OTHER: 006

Card 2/2

L 11922-66 EWT(1)/EWT(m)/EWP(t)/EWP(b) IJP(c) JD
ACC NR: AT5028697 SOURCE CODE: UR/2910/64/004/004/0537/0541⁸⁶⁴

AUTHOR: ⁴⁴ Baltrushaytis, R. A. (Baltrusaitis, R.); ^{44 55} Brazdzhynas, P. ⁹⁶ P. ³⁴

ORG: ^{44 55} Vilnyus State University im. V. Kapsukas (Vil'nyuskiy Gosudarstvennyy universitet)

TITLE: Electric conductivity of ^{27 27} cadmium oxide in high-frequency ^{21, 44, 55} electric fields

SOURCE: AN LitSSR. Litovskiy fizicheskiy sbornik, v. 4, no. 4, 1964, 537-541

TOPIC TAGS: electric conductivity, cadmium compound, superhigh frequency, refractive index

ABSTRACT: ^{21, 44, 55} The electric conductivity and power absorption coefficient of polycrystalline heat-treated CdO samples were determined as a function of temperature and frequency of the current by measuring the ratio of transmitted to incident power in a waveguide at 20-400°C. Samples fired at higher temperatures had a higher conductivity whereas the compacting pressure had no appreciable effect. In order to explain the temperature dependence, conductivity was measured with direct current

Card 1/2

L 11922-66

ACC NR: AT5028697

at 20-400°C. On the basis of the data it is postulated that the refractive index n of the samples studied in the (7000-8900 Mc) frequency range is independent of the frequency, and the electrical conductivity does not change during passage of direct or alternating current. Values of the thermal activation energy measured by the superhigh frequency method in the 20-80°C range are in good agreement with the thermal activation energies of the impurity levels measured with direct current. The authors thank S. Kal'venas and I. Gashke for useful suggestions. Orig. art. has: ^{44 55} 4 figures, 4 tables. ^{77 86}

SUB CODE: 20/ SUBM DATE: 25Dec63/ ORIG REF: 004/ OTH REF: 004

CC
Card 2/2

L 04400-67

ACC NR: AT6012823

SOURCE CODE: UR/2910/65/005/001/0135/0150

AUTHOR: Sakalauskas, K. I. (Sakalauskas, K.); Brazdzhynas, P. P. ⁴⁷
(Brazdziunas, P.) _{Br 1}

ORG: Vilnius State University im. V. Kapsukas (Vilnyusskiy gosudarstvennyy universitet)

TITLE: Effect of collector voltage on transients in a transistor

SOURCE: AN LitSSR. Litovskiy fizicheskiy sbornik, v. 5, no. 1, 1965, 135-150

TOPIC TAGS: transistor, transient phenomenon, semiconductor device

ABSTRACT: The results are reported of an experimental investigation of the fundamental parameters and properties of P13, P13A, P14, P14B, P15, P15A, P16, P16A, P16B, P26 Soviet-made transistors as functions of the collector voltage; 30 samples of each type were tested. I-V characteristics at various temperatures within $-40 + 70C$ were measured, as were transistor parameters under negative-resistance collector conditions. These findings are reported:

Card 1/2

L 04400-67

ACC NR: AT6012823

(1) With higher collector voltages, α and f_c increase; (2) The minority-carrier diffusion time decreases when the collector voltage increases; (3) Variation of τ_{diff} characterizes the depth of modulation of the base layer; (4) The small-power P13, P13A, P14B, P15, P16, P26 transistors have a pronounced negative-resistance region; (5) The available theory of carrier multiplication in avalanche transistors is fairly accurate when applied to the above transistor types; (6) The above transistor types can operate under avalanche-carrier-multiplication conditions which may be used for speeding up pulsed and switching circuits. Orig. art. has: 6 figures, 25 formulas, and 3 tables.

SUB CODE: 09 / SUBM DATE: 16Mar64 / ORIG REF: 012 / OTH REF: 008

Card 2/2 vmb

COUNTRY : CZECHOSLOVAKIA H
CATEGORY : Chemical Technology. Chemical Products and Their Applications. Leather. Gelatine. Tanning Materials.*
ABS. JOUR. : RZhKhim., No 17, 1959, No. 63229
AUTHOR : Brazej, A.; Markusovska, E.
INSTITUTE :
TITLE : Accelerated Determination Method for Chromium in the Spent Chromate Solutions in the Presence of **
ORIG. PUB. : Veda a vyzk. v prumysl. kozedeln., 1958, 4, 117-125

ABSTRACT : Developed is a method in which an acidified solution of $KMnO_4$ is used as an oxidizing agent. The oxidation process, in a strong acid medium (H_2SO_4) and the formed MnO_2 is removed with HCl . The titration is made with the aid of $(NH_4)_2Fe(SO_4)_2$ solution or iodometrically. -- D. Gorin.

**Organic Substances.

*Industrial Proteins.

Card: 1/1

BRAZEWICZ, Stanislaw

Results of applying fiberboard for the production of packing cases. Przem drzew 13 no.5:25-27 My '62.

KHASIN, G.A.; BRAZGIN, I.A.; SINENKO, E.N.; MUNDER, P.L.

Carbide phase in R18 steel. Metalloved. i term. obr. met.
no.11:40 N '63. (MIRA 16:11)

1. Zlatoustovskiy metallurgicheskiy zavod.

BRAZGOL', D., inzhener; DUBODELOV, V., inzhener.

Rapid mining of inclined drifts. Mast. ugl. 6 no. 2:7-8 F '57.
(MLRA 10:4)

(Donets Basin--Coal mines and mining)

BRAZGOVKA, V.A.
RUTSKIY, A.I.; LEONKOV, A.M.; GRYLER, I.B.; SLEPYAN, Ya.Yu.; MOSEYEV, I.V.;
SOBOLEV, A.I.; TINYAKOV, N.A.; VOLKOV, N.P.; BOTVINNIK, Ya.Ye.;
BARABANOV, M.Ye.; BRAZGOVKA, V.A.; PEKELIS, G.B.; KUZOVNIKOVA,
Ye.A.; KUZ'MIN, Yu.P.; SHIMKO, N.I.; PALLADIY, N.L.; KHUTSKIY, G.I.

G.I. Dobkin; obituary. Izv. vys. ucheb. zav.; energ. no.4:128 Ap '58.
(Dobkin, Grigori Izrailevich, 1892-1958) (MIRA 11:6)

KHARLAP, I.P.; BRAZGOVSKIY, V.I.

Rupture of the cicatrix of the uterus following cesarian
section. Zdrav. Bel. 9 no.8:87-88 Ag'63. (MIRA 17:3)

1. Iz khirurgicheskogo otdeleniya Svetlogorskoy rayonnoy
bol'nitsy Gomel'skoy oblasti.

BRAZHENKO, A.D., inzh.; DEYASHKIN, K.I., inzh.; GANCHO, V.M., inzh.

Two-step installation of a converter substation with mercury-arc rectifiers. Prom. energ. 19 no.5:30-33 My '64.

(MIRA 17:6)

VULITSKIY, Z.; BRAZHENKO, V.

From auditing work practice. Den. i k~~od~~ed. 19 no.11:69-72 N '61.
(MIRA 14:12)

1. Starshiy kreditnyy inspektor Krymskoy kontory Gosbanka (for
Vulitskiy). 2. Revizor L'vovskoy kontory Gosbanka (for
Brazhenko).

(Banks and banking)
(Auditing)

BEDROV, G.I. [deceased]; MONICH, V.K. [deceased]; KULIKOVSKIY, K.T.;
BRAZHENTSEVA, A.F.; PETROVA, M.P.; BALGOZHINA, A.G.

Intrusion of Toparsk complex in Shetskiy District of central
Kazakhstan. Trudy Inst. geol. nauk AN Kazakh. SSR 12:43-73
'65. (MIRA 18:9)

BASMAN, L.I.; BRAZHINA, G.Ya.

Course of experimental treponematosi and the Wassermann reaction in rabbits lightly affected with radiation sickness. Sbor.nauch.rab.Bel.nauch.-issl.kozhno-ven.inst. 6:83-90 '59. (MIRA 13:11)

(TREPONEMATOSIS)
(RADIATION SICKNESS)
(BLOOD PROTEINS)

180 AND 179 COLUMNS

181 AND 182 COLUMNS PROCESSES AND PROPERTIES INDEX

M

F

2585. GRATES WITH DOWNFALL PREVENTION. Braahkin, M. (Za Ekon. Topliva (Fuel Econ.), Jan. 1951, 11-13).

Boilers of industrial undertakings are generally fuelled (in Russia) with anthracite, coal and lignite, with a large proportion of fines. The combustion of such fuel on simple hand-operated grates inevitably results in small pieces of unconsumed fuel falling through. Some details are given of a grate designed to counteract this. (L).

COMMON VARIANTS INDEX

E-277110-1000

A.S.M.I.A. METALLURGICAL LITERATURE CLASSIFICATION

COMMON ELEMENTS

COMMON VARIANTS INDEX

181 AND 182 COLUMNS

183 AND 184 COLUMNS

185 AND 186 COLUMNS

187 AND 188 COLUMNS

189 AND 190 COLUMNS

191 AND 192 COLUMNS

193 AND 194 COLUMNS

195 AND 196 COLUMNS

197 AND 198 COLUMNS

199 AND 200 COLUMNS

201 AND 202 COLUMNS

203 AND 204 COLUMNS

205 AND 206 COLUMNS

207 AND 208 COLUMNS

209 AND 210 COLUMNS

211 AND 212 COLUMNS

213 AND 214 COLUMNS

215 AND 216 COLUMNS

217 AND 218 COLUMNS

219 AND 220 COLUMNS

221 AND 222 COLUMNS

223 AND 224 COLUMNS

225 AND 226 COLUMNS

227 AND 228 COLUMNS

229 AND 230 COLUMNS

231 AND 232 COLUMNS

233 AND 234 COLUMNS

235 AND 236 COLUMNS

237 AND 238 COLUMNS

239 AND 240 COLUMNS

241 AND 242 COLUMNS

243 AND 244 COLUMNS

245 AND 246 COLUMNS

247 AND 248 COLUMNS

249 AND 250 COLUMNS

251 AND 252 COLUMNS

253 AND 254 COLUMNS

255 AND 256 COLUMNS

257 AND 258 COLUMNS

259 AND 260 COLUMNS

261 AND 262 COLUMNS

263 AND 264 COLUMNS

265 AND 266 COLUMNS

267 AND 268 COLUMNS

269 AND 270 COLUMNS

271 AND 272 COLUMNS

273 AND 274 COLUMNS

275 AND 276 COLUMNS

277 AND 278 COLUMNS

279 AND 280 COLUMNS

281 AND 282 COLUMNS

283 AND 284 COLUMNS

285 AND 286 COLUMNS

287 AND 288 COLUMNS

289 AND 290 COLUMNS

291 AND 292 COLUMNS

293 AND 294 COLUMNS

295 AND 296 COLUMNS

297 AND 298 COLUMNS

299 AND 300 COLUMNS

301 AND 302 COLUMNS

303 AND 304 COLUMNS

305 AND 306 COLUMNS

307 AND 308 COLUMNS

309 AND 310 COLUMNS

311 AND 312 COLUMNS

313 AND 314 COLUMNS

315 AND 316 COLUMNS

317 AND 318 COLUMNS

319 AND 320 COLUMNS

321 AND 322 COLUMNS

323 AND 324 COLUMNS

325 AND 326 COLUMNS

327 AND 328 COLUMNS

329 AND 330 COLUMNS

331 AND 332 COLUMNS

333 AND 334 COLUMNS

335 AND 336 COLUMNS

337 AND 338 COLUMNS

339 AND 340 COLUMNS

341 AND 342 COLUMNS

343 AND 344 COLUMNS

345 AND 346 COLUMNS

347 AND 348 COLUMNS

349 AND 350 COLUMNS

351 AND 352 COLUMNS

353 AND 354 COLUMNS

355 AND 356 COLUMNS

357 AND 358 COLUMNS

359 AND 360 COLUMNS

361 AND 362 COLUMNS

363 AND 364 COLUMNS

365 AND 366 COLUMNS

367 AND 368 COLUMNS

369 AND 370 COLUMNS

371 AND 372 COLUMNS

373 AND 374 COLUMNS

375 AND 376 COLUMNS

377 AND 378 COLUMNS

379 AND 380 COLUMNS

381 AND 382 COLUMNS

383 AND 384 COLUMNS

385 AND 386 COLUMNS

387 AND 388 COLUMNS

389 AND 390 COLUMNS

391 AND 392 COLUMNS

393 AND 394 COLUMNS

395 AND 396 COLUMNS

397 AND 398 COLUMNS

399 AND 400 COLUMNS

401 AND 402 COLUMNS

403 AND 404 COLUMNS

405 AND 406 COLUMNS

407 AND 408 COLUMNS

409 AND 410 COLUMNS

411 AND 412 COLUMNS

413 AND 414 COLUMNS

415 AND 416 COLUMNS

417 AND 418 COLUMNS

419 AND 420 COLUMNS

421 AND 422 COLUMNS

423 AND 424 COLUMNS

425 AND 426 COLUMNS

427 AND 428 COLUMNS

429 AND 430 COLUMNS

431 AND 432 COLUMNS

433 AND 434 COLUMNS

435 AND 436 COLUMNS

437 AND 438 COLUMNS

439 AND 440 COLUMNS

441 AND 442 COLUMNS

443 AND 444 COLUMNS

445 AND 446 COLUMNS

447 AND 448 COLUMNS

449 AND 450 COLUMNS

451 AND 452 COLUMNS

453 AND 454 COLUMNS

455 AND 456 COLUMNS

457 AND 458 COLUMNS

459 AND 460 COLUMNS

461 AND 462 COLUMNS

463 AND 464 COLUMNS

465 AND 466 COLUMNS

467 AND 468 COLUMNS

469 AND 470 COLUMNS

471 AND 472 COLUMNS

473 AND 474 COLUMNS

475 AND 476 COLUMNS

477 AND 478 COLUMNS

479 AND 480 COLUMNS

481 AND 482 COLUMNS

483 AND 484 COLUMNS

485 AND 486 COLUMNS

487 AND 488 COLUMNS

489 AND 490 COLUMNS

491 AND 492 COLUMNS

493 AND 494 COLUMNS

495 AND 496 COLUMNS

497 AND 498 COLUMNS

499 AND 500 COLUMNS

501 AND 502 COLUMNS

503 AND 504 COLUMNS

505 AND 506 COLUMNS

507 AND 508 COLUMNS

509 AND 510 COLUMNS

511 AND 512 COLUMNS

513 AND 514 COLUMNS

515 AND 516 COLUMNS

517 AND 518 COLUMNS

519 AND 520 COLUMNS

521 AND 522 COLUMNS

523 AND 524 COLUMNS

525 AND 526 COLUMNS

527 AND 528 COLUMNS

529 AND 530 COLUMNS

531 AND 532 COLUMNS

533 AND 534 COLUMNS

535 AND 536 COLUMNS

537 AND 538 COLUMNS

539 AND 540 COLUMNS

541 AND 542 COLUMNS

543 AND 544 COLUMNS

545 AND 546 COLUMNS

547 AND 548 COLUMNS

549 AND 550 COLUMNS

551 AND 552 COLUMNS

553 AND 554 COLUMNS

555 AND 556 COLUMNS

557 AND 558 COLUMNS

559 AND 560 COLUMNS

561 AND 562 COLUMNS

563 AND 564 COLUMNS

565 AND 566 COLUMNS

567 AND 568 COLUMNS

569 AND 570 COLUMNS

571 AND 572 COLUMNS

573 AND 574 COLUMNS

575 AND 576 COLUMNS

577 AND 578 COLUMNS

579 AND 580 COLUMNS

581 AND 582 COLUMNS

583 AND 584 COLUMNS

585 AND 586 COLUMNS

587 AND 588 COLUMNS

589 AND 590 COLUMNS

591 AND 592 COLUMNS

593 AND 594 COLUMNS

595 AND 596 COLUMNS

597 AND 598 COLUMNS

599 AND 600 COLUMNS

601 AND 602 COLUMNS

603 AND 604 COLUMNS

605 AND 606 COLUMNS

607 AND 608 COLUMNS

609 AND 610 COLUMNS

611 AND 612 COLUMNS

613 AND 614 COLUMNS

615 AND 616 COLUMNS

617 AND 618 COLUMNS

619 AND 620 COLUMNS

621 AND 622 COLUMNS

623 AND 624 COLUMNS

625 AND 626 COLUMNS

627 AND 628 COLUMNS

629 AND 630 COLUMNS

631 AND 632 COLUMNS

633 AND 634 COLUMNS

635 AND 636 COLUMNS

637 AND 638 COLUMNS

639 AND 640 COLUMNS

641 AND 642 COLUMNS

643 AND 644 COLUMNS

645 AND 646 COLUMNS

647 AND 648 COLUMNS

649 AND 650 COLUMNS

651 AND 652 COLUMNS

653 AND 654 COLUMNS

655 AND 656 COLUMNS

657 AND 658 COLUMNS

659 AND 660 COLUMNS

661 AND 662 COLUMNS

663 AND 664 COLUMNS

665 AND 666 COLUMNS

667 AND 668 COLUMNS

669 AND 670 COLUMNS

671 AND 672 COLUMNS

673 AND 674 COLUMNS

675 AND 676 COLUMNS

677 AND 678 COLUMNS

679 AND 680 COLUMNS

681 AND 682 COLUMNS

683 AND 684 COLUMNS

685 AND 686 COLUMNS

687 AND 688 COLUMNS

689 AND 690 COLUMNS

691 AND 692 COLUMNS

693 AND 694 COLUMNS

695 AND 696 COLUMNS

697 AND 698 COLUMNS

699 AND 700 COLUMNS

701 AND 702 COLUMNS

703 AND 704 COLUMNS

705 AND 706 COLUMNS

707 AND 708 COLUMNS

709 AND 710 COLUMNS

711 AND 712 COLUMNS

713 AND 714 COLUMNS

715 AND 716 COLUMNS

717 AND 718 COLUMNS

719 AND 720 COLUMNS

721 AND 722 COLUMNS

723 AND 724 COLUMNS

725 AND 726 COLUMNS

727 AND 728 COLUMNS

729 AND 730 COLUMNS

731 AND 732 COLUMNS

733 AND 734 COLUMNS

735 AND 736 COLUMNS

737 AND 738 COLUMNS

739 AND 740 COLUMNS

741 AND 742 COLUMNS

743 AND 744 COLUMNS

745 AND 746 COLUMNS

747 AND 748 COLUMNS

749 AND 750 COLUMNS

751 AND 752 COLUMNS

753 AND 754 COLUMNS

755 AND 756 COLUMNS

757 AND 758 COLUMNS

759 AND 760 COLUMNS

761 AND 762 COLUMNS

763 AND 764 COLUMNS

765 AND 766 COLUMNS

767 AND 768 COLUMNS

769 AND 770 COLUMNS

771 AND 772 COLUMNS

773 AND 774 COLUMNS

775 AND 776 COLUMNS

777 AND 778 COLUMNS

779 AND 780 COLUMNS

781 AND 782 COLUMNS

783 AND 784 COLUMNS

785 AND 786 COLUMNS

787 AND 788 COLUMNS

789 AND 790 COLUMNS

791 AND 792 COLUMNS

793 AND 794 COLUMNS

795 AND 796 COLUMNS

797 AND 798 COLUMNS

799 AND 800 COLUMNS

801 AND 802 COLUMNS

803 AND 804 COLUMNS

805 AND 806 COLUMNS

807 AND 808 COLUMNS

809 AND 810 COLUMNS

811 AND 812 COLUMNS

813 AND 814 COLUMNS

815 AND 816 COLUMNS

817 AND 818 COLUMNS

819 AND 820 COLUMNS

821 AND 822 COLUMNS

823 AND 824 COLUMNS

825 AND 826 COLUMNS

827 AND 828 COLUMNS

829 AND 830 COLUMNS

831 AND 832 COLUMNS

833 AND 834 COLUMNS

835 AND 836 COLUMNS

837 AND 838 COLUMNS

839 AND 840 COLUMNS

841 AND 842 COLUMNS

843 AND 844 COLUMNS

845 AND 846 COLUMNS

847 AND 848 COLUMNS

849 AND 850 COLUMNS

851 AND 852 COLUMNS

853 AND 854 COLUMNS

855 AND 856 COLUMNS

857 AND 858 COLUMNS

859 AND 860 COLUMNS

861 AND 862 COLUMNS

863 AND 864 COLUMNS

865 AND 866 COLUMNS

867 AND 868 COLUMNS

869 AND 870 COLUMNS

871 AND 872 COLUMNS

873 AND 874 COLUMNS

875 AND 876 COLUMNS

877 AND 878 COLUMNS

879 AND 880 COLUMNS

881 AND 882 COLUMNS

883 AND 884 COLUMNS

885 AND 886 COLUMNS

887 AND 888 COLUMNS

889 AND 890 COLUMNS

891 AND 892 COLUMNS

893 AND 894 COLUMNS

895 AND 896 COLUMNS

897 AND 898 COLUMNS

899 AND 900 COLUMNS

901 AND 902 COLUMNS

903 AND 904 COLUMNS

905 AND 906 COLUMNS

907 AND 908 COLUMNS

909 AND 910 COLUMNS

911 AND 912 COLUMNS

913 AND 914 COLUMNS

915 AND 916 COLUMNS

917 AND 918 COLUMNS

919 AND 920 COLUMNS

921 AND 922 COLUMNS

923 AND 924 COLUMNS

925 AND 926 COLUMNS

927 AND 928 COLUMNS

929 AND 930 COLUMNS

931 AND 932 COLUMNS

933 AND 934 COLUMNS

935 AND 936 COLUMNS

937 AND 938 COLUMNS

939 AND 940 COLUMNS

941 AND 942 COLUMNS

943 AND 944 COLUMNS

945 AND 946 COLUMNS

947 AND 948 COLUMNS

949 AND 950 COLUMNS

951 AND 952 COLUMNS

953 AND 954 COLUMNS

955 AND 956 COLUMNS

957 AND 958 COLUMNS

959 AND 960 COLUMNS

961 AND 962 COLUMNS

963 AND 964 COLUMNS

965 AND 966 COLUMNS

967 AND 968 COLUMNS

969 AND 970 COLUMNS

971 AND 972 COLUMNS

973 AND 974 COLUMNS

975 AND 976 COLUMNS

977 AND 978 COLUMNS

979 AND 980 COLUMNS

981 AND 982 COLUMNS

983 AND 984 COLUMNS

985 AND 986 COLUMNS

987 AND 988 COLUMNS

989 AND 990 COLUMNS

991 AND 992 COLUMNS

993 AND 994 COLUMNS

995 AND 996 COLUMNS

997 AND 998 COLUMNS

999 AND 1000 COLUMNS

BRAZHNIK, M. K.

36063 Mekhanicheskaya topka inzh. Vasil'yeva (dlya kotlov ralyo i sredney moshchnosti)
Tekstil. Prom-stv, 1949, N . 11, S. 42-43

SO: Letopis' Zhurnal'nykh Statey, Vol. 45, 1949

BRAZHKN, M.I.

CHERKINSKIY, Boris Mendele'yevich; TOKAREV, Dmitriy Georgiyevich; SHAPKIN, Il'ya Fedorovich; ZOTOV, Petr Petrovich; SIMKIN, M.Ye., redaktor; PLEMYANNIKOV, M.H., redaktor; BAKASTOV, V.N., retsenzent; BRAZHKN, M.I., retsenzent; MOTORIN, I.V., retsenzent; RATTEL', K.N., retsenzent; ~~SHVIREV, S.S.~~, retsenzent; NEKRASOVA, O.I., tekhnicheskiy redaktor

[Manual of power engineering for the textile industry] Spravochnik energetika tekstil'noi promyshlennosti. Moskva, Gos.nauchno-tekhn. izd-vo Ministerstva tekstil'noi promysh. SSSR. Vol.2.[Thermotechnics] Teplotekhnika. Pod red.M.E.Simkina. 1955. 510 p. (MLRA 9:2)
(Thermodynamics)

BRAZHKIN, M.

At the Highway Ministerium of the R.S.F.S.R. Avt.dor. 26 no.10:
18 0 '63. (MIRA 16:11)

ERAZHNIHENKO, Nikolay Arsen'yevich; KAN, Veniamin Lipmanovich;
MINTSBERG, Benjamin L'vovich; MOROZOV, Valentin Ivanovich;
EUTENIN, N.V., doktor tekhn. nauk, prof., retsenzent;
NIKITIN, N.N., kand. fiz.-mat. nauk, retsenzent; ZAKHAREVICH,
A.F., nauchnyy red.; SMIRNOV, Yu.I., red.; TSAL, R.K., tekhn.
red.

[Problems on theoretical mechanics]Sbornik zadach po teoreti-
cheskoi mekhanike. Leningrad, Sudpromgiz, 1962. 559 p.

(MIRA 16:1)

(Mechanics, Analytic--Problems, exercises, etc.)

BRAZHNIK, A., kand.sel'skokhoz.nauk; GLYANTSEV, A.F., kand.sel'skokhoz.nauk;
VOYTENKO, R.M., starshiy nauchnyy sotrudnik

Effect of fertilizers on sugar yeilds. Nauch. trudy Ukr. nauch.-
issl. inst. rast. sel. i gen. 2:183-221 '58. (MIRA 14:1)
(Sugar beets--Fertilizers and manures)

BRAZHNIK, Aleksandr Semenovich; SHCHEGLOV, Boris Samuylovich;
SLEPTSOVA, Ye., red.

[Manual on accounting in an industrial enterprise] Spravochnoe posobie po bukhgalterskomu uchetu v promyshlennom predpriatii. Minsk, Belarus', 1964. 435 p.
(MIRA 18:5)

BRAZHNIK, B.P.

Improving the utilization of highway equipment will permit increased tempo of construction. Avt.dor. 18 no.1:4-5 Ja-F '55. (MIRA 8:4)

1. Nachal'nik Upravleniya stroitel'stva No.2 Glavdorstroya.
(Road machinery)

BRAZHNIK, B.P., inzhener.

Some causes of crack formation in cement concrete pavements. Avt.
dor. 19 no.1:17 Ja '56. (MLRA 9:5)

1. Nachal'nik stroitel'stva No. 2 Glavdostroya.
(Pavements, Concrete)

TITOV, Ye.A.; BURMISTROV, S.I.; BRAZHNİK, D.Ye.

Alkanesulfonic esters of quinone oximes. Zhur.ob.khim. 33 no.7:
2270-2274 J1 '63. (MIRA 16:8)

1. Dnepropetrovskiy khimiko-tehnologicheskii institut.
(Sulfonic acids) (Quinones)

BRAZHNIK, L., inzh.

The walls of a four-story apartment house were laid in 20 days.
Na stroi. Mosk. 2 no.4:27 Ap '59. (MIRA 12:7)

1. Institut "Orgstroy" Akademii stroitel'stva i arkhitektury USSR,
Khar'kov.

(Walls)