

AID P - 5267

Subject : USSR/Engineering

Card 1/1 Pub. 107-a - 3/18

Authors : Nikolayev, K. G., Kand. of Tech. Sci. and E. A. Gololobov,
Eng. (TsNIITS)

Title : Detection of possible cracks in welded joints of vessels

Periodical : Svar. proizvod., 9, 9-12, S 1956

Abstract : The authors describe the methods and tests developed by
the Central Scientific Research Institute of Ship-
building Technique for determination of thickness of
welded steel, number of welding travels, rigidity of
welded sheets, thermal processes, initial temperature in
base metal, etc. Many of these methods now are adapted in
the shipbuilding industry. Two tables, 2 photos, 2 drawings,
2 graphs. 1 Russian reference.

Institution : TsNIITS (Central Scientific Research Institute of Ship-
building Technology probable expanded translation).

Submitted : No date

L 16471-65 EWT(m)/EWA(d)/EWP(v)/EWP(t)/EWP(k)/EWP(b) Pf-4 HJW/JD/EM
ACCESSION NR AM4046251 BOOK EXPLOITATION s/

Gololobov, Boris Andreyevich; Nikolayev, Konstantin Georgiyevich B-1

Properties of welded joints of steel hulls (Svoystva svarnykh soyedineniy korpusnykh staley), Leningrad, Izd-vo "Sudostroyeniya", 1964, 236 p. illus., biblio., tables. 1,900 copies printed.

TOPIC TAGS: ship hull, weldment, carbon steel, low alloy steel 6

PURPOSE AND COVERAGE: The book examines the basic properties of the metal of weldments of carbon and low alloy hull steels of the pearlitic class. The effect of alloying elements, temperature, and the thickness of the base metal, welding regime, and other engineering factors on the mechanical properties of weldment metal in static and dynamic loading and on the tendency to crack formation and corrosion resistance in sea water is described. The book gives some methods of improving the properties of weldment metal. It is intended for engineers and designers working in the welding of hull steels and the development of welding materials. It also can be used by advanced students of higher educational institutions and researchers.

TABLE OF CONTENTS [abridged]:

Card 1/2

L 16471-65

ACCESSION NR AM4046251

Introduction -- 3

Ch. I. Methods of determining the properties of weldments -- 10

Ch. II. Properties of weldments of ordinary carbon steel and low alloy steels of the SKhL type -- 37

Ch. III. Properties of weldments of new hull steels -- 57

Ch. IV. Properties of weldments made by new welding methods -- 80

Ch. V. Ageing of weldment metal -- 90

Ch. VI. Weldment strength in dynamic loading -- 99

Ch. VII. Fatigue strength of weldments -- 124

Ch. VIII. Corrosion resistance of weldments in sea water -- 131

Ch. IX. Effect of alloying elements on the mechanical properties of the weld metal -- 156

Ch. X. Effect of welding regimes and other factors on the mechanical properties of the weldment -- 172

Ch. XI. Effect of temperature of the metal during welding on the properties of the weldment -- 186

SUB CODE: MM

SUBMITTED: 09Apr64

NR REF SOV: 087

OTHER: 015

Card 2/2

... ..
... ..
... ..
... ..

... ..
... ..
... ..

807/137-59-2-14/21

AUTHORS: Gololebov, D.I.
Lirvinov, B.M.

TITLE: Oxy-Acetylene Scarfing of Stainless and Heat Resistant Steels (Ognevaya zashchita nerzhavayushchikh i toplotooprочноykh staley)

PERIODICAL: Stal', 1969, Nr 2, pp 1-3-147 (USSR)

ABSTRACT: The possibility of scarfing of various steels with increased content of chromium and nickel was investigated. Stainless and heat resistant steels can be divided into two groups: steels in which structural transformations are taking place on heating and cooling (e.g. 1Kh13-4Kh17, 1Kh902) and practically single phase steels (e.g. 1Kh18N9Ti, 1Kh60). There were some fears as to the possibility of formation of cracks in steels of the first group, however it was found that cracks were not formed. These results were confirmed by subsequent results of scarfing of a large quantity of metal. When aluminum-magnesium powder is used with oxy-acetylene flame the surface of blocks of high chromium steels is covered with a layer of slag which for checking on the quality of dressing is removed by a

Card 1/5

07/17/83 8-147

Oxy-Acetylene Scarfing of Stainless and Heat Resistant Steels

special scraper. At present not less than one bloom per heat is cleaned with an abrasive wheel to check on the quality of scarfing. Scarfing of ingots can also be used for this purpose half of the ingots from plants were scarfed while the remaining half was mechanically dressed. It was found that the quality of the metal in rolled products from scarfed ingots and blooms was not in any way inferior to that from mechanically dressed ingots. In order to study the influence of scarfing on the structure of high carbon steels specimens cut from scarfed blooms of 14Mn13, 3Mn13, Kh902, Kh12, Kh15, Kh15Kh1, Kh15Kh2, Kh15Kh1+V2M and Kh25Kh15 steels were submitted to micro-analysis. It was found that cast and hardened structures are formed in the surface layers as well as some decarburization. An increase in the grain size and annealing of hardened layer to a depth of 1-1.5 mm takes place. However, as blooms are reheated and rolled into various products with a considerable deformation the surface zone becomes so thin that changes in the surface layer of the blooms caused by scarfing can be neglected. As for scarfing with aluminum superoxide powder a lot of

Card 2/5

10/25/59-51422

Oxy-acetylene Scarfing of Stainless and Heat Resistant Steels

smoke and polluting gases are evolved. A special camera with an exhaust system was designed for use in field. At present practically all blocks of high speed steel are dressed by scarfing. Some of the types and a list of them are given.

ASSOCIATION: Manufacturing Metallurgical Society (Electron Metallurgical Works)

Card 2/5

GOLOLOBOV, M., inz.

"An introduction to the theory of aircraft structures" by
D. Williams. Reviewed by M. Gololobov. Strojirenski
13 no.3:239 Mr '63.

VINGEN SA, N. A. S. B. S. S.; I. TONVA, Ye.

Central Intelligence Agency, Liaison Office, Moscow, U.S.S.R.
30-09-1981 (1981-1-31)

1. This document is a copy of a letter from the Ministry of
Foreign Affairs of the U.S.S.R. to the U.S. Embassy in Moscow.

GOVERNMENT, ...

...
...
...

GOLOBOV, Michal, in:

Application of influence coefficients of individual parts of a statically indeterminate structure in its solution by the matrix deformation method. Zpravda, VZLU 3:3-7 '64.

ГОЛОЛЦОВ, В.Г.

Separator units used in reprocessing slag dump. 31ul. tekhn.-ekon.
inform. no.3:15 '58. (MIRA 11:6)

(Iron-Metallurgy)

AUTHOR: Gololobov, V.G., Engineer

15730007-3-28/54

TITLE: The Application of Statistical Analysis and Theory of Probability in the Production of Perforator Components (Primeneniye matematicheskoy statistiki i teorii veroyatnostey v proizvodstve detaley perforatorov)

PERIODICAL: Vestnik Mashinostroyeniya, 1959, Nr 2, pp 76-77 (USSR)

ABSTRACT: Using the example of a perforator ring assembly, the application of statistical analysis to dimensional chains is explained. Histograms of size deviations for each dimension of the chain have been obtained from actual measurements (Fig 2). A factor is chosen for the acceptable percentage of scrap assemblies which yields the tolerances in the dimensional chain. Practical tests have confirmed that, for example, with a scrap percentage of 0.27% the tolerances could be doubled. This has reduced the auxiliary machining time by 25% on the average. There are 3 figures and 1 table.

Card 1/1

GOLOLOBOV, V.G.

Separators for iron-ore dressing. *Biul. tekhn.-ekon. inform.*
no.1:6-7 '60. (MIRA 13-5)
(Magnetic separation of ores)

GCILOLO'OV, V.G.

The 159A-SE and 54AAG-1 magnetic separators and apparatus for ore dressing. *izl.tekh.-ekon.inform* no.6:4-6 '60. (MIRA 13:8)
(Magnetic separation of ores)

GOLOLOBOV, V.G.

The 171A-SE electromagnetic separator. Bibliotek.-ekol.inform.
no. 10-10 '61. (MIRA 14:6)
(Magnetic separation of ores)

ZINCV'YEV, V.I., inzh.; GOLOLOBOV, V.G., inzh.; GRISHCHENIN, A.I., inzh.

Machines manufactured by the Voronezh Ore-Dressing Equipment
Factory. Gor. zhur. no.6:65-67 Je '62. (MIRA 15:11)

1. Voronezhskiy zavod gorno-obogatitel'nogo oborudovaniya.
(Voronezh--Ore dressing--Equipment and supplies)

GOLOLOBOV, V.G., inzh.; ZINOV'YEV, V.I., inzh.; GRISHECHKIN, A.I., inzh.

Mining and ore dressing equipment of the Voronezh Plant. Ser.
zhur. no.12:40-41 D '63. (MIRA 17:3)

1. Voronezhskiy zavod gornobogatitel'nogo oborudovaniya.

GOVERNMENT, 7.1.

State standard and the problem of potential for. (Classification
... 5:75-56 ...)

GOLLOBOV, V.N.; ASTAPOV, S.I.; GROMYKO, I.I.; LOMSKOVA, A.L.; BELOUS, B.A., otv.red.; PEVZNER, A.S., zav.red.izd-va; RUDAKOVA, M.I., tekhn.red.

[Uniform time and pay standards for construction, assembly, and repair operations in 1960] Edinye normy i rastsenki na stroitel'nye, montazhnye i remontno-stroitel'nye raboty, 1960 g. Moskva, Gos.izd-vo lit-ry po stroit., arkhitekt. i stroit.materialam. Sbornik 23. [Electric-wiring operations] Elektromontazhnye raboty. No.1. [Electric lighting and strong-current wiring] Elektricheskoe osveshchenie i provodki sil'nogo toka. 1960. 45 p.

(MIRA 13:6)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam stroitel'stva. 2. Normativno-issledovatel'skaya stantsiya (NIS) pri ordena Lenina treste Yuzhelektromontazh Ministerstva stroitel'stva USSR (for Gololobov, Gromyko). 3. Normativno-issledovatel'skaya stantsiya No.9 Tsentral'nogo normativno-issledovatel'skogo byuro Ministerstva stroitel'stva RSFSR (for Astapov, Lomskova).

(Wages) (Electric lighting) (Electric wiring)

GOLOBOV, V.N.

Experience in using lumped orders with increased indices of
labor-productivity. Prom. energ. 15 no.7:45-47 J1 '60. (MIRA 15:1)
(Electricians)
(Electric wiring)

R/Oceanography
Marine Composition
Upper Boundary of the Hydrogen Sulfide Region
in the Eastern Section of the Black Sea, Ye. K.
Korolev, M. V. Pirogov, Oceanographic Lab,
Geological Survey USSR, No 2

Nov 48

For Ak Hank USSR for IZM, No 2
Presence of hydrogen sulfide in deep water layers
of the Black Sea is attributed to reduction and
sulfates by bacteria, forming in the upper oxygen
hydrogen sulfide. Its absence in the upper oxygen
is caused by the large amount of dissolved oxygen
5/14/77
Nov 48

USSR/Oceanography (Cont'd)
A relief map of the upper surface of the hydrogen
sulfide zone gives the sea's system of currents and
a possible method to estimate their speed.
Submitted by Acad D. S. Bol'shakov 17 Sep 48.

5/14/77

BOLEBOV, YA. K.

The age of the present stage of the Black Sea...
 Gololobov *Doklady Akad. Nauk S.S.S.R.* 66, 1313 (1970). The hydrological conditions of the Black Sea are characterized by stratification in two zones: a lower layer (about 85% of the whole water vol.) characterized by heavy, silty water contg. much H_2S , org. material, and biogenic elements, but by absence of O_2 , and a lighter surface layer (12% of the total vol.) in which O_2 is present in amounts sufficient for the development of org. life, but low in org. material and biogenic elements. The stp limit between both is about 150 m depth, and marks a sharp gradient in the σ_t of the water. The systematic oceanographic investigation of the eastern parts of the Black Sea comprised the measurement of the temp. distribution, the S percentage, the eqvty. O_2 demand, phosphates, silicic acid, and the alkyl of the water. The upper zone is detd. by the influence of the continent's affluxes, the character of the lower zone by the salt-enriched waters derived from the Mediterranean Sea. The av. integral eqvty. O_2 demand of the upper layer is 1.68 mg. O_2 l. of the lower layer 4.98 mg. l., the corresponding P contents are 32 and

114 mg. PO_4 m $^{-3}$, and the Si contents 1870 and 6155 mg. SiO_2 m $^{-3}$. The ratio of the PO_4 to the eqvty. O_2 demand and the ratio of the SiO_2 to the eqvty. O_2 demand for PO_4 is 1.3, for SiO_2 is 1.3, 1.5, and 1.5, their differences from the org. material are 1.5, 1.5, and 1.5, respectively. In the org. material of the upper zone P is 0.015 mg. PO_4 m $^{-3}$, and Si is 0.015 mg. SiO_2 m $^{-3}$, from the lower to the higher layers is so much reduced that the accumulation of the biogenic elements in the H.S. zone is gradually growing. Thus it is possible to calculate the time when the first accumulation of biogenic elements with the Mediterranean inflow of the Black Sea content of the upper layer and the transfer of P from the continent's affluxes and its accumulation to the actual av. amount of 114 mg. PO_4 m $^{-3}$ is needed, that this time was about 5000 years ago. This time is understood as a minimum age of the Black Sea as it is now known. The calculation includes a correction of about 20% for the affluxes of material coming from the Mediterranean. W. Fritzel

Гелолев Я. К.

The thickness of the oxygen-hydrogen sulfide layer in the Black Sea. Ya. K. Gellolov, Institute of Oceanography, Leningrad. *Trudy Okeanograficheskogo Instituta*, No. 2, 1955, p. 21. (Abstract report on the vertical distribution of O₂, H₂S in the water masses of the Black Sea at the following depths: 0, 25, 50, 75, 100, 125, 150, 200, 300, 400, 500, 750, 1000, 1500, and 2000 meters. It was found that O₂ content decreases rapidly with depth from the 50-100 m layer and disappears at the depths of 1100-2200 m depending on the season and position of the vessel.)

W-31128, 11 Jan 58

GOLOLOBOV, Ya.K.

Determination of phosphates in water of the Black Sea. Hidrokhim.
mat. no.21:135-138 '53. (MLRa 7:3)

1. Okeanograficheskaya laboratoriya Gruzinskogo otdeleniya Azcherniro
Batumi. (Black Sea--Phosphates) (Phosphates--Black Sea)

GOLOLOBOV, Ya.K.

Causes responsible for many-year changes of hydrochemical and hydrological aspect of the upper active layers of the Black Sea. Dokl.AN SSSR 107 no.3:441-444. Kr '86. (1986-017)

1. Azovsko-Chernomorskiy nauchno-issledovatel'skiy institut morskogo rybnogo khozyaystva i okeanografii. Predstavleno akademikom N.M. Strakhovym.

(Black Sea--Oceanographic research)

GOLOBOV, Ye.M.; SIROTA, N.N.

Characteristic temperature and coefficient of linear expansion of
germanium. Dokl.AN BSSR 3 no.9:368-369 S '59.

(Germanium)

(Expansion of solids)

(MIRA 13:2)

2396

SECRET

The purpose of this report is to provide a detailed description of the experimental results obtained from the study of the interaction of the electron beam with the target material. The results are presented in the form of a series of plots showing the variation of the electron current, the target temperature, and the x-ray emission as a function of the electron beam current and the target material. The results show that the electron current increases with the target material, and the target temperature increases with the electron beam current. The x-ray emission is also shown to increase with the electron beam current.

The following table shows the variation of the electron current, the target temperature, and the x-ray emission as a function of the electron beam current and the target material. The results are presented in the form of a series of plots showing the variation of the electron current, the target temperature, and the x-ray emission as a function of the electron beam current and the target material. The results show that the electron current increases with the target material, and the target temperature increases with the electron beam current. The x-ray emission is also shown to increase with the electron beam current.

23816

S/020/01/130/001/011/023
B101/P251

Atomic scattering factors and electron...

Ga and Sb ions in the directions [111] and [112] in the (110) plane almost vanishes. Fig. 4 represents the electron density distribution in the (110) plane of the GaSb unit cell. Attention is drawn to the "bridges" of increased electron density between adjacent Ga and Sb ions. The authors believe that the results of the present work will offer a better insight into the character of interatomic interaction with regard to the physical properties of GaSb. There are 4 figures and 3 references: 4 Soviet-bloc and 1 non-Soviet-bloc.

X

ASSOCIATION: Otdel fiziki tverdogo tela i poluprovodnikov Akademii nauk BSSR (Division of Solid State Physics and Semiconductors of Academy of Sciences, BSSR)

SUBMITTED: December 12, 1960

6

Card 3/7

S/020/62/143/001/026/030
3101/3147

AUTHORS: Sirota, N. M., Academician AS BSSR,
and Gololobov, Ye. M.

TITLE: Electron density distribution in indium antimonide

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 143, no. 1, 1962,
156 - 158

TEXT: The authors studied the change of the atomic scattering factor of indium and antimony ions in InSb single crystals purified by zone melting and then pulverized (particle size 5 μ) with a UR5-50-I (URS-50-I) x-ray recording unit. The absolute intensity I_{hkl} of the reflexes was determined from experimental data, and the structural factors $f_1(\text{Sb})$ and $f_2(\text{In})$ were calculated. The logarithms of f_1 at $\sum_{i=1}^3 h_i^2 = 8$ and f_2

Card 1/3

Electron density distribution ...

S/020/62/113/001/026/030
B101/B147

3
at $h_i^2 = 11$ form a straight line. The straight sections are characterized by $f_{Sb}(0) = 44.46$, $\tan_{Sb} = 0.02$; $f_{In}(0) = 39.65$, $\tan_{In} = 0.019$. The electron density distribution follows the Gauss function $\rho_i = A \exp(-r_i^2)$, with $A_{Sb} = 323.084$; $A_{In} = 317.414$; $r_{Sb} = 11.750$; $r_{In} = 12.595$. Increased electron density between In and Sb ions was observed in the (110) plane: between 000 and $1/4 \ 1/4 \ 1/4$, and between $1/4 \ 1/4 \ 1/4$ and 111 along 110 , and also between $1/4 \ 1/4 \ 1/4$ and 001 along 110 . In the plane with the electron density $0.5 \text{ el}/\text{\AA}^3$, the ionic radius of Sb is 1.00 \AA , that of In is 1.05 \AA . In the $0.25 \text{ el}/\text{\AA}^3$ plane, the ionic radii of both Sb and In are 1.40 \AA . There are 4 figures and 5 references: 4 Soviet and

Card 2/3

Please transmit distribution ...

3/10/61 11/10/61 (see file)
01010147

1961 - Soviet. The reference to the English-language publication of the
following G. G., Acta Cryst., 11, no.

Author(s): G. G. (Department of Solid State and Semiconductor Physics,
The Academy of Sciences USSR)

Submitted: October 21, 1961

Card 3/3

87111

S/C20/62/144/002/024/028
B101/B110

AUTHORS: Sirota, N. N., Academician AS BSSR, and Gololobov, Ye. M.

TITLE: Atomic scattering factors and electron density distribution in aluminium antimonide at 20 and -100°C

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 144, no. 2, 1961, 308 - 401

TEXT: Concluding a series of studies on atomic scattering factors of antimonides the authors give the scattering factors of the AlSb ions and the electron density in AlSb as determined by a method described earlier (DAN, 144, no. 2 (1962)). The squares F^2 of the structural amplitudes are calculated from the intensity of the powder pattern reflexes (cf. Fig. 1). The following values were obtained for the Gaussian distribution $\rho_1 = \text{Al}_{\frac{1}{3}}^{\text{ar}}$ of the electron density: at 20°C: $A_{\text{Al}} = 62.391$; $\alpha_{\text{Al}} = 11.587$; $A_{\text{Sb}} = 418.413$; $\alpha_{\text{Sb}} = 14.716$; at -100°C: $A_{\text{Al}} = 66.951$; $\alpha_{\text{Al}} = 12.411$; $A_{\text{Sb}} = 406.46$; $\alpha_{\text{Sb}} = 15.671$. The electron density distribution in the [111] and $[\bar{1}\bar{1}\bar{1}]$ directions of the (110) plane of the unit cell does not essentially differ from that of GaSb and InSb. Estimation of the ionic radii gives the following

Card 1/3

Atomic scattering factors and ...

S/020/62/144/002/024/028
R101/5110

values in the plane with $1 \text{ el}/\text{\AA}^3$ electron density: $r_{\text{Al}}^0 = 0.6 \text{ \AA}$, $r_{\text{Sb}}^0 = 0.95 \text{ \AA}$
 and in the plane with $0.5 \text{ el}/\text{\AA}^3$ electron density: $r_{\text{Al}}^0 = 0.75 \text{ \AA}$, $r_{\text{Sb}}^0 = 1.0 \text{ \AA}$.
 The characteristic temperatures Θ for AlSb, GaSb, and InSb are 320, 240,
 and 210°K , respectively. The data serve as a contribution to the investi-
 gation of interatomic interaction in $\text{A}^{\text{III}}\text{B}^{\text{V}}$ semiconductors. There are
 3 figures. The most important English-language reference is: G. Gisecke,
 H. Pfister, Acta Crystallogr., 11, pt. 5 (1958).

ASSOCIATION: Otdel fiziki tverdogo tela i poluprovodnikov Akademii nauk
 BSSR (Department of Solid-state Physics and Semiconductors
 of the Academy of Sciences BSSR)

SUBMITTED: January 26, 1962


Fig. 1. F^2 as a function of $\sum_{i=1}^j h_i^2$: (1) for reflexes with even indices,
 whose sum is divisible by four; (2) for reflexes with odd indices; (3) for
 reflexes with even indices whose sum is indivisible by four; (a) at 20°C ;
 and 2/3

Atomic scattering factors and ...

S/020/52/44/022/024/025
3101/3115

() at -110° .

Fig. 1



Card 3/5

ACCESSION NR: AP4040949

S/0020/64/156/005/1075/1078

AUTHOR: Sirota, N. N. (Academician, AN BSSR); Gololobov, Ye. M.

TITLE: Experimental determination of magnitude of effective ion charges in A sup III B sup V compounds by X-ray data

SOURCE: AN SSR. Doklady*, v. 156, no. 5, 1964, 1075-1078

TOPIC TAGS: ion charge, effective ion charge, solid state physics, solid state circuitry, A sup III B sup V compound, semiconductor

ABSTRACT: The authors attempted an experimental determination of the magnitude and sign of the effective ion charge in A III B V compounds of a sphalerite structure by X-ray analysis data. The absolute values of F₂₀₀ for this type of compound were thoroughly defined. The experimentally defined values of the structural amplitudes of the line (200) correspond to a true difference of the atom scattering factors of the ions in an A III B V compound under an actually existing degree of ionization. Compounds in this series included AlP, GaP, InP, AlAs, GaAs, InAs, AlSb, GaSb and InSb. The authors found that the third group elements--metals--lose electrons and become positively charged ions. The B V elements accept electrons and become negatively charged ions. "Authors express

Card 1/2

ACCESSION NR: AP4040949

their thanks to N. M. Olekhovich for valuable discussions." Orig. art. has:
1 figure and 2 tables.

ASSOCIATION: Institut fiziki tverdogo tela i poluprovodnikov Akademii nauk BSSR
(Institute of Solid State Physics and Semiconductors, Academy of Sciences, BSSR)

SUBMITTED: 12Mar64

ENCL: 00

SUB CODE: SS, NP

NO REF SOV: 004

OTHER: 008

Card 2/2

L 7924-66 ENA(k)/ENT(1)/ENT(m)/EPF(n)-2/EPA(w)-2/EVA(m)-2/EVA(h) I.P.(c) LIB/AT
ACC NR: AP5027929 SOURCE CODE: UR/0363/65/001/010/1673/1683

AUTHOR: Sirota, N. N.; Gololobov, Ye. M.; Sheleg, A. U.; Olekhnovich, N. M.

ORG: Institute of Solid State Physics and Semiconductors, Academy of Sciences, BSSR, Minsk
(Institut fiziki tverdogo tela i poluprovodnikov Akademii nauk BSSR)

TITLE: Potential and limitations of the use of x-ray diffraction methods for studying the nature of chemical bonding in crystals

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 1, no. 10, 1965, 1673-1683

TOPIC TAGS: x-ray diffraction analysis, neutron diffraction, electron density, electron diffraction analysis, chemical bonding, crystal structure analysis

ABSTRACT: The experimental determination of electron density distribution in crystals involves measurement of the intensities of x-ray scattering peaks, finding of structural amplitudes, calculation of the form factors of ions, reduction of the values obtained to absolute zero temperature, and summation of three-dimensional Fourier series. Each of these operations is discussed in detail. X-ray diffraction methods make it possible to give quantitative experimental expressions to the wave functions of electrons in crystal lattices. Of great significance to the study of chemical bonding is the possibility of estimating the electron density distribution over the electron shells. For example, the use of form factors obtained by neutron and x-ray scattering has permitted the determination of the distribution of all electrons, including those with unpaired spins, in the 3d shell in the lattice of ferromagnetics and

Card 1/2 UDC: 541.57:548.19

L 7924-66

ACC NR: AP5027929

19 /
antiferromagnetics. However, X-ray-, electron-, and neutron-diffraction methods cannot as yet solve problems involving electron distribution at low densities or when the density changes are slight (not exceeding $0.02 - 0.05 \text{ e}/\text{\AA}^3$). For example, it is not possible at the present time to determine by x-ray diffraction the number of electrons which migrate from the valence band to the conduction band under the influence of thermal motion or photo-electric effects in semiconductor crystals. Despite such limitations, these methods are of paramount importance for studying electron density distributions in crystals. Orig. art. has: 7 figures.

SUB CODE: SS, GC, IC / SUBM DATE: 05Jul65 / ORIG REF: 019 / OTH REF: 011

PC
Card 2/2

GOLOBOV, Ye.M. [Halalobau, I.A.M.]

Determining the heat of atomization and the effective
charges of ions of $A^{+}B^{-}$ on data of X-ray diffraction
analysis. Vestsi AN BSSR. Ser.fiz.-mat.nau. no.1:110-119
'65. (MIRA 19:1)

L 18483-66 EWT(1)/EPF(n)-2/ETC(m)-6 IJP(c) GS/AT
ACC NR: AT6006167 SOURCE CODE: UR/0000/65/000/000/0093/0096

AUTHOR: Sirota, N. N. (Academician AN BSSR); Golologov, Ye. M.

89
BT1

ORG: none

TITLE: Heats of atomization and formation of A^{III}B^V type compounds determined from experimental data on electron density distribution 21, 44, 55

SOURCE: Khimicheskaya svyaz' v poluprovodnikakh i tverdykh telakh (Chemical bond in semiconductors and solids). Minsk, Nauka i tekhnika, 1965, 93-96

TOPIC TAGS: x ray, electron density, heat of formation, heat of dissociation, heat of atomization, heat of sublimation, aluminum compound, gallium compound, indium compound, arsenic compound, antimony compound

ABSTRACT: The heats of atomization and formation of AlAs, GaAs, InAs, AlSb, GaSb, and InSb were calculated from the data on electron density distribution determined experimentally by x-ray technique. The x-ray measurements were made at 20°C and -100°C. The object of the work was to compare the heats of atomization and formation of A^{III}B^V type compounds determined from x-ray data with data based on the

Card 1/2

L 18483-66

ACC NR: AT6006167

calorimetric technique. The energy of interatomic interaction u was expressed as a sum: $u = u_c + u_k + u_a$; where u_c is a term relating to the coulombic interaction, u_k is a term expressing a change in the kinetic energy of electrons in the area of orbital overlapping of A^{III} and B^V atoms, and u_a is a term expressing a change in the exchangeable energy resulting from orbital overlapping. The sum of $U_c + U_k + U_a$ represents the heat of atomization of a compound U_{AB} . If the heats of sublimation of the individual components of a compound (U_A and U_B) are known, the heat of formation of a compound ΔH can be determined by the formula:

$$\Delta H = U_{AB} - (U_A + U_B).$$

The heats of atomization and formation for several $A^{III}B^V$ type compounds are presented in tabular form. Orig. art. has: 2 figures, 1 table, 8 formulas.

SUB CODE: 29 11

SUBM DATE: 31May65/

ORIG REF: 008/

OTH REF: 001

Card 2/2

L 18836-66 EWT(1) IJP(c) GS/AT

ACC NR: AT6006168

SOURCE CODE: UR/0000/65/000/000/0097/0102

AUTHOR: Gololobov, Ye. M.; Sirota, N. N. (Academician AN BSSR)

ORG: none

TITLE: Electron density distribution and bonding energies in A^{III}B^V semiconductor compounds

SOURCE: Khimicheskaya svyaz' v poluprovodnikakh i tverdykh telakh (Chemical bond in semiconductors and solids). Minsk, Nauka i tekhnika, 1965, 97-102

TOPIC TAGS: electron density, semiconductor, aluminum compound, gallium compound, indium compound, arsenic compound, antimony compound, heat of atomization, heat of formation, Coulomb interaction, chemical bonding

ABSTRACT: The heats of atomization of AlAs, GaAs, InAs, AlSb, GaSb, and InSb were determined on the basis of electron density distribution (f-curves). Three cases were considered for calculating the energy of interatomic interaction u within the A^{III}B^V type compounds according to equation: $u = u_c + u_k + u_d$, where u_c is a term relating to the Coulombic interaction, u_k is a term expressing a change in the

Card 1/2

L 18836-66

ACC NR: AT6006168

kinetic energy of electrons in the area of orbital overlapping of A^{III} and B^V atoms, and u_a is a term expressing a change in the exchangeable energy resulting from orbital overlapping. In the first case the u_k is determined on the basis of Thomas-Fermi-Dirac statistics. In the second more approximate case, in addition to the Coulombic interaction, the electronic interaction between atom A and ion B in the area of orbital interaction for all elements of the orbital overlap was also considered. The third case is based on a more rigorous involvement of V_A and V_B potentials when considering the u_c energy contributions. The heats of atomization for several arsenides and antimonides are given in a table. The corresponding heats of formation can be readily computed using the values of heats of sublimation of the individual components of a compound (U_A and U_B). It was found that heats of atomization and formation of the A^{III}B^V type compounds, determined on the basis of electron density distribution (f-curves), are somewhat less accurate but generally very close to the corresponding experimental data. Orig. art. has: 1 figure, 1 table, 12 formulas.

SUB CODE: 07/

SUBM DATE: 31May65/

ORIG REF: 004/

OTH REF: 000

Card 2/2 vmb

13630

205,1153,1266

SECRET, CONFIDENTIAL
BOB/BOPE

AUTHORS: Shimada, I., Iwata, Y., Ito, H., & Hata, T.

TITLE: Reaction of Trivalent Phosphorus Compounds With Trichloroacetyl Chloride. I. Reaction of Trialkyl Phosphites With Trichloroacetyl Chloride

PERIODICAL: Journal of Organic Chemistry, Vol. 30, No. 11, 1965, 2111-2113

TEXT: When reacting triethyl phosphite with trichloroacetyl chloride (Ref. 5), a product has been separated from the reaction mass, in addition



ketocester. The authors investigated more thoroughly the conversions taking place during the reaction of trialkyl phosphites with trichloroacetyl chloride, since, owing to the presence of a trichloroacetyl radical on the carbonyl group, at least a partial formation of trichloro vinyl esters

Card 1/3


8-2114

Reaction of Trivalent Phosphorus Compounds
With Halogenated Acid Chlorides: I. Reaction
of Trialkyl Phosphites With Trichloro-
acetyl Chloride

5707, 5708, 5709, 5710, 5711, 5712, 5713, 5714, 5715, 5716, 5717, 5718, 5719, 5720, 5721, 5722, 5723, 5724, 5725, 5726, 5727, 5728, 5729, 5730, 5731, 5732, 5733, 5734, 5735, 5736, 5737, 5738, 5739, 5740, 5741, 5742, 5743, 5744, 5745, 5746, 5747, 5748, 5749, 5750, 5751, 5752, 5753, 5754, 5755, 5756, 5757, 5758, 5759, 5760, 5761, 5762, 5763, 5764, 5765, 5766, 5767, 5768, 5769, 5770, 5771, 5772, 5773, 5774, 5775, 5776, 5777, 5778, 5779, 5780, 5781, 5782, 5783, 5784, 5785, 5786, 5787, 5788, 5789, 5790, 5791, 5792, 5793, 5794, 5795, 5796, 5797, 5798, 5799, 5800, 5801, 5802, 5803, 5804, 5805, 5806, 5807, 5808, 5809, 5810, 5811, 5812, 5813, 5814, 5815, 5816, 5817, 5818, 5819, 5820, 5821, 5822, 5823, 5824, 5825, 5826, 5827, 5828, 5829, 5830, 5831, 5832, 5833, 5834, 5835, 5836, 5837, 5838, 5839, 5840, 5841, 5842, 5843, 5844, 5845, 5846, 5847, 5848, 5849, 5850, 5851, 5852, 5853, 5854, 5855, 5856, 5857, 5858, 5859, 5860, 5861, 5862, 5863, 5864, 5865, 5866, 5867, 5868, 5869, 5870, 5871, 5872, 5873, 5874, 5875, 5876, 5877, 5878, 5879, 5880, 5881, 5882, 5883, 5884, 5885, 5886, 5887, 5888, 5889, 5890, 5891, 5892, 5893, 5894, 5895, 5896, 5897, 5898, 5899, 5900, 5901, 5902, 5903, 5904, 5905, 5906, 5907, 5908, 5909, 5910, 5911, 5912, 5913, 5914, 5915, 5916, 5917, 5918, 5919, 5920, 5921, 5922, 5923, 5924, 5925, 5926, 5927, 5928, 5929, 5930, 5931, 5932, 5933, 5934, 5935, 5936, 5937, 5938, 5939, 5940, 5941, 5942, 5943, 5944, 5945, 5946, 5947, 5948, 5949, 5950, 5951, 5952, 5953, 5954, 5955, 5956, 5957, 5958, 5959, 5960, 5961, 5962, 5963, 5964, 5965, 5966, 5967, 5968, 5969, 5970, 5971, 5972, 5973, 5974, 5975, 5976, 5977, 5978, 5979, 5980, 5981, 5982, 5983, 5984, 5985, 5986, 5987, 5988, 5989, 5990, 5991, 5992, 5993, 5994, 5995, 5996, 5997, 5998, 5999, 6000

Authors: unknown was to be expected

✓



In the reaction of trialkyl phosphite with a considerable excess of trichloro acetyl chloride under mild conditions in addition to compound (I) (yield, 15-25%) compounds were obtained which were identified to be trichloro vinyl-trialkyl phosphates. Molecular weight and analytical data indicated that there was only one phosphorus atom in the molecule. The investigation of the resulting products revealed that both chlorine atoms to give pentachloro derivatives; by acid-catalyzed hydrolysis they are completely converted to phosphoric acid and trichloroacetic acid. The infrared spectrum shows an absorption band characteristic of the C-Cl bond. These data are in complete agreement with the proposed structure of compound (I).

0717

Reaction of Trivalent Phosphorus Compounds With Halogenated Acid Chlorides
E/CMA/CO/343/000/014/01/17x
B-317007

Reaction of Trialkyl Phosphites With Trichloro-acetyl Chloride

esters-vinyl-alkyl phosphites with those of the isomeric esters of trichloro-acetyl phosphinic acid, the latter were synthesized by reacting trichloro-acetyl chloride with dialkyl phosphites. The structure of these compounds are little different from those of the corresponding trichloro-vinyl-alkyl phosphates. Unlike the latter, the esters of trichloro-acetyl phosphinic acid gave phosphoric acid on acid hydrolysis; the infrared spectrum shows a $C=O$ group. The reaction of the esters of trichloro-acetyl phosphinic acid with trialkyl phosphites gives β -dichloro- α -dialkyl phosphane vinyl-alkyl phosphates. Their structure was confirmed by spectrum analysis of a sample. Mention is made of M. I. Kobachnik and P. A. Resnyokaya. There are 4 figures, 2 tables and 4 Soviet references.

SUBMITTED: July 11, 1967

Card 3/7

ACCESSION NR. P4022961

S/0079/64/034/003/0366/0869


AUTHOR: Gololobov, Yu. G.; Dmitriyeva, T. F.; Soborovskiy, I. Z.

TITLE: Vinyl ester of phosphoric acids
3. Acid chlorides of Alpha-alkenyl esters of alkylphosphonic acids

SOURCE: Zhurnal obshchey khimii, v. 34, no. 3, 1964, 866-869

TOPIC TAGS: Vinyl ester, phosphoric acid, acid chloride, alpha-alkenyl ester, alkylphosphonic acid, triethylamine

ABSTRACT: Previously unknown acid chlorides of α -alkenyl esters of alkylphosphonic acids were obtained from dichloroanhydrides of alkylphosphonic acids during a reaction of the latter with equimolecular amounts of aldehydes in the presence of triethylamine. The reaction should be stopped at the stage of formation of mono-vinyl esters.




Similarly, during the reaction of dichloroanhydrides of alkylphosphonic acids with


Card: 1/3

ACCESSION NR. AF4022961

ketones, the previously unknown acid chlorides of the second α -alkenyl esters of the standard acids (II) were obtained.



It is possible that the formation of vinyl esters (I) and (II) occurs through the intermediate cyclic complex



which develops during an attack by triethylamine, on the protonizing hydrogen atom, with subsequent weakening of the (P-Cl)-bond. The possibility of contact of the positively charged phosphorous with hydrogen of the carbonyl group, favors the

Card 2/3

ACCESSION NR. AP4022961

given process. The intermediate complex described decomposes during the rupture of the corresponding (P-Cl)- and (C-H)-bonds with a formation of vinyl ester and triethylamine hydrochloride. "Spectrum research was by V. V. Fadotova and S. S. Dubovoy". Orig. Art. has: 1 table

ASSOCIATION: none

SUBMITTED: 24Jan63

DATE ACQ: 15Apr64

ENCL: 00

SUB CODEL CH

No. REF. SOV: 004

OTHER: 005

Card 3/3

L 35069-65 EWT(m)/EPF(c)/EPR/EWP(j)/ENA(c) C-4/Pr-4/Pt-4 RPL RM/WM
ACCESSION NR: AP5008521 S/D288/05/000/006/0026/0026

410
B

AUTHOR: Gololobov, Yu. G.; Dmitriyeva, T. F.; Soborovskiy, L. K.; Zinov'ev, Yu. M.; Knunyants, I. L.; Sterlin, R. N.

TITLE: A method for producing alkyltrifluorovinylalkylphosphinates. Class 12, No. 169118

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 6, 1965, 26

TOPIC TAGS: fluorine compound, phosphonic acid, organo metallic compound, mercury organic compound

ABSTRACT: This Author's Certificate introduces a method for producing alkyltrifluorovinylalkylphosphinates. Acid esters of alkylphosphonic acids are interacted with perfluorovinylmercury during heating. The Author's Certificate also covers a modification of this method in which a heating temperature of approximately 100°C is used.

ASSOCIATION: none

SUBMITTED: 20Feb64

ENCL: 00

SUB CODE: GC, OC

NO REF SOV: 000

OTHER: 000

Card 1/1

"APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000515730007-3

APPROVED FOR RELEASE: 09/24/2001

CIA-RDP86-00513R000515730007-3"

L 29277-66 -EWP(j)/EWT(m)/T RM

ACC NR: AP6019321

SOURCE CODE: UR/0079/65/035/008/1460/1463

AUTHOR: Gololobov, Yu. G.; Dmitriyeva, T. F.; Zinov'yev, Yu. M.; Soborovskiy, I. A.

ORG: none

TITLE: Vinyl esters of phosphorus acids. IV. Vinyl chlorophosphates

SOURCE: Zhurnal obshchey khimii, v. 35, no. 8, 1965, 1460-1463

TOPIC TAGS: phosphate ester, acetaldehyde, organic synthetic process


ABSTRACT: In the reaction of POCl_3 with acetaldehyde at $80-100^\circ$ in an autoclave at about 2 atm in the presence of triethylamine, vinyl dichlorophosphate (I) or divinyl chlorophosphate (II) formed depending on the molar ratio of the initial substances: $\text{MeCHO} + \text{POCl}_3 + \text{Et}_3\text{N} \rightarrow \text{CH}_2=\text{CHOP}(\text{O})\text{Cl}_2$ (I); $2\text{MeCHO} + \text{POCl}_3 + 2\text{Et}_3\text{N} \rightarrow (\text{CH}_2=\text{CHO})_2\text{P}(\text{O})\text{Cl}$ (II). (I) had been prepared for the first time. By the reaction of (I) with dimethylamine, vinyl dimethylamidoclorophosphate (III) was prepared. (I) could be used as a starting material for the synthesis of phosphates with two different α -alkenyl ester groups - e.g., the reaction of (I) with butyraldehyde in the presence of Et_3N yielded vinyl - butenyl-1 chlorophosphate (IV). By treating (IV) with acetylacetone in the presence of Et_3N , the compound

Card 1/2

UDC: 546.185.547.361.21

L 29277-66

ACC NR: AP6019321



was obtained, which is the first phosphoric acid ester with three different alpha-alkenyl groups that has ever been prepared. The reaction of POCl_3 with acetone proceeded with greater difficulty than that with acetaldehyde; isopropenyl dichlorophosphate $\text{CH}_2=\text{CO}(\text{Me})-\text{POCl}_2$ (VI) formed with a small yield. The new compounds that have been synthesized had the following boiling points: I, $36-40^\circ/30$ mm; III, $60-65^\circ/1.0$ mm; IV, $57-61^\circ/2.0$ mm; V, $96-102^\circ/10^{-3}$ mm; VI, $69-70^\circ/30$ mm. Orig. art. has: 3 formulas and 1 table. [JPRS]

SUB CODE: 07 / SUBM DATE: 16Jul64 / ORIG REF: 003

Card 2/2 CC


... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

005 0000: 01 / 0002 0000: 0903009 / 0002 0000: 000

card 2/2

000: 0903009
0000: 0000 0002


ACC NR: A-003180




ACC. NO. 100

Chemical


Di-alkyl- or tri-alkyl- (α-alkylmercapto)vinyl-alkyl phosphonates




O-alkyl-O-(α-alkylmercapto-β,β-dichlorovinyl) dialkylphosphonates



O-alkyl-O-(α-alkylmercapto-β,β-dichlorovinyl) dialkylphosphonates



O-(α-alkylmercapto)vinyl dialkylphosphonates



Card 3/4

ACC NR: AF0033180

Compound No.	A	B	Molar Ratio	Formula	Found %	Calculated %
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

[Faint text, possibly a signature or stamp]

SUB CODE: 07 / SUBM DATE: 30Jun95 / ORIG REF: 018/

Card

ACC NR: AP6030557

SOURCE CODE: UR/0413/66/000/016/0032/0032

INVENTOR: Martyaov, I. V.; Kruglyak, Yu. L.; Gololobov, Yu. G.; Leybovskaya, G. A.

ORG: none

TITLE: Preparation of mixed esters of diethylphosphoric acid and oximes of glyoxalic acid esters. Class 12, No. 184852

SOURCE: Izobreteniya, izvyshlenyye obratzysy, tovarnyye znaki, no. 16, 1966, 32


--- nitro compound,
--- diethylphosphoric acid ester, glyoxalic acid oxime, trialkyl phosphate,
phosphoric acid, organic oxime compound, acetate, chlorine compound

ABSTRACT: To obtain physiologically active compounds of mixed esters of ethyl-
phosphoric acid and oximes of glyoxalic acid esters, chloronitro-
acetates are treated with trialkyl phosphites with cooling, then
the reaction mixture is heated to 50°. [WA-50; CBE No. 11]..

SUB CODE: 07/ SUBM DATE: 26May62/

Cord 1/1

UDC: 547.419.1.07



GOLOLOBOVA, M.T.

Role of the time of day in mitotic activity in mice [with summary
in English]. Biol. eksp.biol. i med. 46 no.9:116-122 S'58

(MIRA 11:11)

1. Iz laboratorii gistofiziologii (zav. - kand.biol.nauk
V.H. Dobrokhotov) Instituta eksperimental'noy biologii (dir. -
prof. I.N. Mayskiy) AMN SSSR, Moskva. Predstavlena Gosstatitel'nyy
chlenom AMN SSSR M.N. Zhukovyn-Verezhnikovym.

(CELL DIVISION.

daily periodicity in mice (Rus))

(PERIODICITY,

of cell division in mice (Rus))

GOLOBOVA, M.T.

Mitotic activity of the mouse cornea following induction of burns
at various times of day. *Biul. eksp. biol. i med.* 47 no.3:94-97
Apr '59. (MIRA 12:7)

1. Iz laboratorii gistofiziologii (zav. - kandidat biolog. nauk V. N.
Dobrokhotov) Instituta eksperimental'noy biologii (dir. - prof. I.N.
Mayskiy) AMN SSSR, Moskva. Predstavlena deystvitel'nym chlenom AMN
SSSR N. N. Zhukovym-Verezhnikovym.

(CORNEAL, physiol.

mitosis in exper. burns, daily periodicity (Rus))

(BURNS, exper.

corneal, mitosis, daily periodicity (Rus))

(PERIODICITY,

daily periodicity in mitosis in exper. corneal burns (Rus))

(CELL DIVISION

same)

GOLOBOVA, N.T.

Daily rhythm of cellular multiplication in the epidermis of rats during the healing of skin wounds. *Biul. eksp. biol. i med.* 50 no.10:118-122 O '60. (MIRA 14:5)

1. Iz laboratorii gistofiziologii (zav. - kandidat biologicheskikh nauk V.N.Doborkhotov) Instituta eksperimental'noy biologii (dir. - prof. I.N.Mayskiy) AN SSSR, Moskva. Predstavlena deystvitel'nym chlenom AN SSSR N.N.Zhukovym-Vereshnikovym.
(CELL DIVISION (BIOLOGY)) (WOUNDS AND INJURIES)

GOLOKOLENKO, I., polkovnik

Machinegunners. Voen. znan. 38 no.6:20 Je '62. (MIRA 15:6)
(Machine guns)

GOLOBOV, YU.G, FEDTOVA, V.V.

Reaction of esters of phosphorus acid with trichloroacetyl chloride.

Khimiya i Primeneniye Fosfororganicheskikh Soyedineniy (Chemistry and application of organophosphorus compounds) A. YE. ARBUZOV, Ed.
Publ. by Kazan Affil. Acad. Sci. USSR, Moscow 1962, 632 pp.

Collection of complete papers presented at the 1959 Kazan Conference on Chemistry of Organophosphorus Compounds.

GOLOLOBOVA, M.T.

Mitotic activity of the epidermis adjacent to the wound and the corneal epithelium of rats during prolonged constant illumination. *Blul. eksp. biol. i med.* 54 no.9:96-100 S '62.
(MIRA 17:9)

1. Iz laboratorii gistofiziologii (zav.- kand. biologicheskikh nauk V.N. Dobrokhotov) Instituta eksperimental'noy biologii (dir.- prof. I.N. Mayskiy) AMN SSSR, Moskva. Predstavleno deystvitel'nym chlenom AMN SSSR N.N. Zhukovym-Verezhnikovym.

GOLOMA, Ye.A.

Late sequelae of granosin intoxication. Sov. zdrav. Kir. no.3:35-38
My-Je '62. (MIRA 15:5)

1. Iz kliniki propedevticheskoy terapii (zav. - dotsent M.M.Mirzakhiyev)
Kirgizskogo gosudarstvennogo meditsinskogo instituta.
(MERCURY COMPOUNDS--TOXIC LOGS)

MIRRAKHIMOV, M.M.; GOLCHA, Ye.A.

Distribution of rheumatism in the Kirghiz S.S.R. Sov. zdav. Kir.
no.3:42-44 My-Je '62. (MIRA 15:5)

1. Iz kliniki propedevticheskoy terapii (zav. - dotsent M.M.Mirrakhimov)
Kirgizskogo gosudarstvennogo meditsinskogo instituta.
(KIRGHIZISTAN—RHEUMATIC FEVER)

OSIFOVA, V.V., kand. tekhn. nauk; SHCHUKHIN, P.N., inzh.;
GOLOMAN, I.S., red.; ZHEBRAKOV, V.L., red.; CHIRIKOVA,
L.A., red.

[Precast bearing framing of three-hinged reinforced concrete
frames in rural construction] Sbornye nesushchiye kornary iz
zhelezobetonnykh trekhsharnnykh ram v sel'skoy mashinostro-
itel'stve. Moskva, Trast "Drgsovkhoznitel'stvo," 1964, 114 s.
1964

L. Russia (1964) R.S.F.S.R. Glavnoye upravleniye po nauch-
noy i kollektivnoy stroitel'stva.

BURTSEV, L.I.; BUD'KO, A.V.; ~~GOLOMALZIN, A.I.~~; RUSANOV, K.S.

Mining systems with ore delivery by blasting. Ger.zhur. no.6:
59-60 Ja '56. (MLRA 9:8)
(Kazakhstan--Mining engineering)

SYROVATKIN, A.; SHERMAN, A.; GOLOMAN, S., red.; MUKHANOV, F., red.

[Work practices of the "Saratovtselestroi" Trust in the industrialization of rural construction] Opyt raboty tresta "Saratovtselestroi" po industrializatsii sel'skogo stroitel'stva. Moskva, Trest "Orgsovkhozstroi", 1963. 14 p.
(MIRA 17:4)

1. Russia (1917- R.S.F.S.R.) Glavnoye upravleniye po delam sel'skogo i kol'khoznoogo stroitel'stva. 2. Nachal'nik otdela tresta "Orgsovkhozstroi" (for Syrovatkin). 3. Glavnyy tekhnolog tresta "Saratovtselestroi" (for Sherman).

NEYMARK, I.I. (Barnaul); SHVIND, G.N. (Chelyabinsk); ZHUK, Ye.A.; KONOVALOV, Ye.D. (Novosibirsk); SAVEL'YEV, V.I.; LYADOV, Yu.S. (Yaroslavl'); KARAPETYAN, E.T. (Yerevan); FISHER, E.F. (Tomsk); TSINTSADZE, A.N. (Tbilisi); GOLOMAZOV, M.F. (Ternopol'); ELOZO, V.P. (Krasnodar); FEOFILOV, G.L. ; MUKHIN, Ye.P. (Novosibirsk)

Abstracts. Grud. khir. 6 no.2:113-119 Mr.-Ap '64. (MIRA 18:4)

BELOTSEROVSKIY, O. M.; GOLONAZOV, M. M.; ESKIN, V. A.; IVANOV, V. B. (Moscow)

"Supersonic gas flow around blunt bodies"

report presented at the 2nd All-Union Congress on Theoretical and Applied Mechanics, Moscow, 29 Jan - 5 Feb 1964.

ACCESSION NR: APL024563

S/0208/64/004/002/0306/0316

AUTHORS: Belotserkovskiy, O. M. (Moscow); Golomazov, M. M. (Moscow);
Shulishnina, N. P. (Moscow)

TITLE: Solution of equilibrium dissociating gas flow over blunt body with detached shock

SOURCE: Zhurnal vychislitel'noy matematiki i matematicheskoy fiziki, v. 4, no. 2, 1964, 306-316

TOPIC TAGS: equilibrium gas, blunt body, thermodynamic equilibrium, shock wave, equation of state, equilibrium constant

ABSTRACT: The symmetric flow of an ideal dissociated equilibrium gas over a blunt body has been investigated. Thermodynamic equilibrium is assumed to hold for characteristic flow times much larger than gas relaxation times. The direct method is used with approximations taken normal to the shock wave. The continuity and stream function equations are written in curvilinear body-fixed coordinates to which are added the equation of state and the energy equation for a non-heat conducting gas. A system of $2N$ independent integral relationships is obtained by dividing the space between the body and the shock wave into $N-1$ intermediate lines,
Card 1/2

ACCESSION NR: AF4024563

thus

$$n = n_l(s) = \frac{N+l+1}{N} s(s), \quad l=2,3 \dots N,$$

and integrating the continuity equations along lines $s = \text{constant}$. The resulting equations are shown to be applicable to any arbitrary body contour. The equilibrium constants are approximated by

$$\ln K p_1 = \mathcal{A} \ln T + \frac{\mathcal{B}}{T} + \mathcal{C},$$

and the solution is given up to a second order approximation on a digital computer BESM-2, using standard programming techniques of flow around blunt bodies. Numerical results for a sphere and ellipse are given at Mach 6, $\gamma = 1.4$, and $T = 300\text{K}$, and for various free stream static pressures. Orig. art. has 50 equations and 12 figures.

ASSOCIATION: none

SUBMITTED: 15Aug63

DATE ACQ: 16Apr64

ENCL: 00

SUB CODE: AS

NO REF SOV: 006

OTHER: 000

Card 2/2

С. И. М. И.

4
①
Modifying cast iron by melting. M. Golubov and V. Mishchenko. Litvinsk Proizvodstvo 1953, No. 4, 28-31. The strength and ductility of gray iron are increased by mixing 30-30% gray iron as taken from a furnace with white iron obtained by blowing the same iron in a converter. I. D. G.

GOLOMAZOV N. A.

Book, Collection of Articles, Moscow, Mashin, 1957, 205 p.
 Shaped Casting of Copper (Cont.) 509

The Vladimirskiy Tractor Plant is reported to be using a casting method with a slag-catching arrangement to eliminate slag inclusions in bronze castings. The arrangement consists of a series of retaining chambers in the gating system, where the slag is allowed to accumulate. This arrangement slows down the metal flow, thus facilitating separation of slag from the molten metal. It is reported that this method was introduced in 1945 for casting of bushings and has helped to reduce defects due to slag inclusions from 3.5 to 0.4 per cent. No personalities are mentioned. There are 2 references, both Soviet.

This book contains papers presented during a technical and scientific conference, Moscow, Dec 1955, on the theory and practice of shaped copper-bronze castings.

Golomazov, N. A., Engineer, Control of Scabbiness in Casting of Aluminum Bronze by Variable Rate of Metal Flow

150

The author states that the main difficulty in casting of aluminum bronze lies in the formation of oxide film and impurities during the pouring of metal into molds. He claims that this problem has been solved by using a slag chamber to trap the impurities and by varying the rate of metal flow. Pouring of metal is said to start at a slow rate to allow the impurities to collect in the slag chamber and the rate of metal flow is then increased to insure proper filling of the mold. In conclusion the author points out that an automatic timing device to control the rate of flow would be desirable.

TRAKHIMOVICH, V.I., inzh.; BARVINSKIY, B.V.; GOLOMAZOV, N.A.

Electromagnetic stirring in 80-ton furnaces. Stal' 22 no.11:1007-
1009 N '62. (MIRA 15:11)

(Steel--Electrometallurgy)

10/1/68

TO: [illegible]

FROM: [illegible]

SUBJECT: [illegible]

ABSTRACT: [illegible]

Card 1 of 7

Improvement in Thermal and Physical Properties of Nickel
Wire Protection

720-1
100-110-10-10-10

Heat treatment and deformation of nickel wires with
a uniform mechanical and structural composition;
referred to as designations for improved materials.
The effects of processing on the properties of nickel
wires in the form of an electrical component
were observed by conducting a 10% reduction of nickel
steel (99.99%) drawn to a diameter of (a) 0.001 inch
diameter (usually referred to as a 100 micron wire) and
drawing to a diameter of (b) 0.0005 inch diameter
(usually referred to as a 50 micron wire).
The results of the heat treatment and deformation
and the effects of processing on the properties of
nickel wires are discussed.

001-10-10

Improvement in Technological Process of Needle Wire Production

77-22
307/135-10-2-21/82




Fig. 2. Lowest recrystallization temperatures of (a) annealed; (b) patented; and (c) normalized wire after 15, 40, and 60 min heating.

Card 3/7

Improvement in Technological Process of Needle
Wire Production

77:21
SOV, 195-40-2-21/23

The following variations were tested:

Variation	I	II	III	IV	V	VI
Rates	N + 2R;	2N + R;	P + 2R;	2P + R;	HR + 2R;	HR + N + R
	VII					
	O + 2R					

(N = Normalizing; R = recrystallization; P = patenting; HR = hot rolling; O = oxidation annealing.) Variations I and III imparted the mechanical properties of wire; variations II and IV are recommended for wire with minimum 40% deformation. Furthermore, the authors found that mechanical and structural non-uniformity could be considerably decreased by simple measures, i.e., (a) applying recrystallization annealing to a batch which has been subjected to identical preceding heat treatment and deformation;

Card 4/7

Improvement in Technological Processes of Heat- (77) 1
Wire Production (S.V. 111-00-401, 1)

Furthermore, the surface tension and crystallinity and structural nonuniformity can be considerably decreased by simple means, i.e., (a) applying recrystallization annealing to a fiber which has been subjected to identical processing conditions and deformation; and (b) heating and holding at various temperatures (100°C and 150°C) as well as decreasing the number of annealing treatments (1 or 2) by initial recrystallization and partially and by drawing with the highest possible degree of deformation. By following operation (b) a drastic decrease in birefringence was observed. (c) formation of diverse paraffin structures in identical fibers; The authors studied the possibility of further decreasing recrystallization annealing as well as holding time and temperatures by producing diverse paraffin prior to annealing. Nonlinear 0.5 mm dia. rolled wire of UFA (0.1% C), UFA (0.2% C), and UFGA (0.0% C) was selected to study the possibility

Card 5/7

Improvement in Technological Process of
Needle Wire Production.

77-21
DDI 132-00-2-21,21

720, 730, 740, 820, and 900 and wire diameter varied in air or heated in isothermal environment at 700, 800, 900 and 700° C. Holding time varied between 75 and 200 sec and between 45 and 75 sec in isothermal environment. Holding time being constant, cooling rate influenced the development of agglomeration centers during cooling. Industrial tests corroborated the possibility of producing diverse products by air cooling or in isothermal environment which allows the temperature of recrystallization annealing to decrease by 20-30° C. (3) Decarburization was further decreased by introducing about 0.5 benzene vapors into the controlled atmosphere (PSA-0.3). (4) In Bessemer-type furnaces sodium acetate is recommended as a carburizer in quantity of 50 g per ton of wire. (5) The above methods may be utilized for the improvement of other metal articles, such as ball bearing wire, bands, etc. The cooperation of N. V. Skudlov (Candidate of

Card 4/7

Improvement in Technological Process of
Needle Wire Production

77521
SOV/133-00-2-21/21

Technical Sciences) and V. G. Svalov is acknowledged.
There are 4 figures; 2 tables; and 7 Soviet references.

ASSOCIATION: Beloretsk Steel Wire and Rope Plant

Card 7/7

S/137/62/000/005/066/150
A006/A101

AUTHORS: Tokolov, N. V., Golomazov, V. A.

TITLE: The manufacture of micron-size wire by the method of electrolytic dissolving

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 5, 1963, 26, abstract 57094
(Tr. Konferentsii po metizn. proiz-vu, 1963". Chelyabinsk, 1961, 146-154)

TEXT: An electrolytic method was developed for manufacturing wire of down to 5 μ in diameter from alloy X 20H 80 (Kh20N80). A design was developed of a multi-cell electrolytic bath with contactless current connection (d-c or a-c) to the wire being processed; the inter-cell electric insulation is brought about by the aid of a narrow cylindrical channel in the dielectric. The method of electrolytical dissolving makes it possible to obtain bright wire whose homogeneity is not inferior to a wire produced by drawing. Wire of 6.0; 7.0 and 8.0 μ in diameter, made of alloy Kh20N80, by the developed method, meets the consumer's requirements. From the economical point of view the production by

Card 1/a

The manufacture of micron-size wire ...

3/137/62/000/005/066/150
A006/A101

electrolytic dissolving of a 9μ -diameter Ni20Cr80 alloy wire from a 20μ -
diameter blank, is equivalent to the method of drawing.

K. Ursova

[Abstracter's note: Complete translation]

Card 2/2

SOKOLOV, N.V., kand. tekhn. nauk; BURKOV, G.G., inzh.; EPASTIL'NIKOV,
L.A., inzh.; GOLOMAZOV, V.A., inzh.; BOBYLEVA, S.F.; LYSKOV,
I.K.; Prinimali uchastiye: BRIZHNEV, I.S.; SHCHETKIN, L.I.;
YERMATSKAYA, A.M.; ANDRIANOVA, A.L.; SILANT'YEV, L.A.;
NADEZHDIRA, A.A.; LAKHMOCTOVA, F.S.; BEMENT'YEV, V.F.

Improvement of the processes of manufacturing high-strength,
steel brass plated wire. Stal' 24 no.8:756-759 Ag '64.
(MIRA 17:9)

1. Beloretskiy staleprovolochno-kanatnyy zavod.

GOLOMAZOVA, K.I., tekhnolog

Multistyle sectional production line at the Ufa '8 marta'
Clothing Factory. Shvein. prom. no.4:30-31 J1-Ag '59.
(MIRA 13:2)

1. Fabrika im. 8 marta, Ufa.
(Ufa--Clothing industry)

L 18918-63

JD/HW

ENT(d)/ENP(g)/ENT(m)/ENP(k)/BDS AFPTC/ASD PF-4

ACCESSION NR: AP3006603

S/0129/63/000/009/0019/0022

AUTHORS: Snitkovskiy, M. M.; Yegorov, N. V.; Golomazyuk, I. A.

TITLE: Increase in strength of R18 steel by swaging

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, no. 9, 1963, 19-22

TOPIC TAGS: swaging, cutting tool, R18 steel, austenite grain, carbide eutectic, metal stamping, austenization

ABSTRACT: Authors examined the effect of swaging upon the stability of cutting tools made out of R18 steel. The tools were swaged in a stamp with a conical die. After swaging, they were face-ground to a depth of 1-2 mm in order to remove the surface crust. Temperature and heating time varied. The effect of austenite grain growth and carbide eutectic upon the stability of the swaged cutting tools were examined.

1/2

Card

L 18918-65

ACCESSION NR: AP3006603

Authors found that swaging at a pressure of about 7000 kg/cm² increases the stability of cutting tools made out of R18 steel by 40-50%. Grain growth does not reduce the observed effect. Combining of the stamping and heat treatment operations greatly simplifies the technology of cutting tool production. This has a great practical significance in the mass production of cutting tools with complex shapes (milling cutters, drills, cutting tools, etc). The wear resistance during swaging is augmented on account of an increase in the dispersion of the submicrostructure. In contrast to austenitization, swaging brings about a volumetric change of the R18 steel's properties. Orig. art. has: 5 figures and 1 table.

ASSOCIATION: Odesskiy institut inzhenerov morskogo flota
(Odessa institute of merchant marine engineers)

SUBMITTED: 00 DATE ACQ: 03Oct63 ENCL: 00

SUB CODE: ML NO REF SOV: 005 OTHER: 000

Card 2/2

1. The first part of the document is a list of names and titles of the members of the committee. The names are listed in alphabetical order. The titles are listed in the order in which they appear in the document.

2. The second part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

3.7.111-00-1-11 77

6(2)

AUTHOR: Golomb, G. B., Deputy Chief

TITLE: Ways of Improving Financial Work in the Communications Industry (Puti uluchsheniya finansovoy raboty v khonayativnoy svyazi)

PERIODICAL: Vestnik svyazi, L.S.S., Nr 2, pp 17-18 (USSR)

ABSTRACT: It is stated that in 1989 the total value of communications services should be 13.5 billion rubles, an increase of 7% over 1988. 4 billion rubles should be paid into the state budget in allotments from profits. The author concentrates his attention in this article largely on ways of assuring that the income to the state from communications enterprises will be as high as possible. A radical improvement in the financial work of enterprises will result if all communications enterprises and administrations change to the cost-accounting system (khozraschet). Enterprises using this system in the RSFSR, states the author, overfulfilled their receipts plan for the same period by 12.8 million rubles. Other supporting examples are cited.

Card 1/4

Ways of Improving Financial Work in the Communications Industry SIV/III 334 19417

Among the advantages of cost accounting are that it stimulates fulfillment of profit plans, and allows enterprises to draw on credit through the State Bank (Gosbank), which also increased the control of Gosbank over the production and financial activities of the enterprises. Several present shortcomings in the communications services, as they relate to the financial work of the industry and the level of receipts, are discussed at some length, along with measures taken or planned to combat them. These are briefly indicated here. The distribution and sale of illustrated-stamped postcards and envelopes is badly in need of reorganization. This year, 800 million rubles (sale value) worth of same will be printed. Supplementary services to the population, particularly package handling, should be greatly improved and expanded. Credit for this purpose is available through Gosbank for enterprises on cost accounting. Registration and payment of subscription fees for radio and TV sets is very inefficient, and proper receipts are almost

Card 1/4

Ways of Improving Financial Work in the Communications Industry

greatly to receipts. The increased receipt receipts plan for 1973 entails a complete registration and payment of fees. Many enterprises, in several republics, have allowed such arrears to pile up, with the result that they are unable to meet their statutory obligations to the appropriate ministries and the state. Misuse of operating funds, particularly diversion of such funds into arrears, is often criticized. The organization of the warehouses of Oblast communications ministries and administrations and material technical supply bureaus on a cost-accounting basis should radically improve the material supply situation of communications enterprises. It also will allow the bureaus to use short-term credit from Sotbank (e.g. for seasonal needs). In conclusion, the author notes that 8 provincial communications administrations in the RSFSR, 5 in the UkrSSR, and 2 in Belorussia will convert to cost-accounting during 1973, which should make for considerable improvement in the financial work of the communications organs and ministries of

Card 3/4

0 1/11 00 0-12/87

Ways of Improving Financial Work in the Communications Industry

these republics

ASSOCIATION: Planovo-Finansovoye upravleniye ministerstva svyazi
SSR (Planning-Financial Administration of the Ministry
of Communications of the USSR)

Card 4/4

GOLOMB, G.E.

Use all hidden potentials for lowering communication costs and rates.
Vest.sviazi 20 no.1:13-19 Me '60. (KIPs 1960)

1. Samestitel' nachal'nika Plannovo-finansovogo upravleniya Ministerstva svyazi SSSR.

(Communication)

GOLOMB, G.E.

New rates for communication services. Vest. svyazi 20
no. 12:21-22 D '60. (IRA 13:12)

1. Zamestitel' nachal'nika Planovo-finansovogo upravleniya
Ministerstva svyazi SSSR.
(Telecommunication--Rates)