

...studies on lectures at ...
He states that the beginning lectures ...
commendations therein and will arrive at ...
conclusions.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721310004-3



APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721310004-3"

AUTHOR: Kazakov, I.I., Dotsent, Candidate of Economics 3-10-7/30

TITLE: Methods of Seminar Work Require Improvement (Metodika seminarских zanyatiy nuzhdayetsya v uluchshenii)

PERIODICAL: Vestnik Vysshey Shkoly, 1957, # 10, pp 33-35 (USSR)

ABSTRACT: This article deals with some necessary reorganization measures to be taken in regard to seminars on political economy.

The author suggests reducing the hours devoted to seminars, and quotes the good results obtained at the Perm University by increasing lecture hours on important subjects. On the other hand, lectures of introductory character can be reduced. The methods of seminar education must be altered as well.

Manuals would enable the students to obtain in knowledge of the basic literature. In this connection the author proposes literary works to be studied, such as some chapters from Marx' and Lenin's works.

There is a note by the editorial office contesting some of these suggestions.

Card 1/2

NESMELOV, A.P., inzhener; KAZAKOV, I.M., inzhener, redaktor.

[Trusing polishing wheels] Pravka shlifoval'nykh krugov. Moskva,
Gos. nauchno-tekh. izd-vo mashinostroit.i sudostroit. lit-ry,
1953. 109 p. (MLRA 7:3)

(Grinding and polishing)

GHOCHIA, N.G.; BELYAKOVA, Ye.Ye.; BOROVSAYA, I.S.; VOLKOV, A.M.; GRAYZER, M.I.;
IL'INA, Ye.V.; KAZAKOV, I.N.; KIRKINSKAYA, V.N.; KISLYAKOV, V.N.;
KRASIL'NIKOV, B.N.; MAYMINA, L.G.; OSIPOVA, N.A.; RADIYKEVICH, L.V.;
ROMANOV, F.I.; KULIKOV, M.V., red.; DOLMATOV, P.S., vedushchiy red.;
YASHCHURZHINSKAYA, A.B., tekhn. red.

[Geology, and oil and gas potentials of the Minusinsk Lowland]
Geologicheskoe stroenie Minusinskih meshgornykh vpadin i
perspektivy ikh nefte-gazonosnosti. Leningrad, Gos.nauchn.
tekh.isd-vo nef. i gorno-toplivnoi lit-ry Leningr. otd-nie,
1958. 288 p. (Leningrad. Vsesoiuznyi neftianoi nauchno-issledo-
vatel'skii geologorazvedochnyi institut. Trudy, no.120)

(MIRA 12:5)

(Minusinsk Lowland--Petroleum geology)

(Minusinsk Lowland--Gas, Natural--Geology)

KAZAKOV, I. N., Cand Geol-Min Sci -- "Stratigraphy, tectonics,
and history of the ^{geological evolution of} Western Sayan ~~geological evolution.~~"
Len, 1961. (Len Order of Lenin State U im A. A. Zhdanov)
(KL, 8-61, 234)

- 109 -

KAZAKOV, I.N.

New data on the stratigraphy of the Ordovician and lower Silurian
of the Western Sayans. Inform.sbor.VSEGEI no.21:65-76 '59.
(MIRA 14:12)
(Sayan Mountains--Geology, Stratigraphic)

KAZAKOV, I.N.

Geology of the Western Sayans. Trudy VSEGEI 58:61-104 '61.

(MIRA 15:5)

(Sayan Mountains--Geology)

KAZAKOV, I.N.

Effect of hexachloran on crop yields. Zashch. rast. ot vred. i bol.
8 no.5:24-25 My '63. (MIRA 16:9)

1. Stavropol'skoye proizvodstvennoye upravleniye, Kuybyshevskoy obl.;
glavnyy agronom sovkhoza imeni Menshinskogo.
(Plants, Effect of benzene hexachloride on,

KAZAKOV, I.N.

Let us increase the yield of winter wheat. Zemledelie 26 no.8:
63-64 Ag '64. (MIRA 17:11)

1. Glavnyy agronom sovkhoza imeni Menzhinskogo Stavropol'skogo
proizvodstvennogo upravleniya Kuybyshevskoy oblasti.

KAZANOV, I.N.

Map on the weediness of fields. Zemledelle 7 no.5:82-85 Ry '65.
(MIRA 38:6)

1. Glavnyy agronom sovkhosa imeni Menshinskogo, Stavropol'skogo rayona, Kuybyshevskoy oblasti.

YAKOV, I.N.

Age and correlation of the flyschoid formations of the Western
Sayan Mountains. Dokl. AN SSSR 162, no. 6: 1370-1373 1965.

(MIRA 18:10)

I. Vsesoyuznyy nauchno-issledovatel'skiy geokhimiyeskiy institut.
Submitted June 2, 1965.

VAYNBERG, G.D., inzh.; YEVIKHIN, V.F., kand. tekhn. nauk; MAZAKOV,
I.V., inzh.; KAL'NITSKIY, A.A., kand. tekhn. nauk; NIKOLAYEV,
N.A., kand.tekhn.nauk, nauchn. red.

[Asbestos cement elements in rural construction for residen-
tial, cultural, and industrial buildings] Asbestotsementnye
konstruktsii v sel'skom stroitel'stve dlia zhilykh, kul'turno-
bytovykh i proizvodstvennykh zdanii. [By] G.D.Vainberg i dr.
Moskva, Stroizdat, 1965. 63 p. (NIRA 18:3)

KAZAKOV, I.V.

Additional protection of mercury rectifying devices. Elek. i tepl.
tiaga 4 no.11:28 N '60. (MIRA 13:12)

1. Dzhurnyy tekhnik tyagovoy podstantsii Lobnya, Moskovskoy dorogi.
(Electric railroads--Substations)

KAZAKOV, I.V., Inzh.; KAL'NITSKIY, A.A., kand. t. khn. nauk

Use of asbestos cement articles in construction. Stroi. mat. 7
no.9:14-17 S '61. (MIRA 14:11)

(Asbestos cement)

EOI'SHAKOV, V.M.; VINOGRADOV, A.M.; DOROKHOV, A.N.; FAZAEV, I.V.; MERTUNYAN,
A.K.; ROMANOV, A.A.; SEMEMOVSKIY, V.D.

Floors made of large rolled gypsum cement concrete panels. Stroi.
mat. 7 no.9:26-28 S '61. (MIRA 14:11)

(Floors, Concrete)

18.7530

1416 2808 1087
26557

S/126/61/012/002/006/019
E111/E435

AUTHORS: Rutkovskiy, M.L., Anufriyeva, N.A., Kop'yeva, O.M.
Potapova, N.V. and Kazakov, I.V.

TITLE: Kinetics of gas boriding of nickel

PERIODICAL: Fizika metallov i metallovedeniye, 1961, Vol.12, No.2,
pp.217-222

TEXT: Materials such as borides, silicides and carbides satisfy the requirements of high chemical stability and resistance to erosion which technical developments are imposing. No substantial investigation on the rate of boriding has yet been reported and there is some divergence of views on results obtainable (e.g. Ref.10: Zhigach A.F. and others, Metallovedeniye i termicheskaya obrabotka, 1959, No.4, 45; and Ref.11: Weintraub E. Ind. a. Eng. Chem., 1911, 3, 299). The authors have studied the gas boriding of nickel at 900°C using a 1:4-1:10 mixture of boron trichloride and hydrogen. The gas mixture was stored in a cylinder and admitted, at a measured rate, to a 30 mm diameter horizontal quartz reaction tube (in a furnace) which could also be flushed with nitrogen. The flow of the gas mixture was started when the temperature reached 500 to 600°C. Specimens were in the
Card 1/3

26557
Kinetics of gas boriding ...

S/126/61/012/002/006/019
E111/E435

form of rectangular 25 x 10 x 2 mm nickel plates, cleaned with emery and washed with alcohol. After thickness measurement with a micrometer the specimens were weighed. The thickness Δl of metal consumed in the formation of the boride film was taken to be half the difference between the initial and final thicknesses (measured at the centre of the specimen). A linear relation between Δl (mm) and boriding time (hours) (from attainment of the working temperature, 900°C) was found, Δl being 0.8 at the maximum of 30 hours. Gas flows of 6, 24 and 96 litres/hour were used, the corresponding weight-gains in g/m² hour being 26.6, 54.1 and 99. All flow rates were in the laminar range. From the results the authors conclude that the rate-controlling factor was boron diffusion from the gas phase to the metal surface. In the range studied, the weight-gain rate (i.e. boriding rate) was found to be practically independent of the boron trichloride to hydrogen ratios. This suggests that the trichloride does not participate directly in boriding but forms an active intermediate compound. A check on the weight of nickel lost during boriding showed that it was under 1%, indicating that nickel dichloride is not formed: this is

Card 2/3

Kinetics of gas boriding

26557

S/126/61/012/002/006/019
E111/E435

Contrary to the views of Powell, The boride film was found to consist of three layers (probably NiB outside, followed by Ni₃B₂ and Ni₂B) with different microhardness. The inner layer is the thinnest. The boundaries between the layers are probably non-borided or weakly borided components, such as carbon, copper, sulphur or silicon. All the boundaries are serrated. V.K.Kryukova and Z.A.Borisova and M.L.Mironenko participated in the experiments. There are 5 figures and 17 references: 12 Soviet and 5 non-Soviet. The two references to English language publications read as follows:
Laubengayer A.W., Hurd D.T., Newkirk A.E., Hoard J.L., J. Am. Chem. Soc., 1943, Vol. 65, 1924
Weintraub E. Ind. a. Eng. Chem., 1911, 3, 299.

SUBMITTED: October 14, 1960 (initially)
January 13, 1961 (after revision)

X

Card 3/3

KAZAKOV, I.V.

Spermaturic reaction in male lake frogs in obstetric and
gynecological practice (in particular with the use of dry serum).
Sov. med. 25 no.2:141-145 F '62. (MIRA 15:3)

1. Iz kafedry akusherstva i ginekologii (zav. - prof.
V.A. Pokrovskiy) Voronezhskogo meditsinskogo instituta.
(PREGNANCY—SIGNS AND DIAGNOSIS)
(SPERMATURIA)

KAZAKOV, I.V., inzh.; BUYANOV, Yu.P., inzh.; ROMANOV, A.A., inzh.;
TSAREGRADSKIY, A.V., inzh.; YAKUSHEV, A.P., inzh.; ZHUKOV,
K.V., kand. arkh.; GOLOVIN, V.V., inzh.; LOS', A.A., inzh.;
CHERKINSKAYA, R.L., red. izd-va; SHERSTNEVA, N.V., tekhn.
red.

[Catalog of asbestos-cement products and elements for
residential buildings] Katalog asbestotsementnykh izdelii i
konstruktsii dlia zhilykh domov. Moskva, Gosstroizdat,
1963. 34 p. (MIRA 16:6)

1. Akademiya stroitel'stva i arkhitektury SSSR. TSentral'nyy
nauchno-issledovatel'skiy i proyektno-eksperimental'nyy in-
stitut industrial'nykh zhilykh i massovykh kul'turno-bytovykh
zdanii. 2. TSentral'nyy nauchno-issledovatel'skiy i proyektno-
eksperimental'nyy institut industrial'nykh zhilykh i massovykh
kul'turno-bytovykh zdanii (for Kazakov, Buyanov, Romanov,
TSaregradskiy, Yakushev, Zhukov). 3. Gosudarstvennyy trest po
proyektirovaniyu zhilykh i obshchestvennykh zdanii, ikh obo-
rudovaniya i blagoustroystva naselennykh mest (for Golovin,
Los').

(Asbestos cement)

(Apartment houses--Design and construction)

KAZAKOV, I.Ye.

report to be presented at the 1st Int'l Congress of the Intl Federation of Automatic Control, 25 Jun-5 Jul 1960, Moscow, USSR.

BYKOVITZ, M. L. - "On stability in electronic calculating devices in the solution of nonlinear equations in discrete time"
 CHEKHOVICH, A. K. - "Use of calculating devices in systems for the automatic control of rolling mills"
 CHEKHOVICH, V. K. - "On the stability of systems of automatic control of self-adjusting and self-organizing systems of automatic control based on the results of random search"
 DAVYDOV, S. L. - "Development of automatic control systems for boiler units"
 DUBINSKY, Ye. G. - "Determinants of optimum adjustments of industrial automatic regulation systems according to initial data obtained from experience"
 DUBINSKY, A. I., and KREKOVITSKY, E. E. - "Methods of organizing regulatory functions in the theory of nonlinear regulating systems"
 FOMIN, E. E. - "Balanced regulation and interconnections of a multi-order electric drive and technology in continuous rolling mills"
 FOMIN, A. B. - "Problems of statistical theory of automatic optimization systems"
 FRANK, P. M. - "Determinants of a reversible cold rolling mill for continuous casting"
 FILIPPOV, A. P. - "Applications of the theory of differential equations with a discontinuous right side to nonlinear problems of automatic regulation"
 GAVRILOV, M. A. - "Structural synthesis and operational reliability of relay devices"
 GARDIN, M. E. - "Automation of irrigation systems"
 GERSHBERG, G. L., KUMAROV, V. E., KREKOVITZ, M. P., KROMAS, L. E., and SERIK, E. E. - "Power regulation of distributed and problems of the stability of electric drives of methods of functional converters"
 GILBERT, S. A. - "Methods of transmission of information and the structure of hierarchical systems for dispersed structures"
 IGROV, V. I., and LITVINSKIY (S.M.) - "The coordinate system of tele-measurement for dispersed operations of trunk-line gas pipe lines"
 IVANOVSKOY, A. G. - "Concerning the application of the theory of combined regulation systems for cybernetic adaptation systems"
 KRAMNIKOV, E. B., and KRYZHEVSKIY, G. A. - "A quasi-optimized bridge as an element in a system of automatic control"
 KREKOVITZ, V. V. - "Concerning the process of error regulation of inert objects in the presence of disturbances"
 KREKOVITZ, I. E. - "Some problems of the theory of statistical linearization and its application problems of the theory of impulse systems with time delay"
 KREKOVITZ, A. E., KREKOVITZ, S. V., KREKOVITZ, L. M., KREKOVITZ, D. M., KREKOVITZ, S. P., KREKOVITZ, Ya. G., SERIK, A. Ya., and KREKOVITZ, V. E. - "The problem of biologic control"
 KREKOVITZ, S. V. - "New types of photo resistances and their field of use"
 KREKOVITZ, M. L., KREKOVITZ, S. G., and KREKOVITZ, E. A. - "System of automatic control and regulation of blast distribution in the drives of blast furnaces"
 KREKOVITZ, M. L. - "Investigation of the dynamics of the hydraulic duct of a cooling bath"
 KRUMHOLTZ, A. A. - "Dynamics of continuous systems of automatic regulation with error self-adjustment of corrective devices"
 KRUMHOLTZ, A. A. - "On the stability of systems of automatic control of systems of automatic control"
 KULIKOV, V. S. - "The dynamics of devices imitating living organisms"
 KULIKOV, V. S. - "The invariant theory of automatic regulation and control systems"
 LARIN, I. D. - "Automatic calculating devices as a means of insuring the reliability of a plan automation system"
 LARIN, V. Ye., and KREKOVITZ, P. P. - "Mechanization of processes of analysis and synthesis of the structure of relay devices"

KAZAKOV, I. E.

~~Zaitch, I. E.~~ Approximate probability analysis of the exactness of performance of essentially non-linear automatic systems. Avtomat. i Telemekh. 17 (1956), 385-409 (1 plate). (Russian)

I. F. W

A thorough exposition of a method developed independently by the author and at about the same time by the author and E. S. Zaitch [Proc. Symposium on Nonlinear Circuit Analysis, Polytech. Inst. Brooklyn, 1953, pp. 367-370, May 16, 1953]. Consider a nonlinear element f which is subjected to a random input $X(t)$ and let

$$X(t) = m_x(t) + X^0(t),$$

where $m_x(t)$ is the expectation of $X(t)$. The element f is linearized by replacing it with a linear element characterized by two coefficients k_0 and k_1 such that the output of f is approximately given by $Y(t) = k_0 m_x(t) + k_1 X^0(t)$; k_0 and k_1 are determined by the relations $k_0 = m_y / m_x$, where m_y is the expectation of $Y(t)$, and $k_1 = \sigma_y / \sigma_x$, where σ_y and σ_x are the variances of Y and X , respectively. Alternatively, k_0 and k_1 may be determined from the least squares condition $E\{Y - k_0 m_x - k_1 X^0\}^2 = \min$. The author considers various types of nonlinear elements and tabulates k_0 and k_1 as functions of m_x and σ_x . Taking a very general type of nonlinear feedback control system, he shows how the variance of the output can be calculated and analyzes in detail two cases of practical interest.

I. A. Zaitch (New York, N.Y.)

86246

S/103/60/021/011/002/014
B019/B067

169500 (1031, 1132, 1222)

AUTHOR: Kazakov, I. Ye. (Moscow)

TITLE: Dynamics of Self-adjusting Systems With Continuous
Extremum-seeking of Corrective Networks With Random
Disturbances

PERIODICAL: Avtomatika i telemekhanika, 1960, Vol. 21, No. 11,
pp. 1465 - 1474

TEXT: An analysis is presented of the accuracy of performance of extremum-seeking continuous control systems designed to operate in conditions where the energy of command signals and values of the controlled parameters are variable. Extremum-seeking is performed by determining the gradient of the functional of the controlled parameters in the parameter space. To warrant the necessary accuracy in steady and transient processes the control error of the self-seeking continuous control system must be determined at different conditions of adjustment and the demands which are made for the adjusting circuit must be estimated. The author gives approximation equations for linear self-seeking systems with

Card 1/3

86246

Dynamics of Self-adjusting Systems With
Continuous Extremum-seeking of Corrective
Networks With Random Disturbances

S/103/60/021/011/002/014
B019/B067

continuous extremum adjustment. The problem is solved by means of linear transformations of the random functions. It is shown that in the general case the integration of the system of equations

$$Y = \Phi_R(y_1, \dots, y_m, p) V$$

$$V = \Phi_K(x_1, \dots, x_n, p) [\Delta + X] \quad (1)$$

$\Delta = Z - Y$
and of the system

$$Y_i = \Phi_R(y_1, \dots, y_m, p) V_i$$

$$(T_p + 1) F_i = U_i$$

$$V_i = \Phi_K(x_{10}, \dots, x_{n0}, p) \Delta_i + c_i u_i$$

$$\theta_i = F_0 w_i + \sum_{k=1}^n F_k w_i \quad (6)$$

$$(\tau_i p + 1) z_i = -\kappa_i \theta_i$$

$$\Delta_i = -Y_i ;$$

$$U_i = \frac{\partial U}{\partial \Delta_i} \Delta ;$$

$$p u_i = z_i + p w_i - p x_{i0}$$

(i = 1, 2.. n)

Card 2/3

✓

86246

Dynamics of Self-adjusting Systems With
Continuous Extremum-seeking of Corrective
Networks With Random Disturbances

S/103/60/021/011/002/014
B019/B067

with subsequent calculation of the probability characteristics of the control error Δ is necessary for studying the accuracy of control and of the adjustment of the parameters of the correcting circuit. Equations (1) characterize the processes in the control circuit, whereas equations (6) are the corresponding components of these functions in approximations. (6) is largely simplified for the most important cases in the practice. As an example a circuit is studied which represents a self-seeking system with continuous extremum adjustment of the amplification coefficient of the correcting circuit. The analysis shows that the optimum parameters of the adjusting circuit depend on the level of the spectral density of the random disturbances and on the amplification coefficient of the object and the correcting circuit. The adjusting error strongly depends on the amplitude of the seeking-signal. There are 2 figures and 11 references: 10 Soviet and 1 US.

SUBMITTED: May 28, 1960

Card 3/3

16.6200 (1031, 1329)

32585
S/569/61/003/000/003/011
D201/D305

13, 294
AUTHOR:

Kazakov, I. Ye. (USSR)

TITLE:

Some problems of the theory and application of statistical linearization

SOURCE:

International Federation of Automatic Control. 1st Congress, Moscow, 1960. Statisticheskiye metody issledovaniya. Teoriya struktur, modelirovaniye, terminologiya, obrazovaniye. Moscow Izd-vo AN SSSR, 1961, 68 - 83

TEXT: The author develops the theory of statistical linearization of the general form of non-linear operators, based on the quadratic approximation of the transformed random function and applies this theory to the analysis of closed-loop non-linear automatic continuous and discontinuous control systems. Two criteria of linear approximation may be considered in practice. The first consists in satisfying the equality of mathematical expectations and of correlation functions of the real and approximating random function. The second criterion consists in satisfying the condition of
Card 1/3

4

32585

S/569/61/003/000/003/011
D201/D305

Some problems of the theory and ...

minimum of the r.m.s. value of the difference between the real and approximating function. In the approximation of non-linear operators, the second criterion is simpler to apply in practice, e.g. when the equivalent linear operator has to be determined from the input signal in the form of a stationary random white noise, experimental determination of the dynamic characteristic of a non-linear system is shown to consist in evaluating the mutual correlation function between output and input with a random white noise input. The normalized mutual correlation function in this case corresponds to the weighting function of the equivalent linear operator. It is stated, in conclusion, that further development of the statistical linearization theory of non-linear operators should proceed in two directions: 1) The analysis of accuracy of the method of statistical linearization of non-linear operators; 2) The investigation of the limits of method applicability to the linearization of open- and closed-loop dynamic systems; 3) The study of typical examples where the statistical approximation method could be applied and collecting material for equivalent characteristics (tables, graphs, algorithms and evaluation of equivalent character-

Card 2/3

AM4016853

BOOK EXPLOITATION

S/

Kazakov, Igor' YEfimovich; Dostupov, Boris Grigor'yevich

Statistical dynamics of nonlinear automatic control systems (Statisticheskaya dinamika nelineyny*kh avtomaticheskikh sistem) Moscow, Fizmatgiz, 62. 0332 p. illus., biblio., index. 10000 copies printed.

TOPIC TAGS: automatic control, nonlinear automatic control, statistical dynamics, nonlinear equations, integral expansion, trigonometric series, power law series, statistical linearization, random signal, computer application, nonlinear automatic system synthesis

PURPOSE AND COVERAGE: The book is aimed at systematizing some of the existing methods for statistical analysis of controllable systems and develops for the statistical dynamics of nonlinear systems some exact and approximate methods that are conveniently realized

Card 1/4

AM4016853

with the aid of modern computers. It summarizes specifically various nonlinear methods, scattered in the numerous periodicals, for the transformation of random functions. The book is for many scientific workers and engineers who are engaged in automatic control. To understand the book it is sufficient to know the usual mathematics given in higher technical schools and the principles of probability theory and the theory of random functions. The authors are grateful to L. D. Zhuleva for thorough editing of the manuscript. The work is based on many earlier papers by the authors. Chapter I (except Sec. 5), Chapters III, IV, VI, and Sec. 45 of Chapter V have been written by I. Ye. Kazakov. The rest has been written by V. G. Dostupov.

TABLE OF CONTENTS:

Foreword - - 7

Card 2/4

AM4016853

- Ch. I. Principal problems in statistical dynamics of nonlinear systems and methods of their solution - - 9
- Ch. II. Methods of investigation of nonlinear systems, based on the expansion of integrals in power and trigonometric series with random parameters - - 48
- Ch. III. Statistical linearization of nonlinear transformations - - 103
- Ch. IV. Investigation of nonlinear systems under random signals - - 210
- Ch. V. Use of computers for the analysis of nonlinear automatic control systems - - 259
- Ch. VI. Synthesis of nonlinear automatic systems - - 286
- Appendix - - 321
- Literature - - 325
- Subject index - - .329

SUB CODE: MM, CP

SUBMITTED: 23Oct62

NR REF SOV: 063

Card 3/4

AM4016853

OTHER: 024

DATE ACQ: 25Jan64

Card 4/4

KAZANOV, I. Ye. (Moskva)

Contribution to the statistical theory of self-adaptive control systems. Izv. AN SSSR. Otd. tekhn. nauk. Energ. i avtom. no.6: 76-81 N-D '62. (MIRA 16:1)

(Automatic control)

ACCESSION NR AM1021936

BOOK EXPLOITATION

S/

Pugachev, V. S.; Kazakov, I. YE.; Gladkov, D. I.; YEvlanov, L. G.;
Mal'chikov, S. V.; Mishakov, A. F.; Sedov, V. D.; Sokolov, V. I.

Principles of automatic control (Osnovy avtomaticheskogo upravleniya), Moscow,
Fizmatgiz, 1963, 646 p. illus., biblio., index. 15,000 copies printed.

TOPIC TAGS: automation, automatic control, linear control system, nonlinear
control system

TABLE OF CONTENTS [abridged]:

Foreword - - 8
Ch. I. Basic concepts of the theory of automatic control - - 15
Ch. II. Characteristics of linear systems - - 34
Ch. III. Linear elements of automatic systems - - 71
Ch. IV. Structure and methods of determining the characteristics of linear
systems - - 121
Ch. V. Discrete linear systems - - 170
Ch. VI. Stability and quality of linear systems - - 194
Ch. VII. Methods of studying the accuracy of linear systems - - 240

Card 1/2

ACCESSION NR AM4021936

Ch. VIII. Characteristics of nonlinear systems - - 284
Ch. IX. Nonlinear elements of automatic systems - - 308
Ch. X. Stability and auto vibrations of nonlinear systems - - 373
Ch. XI. Methods of studying the accuracy of nonlinear systems - - 427
Ch. XII. Self-tuning systems - - 444
Ch. XIII. Information transmission on transmission channels - - 466
Ch. XIV. Statistical theory of optimal systems - - 484
Ch. XV. Methods of determining optimal linear systems - - 530
Ch. XVI. Determining optimal nonlinear systems - - 581
Appendices - - 614
Bibliography - - 635
Subject index - - 639

SUB CODE: CP

SUBMITTED: 26Jul63

NR REF SOV:061

OTHER: OLL

DATE ACQ: 27Dec63

Card 2/2

L 52582-65 EWT(d)/EWT(m)/EWP(w)/EWA(d)/EWP(v)/EWP(k)/EWP(h)/EWP(1) PF-4 23

ACCESSION NR: AP5008319

S/0103/65/026/003/0463/0469

AUTHOR: Kazakov, I. Ye. (Moscow)

TITLE: Statistical analysis of systems with multivariable nonlinearities

SOURCE: Avtomatika i telemekhanika, v. 26, no. 3, 1965, 463-469

TOPIC TAGS: automatic control, automatic control design, automatic control system, automatic control theory

ABSTRACT: A system containing multivariable nonlinearities may be described by this set of differential equations:

$$\dot{x}_i = \varphi_i(x_1, \dots, x_n) + z_i \quad (i = 1, \dots, n),$$

where φ_i are the single-valued nonlinear functions of their arguments and $z_i(t)$ are the perturbances (random functions of time). The nonlinear functions φ_i are replaced with their statistical linearized equivalents, and the method of statistical linearization is used to determine the probabilistic characteristics of the system. Allowing also for possible oscillatory terms (self-oscillations or an input harmonic), these sets of linked equations are presented:

$$m_x = \varphi_{10}^*(m_{x_1}, \dots, m_{x_n}; k_{x_1 x_1}, \dots, k_{x_n x_n}; a_1, \dots, a_n) + m_{z_1},$$

Card 1/2

L 52582-65

ACCESSION NR: AP5008319

$$[a_i \cos(\omega_0 t + \psi_i)]^2 = \sum_{k=1}^n k_{ik}^2 (m_{x_1}, \dots, a_n) a_k \cos(\omega_0 t + \psi_{ik}), \quad (6)$$

$$\dot{x}_i^0 = \sum_{k=1}^n k_{ik}^2 (m_{x_1}, \dots, a_n) x_k^0 + x_i^0 \quad (i = 1, 2, \dots, n).$$

where m_{x_i} are the mathematical expectations of the variables; φ_{i0}^2 is the function φ_{i0} averaged over the period $T = 2\pi / \omega_0$; k_{ik}^2 are the coefficients of harmonic linearization of φ_{i0} ; k_{ik} are the coefficients k_{ik} of statistical linearization averaged over period T . Application of the above method for solution of these two specific problems is considered: (1) An extremal relay automatic-control system and (2) Stochastic oscillations in an elastic nonlinear system. Orig. art. has: 2 figures and 41 formulas.

ASSOCIATION: none

SUBMITTED: 02Mar64

ENCL: 00

SUB CODE: 1E

NO REF SOV: 005

OTHER: 002

2/2

1965, J. R. ...

Generalization of a method for statistical linearization in multi-dimensional systems. Autom. J. Techn. 29 no. 12:1200-1215 Jul '65.
(MIRA 18:8)

L 7801-66 EWT(d)/EWP(v)/EWP(k)/EWP(h)/EWP(l) IJPC
ACC NR: AP5027885 SOURCE CODE: UR/0103/65/026/011/1926/1937

AUTHOR: Kazakov, I. Ye. (Moscow)

ORG: None

TITLE: The determination of the law of distribution of variables of a nonlinear stochastic system

SOURCE: Avtomatika i telemekhanika, v. 26, no. 11, 1965, 1926-1937

TOPIC TAGS: dynamic system, partial differential equation, stochastic process, automatic control theory

ABSTRACT: During the investigation of nonlinear dynamical systems subjected to random signals and interferences, the knowledge of the complete characteristics of their behavior at each instant of time is sometimes necessary. The laws of distribution of such variables at any instant of time represent precisely the needed characteristics. There are several methods for the determination of such distributions. Two of the best known are the method of static investigations and the method of integrating the Fokker-Plank-Kolmogorov probability density equation. However, the algorithms of these methods are cumbersome and not always applicable. Consequently, the present authors propose a new approximate method for the determination of the distribution of the variables of a nonlinear stochastic system by starting from a system of stochastic ordinary nonlinear differential equations and then integrating the resulting approximate linear inhomogeneous multidimensional first order partial differential

53
50
B

16, 44, 55

14

Card 1/2

UDC: 62-501

2

L 7801-66

ACC NR: AP5027885

16,44,55

3

equation for the first characteristic function. After describing the procedures for the determination from this first characteristic of the distribution function for each of the variables at a given instant of time, the author applies the procedure to the case of 1) a second order stationary system with a single nonlinearity within the feedback circuit; the system is subjected to a normal white noise of intensity G ; and 2) a first order system with a single nonlinearity within the feedback circuit; the intensity is $G = 2L/\sqrt{\pi}$. Orig. art. has: 71 formulas and 3 figures.

SUB CODE: MA,IE / SUBM DATE: 11Jun65 / ORIG REF: 005 / OTH REF: 003

Card

2/2

L 06272-67 EWT(d)/EWP(v)/EWP(k)/EWP(h)/EWP(t)

ACC NR: AP6028547

SOURCE CODE: UR/0280/66/000/003/0164/0171

AUTHOR: Kazakov, I. Ye. (Moscow)

29

ORG: none

B

TITLE: Statistical analysis of systems with ambiguous nonlinearities

SOURCE: AN SSSR. Izvestiya. Tekhnicheskaya kibernetika, no. 3, 1966, 164-171

TOPIC TAGS: automatic control parameter, nonlinear automatic control system, hysteresis loop, feedback system

ABSTRACT: The article deals with the problem of the analysis of those real elements frequently found in automatic control systems which possess ambiguous nonlinear characteristics of the hysteresis type. The author outlines a systematic approach to this problem, using a method of statistical linearization for the analysis of this kind of nonlinear element and based on the representation of the ambiguous function of the input variable as a multidimensional function; i.e., a function dependent not only on the input variable itself, but also on its derivative. Such a representation of a nonlinear ambiguous noninertial function of the hysteresis type is shown to be in accord with the physical reality of the process in the nonlinear element. The application of the general postulates of the statistical linearization of multidimensional nonlinear elements to such ambiguous nonlinearities is discussed in the paper, with

Card 1/2

L 06272-67

ACC NR: AP6028547

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721310004-3"

illustrative examples showing how the method may be used in the analysis of closed-loop systems. Orig. art. has: 54 formulas and 2 figures.

SUB CODE: 12,09/ SUBM DATE: 18Sep65/ ORIG REF: 005

Card

2/2 *egh*

KAZAKOV, K., marshal artillerii, komanduyushchiy raketnymi voyskami
i artilleriyey

With guns and rockets. Voen.znan. 41 no.11:4-5 N '65.
(MIRA 18:12)

KAZAKOV, K.; RANGELOV, R.

On some studies of mica in Bulgaria. Mashinostroene 11 no.2:34-38
F '62

KAZAKOV, K.

Relativ. ... Vest. prom. i ... (1984:11)

1. ... mostnyy ... i ... (Kazakh Agricultural workers)
(Trade unions)

L 19049-65 AFWL JKT

S/0018/64/000/011/0007/0010

ACCESSION NR: AP5001167

AUTHOR: Kazakov, K. (Artillery marshal, Commander of rocket forces and artillery)

TITLE: Fundamental fire power of armies

SOURCE: Voyenny vestnik, no. 11, 1964, 7-10

TOPIC TAGS: fire power, artillery, artillery fire, industrial production, artillery rocket, personnel training

ABSTRACT: Because of American provocations demonstrated in the Tonkin Gulf, the Congo, and other places, the Soviet military must maintain its strength. This means the continuous development of the artillery, for which the Soviets are famous and which supplies the fundamental fire power of the army. The author reviews the use of artillery during World War II in battles from Moscow to Berlin. He cites the contributions of individuals and units and gives examples of artillery concentrations (6000 guns and mortars in the counteroffensive before Moscow, 13 500 in the battle on the Volga, 28 000 in the Kursk Bulge defense, and upwards of 41 000 in the Berlin operation). The effectiveness of the artillery is attributed not only to its technical excellence and a high level of training but also to the type of artillery formations. These permitted massive concentrations

Card 1/2

L 19049-65

ACCESSION NR: AP5001167

for rupturing defense lines (at times numbering 200-300 guns and mortars per kilometer of front). The artillery was supported by an industrial base which in the last year of the war delivered 120 000 guns and 100 000 mortars to the front. The value of the artillery was appreciated by the Soviet government and the Communist Party. Intensive development of all elements of rocket delivery systems was encouraged immediately after the war and continues at this time. All branches of the armed forces are being equipped with rockets for use in all aspects of warfare. Recognizing that final victory depends on men, the Soviets perfected an intense training course. The main part of this course consists of field problems, because it is believed that only through experience will the officers master artillery command. Orig. art. has: 3 figures.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: MS,WA

NO REF SOV: 000

OTHER: 000

Card 2/2

KAZAKOV, K.P., marshal artillerii; RUDENKO, S.I., marshal aviatsii; MIKHAYLIN, V.V., kontr-admiral; LEONOV, A.I., marshal voysk svyazi

Soviet military leaders on the revolution in military affairs. Voen.znan. 40 no.11:36 N '64. (MIRA 18:1)

1. Komanduyushchiy raketnymi voyskami i artilleriyey (for Kazakov). 2. Pervyy zamestitel' Glavnokomanduyushchego Voyenno-Vozdushnymi Silami (for Rudenko). 3. Pervyy zamestitel' komanduyushchego Krasnoznamennym Baltiyskim flotom (for Mikhaylin). 4. Nachal'nik voysk svyazi (for Leonov).

L 57520-63 EWT(d)/EWT(m)/EWA(d)/EWP(v)/EWP(t)/EWP(k)/EWP(h)/EWP(b)/EWP(i)/EWA(c)
Pf-4 ITP(c) JD/HW

ACCESSION NR: AR5013010

UR/0137/65/000/004/D011/D011
621.771.001

34
B

SOURCE: Ref. zh. Metallurgiya, Abs. 4D74

AUTHOR: Skryabin, N. P.; Bazhanov, Yu. M.; Kazakov, K. A.; Godin, N. I.;
Kochetov, I. M.

TITLE: Testing of sizing rolls for rolling light section stock from titanium alloys

21

CITED SOURCE: Tr. Ural'skogo n.-i. in-ta Chern. met., v. 3, 1964, 143-148

TOPIC TAGS: titanium alloy, rolling mill, metal rolling

TRANSLATION: Investigations were conducted to determine the optimum conditions for rolling titanium alloys on the 280 light section mill. It was found that the grooves in rolls for rolling titanium alloys should be designed in such a way that the gripping angle does not exceed 0.30-0.32 radians (17-18°). Under these conditions stable gripping of the rolled stock by the rolls is ensured. During rolling it is necessary to check the setting of the mill carefully. Rolling should be done on the oval-oval system to improve the quality of the surface during sizing. It is

Card 1/2

L 57520-65

ACCESSION NR: AR5013010

necessary to have feeding and extracting equipment to improve the operation of the roll system, provide satisfactory conditions for feeding the strip into the rolls, and also to prevent jamming of the strip in the guides. N. Yudina.

SUB CODE: IE

ENCL: 00

sum
Card 2/2

KAZAKOV, K. S. (USSR)

"Changes in the Colloidochemical Properties of Proteins of the Serum and Liver of Rabbits Poisoned with Carbon Tetrachloride."

Report presented at the 5th International Biochemistry Congress, Moscow, 10-16 Aug 1961

LYUBETSKIY, Kh.Z.; SHRAYBER, L.B.; KAZAKOV, K.S.; ADAMYAN, R.I.;
ABRAMOVA, L.I. (Tashkent)

Effect of ethylenediaminetetraacetic acid and vitamins B₁ and
B₂ on the course of lead poisoning; experimental studies.
Gig.truda i prof.zab. 6 no.12:45-46 D'62. (MIRA 16:7)

1. Uzbekskiy nauchno-issledovatel'skiy institut sanitarii,
gigiyeny i professional'nykh zabolevaniy.
(LEAD POISONING) (ACETIC ACID) (VITAMINS—B)

KAZAKOV, Khatib Shakirovich.

Kazan' State Veterinary-Zootechnical Inst imeni Bauman. Academic degree of Doctor of Biological Sciences, based on his defense, 21 January 1955 in the Council of Moscow Veterinary Academy, of his dissertation entitled: "Chemical and Physico-Chemical Nature of Vitellin and its Changes in the Process of the Embryonic Development of an Egg." (Experimental Research)

Academic degree and/or title: Doctor of Sciences

SO: Decisions of VAK, List no. 12, 28 May 55, Pyulleten' MVO SSSR, No. 15, Aug 56, Moscow, pp. 5-24, Uncl. JPRS/NV-537

KAZAKOV, Kh. Sh.

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721310004-3"

USSR/General Biology - Physical and Chemical Biology.

Abs Jour : Ref Zhur - Biol., No 7, 1958, 28417

Author : Kazakov, Kh. Sh.

Inst :
Title : O fosforbiochimicheskikh soedineniyakh voobshche i embriodinamicheskom raspredelenii fosfora v fosfovitteline v chastnosti. (biokhimi prirodnikh organich. soedineniy fosfora).
On Biochemical Phosphorus Compounds in General and on Embryodynamic Distribution of Phosphorus in Phosphovitellicine in Particular. (Biochemistry of Natural Organic Phosphorus Compounds).

Orig Pub : Uch. zap. Kazansk. gos. vet. in-ta, 1956, 64, No 1, 199-218

Abstract : A biochemical review of natural organic phosphorus compounds. Published data are given on the content and distribution of phosphorus in nucleoprotein viruses,

COUNTRY : USSR
CATEGORY :
ABST. JOUR. : RZBiol., No. 1, 1959, No. 257
AUTHOR : Kazakov, Kh. Sh.
INST. : Moscow Academy of Veterinary Medicine
TITLE : Distribution of the Different Forms of Nitrogen in Phosphovitellin of Chicken Egg Yolk During Embryogenesis.
ORIG. PUB. : Tr. Mosk. vet. akad., 1957, 21, 136-146

ABSTRACT : On incubation of chicken eggs for 98, 161, 240 and 408 hours, there is observed a regular change in distribution of different forms of nitrogen (I) in yolk vitellin. Content of total I drops unevenly, while that of diamine-I decreases uniformly; content of mono-amino acids drops more or less uniformly starting from the early stage of development, and after 161-240 hours, but after 408 hours it increases, reverting practically to the level that characterizes an unincubated egg. Content of amine-I drops considerably, while that of non-amino nitrogen increases unevenly. Content of ammonia-I decreases considerably, as well as that of the I of humic compounds.

CARD: 1/2

EVLANOVA. V.G., dotsent, kand. veterin. nauk; PAVLOVSKIY, Ye.N., prof. otv.red.; VASNETSOV, N.V., prof., red.; VKRESHCHAGIN, M.N., prof.,red.; ZAYTSEV, V.G., prof.,red.; KAZAKOV, Kh.Sh., prof., red.; MOSIN, V.V., prof., red.; STUDENTSOV, A.P., prof., red.; GALEYEV, V.V., dotsent, red.; LYSOV, V.F., dotsent, red.; RABINOVICH, M.P., dotsent, red.; SABIN, I.M., dotsent, red.

[Methods for the laboratory diagnosis of the principal helminthiases of farm and commercial animals and a comparative analysis of their efficiency]. Metody laboratornoi diagnostiki glavneishikh gel'mintozov sel'skokhoziaistvennykh promyslovykh zhiivotnykh i sravnitel'nyi analiz ikh effektivnosti. Kazan', 1960. 417.p. (Kazan. Veterinarnyi institut. Uchenye zapiski, vol. 72). (MIRA 17:7)

KAZAKOV, L.

Determining the amount of stretch in cattle carcasses during the removal of hides. Mias.ind.SSSR 26 no.5:55 '55. (MLRA 9:2)
(Slaughtering and slaughterhouses) (Hides and skins)

KAZAN

(18)

- (137)
- SOVA, ENVOYEDUSSR, Vol 15, No 4, April 1962
1. "An Improved Type of Tent for Drying Alfalfa," IYANKA DZHEVA, Junior Scientific Collaborator at the Regional Agricultural Research Institute in Rostov-Zagora; pp 2-4.
 2. "Our Experience with Preserving Green Alfalfa with Sodium Borate Salts," YAN DZHEV, Chairman of the Road to Communism Cooperative Farm in Imperia; pp 5-6.
 3. "Top the Correct Distribution and Consolidation of Polder Production in the Cooperative Farms," ZHIVKO PRAKSHILOV, Junior Staff Collaborator, ZHIVKO PRAKSHILOV (Senior Zoologist, V. Dimitrov State Farm); pp 9-15.
 4. "The Influence of the Age of Hogs for Squealing Purpose on Some of their Productive Characteristics," IYAN YANKA, Senior Assistant, "I. Dimitrov" Agricultural Zoological Institute (Senior Staff Farm); pp 15-17.
 5. "Completed Mechanization of the Poultry Pen in the Village of Malokirovo," YEKON CHEREV, Stefan KILKOV, Chief Zoologist at the "I. Lenin" Cooperative Farm; pp 18-22.
 6. "Many Farms Lead to Cheap Production," STELYA TITOVA, Chief Zoologist, "I. Lenin" Cooperative Farm in the Poultry Keeping (poultry) holder of the order of People's Labor, and people's representative, the Red Banner of Labor; pp 23-25.
 7. "The Daily Productivity of Mountain and Draft Horses and Evaluation of Merit of their Breeds," IYAN YANKA, Junior Scientific Collaborator, Livestock Scientific Research Institute, Koshovo; pp 26-29.
 8. "Feeding as a Factor in Breeding," Professor PETKO IYANKOV; pp 30-34.
 9. "Our Experience with Seed Improvement," PETKO DZHEKOVSKI, Director of the Seed Improvement Station in Vata Station; pp 35-39.
 10. "The Artificial Insemination of Cows with Sperm Mixed in a Mesopituitary-phenolate Mixture Agent," IYAN YANKA, Junior Scientific Collaborator, Director and Zoologist (Research) of the Seed Improvement Station in Purovski; pp 40-42.

KAZAKOV, L.

Paying bonuses for new machinery in the coal industry. Sots.trud
7 no.7:57-58 JI '62. (MIRA 15:8)

1. Nachal'nik Tekhnicheskogo upravleniya Tul'skogo kombinata
ugol'noy promyshlennosti Podmoskovskogo basseyna Ministerstva
ugol'noy promyshlennosti SSSR.

(Coal mines and mining--Technological innovations)
(Bonus system)

KAZAKOV, L.

Achievements of the miners in the Tulaugol' Combine. Ugol'
39 no.7:72 J1 '64. (MIRA 17:10)

1. Tul'skiy kombinat ugol'noy promyshlennosti Podmoskovnogo
basseyna Ministerstva ugol'noy promyshlennosti SSSR.

KAZAKOV, L. A. and VORONTSOV, P. A.

"Peculiarities in the Wind Cycle Over a Cotton Field and a Semidesert,"
Tr. Gl. geofiz. observ., No 39, 1953, pp 133-142

Results of expeditional studies of aerial currents in the lower atmosphere over a cotton field and a semidesert, around 20-25 km apart, are described. Direction and velocity of wind were measured either by a pilot balloon or by an aerostatic meteorograph.

RZhFiz, No 3, 1955

KAZAKOV, L.A. (Moskva); KONCHALOVSKIY, V.Yu. (Moskva)

Optimum dimensional relationships of the magnetic circuits of
d.c. power magnets. Elektrichestvo no.10:23-26 0 '64.

(MIRA 17:12)

VAYNBERG, N.L.; KAZAKOV, L.G.

Work practices of the Kagul Regional Agrochemical Laboratory.
Zemledelia 25 no.4:75-76 Ap '63. (MIRA 16:5)
(Kagul District--Soils--Analysis)

KAZAKOV, L.I., inzh.-ekonomist; STEPANCHENKO, N.I., vedushchiy red.;
POLOSINA, A.S., tekhn.red.

[Reference book on labor and wages for petroleum workers] Spravochnik po trudu i zarabotnoi plate dlia rabotnikov neftebaz. Moskva, Gos.nauchno-tekhn.izd-vo nef. i gorno-toplivnoi lit-ry, 1958. 222 p. (MIRA 13:4)

1. Rosglavneftesnabsyt pri Gosplane RSFSR.
(Petroleum workers) (Wages)

ARAKEIOV, Arkadiy Avakovich; ARTAMONOVA, Rufina Grigor'yevna;
KAZAKOV, Leonid Iosifovich; FEYGIN, Aleksandr
Borisovich; KOTIKOVA, V.G., ved. red.

[Vykhino tank farm is an enterprise of communist labor]
Vykhinskaia neftebaza -- predpriatie kommunisticheskogo
truda. Moskva, Nedra, 1965. 77 p. (MIRA 18:7)

KAZAKOV, I. I.; LAPSHIN, N. T.

Supplying the national economy with petroleum products on a higher level. Transp. i khran. nefti no. 8: 37-38 '68. (MIRA 17:3)

1. Glavnoye upravleniye po transportu i snachleniye neft'yu i nefteproduktami RSFSR.

СИСЬКОВ, А.И., инж.; КАРАКОВ, Л.П., инж.; ПУШКИНОВ, Л.П., инж.

Modernization of the Ish-6. semiautomatic welder for welding
in carbon dioxide. Svar. proizv. no.2:40 P. 105.

(ИИВ 10:3)

KAZAKOV, L.I.

Use all reserves for increasing the productivity and economic efficiency of enterprises. Transp. i Khran.nefti i nefteprod. no. 2:41-42 '64. (MIRA 17:5)

1. Glavnoye upravleniye po transportu i snabzheniyu nef't'yu i nefteproduktami RSFSR.

KUSHUL', Veniamin Moiseyevich; NAYDENKO, O.K., kand. tekhn. nauk, retsenzent; KAZAKOV, L.M., inzh., retsenzent; ZAKHARENKO, B.A., nauchn. red.; VARKOVETSKAYA, A.I., red.

[New type of internal combustion engine] Novyi tip dvigatelia vnutrennego sgoraniia. Leningrad, Sudostroenie, 1965. 211 p. (MIRA 18:A)

L 45136-66 EWP(f)/T-2 WW

ACC NR: AP6020378 (N)

SOURCE CODE: UR/0114/66/000/006/0022/0026

AUTHOR: Kazakov, L. M. (Engineer)

418
B

ORG: none

TITLE: Theoretical and experimental study of an impulse system for the gas turbine pressure charging of high power low rpm diesel engines

SOURCE: Energomashinostroyeniye, no. 6, 1966, 22-26

TOPIC TAGS: gas turbine, diesel engine, impulse turbine

ABSTRACT: The article starts with a mathematical development of calculating equations taking into consideration the following parameters which affect the energy of the impulse and, consequently, the power of a gas turbine: the volume of the gas exhaust header, V_T ; the straight through cross section of the turbine nozzles, f_c ; the transverse cross section of the header, F ; the number of cylinders attached to one header; the gas phase distribution; the size of the exhaust valves and the laws governing the change in their straight through cross section; the straight through vents; the number of rpm of the diesel, n_0 ; and, the type of turbine. In the calculations the following parameters were varied: $f_c = 0.04, 0.06, \text{ and } 0.07 \text{ meters}^2$; $V_T = 0.3, 0.4, \text{ and } 0.55 \text{ meters}^3$. The

Card 1/2

UDC: 621.515.621.436.001.5

L 45136-66

ACC NR: AP6020378

other initial conditions were: p_s (pressure of air blown through) = 1.6 kg/cm²; n_0 = 115 rpm; p_e (gas pressure at the moment when the exhaust valve is opened) = 8.4 kg/cm²; T_e (gas temperature at the moment when the exhaust valve is opened) = 1160°C. The calculations showed that the greatest effect on the magnitude of the impulse was exerted by a change in the value of f_c . Detailed experimental results are exhibited in a series of curves and tables. The proposed calculating equations are designed for solution using electronic computers. Orig. art. has: 7 formulas, 5 figures and 2 tables.

SUB CODE: 21/ SUBM DATE: none/ ORIG REF: 002/ OTH REF: 001

Card 2/2 UCR

GUBIN, N.I.; ZAGAYEVSKIY, Yu.L.; KAZAKOV, L.M.; LEVKOV, A.I.; LEVCHENKO, A.I.;
MAL'CHENKO, E.Ya.; KAZAKOV, L.M.; FOTAPENKO, S.D.

Overall mechanization and automation of mines in the Tula-ugol'
Combine. Ugol' 40 no.2:1-5 F '65. (MIRA 18:4)

1. Shakhta No.38 (tresta Novomoskovskugol' for Gubin).
2. Trest Krasnoarmeyskugol' (for Zagayevskiy).
3. Kombinat Tulaugol' (for Kazakov).
4. Shakhta No.2 "Bibikovskaya" tresta Uzlovskugol' (for Levkov)
5. Shakhta No.13 tresta Shehekinugol' (for Levchenko).
6. Shakhta No.2 "Zubovskaya" tresta Krasnoarmeyskugol' (for Mal'chenko).
7. Trest Novomoskovskugol' (for Fotapenko).

GUBIN, N.I.; ZAGAYEVSKIY, Yu.I.; KAZAKOV, I.M.; LEVKOV, A.I.; LEVCHENKO, A.I.;
MAL'CHENKO, E.Yu.; KAZAKOV, L.M.; FOTAPENKO, G.D.

Overall mechanization and automation of mines in the Tula-ugol'
Combine. Ugol' 40 no.2:1-5 F '65. (MIRA 18:4)

1. Shakhta No.38 (tresta Novomoskovskugol' for Gubin).
2. Trest Krasnoarmeyskugol' (for Zagayevskiy).
3. Kombinat Tulaugol' (for Kazakov).
4. Shakhta No.2 "Bibikovskaya" tresta Uzlovskugol' (for Levkov)
5. Shakhta No.13 tresta Sheneklnugol' (for Levchenko).
6. Shakhta No.2 "Zubovskaya" tresta krasnoarmeyskugol' (for Mal'chenko).
7. Trest Novomoskovskugol' (for Fotapenko).

KAZAKOV, L.M.

Manually guided electric cart for the mechanization of loading,
unloading, and transportation in food industry enterprises.
Kons.i ov.prom. 15 no.7:37-38 J1 '60. (MIRA 13:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut morskogo
rybnogo khozyaystva i okeanografii.
(Food industry--Equipment and supplies)
(Loading and unloading)

STRYGIN, A.I.; KOZAR', V.N.; KAZAKOV, L.R.

Boulder-pebble material in the gneisses of the Teterev Valley (Ukrainian Shield). Dokl. AN SSSR 158 no.3:609-612 S '64.

(MIRA 17:10)

1. Predstavleno akademikom V.S.Sobolevym.

KAZAKOV, L.R., inzh.-geolog

Aerial prospecting for minerals. Nauka i zhyttia 10 no. 12:22-25
D '60. (MIRA 14:4)

(Prospecting) (Aeronautics in geology)

KAZAKOV, L.R.

New graphite-bearing region in the Soviet Carpathians. Geol.zhur.
21 no.5:97-101 '61. (MIRA 14:10)

1. Institut geologicheskikh nauk AN USSR.
(Carpathian Mountains--Graphite)

KAZAKOV, L.R.

Granitization of rocks in the Orekhov-Pavlograd region of magnetic anomalies, Geol.zhur. 21 no.6:89-97 '61. (MIRA 15:2)

1. Institut geologicheskikh nauk AN USSR.
(Ukraine--Granitization)

KAZL'KOV, L.R.

Petrographic characteristics of plagiogranites in the Chiv-
chinskiye Mountains in the Carpathians. Geol. zhur. 23 no.4:
74-78 '63 (MIRA 17:7)

1. Institut geol. gisheskikh nauk AN UkrSSR.

PRUS, A.K.; KAZAKOV, L.R.

Conference on the prospects of metal potential of the crystalline
massif of the White Russian S.S.R. Geol. zhur. 23 no.5:111-
112 '63. (MIRA 16:12)

KAZAKOV, L.R.; GORLITSKIY, B.A. [Horlyts'kyi, B.O.]

Sulfide mineralization in the rocks of the Orekhovo-Pavlegrad
zone of magnetic anomalies. Trudy Inst. geol. nauk AN URSR.
Ser. petr., min. i geokhim. no.20:56-69 '63.

(MIRA 16:8)

AYZENBERG, D.Ye.; BELEVTSSEV, Ya.N.; BORDULOV, I.N.; BORISENKO, S.T.;
BULKIN, G.A.; GORLITSKIY, B.A.; LOVGAN', M.N.; ZAGORUYKO,
L.G.; KAZAKOV, L.R.; KALYAYEV, G.I.; KARASIK, M.A.; KACHAN,
V.G.; KISELEV, A.S.; LAGUTIN, P.K.; LAZARENKO, Ye.K.;
LAZARENKO, E.A.; LAPITSKIY, E.M.; LAPCHIK, F.Ye.; LAS'KOV,
V.A.; LEVENSHTEYN, M.L.; MALAKHOVSKIY, V.F.; MITKEYEV, M.V.;
PRUSS, A.K.; SKARZHINSKIY, V.I.; SKURIDIN, S.A.; SOLOV'YEV,
F.I.; STRYGIN, A.I.; SUSHCHUK, Ye.G.; TEPLITSKAYA, N.V.;
FEDYUSHIN, S.Ye.; FOMENKO, V.Yu.; SHKOLA, T.N.; SMIRNOV,
A.G.; YAROSHCHUK, M.A.; ZAVIRYUKHINA, V.N., red.

[Problems of metallogeny in the Ukraine] Problemy metallo-
genii Ukrainy. Kiev, Naukova dumka, 1964. 254 p.
(MIRA 18:1)

1. Akaderiya nauk URSR, Kiev. Instytut geologichnykh nauk.

ACC NR: AM5027749

Monograph

UR/ 20

Armand, N. A.; Vvedenskiy, B. A.; Gusyatskiy, I. A.; Igoshev, I.P.;
 Kazakov, L. YA.; Kalinin, A. I.; Nazarova, L. G.; Nemirovskiy, A.
 S.; Prosin, A.V.; Ryskin, E. YA.; Sokolov, A. V.; Tarasov, V.A.;
 Tashkov, P. S.; Tikhomirov, YU. A.; Troitskiy, V. N. Fedorova, L. V.;
 Chernyy, F. B.; Shabel'nikov, A. V.; Shirey, R. A.; Shirin, YA. S.;
 Shur, A. A.; YAKovlev, O. I.; Kolosov, M. A.; Lavshin, I. P.; Lomakin, A. N.

Upper tropospheric propagation of ultrashort radio waves (Dal'neye
 troposfernoye rasprostraneniye ul'trakorotkikh radiovoln) Moscow,
 Izd-vo "Sovetskoye radio", 1965. 414 p. illus., biblio. 4000
 copies printed.

TOPIC TAGS: radio wave propagation, tropospheric radio wave, radio
 communication, space communication, tropospheric scatter communicat-
 ion, signal processing, signal distortion, field theory

PURPOSE AND COVERAGE: This monograph is intended for specialists
 working in the field of radiowave propagation, designers of long-
 distance radio communication systems, and teachers and students of
 the advanced courses in schools of higher technical education. The
 monograph contains, for the most part, heretofore unpublished
 results of Soviet experimental and theoretical investigations in the
 field of long-distance tropospheric ultrashortwave propagation.

Card 1/10

UDC: 621.371.24

ACC NR: AM5027749

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721310004-3"

Problems of investigating the troposphere by means of refracto-
 meters, the mean level of signals, meteorological conditions and
 topography, fluctuation of arrival angles and distortions of antenna-
 directivity patterns, losses in antenna gain, and quick and slow
 fading of signal levels are discussed. The statistical character-
 istics of the signals at diversity reception in time, space, fre-
 quency and angle as well as the distortion of signals in the commun-
 ication systems are also investigated. The long-distance propagat-
 ion theory is analyzed, and the engineering method of calculating field
 intensity at long-distance tropospheric propagation is given. At
 present, there is no theory of Long-Distance Tropospheric Propagat-
 ion which can be applied effectively enough in practice. Thus, in
 the investigation of that propagation, considerable attention has
 to be paid to experiments. The special characteristics of geograph-
 ical conditions of the territory involved should be taken into con-
 sideration during the analysis of experimental data and in their
 practical application because the conditions of propagation in
 arctic and tropical climates differ from those existing over seas
 and continents. A considerable part of the monograph deals with
 the investigations of long-distance tropospheric propagation carried
 out over dry land routes, 800 km long, in the central part of the
 USSR under the general supervision of B. A. Vvedenskiy and A. G.
 Arenberg (up to 1957). V. I. Siforov investigated problems con-

Card 2/10

ACC NR: AM5027749

ected with distortions and fluctuations of signals. References follow each chapter.

TABLE OF CONTENTS:

Foreword --

Ch. I. Radio Engineering Methods of Investigating the Troposphere Dielectric Constant -- 5

Bibliography -- 16

Ch. II. Results of Troposphere Dielectric Constant Measurements -- 17

1. Relationship between the mean value of the air refraction index and altitude. Standard radio-atmosphere -- 17
2. Fluctuations of the air refraction index -- 24
3. Some notions on the troposphere model -- 43

Bibliography -- 45

Ch. III. Average (mean) Signal Levels in Long Distance Tropospheric Propagation of Ultrashort Waves (L T P U S W) -- 48

Card 3/10

ACC NR:

AM5027749

1. Equipment and measuring methods for the mean signal level -- 48
2. Signal attenuation function in LTP USW -- 54
3. Relationship between mean signal level and the distance -- 57
4. Relationship between mean signal level and the wavelength -- 63
5. Relationship of mean signal level and the shadow angles of both transmitting and receiving antennas -- 65
6. Diurnal and seasonal variations of mean signal level -- 72

Bibliography -- 75

Ch. IV. Effect of Air Refraction Index at the Earth Surface on the Mean Field Level in LTP USW -- 77

1. Correlation of the mean field level with the air refraction index at the Earth Surface. -- 77
2. Possibility of predicting field intensity variations -- 81

Bibliography -- 86

Ch. V. Fluctuation of Radiowave Arrival Angles and Instantaneous Patterns of Antennas Directivities -- 88

1. Methods of measuring radiowave arrival angles and recording of instantaneous antenna directional patterns -- 89

Card 4/10

ACC NR. AM5027749

2. Fluctuation of radiowave arrival angles in horizontal and vertical planes -- 92
3. Instantaneous antenna directional patterns -- 92

Bibliography -- 102

- Ch. VI. Losses in Antenna Gain of IWP USW -- 103
1. Determination and methods of measuring losses in antenna gain -- 103
 2. Experimental data on losses in antenna gain -- 108
 3. Theoretical investigations on losses in antenna gain -- 114

Bibliography -- 120

- Ch. VII. Theories of Long Distance Tropospheric Propagation of USW -- 122
1. Introductory remarks -- 122

Bibliography -- 129

2. Theory of scattering radiowaves by tropospheric turbulent nonhomogeneities -- 130

Card 5/10

ACC NR:

AM5027749

Bibliography -- 150

3. Reflection of radiowaves from dielectric nonhomogeneities of definite dimensions -- 151

Bibliography -- 171

4. Reflections of radiowaves from laminated tropospheric nonhomogeneities of random character -- 172

Bibliography -- 179

Ch. VIII. Engineering Method of Design-Calculation of Field Intensity Attenuation -- 180

1. Basic rules of calculation method -- 181
2. Diffraction horizon (a distance, beginning of which, the value of the field intensity, calculated according to the diffraction formulas is smaller than the measured intensity) -- 182
3. Determination of field standard attenuation -- 182
4. Meteorological conditions correction -- 184
5. Local topography correction -- 185
6. Estimate of losses in antenna gain -- 185

Card 6/10

ACC NR: AM5027749

7. Estimate of fadings -- 186

Bibliography -- 188

Ch. IX. Statistical Characteristics of the Envelope, Phase and Frequency of the Random Signal in LTP USW -- 189

1. Statistical characteristics of atmosphere dielectric constant signal components in LTP -- 189
2. Distribution laws for the envelopes and phase of various signal components -- 193
3. Distribution laws of sum-signal envelope --
4. Multi-dimensional distribution functions of instantaneous value of envelopes and phases of the spaced signals in minute intervals 207
5. Parameters of multi-dimensional amplitude and phase distribution functions of spaced signals -- 210
6. Statistical characteristics of instantaneous values of the envelopes of spaced signals in minute intervals -- 222
7. Statistical characteristics of instantaneous values of spaced signal-phases in minute intervals -- 239
8. Statistical characteristics of instantaneous value of phase first derivatives of spaced signals in minute intervals -- 248

Card 7/10

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721310004-3"

ACC NR: AM5027749

9. Statistical characteristics of instantaneous values of the first derivative of phase in minute intervals -- 257

Bibliography -- 260

Ch. X. Experimental Investigations of Rapid and Slow Fadings in LTP USW -- 262

1. Methods of measuring and processing experimental data -- 262
2. One-dimensional distribution functions of signal instantaneous values -- 264
3. One-dimensional distribution functions of signal averaged values -- 278
4. Period and frequency in rapid fluctuations of signal envelope -- 283

Bibliography -- 287

Ch. XI. Experimental Investigation of Signal Statistical Characteristics at Space, Frequency, Time and Angle Diversity Reception -- 288

1. Space-diversity reception -- 288
2. Frequency-diversity reception -- 295
3. Time-diversity reception -- 299
4. Frequency-time diversity reception -- 305
5. Angle-diversity reception -- 307

Card 8/10

ACC NR: AM5027749

Bibliography -- 312

- Ch. XII. Investigation of Amplitude-Frequency and Phase-Frequency Signal Characteristics at LTP -- 314**
1. Measuring and processing methods of experimental data -- 314
 2. Amplitude-frequency characteristics -- 321
 3. Phase-frequency characteristics of LTP channel -- 325
 4. Frequency characteristics of signal group time delay -- 334

Bibliography -- 350

- Ch. XIII. Signal Distortion in LTP USW -- 351**
1. Theoretical investigation of distortions appearing in multi-channel FM LTP communication systems -- 352
 2. Experimental investigation of distortion in LTP -- 384
 3. Distortions appearing during TV transmission over tropospheric radio links -- 389

Bibliography -- 392

- Appendix Automation of Signal Statistical Processing -- 394**
1. Quantification of continuous signals and coding -- 395
 2. Signal quantification instruments -- 397

Card 9/10

ACC NR: AM5027749

3. Specialized photoelectric input device -- 401
4. Schematics of generalized statistical processing of experimental data -- 404

Bibliography -- 410

SUB CODE: 17/ SUBM DATE: 24Jun65/ ORIG REF: 071/ OTH REF: 0103/

Card 10/10

S/058/60/000/011/006/007
A001/A001

9.9822

Translation from: Referativnyy zhurnal, Fizika, 1960, No. 11, pp. 376-377, #
30953

AUTHORS: Kazakov, L.Ya. Lomakin, A.N.

TITLE: Measurement of Non-uniformities of the Air Dielectric Constant in
the Troposphere ✓

PERIODICAL: V sb.: Vopr. dal'nego rasprostr. UKV, Moscow, Svyaz' izdat, 1959,
pp. 110-120

TEXT: The authors consider the methods of measuring non-uniformities of
the air dielectric constant. The operational principle of the refractometer is
explained and its technical characteristics are described. The results of preli-
minary tests of a refractometer are presented.

Authors' summary

Translator's note: This is the full translation of the original Russian abstract.

Card 1/1

ARMAND, N.A.; VVEDENSKIY, B.A.; GUSYATINSKIY, I.A.; IGOSHEV, I.P.;
KAZAKOV, L.Ya.; KALININ, A.I.; KOLOSOV, M.A.; LEVSHIN, I.P.;
LOMAKIN, A.N.; NAZAROVA, L.G.; NEMIROVSKIY, A.S.; PROSIN,
A.V.; RYSKIN, E.Ya.; SOKOLOV, A.V.; TARASOV, V.A.; TRASHKOV,
P.S.; TIKHOMIROV, Yu.A.; TROITSKIY, V.N.; FEDOROVA, L.V.;
CHERNYY, F.B.; SHABEL'NIKOV, A.V.; SHIREY, R.A.; SHIFRIN, Ya.S.;
SHUR, A.A.; YAKOVLEV, O.I.; ARENBERG, N.Ya., red.

[Long-distance tropospheric propagation of ultrashort radio
waves] Dal'nee troposfernoe rasprostranenie ul'trakorotkikh
radiovoln. Moskva, Sovetskoe radio, 1965. 414 p.
(MIRA 18:9)

KAZAKOV, M.(Novosibirsk).

Screw hose clamp. Pozh.delo 3 no.2:22 F '57.
(Fire engines)

(MLRA 10:4)

KAZAKOV, M.; KARPOV, V.

Wetting agents in the charge of fire extinguishers. Pozh.delo 9
no.10:23-25 0 '63. (MIRA 16:12)

KAZAKOV, M. (Baku)

Device for fastening mobile chairs to the floor. Pozh.delo 7
no.4:32 Ap '61. (MIRA 14:4)

(Chairs)

GUNBIN, Yu.; DEMIDOV, P.; KAZAKOV, M.

Selecting wetting agents. Pozh.delo 8 no.11:16-17 N '62.
(MIRA 15:11)

(Surface-active agents)
(Fire extinction)

KAZAKOV, M.B., glavnyy vrach.; BARATS, S.S., kandidat meditsinskikh nauk

Activities of a clinical center for athletes; data on the
Sverdlovsk Municipal Center of Therapy and Physical Education.
Sov. med. 20 no.3:85-87 Mr. '56 (MLRA 9:6)

(PHYSICAL EDUCATION AND TRAINING,
med. centers in Russia (Rus))

KAZAKOV, M.B., ROSENBLAT, V.V.

Second conference in Sverdlovsk on problems in medical supervision
and exercise therapy. Sov.med. 22 no.5:141-143 My '58 (MIRA 11:7)
(PHYSICAL EDUCATION AND TRAINING)

KAZAKOV, M.B.; ROZENBLAT, V.V.

Zonal conference on medical examination and exercise therapy held
in Sverdlovsk. Sov. med. 24 no. 7:148-150 J1 '60. (MIRA 13:8)
(EXERCISE THERAPY)

KAZAKOV, M.B.

Pains in the heart area in athletes with chronic tonsillitis.
Sov.med. 24 no.11:114-117 N '60. (MIRA 14:3)

1. Iz Sverdlovskogo vrachebno-fizkul'turnogo dispansera (hauchnyy
rukovoditel' raboty - prof. B.P.Kushelevskiy).
(TONSILS--DISEASES) (HEART)

KAZAKOV, M.B. (Sverdlovsk)

Overstrain, overtraining, and overexertion in sports. Fel'd. 1 akush.
25 no.11:36-40 N '60. (MIRA 13:11)
(SPORTS--HYGIENIC ASPECTS)

YEFREMOVA, L.A., zasluzhennyy master sporta; ZAK, M.G.; RAKITINA, R.I., starshiy metodist; ZABAROVSKIY, K.K.; GOL'BERG, A.Ya.; KAZAKOV, M.B.; ZHAVORONKOV, I.Ye. (Kerch'); KLYUCHAREVA, I.R. (Moskva); BELAYA, N.A., kand.med.nauk; POFOV, B.F., artist

We continue the discussion of the power of physical culture.

Zdorov'e 8 no.8:26-28 Ag '62.

(MIRA 15:8)

1. Zamestitel' glavnogo vracha 2-go Moskovskogo vrachebno-fizkul'turnogo dispansera (for Yefremova).
2. Glavnyy vrach Oblastnogo vrachebno-fizkul'turnogo dispansera, Rostov-na-Donu (for Zak).
3. Respublikanskiy vrachebno-fizkul'turnyy dispanser, Kiyev (for Rakitina).
4. Glavnyy vrach Respublikanskogo vrachebno-fizkul'turnogo dispansera, Minsk (for Zabarovskiy).
5. Zaveduyushchiy kabinetom lechebnoy fizkul'tury Respublikanskogo vrachebno-fizkul'turnogo dispansera, Minsk (for Gol'berg).
6. Glavnyy vrach Gorodskogo vrachebno-fizkul'turnogo dispansera, Sverdlovsk (for Kazakov).
6. Gosudarstvennyy Akademicheskii Malyy t'at (for Popov).

(PHYSICAL EDUCATION AND TRAINING)