

5(2),5(3)

AUTHORS: Viktorova, Ye. A., Shuykin, N. I., Kirilenko, L. A., SOV/55-58-4-30/31
and Korosteleva, G. S.

TITLE: Contact-Catalytic Change of the Phenoles. IV. Alkylation of
n-Cresol by Isoamylenes (Kontaktno-kataliticheskiye prevrash-
cheniya fenolov. IV. Alkilirovaniye n-kresola isoamilenami)

PERIODICAL: Vestnik Moskovskogo universiteta, Seriya khimicheskaya, okhimiya, ~~ostran-~~
mi, okhimiya, okhimiya, 1958, ³Nr 4, pp 231-234 (USSR)

ABSTRACT: The authors investigate the alkylation of n-cresol by 1-methyl-
butene-2, 2-methylbutene-1, and 2-methylbutene-3 in presence of
zinc chloride. The alkylation took place in the autoclave at 150°
and 2-3 atmospheres pressure. In all cases the authors obtained
4-methyl-2-tertiary-amylphenol; the corresponding isoamyl esters
of the n-cresol did not appear.
There is 1 table, and 5 references, 2 of which are Soviet, and
3 American.

ASSOCIATION: Kafedra khimii nefti (Chair of Petroleum Chemistry)

SUBMITTED: October 2, 1957

Card 1/1

S/073/60/026/002/007/015
B023/B067

AUTHORS: Minenko, V. I., Petrov, S. M., and Kirilenko, L. F.

TITLE: Study of the System PbO - SiO₂ by the Method of Electromotive Forces

PERIODICAL: Ukrainskiy khimicheskiy zhurnal, 1960, Vol. 26, No. 2, pp. 195-197

TEXT: The authors studied the PbO - SiO₂ system by the emf method at 940°C in a concentration range where this system is homogeneous. Concentration chains Pt/PbO(c₁) + SiO₂/Al₂O₃/SiO₂ + PbO(c₂)/Pt were studied. A eutectic with the following composition served as standard melt: 29.6 wt% SiO₂ and 70.4 wt% PbO. The data obtained proved the dependence of emf on the composition. In the melts of the PbO - SiO₂ system corresponding to the formulas 4PbO·SiO₂, 2PbO·SiO₂, PbO·SiO₂, and 2PbO·3SiO₂, the authors observed sudden changes of emf. This indicates that four types of

Card 1/3

Study of the System $PbO - SiO_2$ by the Method of Electromotive Forces S/073/60/026/002/007/015
B023/B067


ionic complexes are present in these melts. On the basis of the values obtained for sudden changes of emf, the authors note that the compounds corresponding to the formulas $2PbO \cdot SiO_2$, $PbO \cdot SiO_2$, and $3PbO \cdot 3SiO_2$ are sufficiently stable, whereas the stability of the complex corresponding to the formula $4PbO \cdot SiO_2$ was low under the experimental conditions. A figure illustrates the dependence of emf on the PbO content in the system $PbO - SiO_2$. Legend to the figure: a) molar fraction of PbO; b) emf expressed in mv. There are 1 figure and 14 references: 11 Soviet and 3 US.

ASSOCIATION: Khar'kovskiy inzhenerno-ekonomicheskoy institut, laboratoriya fizicheskoy khimii (Khar'kov Institute of Management Engineers, Laboratory of Physical Chemistry)

SUBMITTED: December 15, 1958

Card 2/3

S/073/60/026/002/007/015
B023/B067



Зависимость з. д. с. от содержания
PbO в системе PbO — SiO₂.

Card 3/3

GUREYEV, I.F., inzhener; KIRILENKO, L.P.

Assembly-line brigade method of work organization in a machine
shop. Der.prom.4 no.6:22-23 Je'55 (MLRA 8:10)

1. Vitebskaya mebel'naya fabrika
(Assembly-line methods) (Vitebsk--Furniture industry)


REVA, A.D.; KIRILENKO, N.S. [Kyrylenko, N.S.]

Investigating glucose and oxygen consumption by nerve tissues of different regions of the lumbar enlargement of the spinal cord. Ukr.biokhim.zhur. 31 no.2:224-229 '59. (MIRA 12:6)

1. Department of Physiology and Biochemistry of Man and Animals of the State University of Dnepropetrovsk.
(SPINAL CORD) (GLUCOSE) (OKIDATION, PHYSIOLOGICAL)

ANTSYSHKINA, L.M.; KIRILENKO, N.S.; MAMONTOV, V.Ya.; MEL'NIKOV, G.B.;
RYABOV, F.P.

Keeping fish in hermetic aquariums with Chlorella and without
it. Probl. kosm. biol. 4:646-654 '65. (MIRA 18:9)



KIRILENKO, N. V.

USSR/Hydrology
Water, Underground
Soil Studies

Mar/Apr 49

"Nonfreezing Water in the Soil," P. V. Vershinin, Corr Mem, Acad Sci
USSR, B. V. Deryagin, N. V. Kirilenko, 7 pp

"Iz Ak Nauk SSSR, Ser Geog i Geofiz" No 2

Two basic factors prevent freezing of all water in the ground during freezing process: (1) difference between freezing point of polymolecular water layers on soil surface and normal freezing point, and (2) expansion of water during transformation to ice, which hinders freezing in narrow gaps. Five diagrams show results of tests. Submitted 30 Oct 48.

PA 43/49T 71

KIRILENKO, O.A.

Perforating gastric ulcer in an 11-year-old child. Khirurgia
no.7:83 J1 '55. (MLRA 8:12)

1. Iz Slavyanskoy gorodskoy bol'nitsy imeni I.V.Lenina.
(STOMACH--ULCERS)

KIRILENKO, O.A.

Intratesticular injection of scarlet fever allergen as a method for the determination of infection allergy in rabbits. Zhur.mikrobiol. epid. i immun. 27 no.4:78-82 Ap '56. (MLRA 9:7)

1. Is kafedry mikrobiologii Odesskogo meditsinskogo instituta imeni N.I.Pirogova.

(SCARLET FEVER, exper.

intratesticular inject. of scarlet fever allergen for determ. of infect. allergy in rabbits, eff. of previous sensibilisation)

17(12)

SOV/177-58-9-9/51

AUTHOR: Kirilenko, O.A.

TITLE: Sulfur Therapy of Gas Gangrenes, Caused by Bac. Perfringens

PERIODICAL: Voenno-meditsinskiy zhurnal, 1958, Nr 9, pp 31-34 (USSR)

ABSTRACT: S.M. Minervin, K.I. Chervyakova and M.I. Choporova proved that in experimental infection in guinea pigs caused by Bac. perfringens, toxin - hemolytic poison - can be found in the infection focus already 4-5 hours after infection. The larger the infecting dose of microbes, the earlier the toxin was revealed. In other parts of the infected organism, toxin could not be found by laboratory methods. Toxin of Bac. oedematiens remains in the wound to a small extent. It quickly gets into the blood stream and here it rapidly reaches high concentrations (S.M. Minervin and S.P. Zhak). L.A. Cherna's tests have shown that the quickest maximum concentration of antitoxin is created in intravenous injection of antitoxic antigangrenous serum.

Card 1/3

SOV/177-58-9-2/51

Sulfur Therapy of Gas Gangrenes, Caused by Bac. Perfringens

The author of this article studied the healing effect of intramuscular injection of antigangrenous serum around the focus of the gas gangrene and compared this method with other methods of serum introduction (intramuscular and intravenous). For this purpose, 4 test series on 48 guinea pigs were performed. It was proved that local application of antitoxic antigangrenous serum by means of infiltrating the muscles around the infection focus 3-4 hours after infection protects guinea pigs from death, and supports the favorable course of the gas gangrene. The same doses were inefficacious in intramuscular injection in the remote group of muscles. Another experiment confirmed that local application of antitoxic antigangrenous serum by means of infiltrating the muscles around the focus where the cultures were introduced is more effective than serum injected directly into the blood. The best healing effect in experimental gas gangrene

Card 2/3

Sulfur Therapy of Gas Gangrene, Caused by Bac. ^{SOV/177-58-9-9/51}
Perfringens

was obtained by intramuscular injection of antitoxic antigangrenous sera by means of infiltrating the soft tissues adjacent to the focus of the gangrenous infection.

Card 3/3

KIRILENKO, O.A.

Studies on the combined effect of Clostridium tetani and Staphylococcus toxins. Zhur.mikrobiol.epid. i imun. 30 no.1:68-72 Ja '58.
(MIRA 12:3)

1. Iz kafedry mikrobiologii Odesskogo meditsinskogo instituta.
(MICROCOCCUS PYOGENES,
Clostridium tetani toxin, combined eff. (Rus))
(CLOSTRIDIUM TETANI,
toxin, combined eff. with Micrococcus pyogenes
toxin (Rus))

KIRILENKO, O.A.

Observations on the simultaneous action of Clostridium tetani and
Proteus vulgaris toxins. Zhur. mikrobiol., epid. i imm. 41 no. 2:
128-132 F '64. (MIRA 17:9)

1. Odesskiy meditsinskiy institut imeni Pirogova.

KIRILENKO, O.A.

Observations on experimental mixed tetanic and staphylococcal infections. Zhur. mikrobiol., epid. i immun. 41 no.3:118-122 Mr '64.
(MIRA 17:11)

1. Odesskiy gosudarstvennyy meditsinskiy institut imeni Pirogova.

KIRILENKO, O. S., MINERVIN, S. M., POZANOV, A. Ya.

Absorption of tetanus toxin ^{125}I from the muscles and its
distribution in the body. Zhurnal mikrob. i epid. i immun.
42 no. 10:205-211 1965. (MIRA 18:111)

I. Obshchiy meditsinskiy institut imeni N. I. Pirogova.
Submitted March 3, 1964.

E 30988-66 EWT(1)/EWA(j)/EWA(b)-2 RO
ACC NR: AP5003602

SOURCE CODE: UR/0016/65/000/010/0105/0111

AUTHOR: Kirilenko, O. A.; Minervin, S. M.; Rozanov, A. Ya.

45
0

ORG: Odessa Medical Institute im. N. I. Pirogova (Odesskiy meditsinskiy institut)

TITLE: Absorption of tetanus toxin-¹³¹I from the muscles and its distribution throughout the organism

6.14.65

SOURCE: Zhurnal mikrobiologii, epidemiologii i immunobiologii, no. 10, 1965, 105-111

TOPIC TAGS: microbiology, systemic toxin, radioisotope, physiology

ABSTRACT: Previous work has shown the hematogenic route of toxin distribution in tetanus and demonstrated the low permeability of the meninges of the brain to the toxin. In the present work, a more quantitative determination was attempted using purified tetanus toxin labeled with radioactive ¹³¹I. The toxin was injected into the right hip muscle of 8 guinea pigs and 25 white mice (susceptible to tetanus) and 8 frogs (refractile) in doses of 0.1, 0.05, and 0.01, respectively. The distribution of the toxin in the body was determined 15, 30, 60, 120 minutes and 22 hours

UDC: 615.372 : 576.851.551-032 : 611.73+615.372 : 576.851-55'1-033

Card 1/2

2


KIRILENKO, P.; PROTOPOPOVA, O.

Seventieth anniversary of the Poltava Meteorological Station.
Meteor. i gidrol. no.2:60 F '56. (MLRA 9:6)
(Poltava--Meteorological observatories)

KIRILENKO, F.

KIRILENKO, P., inzhener.

Shaped facing tiles. Stroi. mat.) no.4:4) Ap '57. (MLRA 10:6)
(Kiev--Tiles)



24(2)

SOV/20-127-2-21/70

AUTHORS:

Tylkina, M. A., Kirilenko, R. Y., Savitskiy, Ye. M.

TITLE:

The Diagram of Recrystallization of Hafnium

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 127, Nr 2, pp 310-312
(USSR)

ABSTRACT:

It is the object of the present study to determine some of the properties of hafnium and to investigate recrystallization- and deformation-processes. From metallographic and X-ray analyses, as well as by determining hardness, the authors derived the recrystallization diagram shown in figure 1. Hafnium is a dimorphous metal, the hexagonal α -modification changing into the cubic body-centered β -modification at higher temperatures. Hafnium iodide bars of coarse structure were used as original material. The physical properties of these Hafnium iodide bars are given together with a description of the elimination of the coarse structure. The deformation was carried out in eight steps from ranging 5% to the maximally tolerable deformation of 60%. Vacuum-annealing was performed in seven stages between 750 and 1550° C . Recrystallization set in at 1000° C after 10%

Card 1/3

The Diagram of Recrystallization of Hafnium

SOV/20-127-2-21/70

deformation, at 850° C after 20% deformation, and at 750° C after 40% or more deformation. Annealings within the temperature range of the α -modification yield a fine-grained polyeder structure with grain sizes of between 25 and 40 μ after 30% to 45% deformation. Annealings above the temperature of the polymorphous transition gives a coarser grain (240 μ) and a marked structural change. The similarity of the deformation- and recrystallization properties between hafnium, titanium and zirconium is pointed out. Also, their α - and β -modifications are compared and their high plasticity stressed. By their hardness and cold workability they are arranged in the following order: titanium - zirconium - hafnium. It follows from the recrystallization diagrams of the

Card 2/3

The Diagram of Recrystallization of Hafnium

SOV/20-127-2-21/70

three metals that they also have similar grain sizes. Finally, the temperature stability of these metals and their alloys is emphasized. There are 3 figures and 11 references, 6 of which are Soviet.

ASSOCIATION: Institut metallurgii im. A. A. Baykova Akademii nauk SSSR
(Institute for Metallurgy imeni A. A. Baykov of the Academy of Sciences, USSR)

PRESENTED: March 26, 1959, by I. P. Bardin, Academician

SUBMITTED: March 25, 1959

Card 3/3

SAVITSKIY, Ye.M.; TYLKINA, M.A.; KIRILENKO, R.V.; KOPETSKIY, Ch.V.

Phase diagram of the system manganese - rhenium. Zhur.neorg.khim.
6 no.6:1474-1476 Je '61. (MIRA 14:11)

1. Institut metallurgii im. A.A.Baykova AN SSSR.
(Manganese-rhenium alloys)

BOCHKOVSKAYA, I.V., gornyy inzh., red.; BONDARENKO, Yu.A., gornyy inzh., red.; VELICHKO, A.P., gornyy inzh., red.; GONTARENKO, V.A., gornyy inzh., red.; OSTASHEVSKIY, G.Ye., gornyy inzh., red.; OKUNEV, A.L., gornyy inzh., red.; KIRILENKO, R.Ye., gornyy inzh., red.; LADOZHINSKIY, V.N., gornyy inzh., red.; LOBAS, A.S., gornyy inzh., red.; MAKAROVA, N.I., gornyy inzh., red.; POLYANSKIY, F.S., gornyy inzh., red.; SHTUNDER, I.I., gornyy inzh., red.; ARSENT'YEV, A.I., kand. tekhn. nauk, otv. red.; PROZOROVSKIY, Ye.G., tekhn. red.

[Handbook on engineering standardization for open-pit mining]
Spravochnik po tekhnicheskomu normirovaniyu otkrytykh gornykh
rabot. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po gornomu
delu, 1961. 264 p. (MIRA 14:10)

1. Krivoy Rog. Gornorudnyy institut.
(Strip mining—Standards)

KIRILENKO, T. S.

KIRILENKO, T. S. --"Parasitic Fungus of Oak and Physiological Investigations of Diseased Vegetation." * (Dissertations for Degrees in Science and Engineering Defended at USSR Higher Educational Institutions) Acad Sci Ukrainian SSR, Inst of Botany, Kiev, 1955

SO: Enizhnaya Letopis', No. 25, 18 Jun 55

* For Degree of Candidate in Biological Sciences

KIRILENKO, T.S. [Kyrylenko, T.S.]

Fungi of the genus *Aspergillus* in the rhizosphere of barley and
oats in the districts of Polesye of the Ukrainian S.S.R. Mikro-
biol. zhur. 27 no.4:22-27 '65. (MIRA 18:8)

1. Institut mikrobiologii i virusologii AN UkrSSR.

KIRILENKO, T.S.

Active acidity of the cell fluid in oak leave tissue infected with powdery mildew. Bot.shur. [Ukr.] 12 no.4:93-97 '55. (MLRA 9:3)

1. Institut entomologii i fitopatologii AN URSS.
(Oak--Diseases and pests)

KIRILENKO, T.S. [Kyrylenko, T.S.]

Quantitative and generic composition of fungi in the rhizosphere of
barley and oat in the Polesye districts of the Ukrainian S.S.R.
Mikrobiol.zhur. 26 no.4:54-60 '64. (MIRA 18:10)

KIRILENKO, T.S. [Kyrylenko, T.S.]

Fungi of the order Mucorales in the rhizosphere of barley
and oat of the Polesye districts of the Ukrainian S.S.R.
Mikrobiol. zhur. 27 no.5:16-23 '65. (MIRA 18:10)

1. Institut mikrobiologii i virusologii AN UkrSSR.

USSR/Plant Physiology - General

I.

Abs Jour : Ref Zhur - Biol., No 21, 1958, 95602

Author : Kirilenko, T.S.

Inst : -

Title : ~~Indicators of Resistance of Oak Leaves to Powdery Mildew.~~

Orig Pub : Ukr. botanichnyi zh., 1957, 14, No 3, 78-83

Abstract : In the Peofaniye AS Ukrainian SSR forestry in the environs of Kiev, leaves which do not possess infection were compared: leaves of average type of the adult oak (*Quercus robur*) relatively resistant to *Microphaera alphitoides* with susceptible leaves of year-old seedlings and shoots, as well as old resistant leaves of seedlings with young infected leaves. In leaves of different resistances, there were found increased activity of peroxidase, catalase, but reduced general oxidizability and intensity of respiration. Bibliography, 20 titles. -- B.Ye. Kravtsova

Card 1/1

- 4 -

BRATUS', V.N. [Bratus', V.M.]; KIRILENKO, T.S. [Kyrylenko, T.S.]

Rate of wood destruction by *Phellinus pini* at different heights of
the trunk, Ukr. bot. zhur. 17 no.4:46-53 '60. (MIRA 13:9)

1. Ukrainskaya akademiya sel'skokhozyaystvennykh nauk, Kiyev.
(Wood-decaying fungi)

YEREMENKO, T.S. Dyrzhecko, S.S.

Species of the genus *Paratyphlocyba* from the village of Dyrzhecko
out of the Iolesye district of the Ukrainian S.S.R. *Microbiol.*
zhurn. 27 no.2:22-29 '63. (MIR 1824)

1. Institut mikrobiologii i parazitologii AN SSSR.

ZIMENKO, V.; KIRILENKO, V.; KOGAN, S.M., red.; BAKHTIYAROV, A., tekhn.red.

[Margelan silk] Margelanskii sholk. Tashkent, Gos.izd-vo UzSSR,
1959. 53 p. (MIRA 13:4)
(Margelan--Silk manufacture)

KIRILENKO, V. A.; YURCHAK, F. F.

Diagnostic significance of the intracutaneous test using the
patient's own blood serum in infectious hepatitis. Vrach. delo
no.6:112-114 Je '62. (MIRA 15:7)

1. Kafedra infektsionnykh bolezney (zav. - dotsent F. F. Yurchak)
Vinnitskogo meditsinskogo instituta.

(SERUM DIAGNOSIS) (HEPATITIS, INFECTIOUS)

LATENKO, Ya.P., kand.med.nauk; KIRILENKO, V.A.; ZALEVSKIY, L.N.

Case of anthrax as a result of careless handling of vaccine. Vrach.
deTo no. 3;122-123 Mr '61. (MIRA 14:4)

1. Kafedra infektsionnykh bolezney (zav. - dotsent F.F. Yurchak)
Vinnitskogo meditsinskogo instituta i Vinnitskaya oblastnaya
sanitarno-epidemiologicheskaya stantsiya.
(ANTHRAX)

KIRILENKO, V.A.

Intradermal test with an autoserum of the patient's blood in Botkin's disease. Zhur,mikrobiol.,epid,i immun. 40 no.12:72-75 D '63.
(MIRA 17:12)

1. Iz Vinnitskogo meditsinskogo instituta imeni Pirogova.

KIRILENKO, V. G.

PA 243T51

USSR/Mining - Hydraulicking, Equipment 30 Sep 52

"Hydraulic Giant With Remote Control and Telescopic Shifting Device," Engrs A. V. Kot, V. G. Kirilenko, Giproorgpromzhilstroy of Min of Coal Industry

"Byul Stroit Tekh" No 18, pp 20,21

Briefly describes GBB-250 monitor, which may be moved up to 6 m toward working face during hydraulicking operation by workman at control desk located at safe distance. Remote control permits keeping monitor in position where operation gives maximum effectiveness which is especially high in undercutting operation.

243T51

KIRILENKO, V.G.

AGALINA, M.S., inzh.; AKUTIN, T.K., inzh.; APRESOV, A.M., inzh.; ARISTOV,
S.S., kand. tekhn. nauk.; BELOSTOTSKIY, O.B., inzh.; BERLIN, A.Ye., inzh.;
BESSKIY, K.A., inzh.; BLYUM, A.M., inzh.; BRAUN, I.V., inzh.; BRODSKIY,
I.A., inzh.; BURAKAS, A.I., inzh.; VAYNMAN, I.Z., inzh.; VARSHAVSKIY,
I.N., inzh.; VASIL'YEVA, A.A., inzh.; VORONIN, S.A., inzh.; VOYTSEKHOVSKIY,
L.K., inzh.; VRUBLEVSKIY, A.A., inzh.; GERSHMAN, S.G., inzh.;
GOLUBYATNIKOV, G.A., inzh.; GORLIN, M.Yu., inzh.; GRAMMATIKOV, A.M., inzh.;
DASHEVSKIY, A.P., inzh.; DIDKOVSKIY, I.L., inzh.; DOBROVOL'SKIY, N.L., inzh.;
DROZDOV, P.F., kand. tekhn. nauk.; KOZLOVSKIY, A.A., inzh.; KIRILENKO,
V.G., inzh.; KOPELYANSKIY, G.D., kand. tekhn. nauk.; KORETSKIY, M.M., inzh.;
KUKHARCHUK, I.N., inzh.; KUCHER, M.G., inzh.; MERZLYAK, M.V., inzh.;
MIRONOV, V.V., inzh.; NOVITSKIY, G.V., inzh.; PADUN, N.M., inzh.;
PANKRAT'YEV, N.B., inzh.; PAREKHOMENKO, V.I., kand. biol. nauk.; PINSKIY,
Ye.A., inzh.; POLUBNYIY, S.A., inzh.; PORAZHENKO, F.F., inzh.; PUZANOV,
I.G., inzh.; REDIN, I.P., inzh.; HEZNIK, I.S., kand. tekhn. nauk.;
ROGOVSKIY, L.V., inzh.; RUDERMAN, A.G., inzh.; RYBAL'SKIY, V.I., inzh.;
SADOVNIKOV, I.S., inzh.; SEVER'YANOV, N.N., kand. tekhn. nauk.; SEMESHKO,
A.T., inzh.; SIMKIN, A.Kh., inzh.; SURDUTOVICH, I.N., inzh.; TROFIMOV,
V.I., inzh.; FEFER, M.M., inzh.; FIALKOVSKIY, A.M., inzh.; FRISHMAN,
M.S., inzh.; CHERESHNEV, V.A., inzh.; SHESTOV, B.S., inzh.; SHIFMAN,
M.I., inzh.; SHUMYATSKIY, A.F., inzh.; SHCHERBAKOV, V.I., inzh.;
STANCHENKO, I.K., otv. red.: LISHIN, G.L., inzh., red.: KRAVTSOV, Ye.P.,
inzh., red.; GRIGOR'YEV, G.V., red.; KAMINSKIY, D.N., red.; KRASOVSKIY,
I.P., red.; LEYTMAN, L.Z., red. [deceased]; GUREVICH, M.S., inzh., red.;
DANILEVSKIY, A.S., inzh., red.; DEMIN, A.M., inzh., red.; KAGANOV,
S.I., inzh., red.; KAUFMAN, B.N., kand. tekhn. nauk. red.; LISTOPADOV,
N.P., inzh., red.; MENDELEVICH, I.R., inzh., red. [deceased];
(continued on next card)

AGALINA, M.S.... (continued) Card 2.

PENTKOVSKIY, N.I., inzh., red.; ROZENBERG, B.M., inzh., red.; SLAVIN, D.S., inzh., red.; FEDOROV, M.P., inzh., red.; TSYMBAL, A.V., inzh., red.; SMIRNOV, L.V., red. izd-va.; PROZOROVSKAYA, V.L., tekhn. red.

[Mining ; an encyclopedic handbook] Gornoe delo; entsiklopedicheski spravochnik. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po ugol'noi' promyshl. Vol. 3. [Organization of planning; Construction of surface buildings and structures] Organizatsiia proektirovaniia; Stroitel'stvo zdanii i soorusheniia na poverkhnosti shakht. 1958. 497 p. (MIRA 11:12)
(Mining engineering)
(Building)

KIRILENKO, V.S., kand. tekhn. nauk

Taking photographs of transversal profiles in terrestrial
stereophotogrammetric surveying. Trudy NIIZHT 26:121-124 '62.
(MIRA 16:8)

(Railroads—Surveying) (Photogrammetry)

SHVEDCHIKOV, A.I., inzh.; KIRILENKO, V.S., kand. tekhn. nauk

Functional relationship between the geometric elements of the
topographic map and the vertical projection of the relief.
Trudy NIIZHT 26:125-134 '62. (MIRA 16:8)

(Surveying)

KIRILENKO, V.S., kand.tekhn.nauk

Vertical projections of ~~some~~ mountain relief types. Trudy
NIIZHT no.30:63-72 '62.

Sphere of use and future development of land stereophotogram-
metric surveying in railroad surveys. 73-84

Use of land stereophotogrammetry to determine analytically
the volumes in railroad engineering. 97-99 (MIRA 16:9)

KIRILENKO, V.S., insh.

Using phototheodolites in surveying the Abakan - Taishet
railroad line. Transp.stroi. 9 no.10:35-37 0 '59.

(MIRA 1:2)

(Theodolites) (Siberia--Railroads--Surveying)

S/006/60/000/011/003/004
B012/B067

AUTHOR: Kirilenko, V. S.

TITLE: Use of a Phototheodolite Survey in Technical Prospecting

PERIODICAL: Geodeziya i kartografiya, 1960, No. 11, pp. 50-54

TEXT: In 1958-1959, experiments were made of using phototheodolite survey: in technical prospecting on the steep mountain slopes along the Abakan-Tayshet and Askiz-Abaza railroad lines. A contact copy is shown to illustrate the working conditions and the relief. A definite method of line tracing was developed and tested in the evaluation of surveying data during office work. The cross sections and longitudinal sections of the railroad embankment are set up by measuring the spatial model of the area. To determine and select the characteristic points in the terrain, the instrument mark must be adjusted to the given alignment in measuring the negatives on the stereocomparator. Only then can the point be determined with the high accuracy necessary for phototheodolite surveys. In prospecting railroad constructions, the photobase can mostly be applied such that an ordinary phototheodolite survey is possible in the entire section.

Card 1/2

Use of a Phototheodolite Survey in
Technical Prospecting

S/006/60/000/011/003/004
B012/B067

All data given here refer to surveys of this kind. Surveying according to the new method is described. It has the following essential advantages over profile surveying by means of optical range finders: 1) Alignment and characteristic points need not be specially marked in the terrain, 2) measuring accuracy is not reduced with increasing declivity, 3) no work is necessary in the danger zone during preparation and surveying, 4) high efficiency is warranted, 5) field work is reduced to a minimum, 6) office work is reliably controlled, 7) calculation can be automatized and mechanized (computers are connected with stereocomparators), 8) additional coordinates for any point can be obtained during office work, 9) all work can be done where the stereocomparator is mounted. The proyektyny institut "Kavgiprotrans" (Planning Institute "Kavgiprotrans") and the proyektyny institut "Sibgiprotrans" (Planning Institute "Sibgiprotrans") are mentioned. There are 1 figure and 1 table.

↓

Card 2/2

3,4000

S/035/61/000/005/035/042
A001/A101

AUTHOR: Kirilenko, V.S.

TITLE: On the problem of layout by means of special measurements of the stereo-model of the country

PERIODICAL: Referativnyy zhurnal. Astronomiya i Geodeziya, no. 5, 1961, 13, abstract 5094 ("Tr. Novosib. in-ta inzh. zh.-d. transp.", 1960, no. 21, 113 - 122)

TEXT: The author recommends to employ the phototheodolite survey for laying out road routes on slope and steep sections of the country; bases for photographing should be arranged approximately parallel to the future position of the layout and, if possible, at the same directional angle. Transverse and lengthwise profiles of the country are determined by measuring stereoscopic pairs. Formulae are given for calculating adjustment magnitudes, necessary to assure that the points being determined should lie in one range.

O. L.

[Abstracter's note: Complete translation]

Card 1/1

KIRILENKO, V. S., Cand Tech Sci -- "Problems ^{in the perfecting of} of improving
topographic ^{and} geodetic ^{operations in} ~~tasks~~ engineering prospectings on
not easily accessible, precipitous ^{slopes} ~~declivities~~." Novosibirsk,
1961. (Min of Higher and Sec Spec Ed RSFSR. Novosibirsk
^{Inst} Eng-~~Eng~~ Inst im V. V. Kuybyshev) (KL, 8-61, 244)

LYUTS, Aleksandr Fedorovich, prof.; SOROKIN, Vasilii Pavlovich, dots.;
PINKOVSKAYA, Tamara Semenovna, dots.; KOKOVIKHIN, Mikhail
Fedorovich, inzh.; KIRILENKO, Vasilii Sergeyevich, kand. tekhn.
nauk; BELIKOV, Ye.F., dots., retsenzent; KHVOSTIK, I.F., red.;
KOMAR'KOVA, L.M., red.izd-va; SUNGUROV, V.S., tekhn. red.

[Surveying in railroad engineering] Geodeziia v zheleznodorozh-
nom dele; spravocnoe posobie. [By] Liutts, A.F. i dr. Moskva,
Gedezizdat, 1962. 342 p. (MIRA 16:1)
(Railroads--Surveying)

KIRILENKO, V.T.; KLOCHKO, I.K.; LAPIDUS, M.A., rec.

[Fattening on a commercial basis] Otkorm na promyshlennoi
osnove. Moskva, Kolos, 1965. 26 p. (MIRA 18:7)

KIRILENKO, Yu.F.; VOL'F, L.A.; MEOS, A.I.; GIRDYUK, V.V.

Modification of polyvinyl alcohol and fibers based on it by
means of diene synthesis. Zhur. prikl. khim. 38 no.7:1638
Jl '65. (MIRA 18:7)

1. Leningradskiy institut tekstil'noy i legkoy promyshlennosti
imeni Kirova.

ALIMOV, I.D. [translator]; KIRILENKO, Yu.I., kand.tekhn.nauk, red.;
KRUGLIKOV, F.F., red.; ZOTOVA, N., tekhn.red.

[Flight trainers; collection of translations and surveys from
the foreign periodical publications] Aviatsionnye trenazhery;
sbornik perevodov i obzorov iz inostrannoi periodicheskoi lite-
ratury. Pod red. I.U.I.Kirilenko. Moskva, Izd-vo inostr.lit-ry,
1959. 337 p. Translation from English and German. (MIRA 13:3)
(Flight training)

KI.ILENKO, Yu.I., kand.tokhn.nauk, inzh.-podpolkovnik

Automatic control system on board a fighter plane; from the foreign
press. Vest.protiwovozdu.obor. no.1:42-46 Ja '61. (MIA 14:2)
(Fighter planes--Controls)

ACC NR: AM6015015

Monograph

JR/

Dobronravov, Oleg Yevgen'yevich (Candidate of Technical Sciences); Kirilenko, Yuriy Innokent'yevich (Candidate of Technical Sciences, Docent)

Principles of automatic control, automata and aircraft control systems (Osnovy avtomaticheskogo regulirovaniya, avtomaty i sistemy upravleniya letatel'nykh apparatov) Moscow. Izd-vo "Mashinostroyeniye". 1965. 450 p. illus., biblio. Errata slip inserted. 5500 copies printed. Textbook for aviation technical schools.

TOPIC TAGS: nonlinear automatic control, automatic control design, aircraft control equipment, flight control system, linear control system, remote control system, engine control system

PURPOSE AND COVERAGE: The theoretical principles of automatic control for linear and nonlinear systems are discussed and their functional and dynamic elements described. The fundamentals of the theory of gyroscopes, autopilots, and flight vehicle power plant control systems are reviewed. Brief data on guidance systems, radio remote control, and preset guidance is given. The book is intended for students in technical schools and may be useful to technical personnel in the aviation industry.

TABLE OF CONTENTS

Foreword -- 3

Card 1/3

UDC:629.13:62-553(075.2)

ACC NR: AM6015015

Part I. Elements of Automatic Control and Regulating Systems for Flight Vehicles

- Ch. 1. General characteristics and structure of automatic regulating systems -- 5
- Ch. 2. Objects of control and regulation -- 15
- Ch. 3. Sensing elements -- 22
- Ch. 4. Electric transducers -- 83
- Ch. 5. Adders -- 98
- Ch. 6. Amplifiers -- 105
- Ch. 7. Servo mechanisms -- 140

Part II. The Principles of the Theory of Automatic Regulating Systems

- Ch. 8. Dynamic elements of automatic regulating systems -- 147
- Ch. 9. Equations, transfer functions, and structural diagrams of linear automatic regulating systems -- 181
- Ch. 10. Stability of linear automatic regulating systems -- 200
- Ch. 11. Methods for investigating the character of regulating processes -- 213
- Ch. 12. Correcting devices -- 231
- Ch. 13. Nonlinear automatic regulating systems -- 239

Part III. Automatic Flight Control Devices and Power Plant Regulators

- Ch. 14. Automatic and automated flight control systems -- 248
- Ch. 15. Flight vehicle power plant control systems -- 329

Card 2/3

ACC NR: AM6015015

Part IV. Automatic Flight Control Systems for a Flight Vehicle Moving Along a Given Trajectory

- Ch. 16. Flight control along a trajectory -- 347
- Ch. 17. Means of measuring coordinates and relaying commands in remote control systems -- 369
- Ch. 18. Radio remote control systems -- 397
- Ch. 19. Homing systems -- 410
- Ch. 20. Preset guidance systems -- 420

Bibliography -- 447

SUB CODE: 13,01/ SUBM DATE: 09Oct65/ ORIG REF: 039/

Card 3/3

L 31990-66 EWT(1) SCTB DD/GD

ACC NR: AT6012899

SOURCE CODE: UR/0000/65/000/000/0215/0228

AUTHOR: Volkov, A.A.; Denisov, V.G.; Kirilenko, Yu. I.; Mankevich, V.I.; Mel'nik, S.G.;
Mikhaylovskiy, G.P.; Onishchenko, V.F.

ORG: none

57
8+1

TITLE: The structure of the command signal and the psychophysiological capabilities of an operator in control while subjected to G force ✓

SOURCE: Sistema chelovek i avtomat (Man-automaton systems). Moscow, Izd-vo Nauka, 1965, 215-228

TOPIC TAGS: man machine communication, automatic control theory, human engineering, biologic gravity effect, flight physiology, psychologic stress

ABSTRACT: Circuits containing a man-operator as one of their elements are extensively used in modern control systems. The case studied involves the control of the pitch of an aircraft in descent prior to landing. An experimental investigation is made of the psychophysiological characteristics of an operator during control under conditions of G force acting in the chest-back direction. It is found that with a G force below a certain limit, the operator is capable of controlling angular and trajectory movements if he receives a single control command. The structure of the control command should be identical with the principle of control of an automatic system; furthermore, a correction should be made in the

Card 1/2

L 31990-66

ACC NR: AT6012899

0

command system, i. e., the dynamic properties of the operator should be corrected. Optimal structure of the control command may be selected by methods employed for automatic control systems. The quality of the control is considerably affected by its dynamic characteristics, by the preparation and the training of the operator, by perturbation factors, and by the organization of the working place of the man-operator. According to data obtained with the polyeffector method of recording physiological functions, an increase in G force acting on the man-operator leads to the execution of control functions which are unchanged in capacity at a high neuropsychic stress and at a lowered performance. The polyeffector method makes it possible to determine the neuropsychic activity of the operator under G force more fully. An objective evaluation of the processes employing the man-operator in the control circuit may be obtained as a result of analysis of the parameters of the motion dynamics of the controlled plant, the actions of the operator, and the degree of the operator's psychophysiological stress. Orig. art. has: 12 figures and 18 formulas. [08]

SUB CODE: 05 / SUBM DATE: 02Aug65 / ATD PRESS: 5021

Card 2/2 LC

L 42034-66 EWT(m)/EWP(j)/T IJP(c) WW/RM

ACC NR: AP6011223 (A) SOURCE CODE: UR/0413/68/000/006/0060/0030

INVENTOR: Meos, A. I.; Vol' f, L. A.; Kirilenko, Yu. K.; Girdyuk, V. V. 28
B

ORG: none

TITLE: Method of chemical processing of polyvinyl alcohol.¹ Class 29, No. 179877¹⁵

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 6, 1966, 60

TOPIC TAGS: polyvinyl alcohol, monomer, acrylonitrile, chemical treatment

ABSTRACT: An Author Certificate has been issued for a method of chemical processing of polyvinyl alcohol. To impart new properties such as a light resistance, dehydrated polyvinyl alcohol and its byproducts are treated with dienophilic monomers such as an acrylonitrile.¹ [Translation] [NT]¹⁵

SUB CODE: 07/ SUBM DATE: 12Oct64/

Card 1/1 of

UDC: 677.494.744.72:677.864.512.15:547.339.211

~~L 41213-66~~ ~~EW(m)/EP(j)/T~~ ~~IJP(c)~~ ~~WW/RM~~
ACC NRI AP6015640 (A) SOURCE CODE: UR/0413/66/000/009/0059/0059

INVENTOR: Kirilenko, Yu. K. ; Vol' f, L. A. ; Meos, A. I.

30
B

ORG: none

TITLE: Method for chemical treatment of polyvinyl alcohol.¹¹ Class 29, No. 181236¹⁵

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 9, 1966, 59

TOPIC TAGS: polyvinyl alcohol, tertiary amine, halogenation, chemical treatment

ABSTRACT: An Author Certificate has been issued for a method of chemical treatment of polyvinyl alcohol and its byproducts. To add nonflammability¹⁵ anion-exchange capabilities, and antimicrobe properties¹⁵ dehydrated polyvinyl alcohol or its byproducts are subjected to halogenation, followed by treatment with a tertiary amine such as a triethylamine. [Translation] [NT]

SUB CODE: 07/ SUBM DATE: 12Apr65/

Card 1/1

JS

UDC: 678.744.72:66.093.6.094.403

L 2947-66 EPA(s)-2/EWT(m)/EWP(j) RM

ACCESSION NR: AP5025005

UR/0286/65/000/016/0064/0064

AUTHOR: Meos, A. I. ^{44.55} Vol'f, L. A. ^{44.55} Kirilenko, Yu. K. ^{44.55}

42
13
15

TITLE: Chemical treatment method for poly(vinyl alcohol) ^{7.44.55} Class 29, No. 173876 ¹⁵

SOURCE: 'Byulleten' izobreteniy i tovarnykh znakov, no. 16, 1965, 64

TOPIC TAGS: polyvinyl alcohol, organic semiconductor, semiconducting polymer, dehydration

ABSTRACT: An Author Certificate has been issued for a chemical treatment method for poly(vinyl alcohol) involving dehydration on heating in an inert medium. To impart water resistance, thermal stability, semiconducting and other special properties to poly(vinyl alcohol) end products, the dehydration is carried out in a heterogeneous medium with dehydrating agents such as acid salts of alkali metals or benzenesulfonic acid. [SM]

ASSOCIATION: none

SUBMITTED: 23Jun64

ENCL: 00

SUB CODE: OC,CC

NO REF SOV: 000


OTHER: 000

ATD PRESS 410

Card 1/1 BYK

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8



APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8"

I 21168-66 EWT(m)/EWP(j)/T/ETC(m)-6 W/RM

ACC NR: AP6009562

SOURCE CODE: UR/0413/66/000/005/0154/0154

INVENTOR: Meos, A. I.; Vol'f, L. A.; Kirilenko, Yu. K.

ORG: none

TITLE: Method for the chemical treatment of poly(vinyl alcohol). Class 29, No. 173876

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 5, 1966, 154

TOPIC TAGS: organic semiconductor, semiconducting polymer, polyvinyl alcohol, heat resistant polymer, water resistant polymer

ABSTRACT: An Author Certificate has been issued for a chemical treatment method for poly(vinyl alcohol) and end-products from it, involving dehydration on heating in an inert medium. To impart water- and heat-resistance, and semiconducting^{1b} and other special properties to the poly(vinyl alcohol) end-products, dehydration is carried out in a boiling solvent with acid salts of alkali metals or benzenesulfonic acid.

[SM]

SUB CODE: 11, 20/ SUBM DATE: 23Jun64/ ATD PRESS: 4222

ACC NR: AP7002970

(A)

SOURCE CODE: UR/0413/66/000/024/0050/0050

INVENTOR: Orlov, N. F.; Vol'f, L. A.; Androsova, M. V.; Kirilenko, Yu. K.

ORG: none

TITLE: Preparative method for poly(vinyl alcohol)-based fireproof fibers, films or fabrics. Class 29, No. 189515

SOURCE: Izobreteniya, promyshlennyye obratzsy, tovarnyye znaki, no. 24, 1966, 50

TOPIC TAGS: polyvinyl alcohol, fire resistant material, polymer

ABSTRACT: An Author Certificate has been issued for a method of preparing poly(vinyl alcohol)-based fireproof fibers, films or fabrics. The method involves treatment of dehydrated fibers, films or fabrics with dialkyl hydrogen phosphites.

SUB CODE: 11/ SUBM DATE: 12Jul65/ ATD PRESS: 5112

Card 1/1

UDC: 677.494.744.72:66.093.6

I 11980-66 EWI(m)/EWP(1)/T RM

ACC NR: AP6000686

SOURCE CODE: UR/0080/65/038/009/2091/2096

AUTHOR: ⁴⁴ Kirilenko, Yu. K.; ⁴⁴ Meos, A. I.; ⁴⁴ Vol'f, L. A. ¹²⁴ORG: Leningrad Institute for the Textile and Light Industry im. S. M. Kirov (Leningradskiy institut tekstil'noy i legkoy promyshlennosti) ^{94 SE}TITLE: Dehydration of polyvinyl alcohol fibers and modifications in the diene sections of the chain ^{15.44 56}

SOURCE: Zhurnal prikladnoy khimii, v. 38, no. 9. 1965, 2091-2096

TOPIC TAGS: polyvinyl alcohol, synthetic fiber, dehydration, block copolymer, diene synthesis, ion exchange resin

ABSTRACT: The possibility of dehydrating polyvinyl alcohol (PVA) fibers to increase their moisture resistance without destroying their physical-mechanical properties was investigated, and also the possibility of modifying the dehydrated PVA fibers by graft polymerization. Dehydration of oriented PVA was attempted by heating in nitrogen to 220°C, in dilute adipic, maleic or boric acid to 180°, and in air to 220°. Dehydration was not effected in the first two media. Heat treatment in air for 5 min reduced the OH-group content by 5-7 mol%, and after 40 min by 30-40 mol%. This increased the moisture resistance but greatly reduced fiber strength. Treatment of PVA fibers in inert media (n-hexane, toluene,

Card 1/2

UDC: 542.936+547.361.2+54--126

L 11980-66

ACC NR: AP6000686

xylene, CCl_4) under vacuum in nitrogen in the presence of a dehydrating agent (sodium or potassium bisulfate, benzene sulfonic acid, monosubstituted phosphates) at 75-200° up to several hours was more successful. Such treatment under mild conditions with potassium bisulfate imparted moisture resistance to the fibers with a minimum loss of physical-mechanical properties. Graft polymerisation onto the conjugated double bonds formed by dehydration of the PVA fibers was effected with acrylonitrile, acrylic acid, vinyl acetate and vinyl pyridine. The dehydrated PVA fibers undergo a typical diene synthesis reaction with maleic anhydride to form a product which upon hydrolysis is a cationic exchange material with static exchange capacity up to 6 mg equiv / gm. Orig. art. has: 2 tables and 4 equations.

SUB CODE: 07, 11/ SUBM DATE: 27Jan65/ ORIG REF: 010/ OTH REF: 002

OC
Card 2/2

KIRILEUK, V.

CZECHOSLOVAKIA/Human and Animal Physiology (Normal and Pathological) T-1
General Problems. Methods and Techniques of
Investigations.

Abs Jour : Ref Zhur - Biol., No 11, 1958, 50450

Author : Antal, J., Kirileuk, V.

Inst : -

Title : A Superior Method Registering Salivary Reflexes.

Orig Pub : Ceskosl. fyziol., 1957, 6, No 1, 99-103.

Abstract : No abstract.

Card 1/1

KIRILEUK, V.

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8"

CZECHOSLOVAKIA/Human and Animal Physiology - General Problems. V-1

Abs Jour : Ref Zhur - Biol., No 1, 1958, 3639

Author : Yu. Antal, V. Kiril'chuk

Inst : -

Title : A Valuable Method of Registration Saliva Secretion Reflexes.

Orig Pub : Physiol. bohemosl., 1957, 6, No 1, 120-125

Abstract : No abstract.

Card 1/1

KIRILCUK, V
RUSCAK, M.; KIRILCUK, V.

Kaliemia and blood pressure. Cesk. fysiolo. 8 no.5:430-431 S '59

1. Laboratorium neurofysiologie SAV a Fyziologicky ustav LFUK,
Bratislava.

(POTASSIUM blood)

(BLOOD PRESSURE physiol.)

KIRILEUK, V.

Effect of adrenalin and acetylcholine on salivation induced by accelerated respiration. Acta physiol. polon. 10 no.2:256-257 Mar-Apr 59.

1. Z Zakładu Fizjologii Wydziału Lekarskiego Uniwersytetu im. Komenskigo w Bratislawie. Kierownik: prof. dr J. Antal.

(EPINEPHRINE, effects,

on salivation induced by accelerated resp. (Pol))

(ACETYLCHOLINE, eff.

same)

(RESPIRATION,

accelerated resp. inducing salivation, eff. of acetylcholine & epinephrine (Pol))


(SALIVATION, Physiol.

same)

BEIASH, F.M.; KIRILUCHOV, A.M.


Certain problems in the designing of jet integrators and
methods for solving problems of nonsteady gas flow. In: Vys.
ucheb. zav.; neft' i gaz 6 no.7:83-89 '63. (MIRA 17:8)

1. Moskovskiy Institut neftokhimiye i mashinostroyeniya
imeni akademika G.M. Galkina.



"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8




APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8




APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8



APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000722620013-8"

L 07121-67 EWT(d)/EWP(1) IJP(c) BB/GG/JXT(CZ)

ACC NR: AT6017644 (A) SOURCE CODE: UR/2982/65/000/058/0092/0094

AUTHOR: Belash, P. M.; (Professor); Kirilichev, A. M.; Kochetkov, G. M. 42

ORG: none*

TITLE: Modernization of "Minsk-1" digital computer 41 B+1

SOURCE: Moscow. Institut neftekhimicheskoy i gazovoy promyshlennosti. Trudy,
no. 58, 1965. Elektronika i vychislitel'naya tekhnika v neftyanoy, gazovoy i
khimicheskoy promyshlennosti (Electronics and computer engineering in the
petroleum, gas, and chemical industry), 92-94

TOPIC TAGS: Computer programming,
digital computer/Minsk 1 digital computer

ABSTRACT: The problems handled by the MINKh and GP computing laboratory involved a very wide range of initial data and intermediate and final results (petroleum and gas fields calculations). The instruction stop provided in the "Minsk-1" computer for the convenience of programing work did not meet all the requirements of this particular application. Hence, the computer circuits were

Card 1/2

L 07121-67

ACC NR: AT6017644

modified to provide for additional automatic stops at the moment of recording the current computation result in the internal storage. These four advantages are listed: (1) Easier location of programmer's or puncher's mistakes; (2) Use of interpretive routine for transferring from the fixed-point to the floating-point arithmetic; (3) Easier control transfer to a different interpretive part of the program; (4) Checking the correctness of the problem solving course. "Senior Engineer V. G. Ronzhin and Laboratory Worker A. S. Fedorov took part in the work." Orig. art. has: 1 figure.

SUB CODE: 09 / SUBM DATE: none

Card 2/2 *29/6*

L 07117-67 EWT(d)/EWP(1) JP(c) BB/GG

ACC NR: AT6017645 (A) SOURCE CODE: UR/2982/65/000/058/0095/0097

AUTHOR: Belash, P. M. (Professor); Kirilichev, A. M.; Kochetkov, G. M.

ORG: none*

TITLE: Increasing the internal-storage capacity in the "Minsk-1" digital computer

SOURCE: *Moscow. Institut neftekhimicheskoy i gazovoy promyshlennosti. Trudy, no. 58, 1965. Elektronika i vychislitel'naya tekhnika v neftyanoy, gazovoy i khimicheskoy promyshlennosti (Electronics and computer engineering in the petroleum, gas, and chemical industry), 95-97

TOPIC TAGS: digital computer / Minsk 1 digital computer

ABSTRACT: Most of the problems in the petrochemical and gas industries handled by the MINKh and GP computing laboratory involved a very large volume of source data (hundreds to tens of thousands of numbers). The "Minsk-1" internal storage consisting of 1024 31-digit binary words proved inadequate. A second magnetic-

Card 1/2

75
44
BT1

16c

L 07117-67

ACC NR: AT6017645

storage unit was installed in the computer which doubled its capacity. Technical details of this work are reported in this short article. "Senior Engineer V. G. Ronzhin and Senior Laboratory Worker B. A. Turkin took part in the work."
Orig. art. has: 3 figures.

SUB CODE: 09 / SUBM DATE: none

Card 2/2 *es/r*

Kirelicheva, K.V.

3(5.7) **FRASE I BOOK EXPLANATION** 807/112

Soviet 197 Institut prognozov

Voprosy vol'nozhivaniya meteorologii (Problems in Agricultural Meteorology) Leningrad, Gidrometeoizdat, 1968. 121 p. (Series: Itis. Tudy. vop. 72). Krita slip inserted for vop. 53. 1977. 1,500 copies printed.

Sponsoring Agency: USSR, Glavnoye upravleniye gidrometeorologii i klimatologii.

Ed. (Title Page): M.S. DODIKH Ed. (Inside back): I.P. Zhdanov; Sub Ed.: A.A. Solov'yakh, and N.I. Bruylov.

NOTE: This issue of the Institute's Transactions is intended for agronomists and agronomists.

CONTENTS: This collection of articles discusses various aspects of agronomy, mainly the effect of climatological conditions on various crops. Individual papers discuss the agronomical conditions surrounding the growth of spring wheat, clover, corn, millet, and buckwheat. In A. Tsuberkhiller discusses 'Agroclimat', i.e., the modified climatological conditions which prevail over a cultivated area resulting from changes in the thermal balance and vertical distribution of temperature. Reference accompany each article.

Kon'kretizatsiya, A.S. Agrometeorological Evaluation and Forecast

of Crop Development Conditions for Spring Wheat Under Operative Farm Management 43

Yuzhanin, E.Z. The Agrometeorological Reasons Behind the Lowering of the Harvest of Spring Wheat in European USSR 50

Malozemov, S.I. Characterizing the Moscow District in Regard to the Harvest (Dry Year Conditions) 55

Zambakhin, Ya. A. Developing an 'Agroclimat' over a Potato Field 61

Lysenko, S.V. The Use of Information on the Height of the Harvest in Evaluating the Agrometeorological Conditions During the Growth of the Green Mass of Corn in Kazakhstan 68

Malozemov, S.I. Agrometeorological Conditions of Spring Wintering in the Chukotka Region 73

Kirelicheva, K.V. Results of the Investigation of the State of the Harvest of Spring Wheat in the Spring of 1956 84

BELASH, F.M.; KIRILICHEV, A.M.

Solution of nonsteady petroleum and gas flow problems in networks of ohmic resistances only. Izv. vys. ucheb. zav.; neft' i gaz. 6 no.5:87-90 '63 (MIRA 17:7)

1. Moskovskiy Institut neftekhimicheskoy i gazovoy promyshlennosti imeni akademika I.N.Gubkina.

KIRILICHEVA, K.V.

Optimal soil moisture and the yield of spring wheat in Western
Siberia and the northern half of Kazakhstan. Meteor. i gidrol.
no.11:43-47 N '63. (MIRA 16:11)

1. Tsentral'nyy institut prognozov.

KIRILICHEVA, KLAVDIYA VASIL'YEVNA

VENTSKIVICH, Georgiy Zenonovich; ~~KIRILICHEVA, Klavdiya Vasil'yevna~~;
RUDNEV, Vasilii Mikhailovich; PROTOPOV, V.S., redaktor;
SOLOVNYCHIK, A.A., tekhnicheskii redaktor

[Using a knowledge of climate and weather in fruit growing]
Ispol'sovanie znani o klimate i pogode v plodovodstve. Pod
red. G.Z.Ventskevicha. Leningrad, Gidrometeor, izd-vo, 1957.
73 p. (MLRA 10:7)

(Meteorology, Agricultural) (Fruit culture)

KIRILICHEVA, K.V.

Results of evaluating the condition of fruit trees in the spring
of 1956. Trudy TSIP no.72:84-121 '58. (MIRA 12:1)
(Fruit trees--Frost damage)

S/018/61/000/006/001/001
D053/D113

AUTHOR: Kirilin, I., Lt Colonel

TITLE: Radiation monitoring

PERIODICAL: Voyenny vestnik, no. 6, 1961, 49-51

TEXT: The author discusses radiation monitoring - irradiation and contamination monitoring - in the Soviet armed forces stating that it should be conducted continuously regardless of the individual combat mission and position of units in the battle order. Units in rear areas can be subjected to much greater radiation hazards than units near the enemy. For example, in the author's opinion, it is advisable to organize simultaneously an individual and a group radiation monitoring in a rifle company (artillery battery). The personnel monitoring can be on individual or group lines; the former being carried out with the use of compact ionization chambers from the kit consisting of ДП -23 (DP-23) individual dosimeters and ДП -70 (DP-70) chemical dosimeters; the latter being conducted with the use of ДП -2 (DP-2) or ДП -3 (DP-3) roentgenmeters or ДП -63 (DP-63) radioactivity indicators. The rate of radioactive contamination of personnel, armament, and military equipment should be monitored with the use of ДП -12 (DP-12) or ДП -11Б

Card 1/2

Radiation monitoring

S/018/61/000/006/001/001
D053/D113

(DP-11B) radiometers. In individual monitoring, a chemical dosimeter should be issued to every soldier. The platoon commander should periodically check the dosimeters of soldiers exposed to irradiation. Moreover, the sergeant major should issue two ДС -50 (DS-50) individual dosimeters from the DP-23 kit to each squad. Company officers should be issued with direct-reading ДКП -50 (DKP-50) dosimeters from the DP-23 kit. In group monitoring, the DP-63 radioactivity indicator, which is assigned to the company, can be used. The radiation monitoring at battalion level is regulated by the battalion commander. ✓

Card 2/2

KIRILIN, I.V., inst.

Reconstruction of boiler rooms in the Kuybyshev District. Ser. Mon.
Mosh. 35 no. 2:32 3 1961. (MI A 14:2)

(Mercury-hot-water heating)
(Automatic control)

KIRILIN, I.V.

Defects in designing and building apartment houses. **Gor. khoz.**
Mosk. 37 no.7:11-13 J1 '63. (MIRA 16:11)

KIRILIN, N. M.

"Investigation of the Distribution of Turning Moments in Longitudinal Rolling." Cand Tech Sci, Central Sci Res Inst of Technology and Machine Construction, Min Heavy Machine Construction USSR, Moscow, 1954. (XL, No 7, Feb 55)

SO: Sum. No. 631, 26 Aug 55-Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (14)

KIRILIN, N. M.

37

PHASE I BOOK EXPLOITATION

SOV/5985

Rokotyan, Ye. S., Doctor of Technical Sciences, ed.

Prokatnoye proizvodstvo; spravochnik (Rolling Industry; Handbook) v. 1. Moscow, Metallurgizdat, 1962. 743 p. Errata slip inserted. 9250 copies printed.

Authors of this volume: B. S. Azarenko, Candidate of Technical Sciences; V. D. Afanas'yev, Candidate of Technical Sciences; M. Ia. Brovnan, Engineer; M. P. Vavilov, Engineer; A. B. Vernik, Engineer; K. A. Golubkov, Engineer; S. I. Gubkin, Academician, Academy of Sciences BSSR; A. Ye. Gurevich, Engineer; V. I. Davydov, Candidate of Technical Sciences; V. G. Drozd, Engineer; N. P. Yermolayev, Engineer; Ye. A. Zhukovich-Stopha, Engineer; N. M. Kirilin, Candidate of Technical Sciences; M. V. Kovynov, Engineer; A. M. Kogon, Engineer; A. A. Korolev, Professor; M. Ye. Kuzayenko, Engineer; A. V. Laskin, Engineer; B. A. Levitanskiy, Engineer; V. M. Lugovskoy, Engineer; I. M. Moyerovich, Candidate of Technical Sciences; M. S. Orcharov, Engineer; V. I. Pasternak, Engineer; I. L. Perlin, Doctor of Technical Sciences; I. S. Pobedin, Candidate of Technical Sciences; Ye. S. Rokotyan, Doctor of Technical Sciences; M. M. Saf'yan, Candidate of Technical Sciences; V. V. Sairnov, Candidate of Technical Sciences; V. S. Sairnov, Corresponding Member, Academy of Sciences USSR; O. P. Sokolovskiy,

Card 1/3

31

Rolling Industry; Handbook

SOV/5985

Engineer; O. P. Solov'yov, Engineer; M. A. Sidorkevich, Engineer; Ye. M. Trat'yakov, Engineer; I. S. Trishovskiy, Candidate of Technical Sciences; G. N. Khonkin, Engineer; and A. I. Tsolikov, Corresponding Member, Academy of Sciences USSR. Introduction: A. I. Tsolikov, Corresponding Member, Academy of Sciences USSR; Ye. S. Ptokotyan, Doctor of Technical Sciences; and L. S. Al'shevskiy, Candidate of Technical Sciences.

Eds. of Publishing House: V. M. Gorobinchenko, R. M. Golubchik, and V. A. Rymov; Tech. Ed.: L. V. Dobushinskaya.

PURPOSE: This handbook is intended for technical personnel of metallurgical and machine-building plants, scientific research institutes, and planning and design organizations. It may also be useful to students at schools of higher education.

COVERAGE: The fundamentals of plastic deformation of metals are discussed along with the theory of rolling and drawing. Methods of determining the power consumption and the forces in rolling with plane surface or grooved rolls are .

Card 2/2

Rolling Industry; Handbook

SOV/5985

- | | |
|--|-----|
| 2. Highest permissible partial (per pass) deformations | 160 |
| 3. Formulas for determining the stresses in drawing | 161 |
| 4. Calculation of drawing sequence | 162 |
| 5. Power at the engine shaft of a drawing machine | 163 |

PART II. EQUIPMENT OF ROLLING MILLS

- | | |
|---|-----|
| Ch. 9. Purpose and Classification of Rolling Mills (A. A. Korolev) | |
| 1. Definition and purpose of a rolling mill | 165 |
| 2. Location and significance of the rolling shop at the metallurgical plant | 165 |
| 3. Types of rolled products and roll design | 167 |
| 4. Classification of mill stands | 168 |
| 5. Classification of rolling mills according to the position of stands | 170 |
| 6. Classification of rolling mills according to their purpose | 171 |
| Ch. 10. Parts and Mechanisms of a Rolling-Mill Stand (N. M. Kirilin, V. V. Smirnov) | |

Card 9/19

AZARENKO, B.S., kand. tekhn. nauk; AFANAS'YEV, V.D., kand. tekhn. nauk;
 BROVMAN, M.Ya., inzh.; VAVILOV, M.P., inzh.; VEIŠIK, A.B., inzh.;
 GOLUBKOV, K.A.; GUBKIN, S.I., akademik [deceased]; GUREVICH, A.Ye.,
 inzh.; DAVYDOV, V.I., kand. tekhn. nauk; DROZD, V.G., inzh.;
 YERMOLAYEV, N.F., inzh.; ZHUKEVICH-STOSHA, Ye.A., inzh.; ~~KIRILIN,
 N.M., kand. tekhn. nauk; KOVYNEV, M.V., inzh.; KOGOS, A.M., inzh.;~~
 KOROLEV, A.A., prof.; KUGAYENKO, M.Ye., inzh.; LASKIN, A.V., inzh.;
 LEVITANSKIY, B.A., inzh.; LUGOVSKIY, V.M., inzh.; MEYEROVICH, I.M.,
 kand. tekhn. nauk; OVCHAROV, M.S., inzh.; PASTERNAK, V.I., inzh.;
 PERLIN, I.L., doktor tekhn. nauk; POKEDIN, I.S., kand. tekhn. nauk;
 ROKOTYAN, Ye.S., doktor tekhn. nauk; SAF'YAN, M.M., kand. tekhn.
 nauk; SMIRNOV, V.V., kand. tekhn. nauk; SMIRNOV, V.S.; SOKOLOVSKIY,
 O.P., inzh.; SOLOV'YEV, O.P., inzh.; SIDORKEVICH, M.A., inzh.;
 TRET'YAKOV, Ye.M., inzh.; TRISHEVSKIY, I.S., kand. tekhn. nauk;
 KHENKIN, G.N., inzh.; TSELIKOV, A.I.; GOROBINCENKO, V.M., red.
 izd-va; GOLUBCHIK, R.M., red. izd-va; RYMOV, V.A., red. izd-va;
 DOBUZHINSKAYA, L.V., tekhn. red.

[Rolling; a handbook] Prokatnoe proizvodstvo; spravochnik. Pod
 red. E.S.Rokotiana. Moskva, Metallurgizdat. Vol.1. 1962. 743 p.

(MIRA 15:4)
 1. Akademiya nauk BSSR (for Gubkin). 2. Chlen-korrespondent Akademii
 nauk SSSR (for Smirnov, Tselikov).

(Rolling (Metalwor))—Handbooks, manuals, etc.)


FRIDMAN, Ye.I.; Primalni uchastiye: BELYAYEV, M.M.; GONCHAROVA, T.A.;
GUBANOVA, N.F.; KUZNETSOVA, T.I.; KIRILINA, R.A.

Using some electric insulating enamels for coating radio equip-
ment. Lakokras. mat. i ikh prim. no.6:42-45 '61. (MIRA 15:3)
(Radio—Equipment and supplies) (Enamel and enameling)

KIRILINA, S.V.

Mollusks of the lower terraces of rivers of the cis-Ural portion of Bashkiria. Vop. geol. vost. okr. Rus. platf. i Uzh. Urala no.5:145-185 '60. (MIRA 14:5)

(Bashkiria—Mollusks, Fossil)



KIRILINA, V.

"Study of Elastic Relaxation by a Resonance Method," Rubber Chem. Tech., 40, No.14, 1946.

Industrial Inst., Leningrad

ERAVYY, Z.A.; KIRILINA, V.Z., st. nauchn. sotr., red.; NOSKOV,
R.F., red.; BRATISHKO, L.V., tekhn. red.

[Rapid method for determining the breaking length of cot-
ton yarn] ~~Ekspressnyi~~ ~~metod~~ ~~opredeleniia~~ ~~razryvnoi~~ ~~dliny~~
khlopchato-bumazhnoi priashi. Moskva, 1962. 63 p.
(MIRA 17:3)

1. Moscow. Tsentral'nyy institut nauchno-tekhnicheskoy in-
formatsii legkoy promyshlennosti.