L 18310-63

ACCESSION NR: AP3004977

Hydrogen exchange current and the standard hydrogen exchange current on niobium, as well as the activation energy of hydrogen discharge at the equilibrium potential have been calculated. "We are very grateful to O. M. Danilovich who provided the X-ray analysis." Orig. art. has: 7 figures, 2 tables, 2 equations.

ASSOCIATION: Leningradskiy tekhnologicheskiy institut im. Lensoveta (Leningrad technological institute)

SUBMITTED: 22Aug61 DATE ACQ: 06Sep63 ENCL: 00

SUB CODE: CH NO REF SOV: 009 OTHER: 001

Card 2/2

KOZHEVNIKOVA, N.M.; ROTINYAN, A.L.

Additional data on overvoltage during hydrogen evolution on niobium and tantalum. Elektrokhimiia 1 no.6:664-668 Je '65. (MIRA 18:7)

1. Leningradskiy tekhnologicheskiy institut imeni Lensoveta.

KOZHEVNIKOVA, N.M.; ROTINYAN, A.L.

Overvoltage of hydrogen evolution on tantalum. Zhur. prikl. khim. 36 no.9:1950-1955 D '63. (MIRA 17:1)

1. Leningradskiy tekhnologicheskiy institut imeni Lensoveta.

L 59536-65 EWT(m)/EPF(c)/EWP(w)/EPF(n)-2/EWA(d)/T/EWP(t)/EWP(b) Pz-4/Pu-4
IJP(c) JD/JG

ACCESSION NR: AP5016823 UR/0364/65/001/006/0664/0668
541.138.3:546.11

AUTHOR: Kozhevnikova, N. M.; Rotinyan, A. L.

TITLE: Additional data concerning overvoltage during evolution of hydrogen on niobium and tantalum

SOURCE: Elektrokhimiya, v. 1, no. 6, 1965, 664-668

TOPIC TAGS: overvoltage, hydrogen evolution, niobium, tantalum

ABSTRACT: Hydrogen overvoltage, microhardness, and capacitance of the double layer on niobium and tantalum were studied with respect to duration of cathode polarization using a PMT-3 oscillograph. Overvoltage on the niobium cathode was measured at 25°C in 1N H_2SO_4 solution as a function of polarization duration. The current densities (i) were (a/m^2): 50, 100, 250, 500, and 1000. For all these current densities the dependence exhibited a steplike character. A drop in overvoltage occured after about 5-6 hours of polarization at i = 50 a/m^2 and after 0.5 hour at 1000 a/m^2. During 96 hour polarization at i = 100 a/m^2 in 1N H_2SO_4 solution at 25°C the microhardness of niobium increased from 200 to 300 kg/mm^2 and that of tantalum from 290 to 380 kg/mm^2. In all cases microhardness levelled off after a raise in the

Card 1/2

L 59536-65
ACCESSION NR: AP5016823

initial period. This was reflected in constancy of overvoltage and lattice parameter (from about 10-15 to 50 hours of polarization). The double layer capacitances of niobium (50-60 μf) and tantalum (10-15 μf) increased sharply and then levelled off after 30-40 hours of polarization at about 80 μf and 24 μf respectively. Orig. art. has: 2 tables, 3 figures.

ASSOCIATION: Leningradskiy tekhnologicheskiy institut im. Lensoveta (Leningrad Institute of Technology)

SUBMITTED: 02Aug64 ENCL: 00 SUB CODE: GC

NO REF SOV: 009 OTHER: 000

Card 2/2

NILOVA, V.P.; YEGOROVA, G.N.; RASHEVSKAYA, V.F.; KOZHEVNIKOVA, N.N.

Ability of phytopathogenic fungi to fixate atmospheric nitrogen.
Trudy VIZR no.20 pt.1:46-50 '64. (MIRA 18:10)

KOZHEVNIKOVA, N.N.

Parasitic activity of Phytophthora strains and its role in potato breeding. Trudy VIZR no.14:93-108 '60. (MIRA 14:2)
(Potatoes—Disease and pest resistance)
(Fungi, Phytopathogenic)

KOZHEVNIKOVA, N. N.

Cand Agr Sci - (diss) "Biological specialization of Phytophthora infestans D. B. and its significance in the selection of phyto-fluoro-resistant varieties of potato." Leningrad-Pushkin, 1961. 21 pp; (Ministry of Agriculture, Leningrad Agr Inst); 180 copies; price not given; (KL, 7-61 sup, 251)

VESELOVSKIY, Ioil' Aleksandrovich, prof., doktor sel'khoz. nauk;
VESELOVSKAYA, Mariya Aleksandrovna, kand. sel'khoz. nauk;
KOZHEVNIKOVA, Nataliya Nikolayevna, kand. sel'khoz. nauk;
PEN'KOVA, G.A., red.; BARANOVA, L.G., tekhn. red.

[Laboratory and field manual on the breeding and seed production of vegetable crops] Praktikum po selektsii i semenovodstvu ovoshchnykh kul'tur; dopushcheno upravleniem vysshego i srednego sel'skokhoziaistvennogo obrazovaniia Ministerstva sel'skogo khoziaistva SSSR v kachestve uchebnogo posobiia dlia plodoovoshchnykh institutov i fakul'tetov. Leningrad, Sel'khozizdat, 1963. 141 p. (MIRA 16:7)
(Vegetable breeding--Study and teaching)

KOZHEVNIKOVA, N. P.

"Cancer of the Cecum and Ascending Colon." Cand Med Sci, Sverdlovsk State Medical Inst, Sverdlovsk, 1953. (RZhBiol, No 2, Sep 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (10)

SO: Sum. No 481, 5 May 55

KOZHEVNIKOVA, N.P., kand. med. nauk (Sverdlovsk, ul. Malysheva, d.68, kv. 26)

Mistaken diagnosis of appendicitis in cancer of the cecum. Vest. khir. 82 no.6:138-141 Je '59. (MIRA 12:8)

1. Iz obshchey khirurgicheskoy kliniki (zav. - prof. F. R. Bogdanov) Sverdlovskogo med. instituta.
(CECUM--CANCER) (APPENDICITIS)

KOZHEVNIKOVA, N.V.

W E

Materials & Laboratory Practices

537.226 : 546.311.88 3111

Ferroelectric Properties of Tantalates and Niobates of Alkali Metals. N. V. Kozhevnikova & A. I. Medvedev (*Zh. fiz. Khim.*, Nov. 1951, Vol. 25, No. 11, pp. 1383–1387.) The temperature dependence of the dielectric constant and coefficient of linear expansion was investigated for certain tantalates and niobates of alkali metals, and their lattice parameters were determined. Over the temperature range 20° C–500° C these materials did not show any ferroelectric properties. These results are contrary to those obtained by Matthias (*Phys. Rev.*, 1949, Vol. 75, p. 1771) and by Matthias & Remeika (3023 of 1954).



KOZHEVNIKOVA, N.V.

3A A 53
m

537.226.1

5385. The problem of the occurrence of ferro-electricity. G. A. Smolenskii and N. V. Kozhevnikova. Dokl. Akad. Nauk, SSSR, 76 (No. 4) 519-22 (1951) In Russian.

Types of structure, lattice parameters at about 20-25° C and Curie temperatures are tabulated for 26 ferroelectrics, including $RbTaO_3$ and MoO_3 investigated by the authors. Ferroelectricity occurs in crystals whose oxygenous octahedra, located in a specific fashion, are fully or partial / filled by cations derived from atoms with last orbit but one not filled and having the electronic construction of a noble gas, large charge and small x ionic radius. Relative positioning of oxygenous octahedra is of utmost importance. It is anticipated that ferroelectricity will be found not only among compounds in which oxygen serves as anion but also among compounds with other anions. J. Lukaszewicz.

KOZHEVNIKOVA, N. V.

178T108

USSR/Physics - Piezoelectricity 1 Feb 51

"On Question of Origin of Piezoelectricity," G. A. Smolenskiy, N. V. Kozhevnikova

"Dok Ak Nauk SSSR" Vol LXXVI, No 4, pp 519-522

In 1948 detailed study of elec properties of titanates, stannates and zirconates of bivalent metals resulted in detection of piezoelectricity in $PbTiO_3$, $CdTiO_3$, $SrTiO_3$ and $PbZrO_3$. Study of piezoelectrics should be continued not only of oxides, but also of other comp with anions. Tables of known piezoelectrics. Submitted 6 Dec 50 by Acad A. F. Ioffe.

178T108

KOZHEVNIKOVA, N. E.

"3-Methoxy-5-tert. butyl toluene." by B. M. Bubnov and N. E. Kozhevnikova (p.662)

SO: Journal of General Chemistry (Zhurnal Obshchei Khimii) 1951, Volume 21, No. 4



β-Aminocapric acid and its transformations. V. M. Rodionov, V. K. Zvorykina, and N. E. Kuzhenskaya. *Zhur. Obshchei Khim.* 23, 1794-9(1953).—To 12 g. octanal was added with ice-cooling 22 ml. 8.1% alcoholic NH_3, the mixt. kept 0.5 hr. with cooling, treated with 9.76 g. powd. $CH_2(CO_2H)_2$, and the mixt. heated 1.5 hrs. at 70° and 7 hrs. at 90° with distn. of volatile matter; the residue was treated repeatedly with hot Et_2O and the aq. soln. after concn. gave 18.7% $C_7H_{15}CH(NH_2)CH_2CO_2H$ (I), m. 205–6° (from H_2O), insol. in Et_2O or C_6H_6. The residual insol. oil gave an unsatn. test and appeared to be a mixt. of decylenic acid with heptylbutyrolactone. I heated 3 hrs. to 40° with $SOCl_2$ and the resulting chloride treated with NH_3 in Et_2O gave the *amide*, m. 94–5° (from H_2O). I heated with KCNO in H_2O 4 hrs. at 100° gave 65% $C_7H_{15}CH(NHCONH_2)CH_2CO_2H$ (II), m. 129–30° (from H_2O). II refluxed 1 hr. with 1:1 HCl gave 72.3% *6-heptyl-2,6-dioxohexahydropyrimidine*, m. 181–3° (III) (from dil. EtOH). I treated at 0° in 10% NaOH with EtO_2CCl and kept 1 hr. at room temp. gave 52.1% $C_7H_{15}CH(NHCO_2Et)CH_2CO_2H$ (IV), m. 69–70°, which heated with $SOCl_2$ at 40°, then treated in Et_2O with NH_3 gave 43% *amide*, m. 152–2.5° (from aq. MeOH). IV amide refluxed 1.5 hrs. with 5% NaOH gave after cooling and acidification 60% II; similar treatment of IV gave III. I in 10% KOH treated with BzCl at 0° gave 75.4% *N-benzoyl deriv.* of I, m. 133–4° (from dil. EtOH); this treated with $SOCl_2$, followed by NH_3 as above, gave 93.5% *amide* (V), m. 153–4° (from EtOH). The *N-benzoyl deriv.* of I heated with $SOCl_2$ 60–5°, freed of excess $SOCl_2$ by distn., the residue treated in Et_2O with NH_3, kept 12 hrs., concd., and cooled, gave at first a small amt. of amide, m. 183–4°, identical with that described above, after which the concn. of the soln. gave an oil, which rubbed with petr. ether, gave 3-benzyl-6-[illegible]-tetrahydropyrimidine, m. 87–9° (from H_2O). [illegible] added over 5 hrs. to a soln. of 9.5 ml. Br, 9.5 g. KOH, and 45 ml. H_2O at −10°, stirred 1 hr., heated to 55° until reaction subsided, then to 65°, and cooled, gave an oil, which was sepd., the aq. soln. extd. with Et_2O and the ext. mixed with the oil, yielding 0.65 g. ppt. (VI). The Et_2O soln. was extd. with 1:2 HCl, and the acid ext., after washing with Et_2O, was treated with KOH with cooling when it yielded 0.22 g. *4-heptyl-2-imidazolidinone* (VIII), m. 114–12° (from Et_2O-petr. ether). The residual Et_2O soln. was washed with dil. KOH and evapd., yielding 2.22 g. *1-benzoyl-5-heptyl-2-imidazolidinone* (VIII), m. 106–6° (from petr. ether). Acidification of the alkaline aq. soln. with HCl gave 0.31 g. BzOH. VI was boiled with aq. NaOH and the soln. on acidification gave the *N-benzoyl deriv.* of I and a substance, m. 210°, which appeared to be $BzNHCH(C_6H_{13})CH_2NHCH_2O$. Refluxing VII 5 hrs. with 5% KOH at 100° gave BzOH and VIII.

G. M. Kosolapoff



APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825810011-5"

KOZHEVNIKOVA, N.Ye.; SAPOZHKOVA, N.D.

Diisonitrosoacetone. Metod.poluch.khim.reak.i prepar. no.4/5: 42-44 '62. (MIRA 17:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh reaktivov i osobo chistykh khimicheskikh veshchestv.

KOZHEVNIKOVA, N.Ye.; IVANOV, O.V.

Triphenylarsine. Metod.poluch.khim.reak.i prepar. no.4/5:40-42 '62. (MIRA 17:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh reaktivov i osobo chistykh khimicheskikh veshchestv.

L 7881-66 EWT(m)/ETC/EWG(m)/EWP(j)/EWA(h)/EWA(1) DS/RM

ACC NR: AP5025015 SOURCE CODE: UR/0286/65/000/016/0079/0079

AUTHORS: Kozhevnikova, N. Ye.; Mochalova, O. A.; Pashkov, A. B.; Sapozhnikov, V. B.; Slabkaya, L. D.

ORG: none

TITLE: A method for obtaining anion exchangers. Class 39, No. 173924 announced by State Scientific Research Institute for Plastics (Gosudarstvennyy nauchno-issledovatel'skiy institut plasticheskikh mass)

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 16, 1965, 79

TOPIC TAGS: anion exchanger, copolymer, styrene, divinylbenzene, plastic, ion exchange, resin

ABSTRACT: This Author Certificate presents a method for obtaining anion exchangers on the basis of chloromethylated copolymer of styrene and divinylbenzene. To increase the radiation stability of the anion exchangers, the copolymers are treated with trialkylstilbines during heating.

SUB CODE: 07/ SUBM DATE: 22Jun64

nw

Card 1/1 UDC: 541.183.123.3:678.746.22

ZEMLYANSKIY, N.I; PRIB, O., student IV kursa; SHARYPKINA, M., student IV kursa; KOSTENKO, A., student III kursa; GLUSHKO, A., student III kursa; KOZHEVNIKOVA, O., student III kursa; KRASILOVSKAYA, T., student III kursa; SEREDA, N., student III kursa; PINTOVA, N., student III kursa; TSERKEVICH, G., student III kursa; SHAPKA, V., student III kursa

Condensation of aromatic hydrocarbons with halogen derivatives of aldehydes. Nauk. zap. L'viv. un. 13:129-135 '49.
(MIRA 12:10)

1.Kafedra organicheskoy khimii L'vovskogo gosudarstvennogo universiteta im. I. Franko.
(Hydrocarbons) (Aldehydes)



KOZHEVNIKOVA, O. P.

On the principles of the salt-flotation method by P. D. Lysenko. S. I. Panchenko and O. P. Kozhevnikova. *Coke and Chem.* (U. S. S. R.) 11, No. 2, 1-6(1941); *Chem. Zentr.* 1943, I, 2264; cf. *C. A.* 31, 8159.—The method by Lysenko is applied to Russian coals of different origin and the results obtained are discussed. The index of fusibility is higher, the more volatile matter is contained in the coal.
Frederick C. Nachod

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

POGREBINSKAYA, M.L.; KOZHEVNIKOVA, O.P.

More accurate and rapid method of determining mineral sulfur (pyrite and sulfate) in coals. Koks.i khim.no.6:11-12 '60. (MIRA 13:7)

1. Vostochnyy uglekhimicheskiy institut.
(Coal--Analysis) (Sulfur--Analysis)

KOZHEVNIKOVA, R.K.

Birds of pine forests of the Berezina Preserve. Ornitologiia no.7:55-62 '65. (MIRA 18:10)

KOZHEVNIKOVA, R.K. [Kazheunikava, R.K.]

Comparative characteristics of bird populations in birch and other small-leaved stands of northern and central White Russia. Vestsi AN BSSR. Ser. biial. nav. no.3:99-103 '65. (MIRA 18:11)

CHEL'TSOV-BEBUTOV, A.M.; KOZHEVNIKOVA, R.K.

Use of meridional automobile routes in studying the migration of birds. (MIRA 14:6)
Ornitologiia no.3:451-463 '60.
(Birds--Migration)

VORONOV, A.G.; KOZHEVNIKOVA, R.K.

Study of the feeding habits of steppe pikas (Ochotona pusilla Pall.). Biul. MOIP. Otd. biol. 66 no.2:26-32 Mr-Ap '61. (MIRA 14:6)

(AMAMGELDY DISTRICT—PIKAS)
(ANIMALS, FOOD HABITS OF)

KOZHEVNIKOVA, R.K.

Effect of the tillage of virgin areas on the abundance of steppe passerines. Ornitologiia no.5:320-321 '62. (MIRA 16:2)
(Kustanay Province--Passeriformes)

Kozhevnikova, S.A.

K

USSR / Forestry. General Problems.

Abs Jour: Ref Zhur-Biol., No 7, 1958, 29512.

Author : Rutkovskiy, V.I., Kozhevnikova, S.A., Stezhenskaya, I.N.

Inst : The All-Union Institute for Forestry and Mechanization of Forest Management.

Title : The Effect of Forests on the Microclimate and Surface Run-Off.
(Vliyaniye lesov na mikroklimat i poverkhnostnyy stok).

Orig Pub: Sb. rabot po lesn. kh-vu. Vses. n.-kh. in-t lesovodstva i mekhaniz. lesn. kh-va, 1956, vyp. 32, 117-134.

Abstract: These observations were made at the Istrinskoye Auxiliary Site in 1952-1953. It has been shown that the large amount of precipitation, the low

Card 1/3

USSR / Forestry. General Problems. K

Abs Jour: Ref Zhur-Biol., No 7, 1958, 29512.

Abstract: temperatures in February and high ones during the snow thawing period contributed to the intensity of the snow thaw. The variation in wooded density from 0 to 50% had no effect on the date when the maximum run-off occurred. When the forest covered the area densely the maximum run-off took place with a delay (as compared to the ordinary time) of 8-10 days. The maximum run-off from open spaces leads the beginning of run-off on afforested water-collecting areas. A change in forest density of from 0 to 95% caused a lag in the beginning of surface run-off on open areas amounting to 5 days. It was found that the spring run-off period is divided into three phases, sharply differentiated from each other by the volume of run-off at each degree of

Card 2/3 30

KOZHEVNIKOVA, S.M.

The number of Anopheles maculipennis mosquitoes reaching an epidemically dangerous age under conditions prevailing in Stalingrad. Med.paraz.i paraz.bol. no.6:500-505 N-D '53. (MLRA 6:12)

1. Iz Stalingradskoy gorodskoy protivomalyariynoy stantsii (glavnyy vrach K.D.Sharkova).
(Stalingrad--Mosquitoes) (Mosquitoes--Stalingrad)

KOZHEVNIKOVA, S.M.

Autumnal physiological state of female Anopheles maculipennia messae in Stalingrad in 1949-1951. Med.paraz.i paraz.bol. no.1: 26-30 Ja-Mr '54. (MLRA 7:3)

1. Iz Stalingradskoy gorodskoy protivomalyariynoy stantsii (zaveduyushchiy stantsiyey K.D.Sharkova).
(Stalingrad--Mosquitoes) (Mosquitoes--Stalingrad)

KOZ EV..IKOV., S.M.

Variability in ecologic requirement of certain species of mosquitoes (Phlebotomus): refuges and sPiralling in refuges.

Meditsinskaya Parazitologiya I Parazitarnye Bolezni No 1, p33, 1954.

KOZHEVNIKOVA, S.M.

Age composition and epidemiological significance of Anopheles maculipennis mosquitoes in the vicinity of Stalingrad during a number of years. Med.paraz.i paraz.bol. 37 no.5:555-560 '59.
(MIRA 13:4)

1. Iz parazitologicheskogo otdela Stalingradskoy gorodskoy sanitarno-epidemiologicheskoy stantsii (zaveduyushchiy otdelom K.D. Sharkova).
(MOSQUITOES)
(ANOPHELES)

KOZHEVNIKOVA, T.

"Kryl'ya nashey rodiny" Goskult'prosvetizdat 1953

KOZLOVSKAYA, T. P.

26360 Nasha strana-rodina vozdukhoplavatelya i aviatsii. Nauka i zhizn', 1949. No. 10, S. 13-17

So: Letopis' Zhurnal'nykh Statey, No. 49, 1949

[illegible], T. B.

KOZHEVNIKOVA, T. B.

Nasha strana - rodina aviatsii. Stenogramma publichnoi lektsii, prochitannoi v Moskve. Moskva, Pravda, 1950. 32 p.
Title tr.: Our country - the fatherland of aviation.

TL526.R9K68

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

KOZHEVNIKOVA, T.B.

[Wings of our fatherland] Kryl'ia nashei rodiny. Moskva, Gos.izd-vo kul'turno-prosvetitel'noi lit-ry, 1953. 103 p. (MLRA 6:9)
(Aeronautics--History)

KOZHEVNIKOVA T. [author]; ASTASHENKOV, P.[reviewer].

New book on the history of our aviation ("Wings of our fatherland." T.Kozhevnikova. Reviewed by P.Astashenkov). Kryl.rod. 4 no.11:19 N '53.
(MLRA 6:11)

(Kozhevnikova, T.B.) (Russia--Air Force)

SHESTERIKOVA, L.; KOZHEVNIKOVA, T., redaktor; ZHURAVLEV, A., tekhnicheskiy redaktor

[Historical dates in Soviet aviation and aeronautics] Daty istorii otechestvennoi aviatsii i vozdukhoplavaniia. Moskva, Izd-vo DOSAAF, 1953. 281 p. (MLRA 7:9)
(Aeronautics--History)

KOZHEVNIKOVA, T.

AUTHOR: Kozhevnikova, T. 84-12-37/49

TITLE: From the Balloon to the Aircraft (Ot vozdushnogo shara k samoletu)

PERIODICAL: Grazhdanskaya aviatsiya, 1957, Nr 12, pp 29-30 (USSR)

ABSTRACT: The article is a review of the monograph "Air Navigation and Aviation in Russia up to 1907 - A Collection of Documents and Materials" (Vozdukhoplavaniye i aviatsiya v Rossii do 1907 g., sbornik dokumentov i materialov), published by Oborongiz, Moscow, 1956, 952 pages, compiled and prepared for print by N. I. Shaurov and M. A. Sidorova, and edited by V. A. Popov. A chapter-by-chapter treatment gives a fairly detailed idea of the contents of the book.

AVAILABLE: Library of Congress

Card 1/1

PHASE I BOOK EXPLOITATION 1055

Kozhevnikova, Tamara Bogdanovna

Kryl'ya Rodiny (Wings of the Motherland) Moscow, Izd-vo "Sovetskaya Rossiya," 1958. 157 p. 20,000 copies printed.

Ed.: Berenson, Yu. E.; Tech. Ed.: Yusfina, N. L.

PURPOSE: The book is intended for the Soviet general reader.

COVERAGE: This book represents an attempt to relate the conquest of the air space briefly and in general terms, while at the same time inspiring the reader with what is presented as the heroic and difficult but quite unique history of the aviation of the Soviet Motherland in the last 40 years.

TABLE OF CONTENTS:

Card 1/2

Wings of the Motherland 1055

AVAILABLE: Library of Congress

Card 2/2

IS/whl
1-5-59

KOZHEVNIKOVA, T.I., red.; GOLUBKOVA, L.A., tekhn. red.

[Mixed feed recipes for farm animals, poultry, fur-bearing animals, and pond fishes]Retsepty kombikormov dlia sel'skokhoziaistvennykh zhivotnykh, ptits, pushnykh zverei i prudovykh ryb. Moskva, Zagotizdat, 1961. 194 p. (MIRA 15:7)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet zagotovok. (Feeds)

KOZHEVNIKOVA, T.L.

Studies on fibrinolytic activity and fibrinogen in the blood in atherosclerosis of the coronary vessels, myocardial infractin, and during seizures of stenocardia. Terap.arkh. 33 no.3:97-101 Mr '61. (MIRA 14:3)

1. Iz Instituta terapii (dir. - deystvitel'nyy chlen AMN SSSR prof. A.L. Myasnikov) Akademii meditsinskikh nauk SSSR.
(HEART—DISEASES) (FIBRINOGEN)

SHALAMOV, N.P., kand.tekhn.nauk; KOZHEVNIKOVA, T.N., inzh.

New designs of multistoried industrial buildings. Prom. stroi. 38 no.5:25-29 '60. (MIRA 14:5)
(Factories--Design and construction)

FLORENSKAYA, Natal'ya Kirillovna; KOZHEVNIKOVA, T.N., red.; GOLUBKOVA, L.A., tekhn. red.

[Technochemical quality control of raw material and mixed feeds] Tekhnokhimicheskii kontrol' kachestva syr'ia i kombikormov. Moskva, TsINTI goskomzaga SSSR, 1963. 103 p. (MIRA 17:3)

PECHNIKOVA, T.G., inzh., otv. za vypusk; KOZHEVNIKOVA, T.N., red.; GOLUBKOVA, L.A. tekhn. red.

[Bibliography of scientific and technological literature on problems of procuring and processing agricultural products by elevators, mills, and the mixed feed industry]Bibliograficheskii ukazatel' nauchno-tekhnicheskoi literatury; po voprosam zagotovok i proizvodstva sel'skokhoziaistvennykh produktov elevatornoi, mukomol'no-krupianoi i kombikormovoi promyshlennosti. Moskva, Zagotizdat, 1961. 27 p. (MIRA 15:11)

1. Russia (1923- U.S.S.R.)Gosudarstvennyy komitet zagotovok. TSentral'noye byuro tekhnicheskoy informatsii.
(Bibliography--Farm produce)
(Bibliography--Automation)
(Bibliography--Construction industry)

BENDERSKIY, Shulim Kel'manovich, kand. tekhn. nauk; KHUVES, E.S., red.; KOZHEVNIKOVA, T.N., red.; SAVEL'YEVA, Z.A., tekhn. red.

[Overall mechanization of grain and earcorn handling at grain-receiving stations] Kompleksnaia mekhanizatsiia rabot s zernom i pochatkami kukuruzy na khlebopriemnykh punktakh. Moskva, Zagotizdat, 1963. 104 p.
(MIRA 17:2)

KUZNETSOV, B.A., prof., doktor biol. nauk, red.; KOZHEVNIKOVA, T.N., red.

[Manual on the purchasing of wool, peltry, fur and leather raw materials] Spravochnik po zakupkam shersti, pushniny, mekhovogo i kozhevennogo syr'ia. Moskva, 1964. 150 p.
(MIRA 17:6)

CHINENKOV, Yu., V., kand.tekhn.nauk; KOZHEVNIKOVA, T.N., inzh.

Supporting joints of reinforced-concrete trusses. Bet. i zhel.-bet. no.5:229-231 My '61. (MIRA 14:6)
(Trusses)
(Reinforced concrete)

KOZHEVNIKOVA, T.N.

Construction of roofs for the main buildings of open-hearth shops.
Prom. stroi. 39 no.4:27-31 '61. (MIRA 14:6)
(Open-hearth furnaces)
(Roofs)

KOZHEVNIKOVA, T.P.

Studies on basic properties of a streptomycin-resistant strain of BCG. Zhur. mikrobiol. epid. i immun. 31 no.7:56-61 Jl '60.
(MIRA 13:9)

1.Iz Gosudarstvennogo kontrol'nogo instituta meditsinskikh biologicheskikh preparatov im. Tarasevicha.
(MYCOBACTERIUM BOVIS) (STREPTOMYCIN)

NAKHIMSON, L.I.; KOZHEVNIKOVA, T.P.

Differentiated evaluation of the immunogenicity of BCG vaccine under experimental conditions. Zhur.mikrobiol.epid.i immun. 33 no.5:35-41 My '62. (MIRA 15:8)

1. Iz Gosudarstvennogo kontrol'nogo instituta meditsinskikh biologicheskikh preparatov imeni Tarasevicha.
(BCG VACCINEATION)

KOCHNOVA, I.Ye., prof.; ROMASHKINA, Z.S.; YABLOKOVA, T.B., kand. med. nauk; KOZHEVNIKOVA, T.P.

Diagnostic value of the tuberculin "mark" in the examination of adults for tuberculosis. Sov. med. 26 no.4:82-86 Ap '63. (MIRA 17:2)

1. Iz kafedry tuberkuleza (zav. - prof. I.Ye. Kochnova) II Moskovskogo meditsinskogo instituta imeni N.I. Pirogova i Kontrol'nogo instituta meditsinskikh biologicheskikh preparatov imeni L.A. Tarasevicha.

NAKHIMSON, L.I.; KUCHEVNIKOVA, T.P.; ROZENBERG, A.M.

Serviceability period of the dry BCG vaccine. Vak. i syv. no.1:179-184 '63. (MIRA 18:8)

1. Gosudarstvennyy kontrol'nyy institut im. Tarasevicha.

NAKHIMSON, L.I.; KOZHEVNIKOVA, T.P.; YABLOKOVA, T.B.

Effect of lasting storage in lyophilized state on the basic properties of the BCG vaccinal strain. Zhur. mikrobiol., epid. i immun. 42 no.1:52-57 Ja '65. (MIRA 18:6)

1. Gosudarstvennyy kontrol'nyy institut meditsinskikh biologicheskikh preparatov im. L.A. Tarasevicha.

KOZHEVNIKOVA, V.

Kozhevnikova V. and Bulgakov, N. I. "Quick method of determining final degree of fermentation," Correction of 2nd author: V. Kozhevnikova, Vinnova a prom-st' SSSR, No. 1, 1943, p. 44-46

SO: U-2224, 10 April 1953, (Letopis 'Zhurnal 'nykh Statey, No.3, 1949)

KORABLIN, Nikolay Vasil'yevich, KOZHEVNIKOVA, V.A., red.; SHCHEMBAKOV, A.I., tekhn.red.

[Working on a round-the-clock schedule] Rabota po uplotnennomu grafiku. [Kuibyshev] Kuibyshevskoe knizhnoe izd-vo, 1956. 19 p. (MIRA 11:8)

(Efficiency, Industrial)
(Valves)

YEFREMOV, Mikhail Timofeyevich; KOZHEVNIKOVA, V.A., red.; STRAKHOV, N.I., red.; YASHEN'KINA, Ye.A., tekhn.red.

[Seven-year plan of Kuybyshev Province] Semiletnii plan Kuibyshevskoi oblasti. Kuibyshev, Kuibyshevskoe knizhnoe izd-vo, 1959. 128 p. (MIRA 13:2)

1. Pervyy sekretar' Kuybyshevskogo obkoma Kommunisticheskoy partii Sovetskogo Soyuza (for Yefremov).
(Kuybyshev Province--Economic policy)

MURYSEV, Aleksandr Sergeyevich; KOZHEVNIKOVA, V.A., red.; YASHEN'KINA, Ye.A., tekhn. red.

[Storming new frontiers]Na novye rubezhi. Kuibyshev, Kuibyshevskoe knizhnoe izd-vo, 1960. 108 p. (MIRA 15:10)
(Kuybyshev Province--Economic conditions)

FADEYEV, A.D., kand. ist. nauk; YAKOVLEVA,A.P.; CHERNYKH,N.S.,otv. red.; KALASHNIKOVA, P.I., red.; KOGAN, I.B., red.; KRASNUSHKIN, A.A., red.; CHISTYAKOV, V.P., red.; KOZHEVNIKOVA, V.A., red.; DURASOVA, V.M., tekhn. red.

[The V.I.Lenin Volga Hydroelectric Power Station, 1950-1958] Volzhskaia GES imeni V.I.Lenina (1950-1958 gg); dokumenty i materialy. Kuibyshev, Kuibyshevskoe knizhnoe izd-vo, 1963. 407 p. (MIRA 16:7)

1. Kommunisticheskaya partiya Sovetskogo Soyuza. Kuybyshevskiy oblastnoy komitet. Partiynyy arkhiv.. 2. Starshiy prepodavatel' kafedry istorii partii Kuybyshevskogo politekhnicheskogo instituta (for Fadeyev). 3 Nauchnyy sotrudnik partarkhiva Kuybyshevskogo oblastnovo komiteta Kommunisticheskoy partii Sovetskogo Soyuza (for Yakovleva).
(Volga Hydroelectric Power Station (Lenin))

RODKINA, Raisa Abramovna; MIL'CHENKO, I.T., prof., doktor med. nauk, red.; KOZHEVNIKOVA, V.A., red.; GOL'DSHTEYN, L.Ye., red.; SPIEIDONOV, N.F., tekhn. red.

[Cancer of the cervix uteri and its stages] Rak sheinoi matki i stadii. Kuibyshev, Kuibyshevskii med.in-t, 1960. 205 p. (MIRA 15:4)

(UTERUS—CANCER)

Kozhevnikova, V. F., and Kiselev, A. P.

The maximal (permissible) virulence and reactiveness pos
(small pox) vaccines.

Materialy nauchnykh konferentsii, Kiev, 1950. 2 Sep
(Kievskiy Nauchno-issledovatel'skiy Institut Epidemiologii i Mikrobiologii)

KISELEV, A.P.; KOZHEVNIKOVA, V.F.

Maximally permissible virulence and reactive properties of smallpox vaccines. Zhur.mikrobiol. epid. i immun. 32 no.4:88 Ap '61. (MIRA 14:6)

1. Iz Kiyevskogo instituta epidemiologii i mikrobiologii.
(SMALLPOX)

GOLSHMID, B.K.; KOZHEVNIKOVA, V.I.

Colienteritis (colienterocolitis) in infants. Vop. okh. mat. i det. 6 no.3:11-15 Mr '61. (MIRA 14:10)

1. Iz kafedry pediatrii (zaveduyushchiy - dotsent L.B.Krasik) Permskogo meditsinskogo instituta (direktor - prof. I.I.Kositsin) i detskoy infektsionnoy bol'nitsy No.4 Permi (glavnyy vrach V.I.Kozhevnikova).
(INTESTINES--DISEASES)

SOV/124-57-3-3380

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 3, p 107 (USSR)

AUTHOR: Kozhevnikova, V. N.

TITLE: The Stress Distribution at the Perimeter of a Rectangular Hole During the Bending of an Infinite Plate (Raspredeleniye napryazheniy na konture pryamougol'nogo otverstiya pri izgibe beskonechnoy plastiny)

PERIODICAL: Zap. Leningr. gorn. in-ta, 1956, Vol 33, Nr 3, pp 90-98

ABSTRACT: The paper adduces detailed calculations of the stress at the perimeter of a rectangular hole in an infinite plate during its in-plane bending due to a moment M. In his calculations the author retains the nirth-power ζ terms in the mapping function

$$\omega(\zeta) = \frac{c}{\zeta} + \sum_{0}^{n} C_\nu \zeta^\nu$$

M. P. Sheremet'yev

Card 1/1

SOV/124-57-4-4576

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 4, p 100 (USSR)

AUTHOR: Kozhevnikova, V. N.

TITLE: Stress Distribution in the Vicinity of a Rectangular Opening in a Heavy Plate (Raspredeleniye napryazheniy vozle pryamougol'nogo otverstiya v vesomom massive)

PERIODICAL: Zap. Leningr. gorn. in-ta, 1956, Vol 33, Nr 3, pp 99-108

ABSTRACT: The author examines a two-dimensional (plane) problem involving the weakening of a large plate by a small curvilinear opening having a shape approaching that of a rectangle with a ratio of the sides equal to two. The problem is solved by the method of N. I. Muskhelishvili, with known solutions (pointed out in the article) being employed by the author in compiling the tables. Three types of loading are analyzed: 1) Uniform compression in one direction; 2) the dead-load effect of the weight of the plate itself; 3) a hydrostatic pressure on the faces of the opening. The author fails to point out that the polar coordinate θ, which appears in the tables, refers to the unit circle on which the region being investigated is represented; also, it is not stated for what radii of curvature the tables are compiled. Bibliography: 6 references.

Card 1/1

P. M. Varvak

KOZHEVNIKOVA, V.N.

Regime of karst-interstitial waters as revealed by a study in the middle part of the Ay Valley (Southern Urals). Vest. Mosk. un. Ser 4: Geol. 20 no.1:54-61 Ja-F '65. (MIRA 18:3)

1. Kafedra gidrogeologii Moskovskogo gosudarstvennogo universiteta.

KOZHEVNIKOVA, Ye.

Promyshlennyye

42604. Stochnyye Vody Zavodov Gorkogo. Gigiyena i Sanitariya, 1948, No. 12 S 47-49.

USSR/Medicine - Sewage Disposal and Purification
Medicine - Industrial Hygiene
Dec 48

"Industrial Waste Waters of Gor'kiy Factories," Ye. Kozhevnikova, G. Rodionova, Ye. Voronina, 2 pp

"Gig i San" No 12

On 31 May 47 Council of Ministers promulgated a decree on elimination of sources of contamination to Soviet waterways. Gor'kiy State Sanitation Inspection conducted a survey to determine means and ways to prevent industrial waste waters from contaminating the Oka and Volga rivers. Conducted

57/49T88

USSR/Medicine - Sewage Disposal and Purification (Contd)
Dec 48

tests near the Avto Factory imeni Molotov, located on the Khimkiy canal. Give results of survey.

57/49T88

KOZHEVNIKOVA, YE.

BOCHEVER, F.M.; KOZHEVNIKOVA, Ye.A.

Method of evaluating underground water resources for the water-supply in central Kazakhstan river valleys. Razved. i okh. nedr 23 no.9:36-45 S '57. (MIRA 10:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut vodosnabzheniya, kanalizatsii, gidrotekhnicheskikh sooruzheniy i inzhenernoy gidrogeologii (for Bochever). 2. Geotekhkontora Mintsvetmeta SSSR (for Kozhevnikova).

(Kazakhstan--Water, Underground)

KOZHEVNIKOVA, Ye.I., inzh.

Investigating hydraulic resistance of narrow slots. Trudy VIGM no.24:77-92 '59. (MIRA 12:8)
(Pumping machinery--Testing)

Kozhevnikova, Ye. K.

SHUBERT, S.A.; PERLINA, A.M.; KULZHINSKIY, V.I.; SIDENKO, I.K.; ALEKSANDROV, D.N.; SOKOLOV, V.F.; FAL'KOVSKAYA, L.N.; BRUK-LEVINSON, T.L.; BELYAKOVA, A.N.; KOZHEVNIKOVA, Ye.K.; AVRUSHCHENKO, E.A., red. izd-va; VOLKOV, S.V., tekhn.red.

[Water purification for water supply to machine-tractor stations and state farms] Ochistka vody dlia vodosnabzheniia poselkov MTS i sovkhozov. Moskva, Izd-vo M-va kommun.khoz. RSFSR, 1957. 69 p. (MIRA 11:6)

1. Akademiya kommunal'nogo khozyaystva, Moscow.
(Water--Purification) (Water supply, Rural)

VYDRINA, Zh.A.; PANARIN, A.P.; UZBERG, A.I.; Prinimali uchastiye: BARANOVA, N.N.; KOZHEVNIKOVA, Ye.K.; KUKUSHKINA, A.P.; SAGATULINA, Ye.A.

Testing periclase-spinel firebricks in open-hearth furnace crowns. Ogneupory 28 no.5:206-212 '63. (MIRA 16:6)

1. Nizhne-Tagil'skiy metallurgicheskiy kombinat im. V.I. Lenina (for Vydrina). 2. Zavod "Magnezit" (for Panarin, Uzberg).
(Firebrick—Testing)
(Open-hearth furnaces—Design and construction)

DVORKIND, M.M., inzh. V rabote prinimali uchastiye: VAS'YAS, I.P.; KOKSHAROV, V.D.; DRESVYANKIN, V.I.; PARAMONOVA, A.P.; GOLOKHMATOV, S.N.; SHISHARIN, B.N.; GOLIKOVA, T.A.; KLISHA, Ya.A.; KOZHEVNIKOVA, Ye.L.; VYDRINA, Zh.A.; BUSHUYEVA, T.N.; NAZARENKO, G.A.

Behavior of open-hearth furnace crowns under the effect of feeding oxygen into the burner flame and into the bath. Stal' 20 no.2:117-121 F '60. (MIRA 13:5)

1. Vostochnyy nauchno-issledovatel'skiy institut ogneuporov.
(Open-hearth furnaces)
(Firebrick)

KOZHEVNIKOVA, Ye. N.

MIRONOV, F.Ya.; KOZHEVNIKOVA, Ye.N.

Diagnostic significance of calcium in blood serum in various forms of acute pancreatitis. Khirurgiia 32 no.11:36-39 N '56 (MLRA 10:3)

1. Iz 1-y khirurgicheskoy kliniki (zav. - prof. S.V.Lobachev) i TSentral'noy laboratorii (zav. - dotsent V.V.Novosel'skaya) Instituta imeni Sklifosovskogo (glavnyy khirurg - prof. B.A.Petrov, dir. - zasluzhennyy vrach USSR M.M.Tarasov)

(PANCREATITIS, diag.
calcium determ. in blood serum)
(CALCIUM, in blood
determ. in diag. of acute pancreatitis)

IVANOVA, Ye.F.; KOZHEVNIKOVA, Ye.N.; ZAGNITKOVSKAYA, E.M.

Cytologic diagnosis of bronchopulmonary cancer by means of impressions and lavage waters in bronchoscopy. Khirurgiia no.8:34-39 Ag '62. (MIRA 15:8)

1. Iz 2-y kafedry klinicheskoy khirurgii (zav. - prof. B.K. Osipov) TSentral'nogo instituta usovershenstvovaniya vrachey na baze Gorodskoy klinicheskoy bol'nitsy No.50 (glavnyy vrach N.P. Brusova).
(LUNGS—CANCER) (BRONCHI—CANCER) (BRONCHOSCOPY) (DIAGNOSIS, CYTOLOGIC)

KOZHEVNIKOVA, YE. P.

AUERMAN, L.Ya.; OSTROVSKIY, Ya.G.; GINZBURG, A.S.; ZHURAVLEV, N.N.; FALUNINA, Z.F.; MINAYENKOVA, V.S.; KOZHEVNIKOVA, Ye.P.; SUVOROVA, M.A.

Use of electric contact heating for preparing scalded wheat flour mash and for investigating the saccharification of mash. Trudy MTIPP 4:62-70 '56. (MLRA 9:10)

(Dough) (Starch) (Amylases)

KOZHEVNIKOVA, Ye. P.

Excerpta Medica Sec 16 Cancer Vol. 2/2 Feb 54

503. KOZHEVNIKOVA E. P. *The influence of the higher nervous activity on the development of experimental tumours (Russian text)* Ark. Patol. (Mosk.) 1953, 15/1 (22–27) Graphs 2 Illus. 2

The influence of cortical disturbances on artificial cancerization was studied in 166 mice. In all animals the upper dorsal region was painted with methylcholanthrene. By means of electric and acoustic stimuli in the experimental group of animals conditioned reflexes were induced, broken down and restored. After several months these neurotic mice in the 1st series (82 animals) showed considerable increase of tumour growth (54.1%) in contrast to the control group (20.7%). In the 2nd series (84 mice) this relationship was confirmed (43.3%; 16.6%). The histological findings in the controls showed less malignant types of carcinoma than in the experimental animals. At the same time respiration and glycolysis of tissues remote from the tumour were investigated. In the experimental animals a shift of tissue metabolism which is held to be characteristic for cancer occurred earlier and was more marked than in the controls. It is concluded that weakening of the adjusting and protecting functions of the CNS favour and accelerate tumour growth.

Heppner — Graz

Dept. Pathol. Physiol., Sverdlovsk State Med. Inst.

KOZHEVNIKOVA, V.P.

Modifications of glycolysis and of tissue respiration in experimental carcinogenesis and their relation to functional conditions of the central nervous system. Medych zhur. 24 no.3:20-27 '54. (MLRA 8:10)

1. Sverdlovs'kiy medichniy institut, kafedra patologichnoi fiziologii.

(REFLEX, CONDITIONED,
eff. on acrobic glycosis in exper.carcinogenesis)
(NEOPLASMS, experimental,
carcinogenesis, eff. of cond. reflex on acrobic glycolysis in)
(METABOLISM, TISSUE,
acrobic glycolysis in exper.carcinogenesis, eff. of cond.reflex)
(GLYCOGEN, metabolism
acrobic glycolysis in exper.carcinogenesis, eff. of cond.reflex)

KOZHEVNIKOVA, Ye.P., kandidat meditsinskikh nauk; NODOV, A.I., professor-doktor meditsinskikh nauk; UZHANSKIY, Ya.G., professor-doktor meditsinskikh nauk.

Morphological studies on experimental silicosis in rats. (MLRA 10:2)
Sbor. rab. po sil. no.1:130-132 '56.

1. Sverdlovskiy Gosudarstvennyy meditsinskiy institut.
(LUNGS--DUST DISEASES)

KOZHEVNIKOVA, Ye.P. (Sverdlovsk)

Pathogenic relationship between silica excretion and pulmonary connective tissue proliferation in experimental silicosis. Pat.fiziol. i eksp.terap. 3 no.4:51-55 Jl-Ag '59. (MIRA 12:12)

1. Iz kafedry patologicheskoy fiziologii (zav. - prof. Ya.G. Uzhanskiy) Sverdlovskogo meditsinskogo instituta.
(SILICOSIS experimental)

ABALDUYEV, B.V., inzh.; KOZHEVNIKOVA, Ye.P., kand.med.nauk; BOGOMOLOV, S.G., kand.fiziko-matematicheskikh nauk

Method for the quantitative spectral determination of silicon in the urine. Sbor. rab. po silik. no.2:185-188 '50. (MIRA 14:3)

1. Sverdlovskiy gosudarstvennyy meditsinskiy institut.
(URINE--ANALYSIS AND PATHOLOGY) (SILICON)

KOZHEVNIKOVA, Ye.P., kand.med.nauk

Separation of silicon from the urine in experimental silicosis. Sbor. rab. po silik. no.2:189-196 '60. (MIRA 14:3)

1. Sverdlovskiy gosudarstvennyy meditsinskiy institut.
(LUNGS--DUST DISEASES) (URINE--ANALYSIS AND PATHOLOGY)
(SILICON)

TYUTIN, P.I.; KOZHEVNIKOVA, Ye.P. (Sverdlovsk)

Use of a petrographic method for the study of mineral particles in animal tissues and urine after the introduction of quartz-containing dust. Arkh.pat. 23 no.4:54-61 '61. (MIRA 14:6)

1. Iz kafedry patofiziologii (zav. - prof. Ya.G. Uzhanskiy) Sverdlovskogo meditsinskogo instituta (dir. - prof. A.F. Zverev) i Berezovskoy opytnoy stantsii po bor'be s silikozom (dir. N.N. Liberman [deceased]) Instituta gigiyeny truda i profzabolevaniy AMN SSSR (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A. Letavet).
(FOREIGN BODIES) (LUNGS--DUST DISEASES)

KOZHEVNIKOVA, Ye.P. (Sverdlovsk)

Effect of antireticular-endothelial cytotoxic serum (Bogomolets serum) on the collagen content of the lungs in experimental silicosis. Pat. fiziol. i eksp. terap. 7 no.3:63-68 My-Je '63 (MIRA 17:4)

1. Iz kafedry patologicheskoy fiziologii (zav. - prof. Ya.G. Uzhanskiy) Sverdlovskogo meditsinskogo instituta.

L 3086-66 ETC(m)

ACCESSION NR: AP5018213 UR/0119/65/000/007/0010/0011
681.1/2:536.5:531.33

23
B

AUTHOR: Kozhevnikova, Ye. S. (Engineer); Ratnovskiy, V. Ya. (Engineer)

TITLE: Device for measuring temperature of rotating parts

SOURCE: Priborostroyeniye, no. 7, 1965, 10-11

TOPIC TAGS: temperature measurement

ABSTRACT: The results of tests of a thermistor-type device for measuring rotor temperatures are briefly reported. The rotary-stationary connection consists of a cylindrical capacitor (19-mm diameter, 16-mm long, 0.25-mm gap) whose internal cylinder rotates while external is stationary. Tests at 12000-36000 rpm showed that, at higher speeds, the thermistor signal depended on the speed due to an insulation effect arising in the bearings; tuning the circuit by a compensating inductance eliminated the trouble. Relative sensitivity was up to 5% per 1C. Temperature range where sensitivity and linearity were adequate was 60—80% of the thermistor maximum temperature range. Orig. art. has: 4 figures.

Card 1/2



L 3086-66
ACCESSION NR: AP5018213

ASSOCIATION: none

SUBMITTED: 00

NO REF SOV: 002

ENCL: 00

OTHER: 000

SUB CODE: IE

Card 2/2

PODOBED, N.D.; KOZHEVNIKOVA, Ye.S.; STRIGINA, L.V.

Theory of phototurbidimetric analysis; study by the method of light extinction of suspensions of calcium oxalate, silver iodide and ferrocyanide in the presence of an excess of precipitating agents and mineral acids. Izv.vys.uch.zav.; khim.i khim.tekh. 5 no.4:544-548 '62. (MIRA 15:12)

1. Volgogradskiy mekhanicheskiy institut, kafedra khimii.
(Chemistry, Analytical)
(Turbidity)