

SLABIHOUBEK, F., Prof., MUDr.; KUCEROVA, V., MUDr.; NEELAN, J., MUDr.

Certain results of field prevention of tuberculosis. Cesk.  
zdravot. 4 no.11:656-664 Nov 56.

1. Z Ustavu organisace zdravotnictvi lekarske fakulty PU v  
Olomouci, pred. prof. dr. F. Slabihoudek.  
(TUBERCULOSIS, prevention and control,  
in Czech. (Cs))

KUCEROVA, Vlasta

Studies on trauma in the Olomouc region. Cesk. zdravot. 5 no.10:  
544-548 Oct 57.

1. Z Ustavu organisace zdravotnictvi lekarske fakulty PU prednosta  
prof. Frantisek Slabihoudek.  
(WOUNDS AND INJURIES, statistics,  
in Czech. (Cz))

KUCEROVA, V.; NEKIAN, J.

Myocardial infarct with special reference to social aspects; evaluation of preceding condition. Cesk. zdravot. 5 no.12:703-709 Dec 57.

1. Ustav organizace zdravotnictvi lek, fakulty PU v Olomouci (prednosta prof. F. Slabihoudek).

(MYOCARDIAL INFARCT,  
soc. aspects (Cs))

BATEK, F.; KUCERA, A.; KUCEROVA, V.; MINARIK, L.

Role of the spleen in interoceptive conditioned blood picture changes in rabbit. Cesk. fysiол. 7 no.5:429-430 Sept 58.

1. Fysiologicky ustav u Ustav organisace zdravotnictvi lek. fak. PU, Olomouc.

(BLOOD CELLS,

count, eff. of splenectomy on conditioned changes in rabbits (Cz))

(REFLEX, CONDITIONED,

conditioned blood count changes in splenectomized rabbits(Cz))

(SPLEEN, eff. of excis.

on conditioned blood count changes in rabbits (Cz))

RATEK, F.; KUCERA, A.; KUCEROVA, V.; MINARIK, L.

Effect of adrenalectomy on the course of interoceptive white and red blood picture changes in rabbits. Cesk. fysiол. 7 no.5:431-432 Sept 58.

1. Fysiologicky ustav a Ustav organisace zdravotnictvi lek. fak. PU, Olomouc.

(LEUCOCYTE COUNT,

eff. of adrenalectomy on interoceptive changes in rabbits (Cz))

(ERYTHROCYTES,

count, eff. of adrenalectomy on interoceptive changes in rabbits (Cz))

(ADRENALECTOMY, eff.

on interoceptive erythrocyte & leukocyte count in rabbits (Cz))

KUCERA, A.; BATEK, F.; MINARIK, L.; KUCEROVA, V.

On the effect of pentamethonium on the course interoceptive changes of white and red blood pictures in rabbits. *Česk. fysiolog.* 8 no.5: 418-419 8 '59

1. Fysiologický ústav a Ústav organisace zdravotnictví Lek. fak. PU, Olomouc.

(METHONIUM COMPOUNDS pharmacol.)

(ERYTHROCYTE COUNT pharmacol.)

(LEUKOCYTE COUNT, pharmacol.)

KUCERA, A.; BATEK, F.; MINARIK, L.; KUCEROVA, V.

Effect of the pituitary on the dynamics of changes in white blood picture. *Cesk. fysiол.* 8 no.5:419-420 S '59

1. Fysiologicky ustav a Ustav organisace zdravotnistvi Lek. fak. PU, Olomouc.

(LEUKOCYTE COUNT)  
(HYPOPHISECTOMY eff.)

PUZA, Vladimir; LEJSEK, Karel; techn. collaboration: ADAMCOVA, V. and  
KUCEROVA, V.

Some cytologic changes after irradiation in tumour cells.  
Sborn. ved. prac. lek. fak. Karlov. Univ. (Hrad. Kral.) 6 no. 1:  
161-164 '63.

1. Department of General Biology (head: doc. dr. Bohumil  
Hluchosky); Department of Medical Chemistry (head: Ivo  
Hais, M.D.) Charles University, Faculty of Medicine at  
Hradec Kralove.

\*



KUCEROVA, V., dr.; NOELAN, J., dr.

(Our experiences with teaching public health. Cesk. zprav. 12  
no.122637-339 D ' 64.

1. Katedra zdravotnictvi a dojin lekarstvi lekarске fakulty  
Palackeho University, Olomouc.

CZECHOSLOVAKIA / Farm Animals. The Honeybee. Q

Abs Jour: Ref Zhur-Biol., No 5, 1959, 21326.

Author : Kucera, Vaclav; Kucerova, Zora.

Inst : Not given.

Title : The Preparation of Bee Colonies for Using Acacia and Other Early Collection Plants.

Orig Pub: Vcelarstvi, 1958, 11, No 4, 50-51.

Abstract: After several years of observation, the authors drew the conclusion that under the conditions of Czechoslovakia the employment of two-colony, two-body beehives proves more efficient than when the usual one-queen beehives are used. In a two-colony beehive, colony A is arranged at the top of the beehive structure, colony B at the bottom. A sheet of foil is placed between the chambers in order to separate the odors of each colony. Usually, colony

Card 1/2

KUCEROVSKY, Zdenek

Method for photoelectric measurement of small pressures. Chem prum  
12 no.8:443-446 Ag '62.

1. Vyskumny ustav makromolekularni chemie, Brno.

KUCEROVSKY, Zdenek

"Maintenance and repair of electric separating devices" by B. Klebonk.  
Reviewed by Zdenek Kucerevsky. Chem prum 12 no.12:680 D '62.

1. Vyskumny ustav makromolekularni chemie.

Z/009/63/000/002/001/004  
E112/E353

AUTHORS: Balabán, Luboš and Kučerovský, Zdeněk

TITLE: Application of the radiospectrometer EPR-2 in the study of radicals formed during the oxidation of antioxidants

PERIODICAL: Chemický průmysl, no. 2, 1963, 74 - 77

TEXT: Many antioxidants form stable free radicals on oxidation and it is suggested that the effectiveness of such compounds may depend on the stability and structure of the resulting free radicals. Electron magnetic resonance spectra are reported for radicals formed by oxidation with lead dioxide of the following substituted phenols in a cyclohexane or benzene medium: 2,6-di-tert.butyl-4-methylphenol, (I) thio-bis-(2-methyl-5-tert.-butylphenol), (II), phenyl-bis-(3-tert.butyl-6-methyl phenyloxy)-methane, (III), and ethylene-bis-(2-methyl-5-tert.butylphenol), (IV). The spectra were obtained at room temperature using a microwave frequency of 9750 Mc/s. The phenol and solvent were contained in a 5-mm diameter tube, the solvent being frozen by means of liquid nitrogen to which the oxidizing agent was added. The tube was  
Card 1/3

Z/009/63/000/002/001/004  
E112/E353

Application of ....

evacuated and inserted into the resonator when, the solvent having melted, the formation of the radicals began. Results appeared in the conventional way as derivatives of the absorption curves. The oxidation of (I) proceeds in two stages and the spectra and identities of the primary and secondary radicals are shown. The quartet splitting, seen in the spectra, is associated with the three hydrogens of the methyl group in the p-position. The hyperfine triplet splitting of each line must be associated with the interaction of the unpaired electron with the meta ring hydrogen atoms. A study of the second phase of oxidation revealed the disappearance of the basic quartet and replacement by a narrow triplet. Results suggest that the p-methyl group is being oxidized to a COH or COOH-group. The oxidation of (II) showed abstraction of the phenolic hydrogen atom and interaction of the unpaired electron with the hydrogens of the methyl groups and of the benzene ring. The spectrum did not show hyperfine structure. Oxidation of (III) gave spectra with symmetrical singlets and hyperfine structure. The spectra of the free radicals from (IV) gave a symmetrical singlet. There are 4 figures.

Card 2/3

Application of ....

Z/009/63/000/002/001/004  
E112/E353

ASSOCIATION: Výzkumný ústav makromolekulární chemie, Brno  
(Macromolecular Chemistry Research Institute,  
Brno)

SUBMITTED: August 18, 1962

Card 3/3

Z/037/63/000/002/003/004  
E140/E135

AUTHOR: Kučerovský, Zdeněk

TITLE: Reducing the dead time of Geiger-Müller quenching circuits

PERIODICAL: Československý časopis pro fyziku, no.2, 1963, 124-128

TEXT: The author proposes the use of the well-known three-tube monostable multivibrator to reduce the dead time of Geiger-Müller quenching circuits. He obtains 10 microsec quenching impulses with 12 microsecond dead time. There are 3 figures.

ASSOCIATION: Výzkumný ústav makromolekulární chemie, Brno  
(Research Institute of Macromolecular Chemistry, Brno)

SUBMITTED: April 13, 1962

Card 1/1



KUCEROVSKY, Zdenek, ZALOUDIK, Petr

Device for level indication of loose materials in storage bins.  
Chem prum 13 no.8:408-411 Ag'63.

1. Vyzkumny ustav makromolekularni chemie, Brno.

L 1223-66 EWP(t)/EWP(b) LJP(e) JD  
ACCESSION NR: AP5025849 CZ/0008/65/059/005/0604/0607

AUTHOR: Kucerovsky, Zdenek; Pribyl, Miloslav; Siska, Miroslav 14

TITLE: Stabilized source for constant current coulometry

SOURCE: Chemické listy, v. 59, no. 5, 1965, 604-607, and insert facing p. 608

TOPIC TAGS: titrimetry, chemical laboratory apparatus, microchemical analysis 17

Abstract: Coulometric titration at constant current are used in analysis conducted on large numbers of samples. There are however very few sources for the supply of suitable apparatus. The authors describe an apparatus of their own design; it has a range of 0.2 to 40 mA and it is suitable for analysis where a limited amount of the analyzed substance is available, or for microanalysis. It is suitable for concentrations of 0.05 to 3 microequiv/ml, in iodometric determination of small amounts of H<sub>2</sub>S (2 to 50 micrograms), and in titanometric determination of iron (0.002%) in Ti salts. Orig. art. has 3 figures and 2 graphs.

ASSOCIATION: Vyzkumny ustav makromolekulární chemie, Brno (Institute for Macromolecular Chemistry)

Card 1/2

L 1223-66

ACCESSION NR: AP5025849

SUBMITTED: 18Apr64

ENCL: 00

SUB : GC

NO REF SOV: 001

OTHER: 003

JPRS

*mlb*  
Card 2/2

ACC NR: AP6021581

(N)

SOURCE CODE: UR/0402/66/000/003/0352/0362

AUTHOR: Kucheruk, V. V.; Pchelkina, A. A.

ORG: Department of Naturally Focal Diseases, Institute of Epidemiology and Microbiology, Academy of Medical Sciences, SSSR (Otdel prirodnookhagovykh bolezney Institutu epidemiologii i mikrobiologii im. N. F. Gamalei AMN SSSR)

TITLE: Viremia and dynamics of complement-fixing antibodies in hedgehogs infected with tick-borne encephalitis virus

SOURCE: Voprosy virusologii, no. 3, 1966, 352-357

TOPIC TAGS: virology, viral antigens, tissue culture, tick borne encephalitis virus, Omsk fever, Powassan virus, louping ill virus, Langat virus, virus purification method, ENCEPHALITIS, VIRUS DISEASE, ANTIBODY

ABSTRACT:

Hedgehogs are highly susceptible to very small subcutaneous doses of tick-borne encephalitis virus. Subcutaneous doses of 0.1 LD<sub>50</sub> produce severe and prolonged viremia. The disease has two peaks, one on the 4th-6th day after infection, and the second on the 12th-15th day. Complement-fixing antibodies appeared in the blood on the tenth day after infection, reached their highest titer on the thirtieth day and were nearly absent by the

Card 1/2

UDC: 616.988.25-092.9-07:[616.157:576.858.25+616.988.25-097.32]-07

ACC NR: AP6021581

80th—124th day. Virus-neutralizing antibodies were in the blood of  
previously infected animals. Orig. art. has: 2 figures.

[W.A. 50; CBE No. 10]

SUB CODE: 06/ SUBM DATE: 12Jan65/ ORIG REF: 004/ OTH REF: 004/

Card 2/2

KUCFIR, Danuta

A case of actinomycosis localized in the region of the hyoid bone, Czas, stomat. 18 no.10:1215-1219 0 '65.

1. Z Kliniki Chirurgii Stomatologicznej Slaskiej AM w Zabrze (Kierownik: prof. dr. M. Jankowski).

KUCHA, Ya.A.

Reorganization of postal communication under new conditions. Vest.  
svlazi 23 no.5:19 My '63. (MIRA 17:4)

1. Nachal'nik pochtovogo otdela Ministerstva svyazi Moldavskoy SSR.

KUCHA, Ya.A.

Organization of the delivery of newspapers, magazines, and postal  
dispatches in the Moldavian S.S.R. Vest. svyazi 24 no.4:15-16 Ap '64.  
(MIRA 17:9)

1. Chlen kollegii Ministerstva svyazi Moldavskoy SSR.



KUCHAEVA, A.G.; GESHEVA, R.L.; TAPTIKOVA, S.D.; KRASILNIKOV, N.A.

On some characteristics of actinomycetes from the pink-colored group. Izv. microbiol. inst. 15:59-62 '63

\*

KUCHAEVA, A. G.; KRASIL'NIKOV, N. A.; TAPTIKOVA, S. D.; GESHEVA, R. L.

On the classification of actinomycetes from the lavendulae group.  
Izv. mikrobiol. inst. (Sofia) 13:103-124 '61.

(STREPTOMYCES)

KUCHAEVA, A.G.; GESHEVA, R.L.; TAPTYKOVA, S.D.

Biology of the pink-colored group of actinomycetes. I. The  
Fradiae group. Izv. microbiol. inst. 15:19-32 '63

\*

GOLIK, A.Z.; KLASSEN, I.F.; KUCHAK, G.M.

Speed of propagation of ultrasonic waves in certain zinc and cadmium  
amalgams. Akust.zhur. 7 no.2:258-260 '61. (MIRA 14:7)

1. Kiyevskiy gosudarstvennyy universitet.  
(Ultrasonic waves—Speed) (Zinc amalgam)  
(Cadmium amalgam)

ACCESSION NR: AP4040377

S/0185/64/009/004/0428/0440

AUTHOR: Romanova, A. V.; Kuchak, G. M.

TITLE: X-ray investigation of molten intermetallic compounds of the indium-bismuth system /Sixth Conference on the Physics of Liquid State of Matter held in Kiev in 1963/

SOURCE: Ukrayins'ky\* y fizy\*chny\* zhurnal, v. 9, no. 4, 1964, 428-440

TOPIC TAGS: indium bismuth system, indium bismuth alloy structure, molten alloy structure, molten compound structure, molten In sub 2 Bi, molten InBi, InBi structure, In sub 2 Bi structure

ABSTRACT: The structure of molten InBi and In<sub>2</sub>Bi intermetallic compounds (melting temperatures are 110 and 91C, respectively) vacuum-melted from 99.99% pure In and Bi has been investigated at 120, 220, and 320C by means of x-ray diffraction method. It was found that at temperatures 10C higher than the melting temperature no correlation exists in InBi between the atom distribution in the liquid and in the crystal lattice. The structure of InBi alloy is mainly determined by a "quasi-eutectic" atom distribution in microregions whose structure is similar to that of the molten  
Card 1/3

ACCESSION NR: AP4040377

predominantly pure components. The structure remains unchanged up to 320C, above which the In microregions begin to enrich with Bi atoms in an amount exceeding their solubility in the In lattice, i.e., 12.5 at%. It appears possible that at 120C about 20% of the atoms in the liquid InBi form groups with the atom distribution corresponding to that in the crystal lattice. A similar pattern was observed in liquid In<sub>2</sub>Bi at 120C except that a greater amount of atoms (about 30—40%), participate in the formation of groups with atom distribution similar to that in the crystal lattice. At 220C, the regions with the structure resembling that of the crystalline lattice and the "quasi-eutectic" structure break up, while the number of regions with a close-packed structure (coordination number = 11) increases. The atom interaction in liquid InBi at 120—320C is determined mainly by groups of atoms of one kind, whereas in the crystal lattice atoms of both kinds are at the least interatomic distances (3.09, 3.54, 4.06A). In liquid In<sub>2</sub>Bi at 120C the atom interaction is determined partly by preserving the bond of the same nature as in the crystal and partly by grouping atoms of the same kind. In an ordered crystal lattice there are atoms of different kinds at the least distances. Orig. art. has: 9 figures, 1 table, and 5 formulas.

Card 2/3

ACCESSION NR: AP4040377

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 13May64

ENCL: 00

SUB CODE: MM

NO REF SOV: 014

OTHER: 000

Card 3/3





... ..

... .. (Sure). Apparently, in the ... ..  
... .. of the grain is lower than that ... ..  
... ..

... ..

... ..




Figure 1. Intensity curve for an In - Sn melt at 220 C.

Card 44

DRABKINA, R.O.; KUCHAK, Ye. F.

Effect of stimulation of the nervous system on the course of immunological reactions in experimental tuberculosis. Probl. tuberk., Moskva no. 6:36-42 Nov-Dec 1952. (GLML 23:5)

1. Professor for Drabkina. 2. Of the Ukrainian Scientific-Research Institute of Tuberculosis (Director -- A. S. Mamolat), Kiev.

USSR / General Problems of Pathology, Immunity.

U

Abs Jour: Ref Zhur-Biol., No 22, 1958, 102394.

Author : Kuchak, Ye. F.

Inst : Ukrainian Scientific-Research Institute of Tuberculosis.

Title : On the Influence of Bromide on Immunity Reactions.

Orig Pub: Materialy po obmenu nauchn. inform. Ukr. n.-i. in-ta tuberkuleza, 1955, vyp. 3, 21-23.

Abstract: No abstract.

Card 1/1

BELONOZHKO, G.A. (Bilonozhko, H.O.); IUCHAK, Yu.A.

Ballistocardiographic and electrocardiographic investigations  
during acute radiation sickness. Fiziol. zhur. [Ukr.] 9  
no.4:547-550 J1-Ag '63. (MIRA 17:10)

1. Laboratoriya shtamiv i modelyuvaniya pukhlin Institutu  
eksperimental'noi i klinichnoi onkologii Ministerstva  
okhoroni zdorov'ya URSR, Kiiiv.

L 36930-66 EWT(1)/EWT(m)/EWP(J) RM  
ACC NR: AP6013902

SOURCE CODE: UR/0020/66/167/006/1335/1337

AUTHOR: Kuchanov, S. I.; Pis'men, L. M.

ORG: none

TITLE: Local <sup>2/</sup>heating at the contact points of solid particles in a granular layer

SOURCE: AN SSSR. Doklady, v. 167, no. 6, 1966, 1335-1337

TOPIC TAGS: grain structure, granule formation, solid mechanics, catalytic heat transfer

ABSTRACT: The purpose of this investigation was to calculate the heating in the vicinity of the contact points of solid particles. It is proposed that this process occurs in the gas phase namely that in this case the danger of the occurrence of overheating is the highest. Since the molecular heat conductivity of gases is incomparably less than that of a solid particle, the authors consider that heat transfer from the point of contact is accomplished only through the solid phase. It is proposed that the reaction proceeds on the outside surface of the particles. The limiting diffusion flow on the surface of the catalyst in the stagnant zone is determined and appropriate formulas are given. By knowing the flow of the substance on the surface of the catalyst the authors solved the problem of the distribution of temperature in a

Card 1/2

UDC: 66.097.13

30  
29  
B

L 38930-66

ACC NR: AP6013902

grain close to the point of contact, disregarding the curvature of the particle and considering it flat since the dimension of the stagnant zone is appreciably smaller than the radius of the particle. It was found that heating increases with a rise of pressure as a consequence of the increase of the gas density, and that in diluted gas mixtures or when the reaction occurs on monolithic metal catalysts, heating is negligible at the point of contact. The paper was presented by Academician A. N. Frumkin 28 July 65. The authors thank V. G. Levich for his interest in the work and his valuable advice. Orig. art. has: 1 figure and 18 formulas.

SUB CODE: 20/ SUBM DATE: 21Jul65/ ORIG REF: 001/ OTH REF: 001

Card

2/2

VP



KUCHANSKAYA, O.F., MITRYAYEVA, N.M.

New minerals in ores of the Dzhezkasgan deposit. Izv. AN Kazakh.  
SSR. Ser. geol. no.2:46-53 '60. (MIRA 13:8)  
(Dzhezkasgan region--Minerals)

АЗЕРБАЙДЖАН, К. О.; КУЧУКБАКАЯ, О. П.; ИСИКHOB, В. П.

Nonferrous metal tellurides and their properties. Vest. AN  
Kazakh. SSR. 19 no. 5:35-44 My '63. (MIR 17:7)

NI, I.P.; GOLDMAN, M.M.; BUNCHUK, I.V.; KUCHANCKAYA, O.F.; TSYSS, N.N.;  
PONOMAREV, V.D.

Behavior of iron hydroxide in an alkali medium during autoclave  
treatment. Trudy Inst. met. i obog. AN Kazakh. SSR 12:9-15 '65.  
(MIRA 18:10)

GREYSUKH, M.A., inzh.; KAPLAN, D.A., kand.tekhn.nauk; KUCHANSKIY, G.S.,  
kand.tekhn.nauk; MESSERMAN, G.T., kand.tekhn.nauk

Impulse strength of oil-saturated paper insulation of apparatus.  
Elektrotehnika 35 no.4:33-35 Ap '64. (MIRA 17:4)

~~SOCHIVAYE ANNOTATSII~~  
KHOKHLOV, Prokofiy Stepanovich; KUCHAPIN, Aleksandr Vasil'evich, redaktor;  
PERMINOV, S.V., vedushchiy redaktor; GERBADIYEV, S.V., tekhnicheskii  
redaktor

[Tectonics and history of the formation of the Kerensk-Chember and  
Sursk-Mokshinsk dislocation zone] Tektonika i istoriya formirovaniya  
zony Kerensko-Chemberskikh i Sursko-Mokshinskikh dislokatsii.  
Leningrad, Gos. nauchno-tekhn. izd-vo neftyanoi i gorno-toplivnoi  
lit-ry, Leningradskoe otd-nie, 1955. 116 p. (MIRA 10:1)  
(Russian Platform--Geology, Structural)

KUCHAPIN, A.V.

Oil and gas potentials of western Iran. Geol. nefti i gaza  
7 no.10:56-59 0 '63. (MIRA 17:10)

KUCHAPIN, A.V.

Basic features of geological structure and oil-bearing provinces  
in southwestern Asia. Trudy VNIGNI no.42:16-48 '64.

Petroleum industry and the prospects for finding gas and oil in  
southwestern Asia. Ibid.:49-93

Basic features of the geological structure and oil and gas  
potential of Indonesia. Ibid.:177-203 (MIRA 18:3)

MIKHAYLOVSKIY, N.K.; KUCHAPINA, M.I.; GATTENBERGER, Yu.P.; DERGUNOV, P.V.

Programming the development of the D1 layer of the Shkapovo field. Nauch.-tekhn. sbor. po dob. nefli no.1:65-70 '58.  
(MIRA 15:9)

1. Vsesoyuznyy neftegazovyy nauchno-issledovatel'skiy institut.  
(Shkapovo region--Oil fields--Production methods)



PRAVEDNIKOV, N.K., inzh.; KUCHAPINA, M.I., inzh.; ZLOTHIKOVA, R.B., inzh.

Calculating the degree of water encroachment of multi-pay oil  
pools. Nauch. zap. Ukrniiproekta no.9:91-96 '62. (MIRA 16:7)  
(Oil field flooding)

BYKOV, N.Ye.; KUCHAPINA, M.I.; KAZAKOVA, V.Ye.; BOROVLEVA, T.P.;  
ALFNIN, V.V.; BOKSERMAN, A.A.; ORLOV, V.S.

Delineation of production areas in the fields of the cis-  
Carpathian region. Nauch.-tekhn. sbor. po dob. nefi no.19:  
6-12 '63. (MIRA 17:8)

1. Vsesoyuznyy neftegazovyy nauchno-issledovatel'skiy institut.

KUCHAPINA, M.I.

Simultaneous development of several horizons with exploitation under  
varying conditions. Nauch.-tekh. sbor. po dob. nefli no.24:15-16 '64.  
(MIRA 17:10)

1. Vsesoyuznyy neftegazovyy nauchno-issledovatel'skiy institut.

BECHIN, A.M.; KUCHARUKA, M.I.; MEGORIN, V.I.

Economic evaluation of the simultaneous development of multi-layered oil fields with various regimes; based on a study of a field in western Ukraine. Nauch.-tekhn. sbor. po nefti no.25:140-141 '64.  
(MIRA 17:12)

1. Vsesoyuznyy neftegazovyy nauchno-issledovatel'skiy Institut.

KUCHAR, Frantisek, inz.

Density of survey operations in the Ostrava-Karvina coalfield  
in relation to the classification of reserves. Geol pruzkum  
7 no.3:85-86 Mr '65.

1. Uhelny pruzkum National Enterprise, Ostrava.

MILBAUER, Milos, inz., CSc.; JAVORNICKY, Jan, inz., CSc.;  
KUCCHAR, Gustav, inz.

Experimental solution of asymmetric arches with cantilevers.  
Inz stavby 11 no.7:274-277 JI '63.

KUCHAR, Josef; DEDKOVA, Anna; BINOVA, Tatana, ins.; PROKOP, Ivo

Information on standardisation abroad. Normalisace 11 no.1:  
17-22 Ja '63.

KUCCHAR, J.

Kuchar, J. Experience with repairs and preparation of machines for spring work. p. 71. Assembling the piston unit and breaking in the engine of the S-80 tractor. p. 75. MECHANISACE ZEMEDELSTVI. Praha. Vol. 5, no. 4 Feb. 1955.

SO: Monthly List of the East European Accession, (EEAL), LC. Vol. 4, no. 10, Oct. 1955. Uncl.



KUCHAR, J.

Washing apparatus for beiling machine parts. p. 95.  
Advice for repair workers of machine-tractor stations. p. (3) of cover.  
So much depends on repair work! p. (4) of cover.  
MECHANISACE ZEMEDLSTVI. Vol. 5, No. 5, Mar. 1955

SO: Monthly EastEuropean Accession, (EEAL), LC, Vol. 4, No. 9, Sept. 1955 Uncl.

KUCIAR, J.

Problems of combine harvesting. p.294.

(Mechanisace Zemedelstvi, vol. 7, No. 13, July 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957 Uncl.

KUCHAR, J.

Through examinations toward a higher efficiency on state farms.

p. 490 (MECHANISACE ZEMEDELSTVI) Vol. 7, no. 21, Nov. 1957,  
Praha, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 3,  
March 1958

Special Agent

"Use of T-21 K structure for interview cultivation in the past years."

... (Technique) ... Vol. 8, no. 10, Nov 1-50, ...

... (Index of) ... Vol. 7, ... 1950

KUCHAR, Jozef, inz.

Calculation of exciting forces of electromagnets of apparatus  
for measuring internal damping in metals. Stroj cas 15 no.2:  
189-197 '64

KUCHAR, Karel; ROUBIK, Ondrej; LUKNIS, M.; KORCAK, J.; TICHY, Otakar;  
RIEDLOVA, Marie

Present state of the Czechoslovak geography. Sbor zem 68 no.1:2-9  
'63.

KUCHAR, Karel

The first military mapping in Czech Lands and Slovakia. Sbor zem 63  
no.1:131-134 '63.

KUCHAR, K.

On the Rainich geometrisation of scalar meson fields. Czechosl  
fis zhurnal 13 no.8:551-557 '63.

1. Katedra teoretické fyziky, Matematicko-fyzikální fakulta  
Karlovy university, Praha.



KUCHAR, K.

"Geographical writings" by Roberto Almagia. Reviewed by K.Kuchar.  
Sbor zem 68 no.3:271-272 '63.

KUCHAR, K.

Communication with Prague according to the isochronous map.  
of Czechoslovakia. Sbor zem 68 no.2:179-180 '63.

KUCHAR, K.; LANGER, J.

On energy transfer by gravitational waves. Chekosl fiz zhurnal  
13 no.4:233-242 '63.

1. Katedra teoreticke fyziky, matematicko-fyzikalni fakulta  
Karlovy university, Praha.

KUCHAR, Karel

"The theory of relativity" by J.I.Sokolovskij [Sokolovskiy, Yu.I.].  
Reviewed by Karel Kuchar. Pótkroky mat fyz astr 8 no.4:251 '63.

KUCHAR, Karel

"Dialogue on two systems of the universe" by Galileo Galilei.  
Reviewed by Karel Kuchar. Pokroky mat fyz astr 8 no.4:251-253  
'63.

KUCHAR, Karel

The first military and economic mapping in Slovakia. Geogr cas SAV  
15 no.1:57-67 '63.

KUCHAR, K.

Report on the plenary meeting of the Commission for National Atlases of the International Geographical Union in Budapest, September 7-12, 1962. Geogr cas SAV 15 no.1:75-76 '63.

KUCHAR, K.

"Atlas of the Ukrainian Soviet Socialist Republic and the  
Moldavian Soviet Socialist Republic." Reviewed by K. Kuchar.  
Sbor zem 68 no.2:199 '63.



KUCHAR, K.

"Voivodeship maps 1: 500,000." Reviewed by K. Kuchar.  
Sbor zem 68 no.2:199 '63.

KUCHAL, K.

Maps of Bohemia in Munster's cosmographies. p. 27. KARTOGRAFICKY  
PRŮHLÉD. (Československá akademie věd. Kabinet pro kartografii)  
Praha. Vol. 8, no. 3, Sept. 1954.

SOURCE: East European Accessions List, Vol. 5, no. 9, September 1956

KUCHAR, K.

Kuchar, k. Recent endeavor to determine orographic units in Czechoslovakia.  
p. 53. KARTOGRAFICKY PŘEHLED. Praha. Vol. 9, no. 2, June 1955.

SO: Monthly List of East European Accessions, (MEAL), LC, Vol. 4, No. 11,  
Nov. 1955, Uncl.

KUCHAR, K.

Determination of mutual visibility between remote points. p. 101

Vol. 9, no 3, Sept. 1955  
KARTOGRAFICKY PRHLED  
Praha, Czechoslovakia

So: Eastern European Accession Vol. 5 No. 4, April 1956

KUCHAR, K.

"Steinhaus' longimeter."

p. 51 (Kartograficky Prehled) Vol. 10, no. 2, June 1956  
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,  
April 1958

KUCHAR K

"An international check list of astrolabes."

p. 119 (Kartograficky Prehled) Vol. 10, no. 3, Sept. 1956  
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,  
April 1958

KUCHAR, K.

"The map collection of Paul Bernard Moll."

p. 107 (Kartograficky Prehled) Vol. 10, no. 3, Sept. 1956  
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,  
April 1958

KUCAR, K.

Zalteri's copy of Claudiamus' map of Bohemia.

P.112 (Karto graficky Prehled. Vol. 11 No. 3 1957, Praha, Czcholovakia)

Monthly Index of East European Accessions (EFAI) LC. Vol. 7, No. 2,  
Februray 1958



KUCIAR, K

"Present work and problems of our cartography; a report presented to the 7th Congress of Czechoslovak Geographers in Brno, 1958."

p. 115 (Department of Cartography, Czechoslovak Academy of Sciences) Vol. 11, no. 4, 1957

SO: Monthly Index of East European Accession (EEAI) LC, Vol. 7, no. 5, May 1958

KUCHAR, K.

Lazar's map, the earliest map picturing Slovakia. p.00.  
(Casopis Pro Mineralogii A Geologii, Vol. 62, No. 2, 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EMAL) IC. Vol. 6, No. 9, Sept. 1957. Uncl.

KUCHAR, K.

James Clerk Maxwell and the concept of field in classical physics. p. 501

POKROKY MATEMATIKY, FYZIKY A ASTRONOMIE. (Jednota ceskoslovenskych matematiku a fysiku) Praha, Czechoslovakia, Vol. 4, no. 4, 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 10, Oct. 1959  
Uncl.

Dist: hElx(g)

The theory of electroluminescence in ZnS crystals. Karel Kuchal (Karlov Univ., Prague). *Czechoslov. J. Phys.* 9, 679-84 (1960) (in German).—The author assumes that electroluminescence is due to recombination of electrons from the surface with ionized activator centers in the vol. of the crystal (Zahn, *Thesis*, Univ. Amsterdam 1956). A theoretical model is developed which is compared with the exptl. results of other authors with respect to voltage, frequency, and temp. dependence. A. Kremheller

gt  
8/11/71

3  
1

KUCHAR, K.

"Early maps of the British Isles, A.D. 1000-A.D. 1579" by  
G.R. Crone. Reviewed by K. Kuchar. Sbor zem 68 no.4:349 '63.

KUCHAR, K.

"Bibliography of the members of the Geographical Research  
Group of the Hungarian Academy of Sciences." Reviewed by  
K.Kuchar. Geogr can SAV 15 no.3:238-239 '63.

KUCHAR, K.

"Geographic atlas of the Czechoslovak Socialist Republic for Schools." Reviewed by K.Kuchar. Geogr cas SAV 15 no.4:311-312 '63.

"Waclaw Nalkowski". Reviewed by K.Kuchar. 312-313.

KUCHAR, Leo

Screening of the gonads during radiography of the hip joints in children by means of an antidifusing tube with dryptographic diaphragm. Cesk.rentg. 14 no.5;324-328 0 '60.

1. Ortopedicka klinika JN v Brne, prednosta prof. dr. B.Frejka, doktor lek. ved.

(RADIATION PROTECTION in infancy & childhood)  
(HIP radiography)



KUCHAR, L<sup>20</sup>

Problems in positioning small children in skiagraphy of the hip joint. Cesk. rentgen. 17 no.1:61-64 Ja '63.

1. Ortopedicka klinika lekarske fakulty UJEvP v Brne, prodnosta prof. dr. M. Jancek.

(HIP)

(RADIOGRAPHY)

KUCHAR, Lumir, inz., C.Sc.; BLAHOZ, Otakar, inz.; JAKOB, Miloslav, inz.

Corrosion of materials in the barite furnace. Sbornik skol ban 8  
no.3:313-319 '62.

1. Odborni asistenti katedry nauky o kovech, Vysoka skola banska,  
Ostrava.

KUCHAR, Lumir, ins., C.Sc.; JAKOB, Miloslav, ins.

Practical use of mathematical curve analysis of aluminum alloy metallographic diagrams. Sbor VSB Ostrava 8 No.5:545-558 '62.

1. Katedra nauky o kovech, Vysoka skola banska.

KUCHAR, Lamir, inz. C.Sc.

Segregation coefficients in aluminum. Hut listy 17 no.9:639-648 S 62.

1. Katedra nauky o kovech, Vysoka skola banska, Ostrava.

KROPAR, Lumir, inz. CSc.

Production of high-purity aluminum by zone melting. Sbor  
VSB Ostrava 9 no.3:347-363 '63.

1. Katedra nauky o kovech, Vysoka skola banaa, Ostrava.

TEINDL, J., prof. inz. DrSc.; KUCHAR, L., inz. CSc.; JAKOB, M., inz.

Causes of enamel chipping in cast-iron castings. Sbor  
VSB Ostrava 9 no.3:453-466 '63.

1. Katedra nauky o kovech a tepelneho zpracovani, Vysoka  
skola banska, Ostrava.
2. clen korespondent Ceskoslovenske akademie ved (for  
Teindl).

10000, var. lat. ind.: 2.44A, 2.44B, 2.44C, 2.44D, 2.44E, 2.44F, 2.44G, 2.44H, 2.44I, 2.44J, 2.44K, 2.44L, 2.44M, 2.44N, 2.44O, 2.44P, 2.44Q, 2.44R, 2.44S, 2.44T, 2.44U, 2.44V, 2.44W, 2.44X, 2.44Y, 2.44Z, 2.44AA, 2.44AB, 2.44AC, 2.44AD, 2.44AE, 2.44AF, 2.44AG, 2.44AH, 2.44AI, 2.44AJ, 2.44AK, 2.44AL, 2.44AM, 2.44AN, 2.44AO, 2.44AP, 2.44AQ, 2.44AR, 2.44AS, 2.44AT, 2.44AU, 2.44AV, 2.44AW, 2.44AX, 2.44AY, 2.44AZ, 2.44BA, 2.44BB, 2.44BC, 2.44BD, 2.44BE, 2.44BF, 2.44BG, 2.44BH, 2.44BI, 2.44BJ, 2.44BK, 2.44BL, 2.44BM, 2.44BN, 2.44BO, 2.44BP, 2.44BQ, 2.44BR, 2.44BS, 2.44BT, 2.44BU, 2.44BV, 2.44BW, 2.44BX, 2.44BY, 2.44BZ, 2.44CA, 2.44CB, 2.44CC, 2.44CD, 2.44CE, 2.44CF, 2.44CG, 2.44CH, 2.44CI, 2.44CJ, 2.44CK, 2.44CL, 2.44CM, 2.44CN, 2.44CO, 2.44CP, 2.44CQ, 2.44CR, 2.44CS, 2.44CT, 2.44CU, 2.44CV, 2.44CW, 2.44CX, 2.44CY, 2.44CZ, 2.44DA, 2.44DB, 2.44DC, 2.44DD, 2.44DE, 2.44DF, 2.44DG, 2.44DH, 2.44DI, 2.44DJ, 2.44DK, 2.44DL, 2.44DM, 2.44DN, 2.44DO, 2.44DP, 2.44DQ, 2.44DR, 2.44DS, 2.44DT, 2.44DU, 2.44DV, 2.44DW, 2.44DX, 2.44DY, 2.44DZ, 2.44EA, 2.44EB, 2.44EC, 2.44ED, 2.44EE, 2.44EF, 2.44EG, 2.44EH, 2.44EI, 2.44EJ, 2.44EK, 2.44EL, 2.44EM, 2.44EN, 2.44EO, 2.44EP, 2.44EQ, 2.44ER, 2.44ES, 2.44ET, 2.44EU, 2.44EV, 2.44EW, 2.44EX, 2.44EY, 2.44EZ, 2.44FA, 2.44FB, 2.44FC, 2.44FD, 2.44FE, 2.44FF, 2.44FG, 2.44FH, 2.44FI, 2.44FJ, 2.44FK, 2.44FL, 2.44FM, 2.44FN, 2.44FO, 2.44FP, 2.44FQ, 2.44FR, 2.44FS, 2.44FT, 2.44FU, 2.44FV, 2.44FW, 2.44FX, 2.44FY, 2.44FZ, 2.44GA, 2.44GB, 2.44GC, 2.44GD, 2.44GE, 2.44GF, 2.44GG, 2.44GH, 2.44GI, 2.44GJ, 2.44GK, 2.44GL, 2.44GM, 2.44GN, 2.44GO, 2.44GP, 2.44GQ, 2.44GR, 2.44GS, 2.44GT, 2.44GU, 2.44GV, 2.44GW, 2.44GX, 2.44GY, 2.44GZ, 2.44HA, 2.44HB, 2.44HC, 2.44HD, 2.44HE, 2.44HF, 2.44HG, 2.44HH, 2.44HI, 2.44HJ, 2.44HK, 2.44HL, 2.44HM, 2.44HN, 2.44HO, 2.44HP, 2.44HQ, 2.44HR, 2.44HS, 2.44HT, 2.44HU, 2.44HV, 2.44HW, 2.44HX, 2.44HY, 2.44HZ, 2.44IA, 2.44IB, 2.44IC, 2.44ID, 2.44IE, 2.44IF, 2.44IG, 2.44IH, 2.44II, 2.44IJ, 2.44IK, 2.44IL, 2.44IM, 2.44IN, 2.44IO, 2.44IP, 2.44IQ, 2.44IR, 2.44IS, 2.44IT, 2.44IU, 2.44IV, 2.44IW, 2.44IX, 2.44IY, 2.44IZ, 2.44JA, 2.44JB, 2.44JC, 2.44JD, 2.44JE, 2.44JF, 2.44JG, 2.44JH, 2.44JI, 2.44JJ, 2.44JK, 2.44JL, 2.44JM, 2.44JN, 2.44JO, 2.44JP, 2.44JQ, 2.44JR, 2.44JS, 2.44JT, 2.44JU, 2.44JV, 2.44JW, 2.44JX, 2.44JY, 2.44JZ, 2.44KA, 2.44KB, 2.44KC, 2.44KD, 2.44KE, 2.44KF, 2.44KG, 2.44KH, 2.44KI, 2.44KJ, 2.44KK, 2.44KL, 2.44KM, 2.44KN, 2.44KO, 2.44KP, 2.44KQ, 2.44KR, 2.44KS, 2.44KT, 2.44KU, 2.44KV, 2.44KW, 2.44KX, 2.44KY, 2.44KZ, 2.44LA, 2.44LB, 2.44LC, 2.44LD, 2.44LE, 2.44LF, 2.44LG, 2.44LH, 2.44LI, 2.44LJ, 2.44LK, 2.44LL, 2.44LM, 2.44LN, 2.44LO, 2.44LP, 2.44LQ, 2.44LR, 2.44LS, 2.44LT, 2.44LU, 2.44LV, 2.44LW, 2.44LX, 2.44LY, 2.44LZ, 2.44MA, 2.44MB, 2.44MC, 2.44MD, 2.44ME, 2.44MF, 2.44MG, 2.44MH, 2.44MI, 2.44MJ, 2.44MK, 2.44ML, 2.44MN, 2.44MO, 2.44MP, 2.44MQ, 2.44MR, 2.44MS, 2.44MT, 2.44MU, 2.44MV, 2.44MW, 2.44MX, 2.44MY, 2.44MZ, 2.44NA, 2.44NB, 2.44NC, 2.44ND, 2.44NE, 2.44NF, 2.44NG, 2.44NH, 2.44NI, 2.44NJ, 2.44NK, 2.44NL, 2.44NM, 2.44NN, 2.44NO, 2.44NP, 2.44NQ, 2.44NR, 2.44NS, 2.44NT, 2.44NU, 2.44NV, 2.44NW, 2.44NX, 2.44NY, 2.44NZ, 2.44OA, 2.44OB, 2.44OC, 2.44OD, 2.44OE, 2.44OF, 2.44OG, 2.44OH, 2.44OI, 2.44OJ, 2.44OK, 2.44OL, 2.44OM, 2.44ON, 2.44OO, 2.44OP, 2.44OQ, 2.44OR, 2.44OS, 2.44OT, 2.44OU, 2.44OV, 2.44OW, 2.44OX, 2.44OY, 2.44OZ, 2.44PA, 2.44PB, 2.44PC, 2.44PD, 2.44PE, 2.44PF, 2.44PG, 2.44PH, 2.44PI, 2.44PJ, 2.44PK, 2.44PL, 2.44PM, 2.44PN, 2.44PO, 2.44PP, 2.44PQ, 2.44PR, 2.44PS, 2.44PT, 2.44PU, 2.44PV, 2.44PW, 2.44PX, 2.44PY, 2.44PZ, 2.44QA, 2.44QB, 2.44QC, 2.44QD, 2.44QE, 2.44QF, 2.44QG, 2.44QH, 2.44QI, 2.44QJ, 2.44QK, 2.44QL, 2.44QM, 2.44QN, 2.44QO, 2.44QP, 2.44QQ, 2.44QR, 2.44QS, 2.44QT, 2.44QU, 2.44QV, 2.44QW, 2.44QX, 2.44QY, 2.44QZ, 2.44RA, 2.44RB, 2.44RC, 2.44RD, 2.44RE, 2.44RF, 2.44RG, 2.44RH, 2.44RI, 2.44RJ, 2.44RK, 2.44RL, 2.44RM, 2.44RN, 2.44RO, 2.44RP, 2.44RQ, 2.44RR, 2.44RS, 2.44RT, 2.44RU, 2.44RV, 2.44RW, 2.44RX, 2.44RY, 2.44RZ, 2.44SA, 2.44SB, 2.44SC, 2.44SD, 2.44SE, 2.44SF, 2.44SG, 2.44SH, 2.44SI, 2.44SJ, 2.44SK, 2.44SL, 2.44SM, 2.44SN, 2.44SO, 2.44SP, 2.44SQ, 2.44SR, 2.44SS, 2.44ST, 2.44SU, 2.44SV, 2.44SW, 2.44SX, 2.44SY, 2.44SZ, 2.44TA, 2.44TB, 2.44TC, 2.44TD, 2.44TE, 2.44TF, 2.44TG, 2.44TH, 2.44TI, 2.44TJ, 2.44TK, 2.44TL, 2.44TM, 2.44TN, 2.44TO, 2.44TP, 2.44TQ, 2.44TR, 2.44TS, 2.44TT, 2.44TU, 2.44TV, 2.44TW, 2.44TX, 2.44TY, 2.44TZ, 2.44UA, 2.44UB, 2.44UC, 2.44UD, 2.44UE, 2.44UF, 2.44UG, 2.44UH, 2.44UI, 2.44UJ, 2.44UK, 2.44UL, 2.44UM, 2.44UN, 2.44UO, 2.44UP, 2.44UQ, 2.44UR, 2.44US, 2.44UT, 2.44UU, 2.44UV, 2.44UW, 2.44UX, 2.44UY, 2.44UZ, 2.44VA, 2.44VB, 2.44VC, 2.44VD, 2.44VE, 2.44VF, 2.44VG, 2.44VH, 2.44VI, 2.44VJ, 2.44VK, 2.44VL, 2.44VM, 2.44VN, 2.44VO, 2.44VP, 2.44VQ, 2.44VR, 2.44VS, 2.44VT, 2.44VU, 2.44VV, 2.44VW, 2.44VX, 2.44VY, 2.44VZ, 2.44WA, 2.44WB, 2.44WC, 2.44WD, 2.44WE, 2.44WF, 2.44WG, 2.44WH, 2.44WI, 2.44WJ, 2.44WK, 2.44WL, 2.44WM, 2.44WN, 2.44WO, 2.44WP, 2.44WQ, 2.44WR, 2.44WS, 2.44WT, 2.44WU, 2.44WV, 2.44WW, 2.44WX, 2.44WY, 2.44WZ, 2.44XA, 2.44XB, 2.44XC, 2.44XD, 2.44XE, 2.44XF, 2.44XG, 2.44XH, 2.44XI, 2.44XJ, 2.44XK, 2.44XL, 2.44XM, 2.44XN, 2.44XO, 2.44XP, 2.44XQ, 2.44XR, 2.44XS, 2.44XT, 2.44XU, 2.44XV, 2.44XW, 2.44XX, 2.44XY, 2.44XZ, 2.44YA, 2.44YB, 2.44YC, 2.44YD, 2.44YE, 2.44YF, 2.44YG, 2.44YH, 2.44YI, 2.44YJ, 2.44YK, 2.44YL, 2.44YM, 2.44YN, 2.44YO, 2.44YP, 2.44YQ, 2.44YR, 2.44YS, 2.44YT, 2.44YU, 2.44YV, 2.44YW, 2.44YX, 2.44YY, 2.44YZ, 2.44ZA, 2.44ZB, 2.44ZC, 2.44ZD, 2.44ZE, 2.44ZF, 2.44ZG, 2.44ZH, 2.44ZI, 2.44ZJ, 2.44ZK, 2.44ZL, 2.44ZM, 2.44ZN, 2.44ZO, 2.44ZP, 2.44ZQ, 2.44ZR, 2.44ZS, 2.44ZT, 2.44ZU, 2.44ZV, 2.44ZW, 2.44ZX, 2.44ZY, 2.44ZZ

Use of the radiocarbon method in the study of old lacquer, especially in water coatings. Sber. VSR Khimya 1963, 3: 1-3 (in Russian).

1. Corresponding member of the Academy of Sciences of the USSR (for Finland). Submitted June 8, 1963.

KUCHAR, Lumar, inz. CSo.

Relation between the distribution coefficients of admixtures  
in aluminum zone melting and metallographic diagrams. Sbor  
VSB Ostrava 10 no.3:371-384 '64.

1. Chair of Metal Science of the Higher School of Mining,  
Ostrava. Submitted June 21, 1963.



WONAR, Lunde

Manufacturing of aluminum and its distribution coefficients.  
Publ. no. 2189-69 F. 167.

1. College of Mining, Ostrava, Czechoslovakia.

KUCHAR, Milan, inz.

Mofotherm, a new heat-insulating material. Drevo 17 no.6:177-180  
Je '62.

1. Prumstav, narodni podnik, Pardubice.

KUCHAR, Milan, ins.

Finishing with PVAc latex coatings and sprays. Drove 18  
no.5:185-188 My '63.

1. Prumstav, n.p., Pardubice.

KUCHAR, Milan, inz.

Foamed polystyrene. Drevo 18 no.9:323-326 S '63.

1. Prunstav, n.p., Pardubice.