

SZARVAS, Ferenc, dr.; LAKATOS, Laszlo, dr.; DAVID, Margit, dr.; KOVACS,
Kalman, dr.

Hypopituitarism with hyperlipemia. Orv. hetil. 103 no.34:1618-1619
26 Ag '62.

1. Szegedi Orvostudományi Egyetem, I. Belklinika.
(PITUITARY GLAND dis) (LIPIDS blood)

L. LAKATOS, Maria, dr.; MARKOS, Gyorgyne, munkatars

Some frequent diaphragmatic lesions in phthisiology. Tuberkulozis 16
no.1:16-18 Ja '63.

1. Az Orszagos Koranyi TBC Intezet (igazgato: Boszormenyi Miklos dr.
kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozlemenye.
(TUBERCULOSIS, PULMONARY) (DIAPHRAGM)
(PATHOLOGY)

KAHAN, Agost, dr.; BENCZE, Gyorgy, dr.; OLAH, Miklos, dr. LAKATOS, Laszlo
dr.

On the side effect of chloroquine therapy in rheumatoid ar-
thritis and systemic lupus erythematosus. Orv. hetil. 105
no.19:883-888 10 My'64

1. Szagedi Orvostudcmanyi Egyetem, Szemklinika es I. Belklinika.

*

LAKATOS, L.; BENCZE, Gy.; SOMOGYI, I.; SOMLO, Z.

Neurological and electroencephalographic studies in systemic lupus erythematosus and rheumatoid arthritis. Acta med. acad. sci. Hung. 21 no.3:247-255 '65.

1. First Department of Medicine, and Department of Neurology and Psychiatry, University Medical School, Szeged. Submitted July 15, 1964.

LAKATOS, Lajos, Dr.

Elements of the transportation process in motor truck traffic.
Kozleked kozl 18 no.16:269-271 Ap '62.

LAKATOS, Maria L., dr.; LEVENDEL, László, dr.

Electrotherapeutic procedures applicable in sanatoria for pulmonary tuberculosis. Tuberk. kerdesei 6 no.3:46-48 Aug 53.

(ELECTROTHERAPY, in various dis.
tuberc., pulm.)

(TUBERCULOSIS, PULMONARY, ther.
electrother.)

~~LAKATOS, MARIA~~
L-LAKATOS, Maria; SOMTESZ, Lajos

Problems of exercise therapy in spondylitis tuberculosis. Tuberkulozis
10 no.5-6:113-116 May-June 57.

1. Az Allani Fodor Jozsef Tbc. Gyogyintezet, Budapest (igazgato foorvos:
Risko Tibor dr.) kozlemenye.

(TUBERCULOSIS, SPINAL, ther.
exercise ther. (Hun))

(EXERCISE THERAPY, in various dis.
tuberc., spinal (Hun))

IAKATOS, Margis, Dr.; CHATEL, Andor, Dr.

Therapy of Bechterew's disease in simultaneous tuberculosis. Orv. hetil.
99 no.23:789-790 8 June 58.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Boszormenyi Miklos dr.,
tudomanyos vezető: Foldes Istvan dr.) es a Fovarosi Furdoigazgatóság
(igazgato: Chatel Andor dr.) közleménye.

(SPONDYLITIS, ANKYLOSING, compl.
tuberc., pulm., simultaneous ther. (Hun))

(TUBERCULOSIS, PULMONARY, compl.
spondylitis, ankylosing, simultaneous ther. (Hun))

LAKATOS, Maria, dr.

Results of 2 years of activities of a clinic for follow-up therapy of tuberculosis in Budapest. Tuberkulozis 14 no.1:20-22 Ja '61.

(TUBERCULOSIS hosp & clinics)

LAKATOS, Maria, dr.; MARKOS, Gyorgyne

How can we improve with the aid of physical therapy functional conditions of tuberculous patients before pneumonectomy? Tuberkulozis 14 no.2:49-51 F '61.

1. Az Orszagos Keranyi Tbc Intezet (igazgato: Boszormenyi Miklos dr. kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozlemenye.

(PNEUMONECTOMY) (PHYSICAL THERAPY)

LAKATOS, Maria, dr.; LUKACS, Laszlo, dr.; LEVENDEL, Laszlo, dr.

Data on the origin on thoracic spasms studied by electromyography.
Orv. hetil. 102 no.48:2278-2281 26 N '61.

1. Orszagos Koranyi Tbc Intezet es Fovarosi Tanacs V.B., Heine-Medin
Utokezelo Korhaz es Rendelointezet.

(THORAX) (ELECTROMYOGRAPHY) (SPASM)

LEVENDEL, Laszlo, dr.; LAKATCS, Maria, dr.; VARADY, Tamas, dr.

The use of new tranquilizers (Frenolon, Melipramin, Hirepin) in the therapy of tuberculosis, with special reference to the alcoholic tuberculosis patients. Tuberkulozis 15 no.12:365-367 D '62.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Borszormenyi Miklos dr., tudcmányos vezető: Foldes Istvan dr.) es a Tbc Utokezeso Rendeles (igazgato: Szakkay Antal dr.) kozlemenye.

(TUBERCULOSIS, PULMONARY) (TRANQUILIZING AGENTS)
(IMIPRAMINE) (CHLORPROMAZINE) (RESERPINE) (PRCMEHAZINE)

MADAR, Janos, dr.; LAKATOS, Maria, dr.; SZEPE, Lajos, dr.(Egyek); SZEKELYFOLDI, Jozsef, dr.; RACZ, Irma, dr.

Experience with the introduction of intensive measures against dysentery.
Nepegeszsegugy 43 no.5:142-145 My '62:

1. Kozlemeny a Hajdu-Bihar megyei Kozegeszsgugyi-Jarranyugyi Allomasrol (igasgato: Madar Janos dr.).
(DYSENTERY BACILLARY prev & control)

BORZORMENYI, Miklos, dr.; L. LAKATOS, Maria, dr.

Management of incurable tuberculosis. Tuberkulozis 16 no.2:41-44 F '63.

1. Az Orszagos Koranyi Tbc Intezet (igazgato-foorvos: Boszormenyi
Miklos dr., tudomanyos igazgato: Földes Istvan dr.) kozlemenye.
(TUBERCULOSIS, PULMONARY) (HEMOPTYSIS) (BRONCHITIS)
(DYSPOE) (PHYSICIAN-PATIENT RELATIONS) (ANALGESIA)

L. LAKATOS, Maria, dr.; MARKOS, Gyorgyne, munkatars

Therapy of diaphragmatic lesions in the clinical management of pulmonary tuberculosis. Tuberkulozis 16 no.3:74-77 Mr '63.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Beszormenyi Miklos dr. kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozlemenye.
(TUBERCULOSIS, PULMONARY) (DIAPHRAGM) (PREDNISOLONE)
(PLEURISY) (PULMONARY EMPHYSEMA) (RESPIRATION)
(PHYSICAL THERAPY) (ELECTROTHERAPY) (PHRENIC NERVE)

L. LAKATOS, Maria, dr.; MARKOS, Gyorgyne

The functioning of the diaphragm following lung surgery.
Tuberkulozis 16 no.11:333-337 N '63.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Roszormenyi
Miklos dr. kandidatus, tudomanyos igazgato: Foldes Istvan dr.
kandidatus) kozlemenye.

(DIAPHRAGM) (PHYSIOLOGY) (PNEUMONECTOMY)
(POSTOPERATIVE COMPLICATIONS) (PLEURISY)
(EMPHYSEMA) (HEMATOMA)

LAKATOS, Maria, dr.; RACZ, Irma, dr.

The distribution of Shigella types and Sh. flexneri serotypes
in Hajdu-Bihar county. Nepegezssegugy 44 no.7:208-212 JI '63.

1. Kozlemeny a Hajda-Bihar megyei Kosegeszssegugyi-Jarvanyugyi
Allomasrol (igazgato: Madar Janos dr.).
(SHIGELLA) (SHIGELLA SONNEI) (STATISTICS)

MADAR, Janos, dr.; LAKATOS, Maria, dr.; RACZ, Irma, dr.;
SZEKELYFOLDI, Jozsef, dr.

Study on stepping-up the effectiveness of the control of
abdominal typhus in Hajdu-Bihar County. Nepegeszsegugy 44
no.9:268-271 S '63.

1. Kozlemeny a Hajdu-Bihar megyei Kozegeszsegugyi-Jarvanyugyi
Allomasrol (igazgato: Madar Janos dr.).
(TYPHOID) (MASS SCREENING TECHNIQS)
(EPIDEMIOLOGY) (COMMUNICABLE DISEASE CONTROL)

BOJAN, Maria, dr.; LAKATOS, Maria, dr.

Bacteria-caused food poisoning in the laboratory examination material of the Public Health and Epidemiology Center in Hajdu-Bihar County. Nepszszegugy 44 no.10:308-311 0 '63.

1. Kozlemeny a Hajdu-Bihar megyei Kozegeszsegugyi-Jarvanyugyi Allomasrol (igazgato: Madar Janos dr.).

(SALMONELLA TYPHIMURIUM)

(STAPH INFECTIONS, GASTROINTESTINAL)

(FOOD INSPECTION) (SALMONELLA FOOD POISONING)

(BACILLUS CEREUS)

L. LAKATOS, Maria, dr.; MARKOS, Gyorgyne

Our experiences in the treatment of postoperative paradoxical diaphragmatic movement. Tuberkulozis 16 no.12:371-373 D '63.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Boszormenyi Miklos dr. kandidatus; tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozlemenye.

BEDE, Lidia, dr.; L. LAKATOS, Maria, dr.; LEVENDEL, Laszlo, dr.

Use of anabolic hormones (nerobol, nercbolil) in the treatment of tuberculosis. Tuberkulozis 16 no.12:377-378 D '63.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Boszormenyi Miklos dr. kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) es a Fovarosi Tanacs Tbc Gondozo Intezetenek (igazgato: Szakkay Antal dr.) kozlemenye.

KALLOS, Zsuzsa, dr.; LAKATOS, Maria, dr.; LEV ENDEL, Iaszlo, dr.

Data to the institutional treatment of "incurable" and "cured"
patients. Tuberkulozis 16 no.12:378-381 D '63.

1. Orszagos Koranyi Tbc Intezet (Igazgato: Boszormenyi Miklos dr.
kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozle-
menye.

HUNGARY

MUNNICH, Denes, Dr. ~~LAKATOS, Maria, Dr.~~ Hajdu-Bihar Megye Council Hospital, Infectious Ward (chief physician: MUNNICH, Denes, Dr) (Hajdu-Bihar Megyei Tanacs Korhaz, Fertozo Osztaly), Debrecen, and Hajdu-Bihar Megye Public Health and Epidemiological Station, Laboratory (chief physician: LAKATOS, Maria, Dr) (Hajdu-Bihar Megyei KOJAL -- Kozegeszsegugyi Jarvanyugyi Allomas --, Laboratorium).

"New Data on 'Leptospirosis East of the Tisza River'."

Budapest, Orvosi Hetilap, Vol 108, No 10, 5 Mar 67, pages 459-463.

Abstract: [Authors' Hungarian summary] Over a 7 year period (1957-63), 140 patients were treated for leptospirosis at the ward. More detailed examinations were carried out in 73 of the cases, in 83 per cent of which the tentative diagnosis was confirmed by the leptospira-agglutination-lysis reactions as well. The data indicate that this is an essentially occupational disease. Antibodies belonging to the pomona serotype could be demonstrated most frequently (60 per cent) in the serum of the patients. These cases ran their course in form of a benign serous meningitis. The most severe and severe forms of the disease were caused by sejro, pomona + sejro, and pomona + canicola + icterohaemorrhagia + sejro as well as by canicola serotypes of infection. Jaundice, presumably cholestatic hepatitis, occurred in 10 cases, acute interstitial nephritis (nephrosis) in 16 cases, 3 of which led to anuria. The penicillin G therapy applied could be called effective although the second wave of fever could not be prevented by it in several of the cases and,

1/2

HUNGARY

Budapest, Orvosi Hetilap, Vol 108, No 10, 5 Mar 67, pages 459-463.

when given at an early stage of the disease, it also influenced the immune body response. 12 Eastern European, 8 Western references.

2/2

UNGAR, Imre, dr.; BEKE, Csaba, dr.; LAKATOS, Pal. dr.

Surgical intervention in acute pulmonary hemorrhage. Orv. hetil.
105 no.28:1311-1314 12 JI'64

1. Országos Koranyi Toc. Intezet, XXII. ker. Tanacs, Tudokorhaz,
Komarom Megyei Tanacs Korhaza, Sikvolgyi Tudosztaly.

LAKATOS, Rezao

The magnetic lock. Faipar 13 no.3:97 Mr '63.

LAKATOS, Sandor

Present state of industrial gas analysis. Meres automat 9 no.1:
29-30 Ja '61.

1. Tudományos osztályvezető, Műszeripari Kutató Intézet

LAKATOS, Sandoz

~~Infrared~~ gas analyzer. Meres automat 9 no.4:123-125 '61.

1. Tudományos osztályvezető, Muszeripari Kutató Intézet.

S/263/62/000/009/007/010
1007/1207

AUTHORS: Honfi, Ferenc and Lákatos, Sandor,

TITLE: Miniature recording galvanometer

PERIODICAL: Referativnyy zhurnal, otdel'nyy vypusk. 32. Izmeritel'naya tekhnika no. 9, 1962, 49, abstract 32.9.332 (Hungarian patent, Class 21e, 1-13, no. 147904, December 30, 1960)

TEXT: The self-recording measuring device, for which the present patent has been granted, differs from conventional designs, in that it has an attachable additional pointer located on the axis of the main pointer. The light beam of a point source is focused by means of two mirrors, through a 0.05 mm slit, upon the tip of the additional pointer. The shade of the tip is reflected on a photographic film or paper-strip printing on it a curve the shape of which is determined by the movement of the photographic layer, depending upon the external value to be recorded. It is shown that almost any measuring device can be converted into a self-recording instrument. A sketch of the device is given.

[Abstractor's note: Complete translation.]

Card 1/1

HONFI, Ferenc; LAKATOS, Sandor

Theory, practice and possibilities of well logging with a single electrode. Geofiz kozl 10 no.1/4:91-96 '62.

HUNGARY

LAJTHOS, T.; Institute of Biophysics, Medical University,
Orvostudományi Egyetem Biofizikai Intézete, Pécs.

"Direct Current Conductivity of Dried Frog Muscle."

Budapest, Acta Physiologica Academiae Scientiarum Hungari-
cae, Vol 22, No 3-4, 1962, pp 297-304.

Abstract: [English article; author's English summary abridged] Muscles containing more than 6 per cent water show a close correlation between water content and conductivity. This correlation is almost absent in muscle with less than 4 to 6 per cent water. The temperature dependence of the conductivity was studied. It is proposed that electron transport occurs not by ion transport but as in a semiconductor. Of 22 references, one-third are Hungarian, and most of the others are Western.

1/1

MAHUNKA, Imre; LAKATOS, Tamás; FENYES, Tibor; KAROLYI, Gyula, fizikus;
BAKOCZY, Mihály, mernok; CSUKA, Imre, mernok; NAGY, József,
mernok.

Charge sensitive amplifier system with low noise level for
nuclear semiconductor spectrometer. ATOMKI kozl 5 no.2:
65-75 '63

LAKATOS, TIBOR

HUNGARY/Chemical Technology. Chemical Products and Their Application - Silicates. Glass. Ceramics. Binders. I-9

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 12669

Author : Lakatos Tibor

Title : Cellular Building Materials Solidifying in the Autoclave

Orig Pub : Autoklavban szilardított sejtesített epitoanyagok. Magyar epitoiper, 1956, 5, No 2, 62-70 (Hungarian)

Abstract : Description of the manufacture of gas-concrete, gas-silicate, foam-silicate and foam-concrete. Noted are the factors that affect the strength (proportion of cement, grain size of sand, amount of water).

Card 1/1

- 122 -

LAKATOS, T.

Direct current conductivity of dried frog muscle. Acta physiol. acad. sci. hung. 22 no.3/4:297-304 '62.

1. Institute of Biophysics, Medical University, Pecs.
(MUSCLES)

LAKATOSH, B., kand.tekhn.nauk

Machines designed by voluntary innovators. NTO 5 no.2:43-44 F '63.
(MIRA 16:3)

1. Predsedatel' Rostovskogo oblastnogo pravleniya Nauchno-tekhicheskogo obshchestva bumazhnoy i derevoobrabatyvayushchey promyshlennosti.
(Rostov Province--Furniture industry)

LAKATOSH, B. K.

DECLASSIFIED

1964

WOOD INDUSTRY

163

LAKATOSH, B.L., kand.tekhn.nauk

Using radioisotopes for automatic control of finishing operations.
Der. prom. 7 no.10:15 0 '58. (MIRA 11:11)

1. Rostovskiy n/D inzhenerno-stroitel'nyy institut.
(Wood finishing) (Radioisotopes--Industrial applications)

S/057/62/032/007/013/013
B154/B104

AUTHORS: Lakatos, G., and Bito, I. (Prague)

TITLE: Influence of the external resistance on the movement of layers in the positive column of discharges

PERIODICAL: Zhurnal tekhnicheskoy fiziki, v. 32, no. 7, 1962, 902-903

TEXT: The movement of discharge layers in the positive column as affected by external parameters has already been discussed in the papers cited (H. Yoshimoto, et al. JI. of the Phys. Soc. Jap., 13, 734, 1958; L. Pekarek. Czechosl. JI. Phys., 8, 32, 1958; A. V. Nedospasov, et al., ZhTF, XXX, 125, 1960). In the present paper the amounts of the amplitude of brightness, velocity, wavelength, and frequency of these layers are examined as functions of the external resistance. Experiments were carried out using a discharging tube (oxide cathode, nickel anode, diameter 36 mm, length 1200 mm, temperature of cooling water $25 \pm 0.1^{\circ}\text{C}$) filled with argon or mercury vapor (pressure 3 mm Hg). The parameters were determined following the methods described by H. Yoshimoto et al. The results obtained for a constant discharging current of 100 ma with

Card 1/2

Influence of the external resistance ...

S/057/62/032/007/013/013
B154/B104

negligible inductivity, show that in the range of 1000-3000 Ω with increasing external resistance the amplitude of brightness increases linearly, the velocity and the wavelength decrease linearly, the frequency remains constant. Frequency measurements for a constant discharging current of 20 ma and an external resistance of 10 Ω having an inductivity of 1.5 henry delivered frequency of the layer of 498 cps (in the case in which the inductivity was used) and 541 cps (in the case in which the inductivity was not used) respectively. The authors conclude from their results that in the range considered, the value of the external resistance influences the amplitude of brightness as well as the velocity and the wavelength of the layers, but not their frequency. There is 1 figure. ✓

SUBMITTED: November 21, 1960

Card 2/2

CHIOGOLYA, G.; BERAL, Kh.; VASIL'YEV, P.; POPOVICH, N.; KOSMIN, Anna;
MADZHARU, M.; YAKOB, A.; LAKATOSH, L.; DIAKU, D.; PATRASHEU, S.

Determination of bismuth in Romanian drugs by means of EDTA titration.
Apt.delo 8 no.6:67-69 N-D '59. (MIRA 13:4)

1. Iz Instituta po lintrolyu kachestva medikamentov Ministerstva
zdravookhraneniya Rumynskoy Narodnoy Respubliki, Bukharest.
(BISMUTH--ANALYSIS)

LAKAYEV, V.F., kand. tekhn. nauk, inzhener-kapitan 2- go rango

Controllability characteristics and maneuvering possibilities of
submarines. Mor. sbor. 47 no.1:68-78 Ja '64. (MIRA 18:7)

LAKAZOVA, P. K.

AUTHOR: Lakazova, P.K., Candidate of Historical Sciences 3-11-8/17

TITLE: Women in the Vuzes of the Country (Zhenshchiny v vuzakh strany)

PERIODICAL: Vestnik Vyshey Shkoly, 1957, # 11, pp 48 - 53 (USSR)

ABSTRACT: The author states that the chances for women to get proper education were extremely limited during the pre-revolution period. The situation changed radically with the beginning of Socialism and the equality of rights for women in education and social and political life. In 1956/57, the number of female students in vuzes amounted to 52%. The participation of women in evening and correspondence courses amounted in 1955/56 to 50,8%. The author quotes some figures illustrating the percentage of women students in vuzes in 1955/56: 75% in vuzes of the food industry, 74,5% in vuzes of the light and textile industry, in medical vuzes - more than 70%; in universities and pedagogical institutes - 67%. More than 1,500 female students are trained at the Moscow Academy of Agriculture imeni Timiryazev; 175 female dotsents are working at this institute. The number of female scientists is increasing steadily. At present there are 19,000 women holding scientific degrees. Scientific pedagogical activity in vuzes

Card 1/2

Women in the Vuzes of the Country

3-11-8/17

is performed by more than 40,000 women, or 35% of the teaching staff. About 100 women are directors or deputy directors in vuzes, more than 190 are faculty deans and almost 2,000 are holding chairs in higher educational establishments. More than 1,000 women perform scientific-pedagogical work at the Moscow University, among them are 32 doctors and more than 470 candidates of sciences, including 27 professors and 155 dotsents. The author enumerates some outstanding female scientists: P.Ya. Kochina (Member-Correspondent of the USSR Academy of Sciences, Professor at the Moscow University) conducting research on hydrodynamics; Professor V.A. Larina, Doctor of Technical Sciences, concentrated her investigations on the extraction of liquid fuel from coal; she is the head of the Scientific Research Institute of Physics and Chemistry at Irkutsk University. M.T. Grekhova, a radio-physicist of the Scientific Research Institute of Radiophysics at the Gor'kiy University, is a Professor-Doctor of physico-mathematical sciences.

There is one photograph.

AVAILABLE: Library of Congress

Card 2/2

2

LAKEDEMONSKIY, A.Y.

The heat effect of distribution. V. K. Perakhe and A. V. Lakshminarayanan. *J. Gen. Chem.* (U. S. S. R.) 9, 170-13 (1939). —The expl. part of the investigation consisted in the detn. of the heat effect and of the distribution coeff. for the system water-Am alc. (solvent) and AcOH (solute). The substances used were: ordinary disd. water, Am alc. (the 128-130° fraction; one fraction for each expt.), and 100% glacial AcOH. Into a 0.5-l. Dewar's flask (in a glass jar and isolated from it by a layer of cotton) were introduced 100 ml. of water and 100 ml. of Am alc., and the soln. was stirred until a finely dispersed system was obtained. The usual calorimetric expt. was performed at 17 ± 1°. The temp. was noted on a Beckmann thermometer every 30 sec. for 10 min. After that 30-31 g. of AcOH was added and the temp. change detd. for 10 min. The heat capacity of water was taken as 1.000, of Am alc. as 0.554, and of AcOH as 0.424. The mean exptl. error was calcd. from $S = \frac{\sum \epsilon^2}{n-1}$ $\epsilon =$ error of the individual results, $\sum \epsilon^2 =$ sum of the squares of the errors of the individual results, $n =$ no. of the results. Thus the distribution heat effect at 17 ± 1° was found to be equal to 214 ± 2 cal. per mol. For the distribution coeff. detn. 100 ml. each of mutually satd. water and Am alc. were placed in a thermostat. To the soln. was added 30 ml. of AcOH and the liquid was shaken for 30 min. After shaking the vol. of both layers were measured; samples were taken from the water layer, and titrated with 0.1 N NaOH soln. The mean $K = A/W$ values obtained at 15, 17, and 30° were 0.913 ± 0.003, 0.917 ± 0.003, and 0.930 ± 0.009, resp. The change of vol. ΔV of the solvents during the distribution of AcOH attained 7-8%. The main reason for the change in heat effect with temp. is the change in the mutual soly. in the presence of a third substance. From the exptl. results the formula for the heat effect of the distribution of AcOH between water and amyl alc. was found to be $U = 608.9 - 0.3T + 0.00063T^2$, and from this a distribution coeff. curve was constructed. W. R. Hrens

Lab. Phys. Chem., Moscow Inst. Non-ferrous Metals & Gold.

ASB-SL & METALLURGICAL LITERATURE CLASSIFICATION

Smelting ovens with jetless ceramic burners. *Acad. Sci. USSR, Div. Chem. Sci., Ser. Phys. Chem.* 1954, No. 9, 14-17; *Referat. Zhur., Khim.* 1955, Abstr. No. 5811B. — The jetless surface ceramic gas burners used for melting Sn and babbitt for about 6 yrs. have many advantages over the ordinary gas burners; fast heating, relatively small gas consumption, and possible automatic temp. control of the oven. The heat capacity of the ceramic burners is regulated in the range 1500-80,000 cal./hr. Described in detail are the construction of the burners, the arrangement for the gas-air mixt. prepa., explosion safeguards during the flame propagation from the burners, and smooth temp. control within $\pm 15^\circ$.

N. Vasilov

2

DUBINSKIY, S.A.; ROSSEL'S, N.O.; LAKEDEMONSKIY, A.V.; ANOPOVA, A.I.;
KHAKIMDZHANOVA, M.K.

Effect of nickel on solders. TSvet.met.27 no.3:50-55 My-Je '54.
(MIRA 10:10)


1. TSentral'nyy nauchno-issledovatel'skiy institut olovyannoy
promyshlennosti (for Dubinskiy, Rossel's). 2. Avtozavod im.Stalina
(for LakedemonSKIY, Anopova, Khakimdzhanova).
(Nickel) (Solder and soldering)

LAKE DEMONSKIY, A.V.

Considered for plating: A. I. Vitko; V. M. Babin; A. V. ...
L. I. Yashnikov; R. A. Myrta; V. A. ...
S. K. Baran; T. P. Plotnikova; P. A. Zhaid ...
B. I. Kosmach; and B. S. Petrova. U.S.S.R.
DOI, 701, Dec. 31, 1955. The side not to be tinned is elec-
troplated with Cr. An app. for the process is described.
M. Hasch

"APPROVED FOR RELEASE: 06/20/2000

CIA-RDP86-00513R000928430002-3



APPROVED FOR RELEASE: 06/20/2000

CIA-RDP86-00513R000928430002-3"

SHPAGIN, Aleksey Ivanovich; VINOGRADOV, S.V., inzhener, retsenzent;
LAKHEMONSKIY, A.V., inzhener, retsenzent; EL'KIND, L.M., redaktor
izdatel'stva; MIKHAYLOVA, V.V., tekhnicheskii redaktor

[Antifriction alloys] Antifriktsionnye splavy. Moskva, Gos. nauchno-
tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1956. 320 p.
(Alloys) (MIRA 9:11)

LAKEDEMONSKIY, A.V.

AID P - 4260

Subject : USSR/Engineering
Card 1/1 Pub. 128 - 18/33
Authors : Lakedemonkiy, A. V., Engineer, B. V. Pogozhev, Engineer,
N. M. Rudnitskiy, Kand. Tech. Sci., and I. Ye. Fokin
Title : Results of operational tests of the new anti-friction
alloy SOS 6-6.
Periodical : Vest. mash., #1, p. 55-56, Ja 1956
Abstract : The new anti-friction alloy SOS 6-6 is analysed as sleeve
bearing metal for carburetor engines. Its composition is
5.5-6.5% Sn, 5.5-6.5% Sb and the rest Pb. This alloy
proved to be quite satisfactory and much cheaper than the
previously used tin-base babbitt B-89 and lead-base
babbitt BT.
Institution : None
Submitted : No date

LAKEDEMONSKIY, A. V.

New bearing alloy. N. M. Rodnitskii and A. V. Lakedemon-
skii (Stalin Automobile Plant, Moscow). *Avtomobil. i*
Traktor. Prom. 1955, No. 2: 9-12. The proposed alloy
contains 5-8% Sn and 3-6% Sb, the rest Pb, has a low
modulus of elasticity which prevents its chipping in use and
becomes corrosion-resistant in acidified lubricating oil after
50-80 hrs. T. D. Gai

4

or
good
copy

LAKE DEMONSKIY, A.V.

Y. Castings Manufactured from steel in shell molds. A. V.
Laikinsonskiy, N. G. Romanov, and O. V. Prosvannik.
Trudy Prosvannik 1936, No. 8, 7-9. Difficulties in cast-
ing structures in shell molds were eliminated by using shell
casting, for which a mixt. of 93% fine sand, 7% powd.
Bauxite, and 0.3% kerolite was used. Operating details
are given. J. D. Cat

MG

③

of

LAKEDONSKY, A.V.

00005

Results of testing new material...
 Lakedonskiy, A.V. (1950) - This alloy contains 0.5-1% Ni (0.5-1% Ni) and has a Brinell hardness of 16 kg/mm² and to about abrasive work is well and to about abrasive resistance is squeezing out under the adequate when used in a 0.2-0.4 mm thickness of 2500 kg/cm² and the type of large interstitial crystal growth cyclic deformations and, therefore, permitting it to particles, though its kg/cm² cm is quite m layer. Its elastic absence in its structure it a better resistance to chipping by the D. Gal.

[Handwritten signature]

LAKEDIEMONSKIY, A.Y.; PROSYANIK, G.V.; SOKOV, M.K.; POLYAKOV, Ya.G., red.

[Technology of shell molding; principles of the technological process and the materials] Tekhnologiya lit'ia v obolochkovye formy osnovy tekhnologicheskogo protsessa i materialy. Moskva, 1957. 30 p. (Peredovoi opyt proizvodstva. Seriya "Mashinostroenie," no.3). (MIRA 11:7)

(Shell molding (Founding))

LAKHEMONSKIY, A.V.; PROSYANIK, G.V.; ANOPOVA, A.I.; SERGEYEV, V.S.

Casting fluid convert parts. Lit.proizv.no.1:18-20 Ja '57.
(Automobiles--Transmission devices) (Founding) (MIRA 10:3)

SLADKOVA, M.V.; CHEVELA, B.A.; FILIPPOCHKIN, V.G.; LAKEDEMONSKIY, A.V., red.;
SUKHAREVA, R.A., tekhn.red.

[New way for using soluble glass in casting by the lost-wax
process] Novyi sposob primeneniia zhidkogo stekla pri lit'e
po vyplavliaemym modeliam. Moskva, 1958. 11 p. (Peredovoi
opyt proizvodstva. Seria "Tekhnologiya mashinostroeniia,"
no.10: Liteinoe proizvodstvo) (MIRA 12:5)
(Soluble glass) (Molding (Founding))

PHASE I BOOK EXPLOITATION 1223

Lakedemonskiy, Anatoliy Vladimirovich, and Khryapin, Vladimir Yemel'yanovich

Payaniye i pripoi (Soldering, Brazing, and Filler Metals) Moscow, Metallurgizdat, 1958. 229 p. 9,000 copies printed.

Reviewers: Shpagin, A.I., Candidate of Technical Sciences, Dubinskiy, S.A., Babichev, V.Z., Engineer; Ed.: Chernov, A.N.; Ed. of Publishing House: Durdova, Ye.I.; Tech. Ed.: Karasev, A.I.

PURPOSE: The book is intended for engineers, technicians and skilled workers engaged in soldering and brazing work in machine building, instrument and radio manufacturing and for workers in repair shops and machine tractor stations.

COVERAGE: Soviet and non-Soviet soldering and brazing practices are described and basic theoretical principles are presented. Compositions, properties and methods of preparing soldering and brazing materials and fluxes are discussed. Rules governing the fabrication of soldered and brazed assemblies, soldering and brazing techniques, equipment used, and the technology of soldering and brazing of assemblies made of various metals and alloys are described. Chapters I, II and III were written by A. V. Lakedonskiy and the re-

Card 1/6

Soldering, Brazing, and Filler Metals

1223

maining chapters by A.V. Lakedemonskiy and V.Ye. Khryapin jointly. The authors thank Candidate of Chemical Sciences S.A. Dubinskiy, Candidate of Technical Sciences A.I. Shpagin and Engineer V.Z. Babichev for their advice in the preparation of the manuscript. There are 54 references of which 37 are Soviet, 11 English, 5 German and 1 French.

TABLE OF CONTENTS:

Foreword	5
Introduction	7
Ch. I. Theoretical Principles of Soldering and Brazing	11
1. Definition and nature of the process	11
2. Wetting of the surface of hard metals with soldering and brazing filler metals	12
3. Relationship between wetting and surface tension	21
4. The spread of soldering and brazing filler metals on the metallic surface	23
Card 2/6	

Soldering, Brazing, and Filler Metals

1223

5. Capillary phenomena in soldering and brazing	27
6. Nature of bonds in soldered and brazed joints	29
Ch. II. Soldering and Brazing Filler Metals	36
1. Classification of soldering and brazing filler metals	36
2. Solders	38
Purpose of solders	38
Tin-Lead base solders	39
Lead base solders with silver, cadmium and indium	53
Bismuth and cadmium base solders	55
Zinc base solders	56
Production of tin-lead solders	61
Preparation of soldering paste	62
3. Brazing filler metals	64
Purpose and classification of brazing filler metals	64
Copper and copper-zinc brazing filler metals	64
Copper-phosphorus brazing filler metals	70
Silver brazing filler metals	73
Aluminum brazing filler materials	77
Nickel brazing filler metals	80
Gold brazing filler metals	80

Card 3/6

Soldering, Brazing, and Filler Metals	1223
Magnesium filler metals	86
4. Technological principles of selecting soldering and brazing filler metals	86
Ch. III. Soldering and Brazing Fluxes	88
1. Role of fluxes in soldering and brazing	88
2. General requirements for fluxes and types of requirements	93
3. Fluxes for soldering	94
4. Fluxes for brazing	98
Ch. IV. Construction of Soldered and Brazed Joints	105
1. Types of soldered and brazed joints	105
2. Location of the filler metal in the seam in brazing and soldering	107
3. Assembling and clamping parts prior to soldering or brazing	110
4. Strength of soldered and brazed joints	111
5. Optimum clearances in soldered and brazed joints	118
6. Defects in soldered and brazed joints	119

Card 4/6

Soldering, Brazing, and Filler Metals	1223
Ch. V. Preparation of Parts for Soldering and Brazing	122
1. Mechanical cleaning of the metal surface	122
2. Degreasing	125
3. Pickling	129
4. Tin coating for soldering operations	134
Ch. VI. Soldering and Brazing Methods	135
1. Soldering with soldering irons	135
2. Torch soldering and brazing	139
3. Electrical resistance soldering and brazing	150
4. Induction heat brazing	156
5. Electric arc brazing	172
6. Molten metal bath dip soldering and brazing	173
7. Chemical bath dip brazing	181
8. Controlled-atmosphere furnace brazing	186
9. Soldering in furnaces without controlled atmospheres	197
10. Selection of soldering and brazing methods	199
Ch. VII. Technology of Soldering and Brazing Various Metals and Alloys	201
1. Soldering and brazing parts made of low-carbon and low-alloy steels	201

Card 5/6

Soldering, Brazing, and Filler Metals	1223
2. Brazing high-carbon and tool steel parts	202
3. Soldering and brazing cast iron parts	202
4. Brazing stainless steel parts	204
5. Brazing heat-resistant alloy parts	205
6. Brazing cermet alloys	206
7. Soldering and brazing parts made of copper and its alloys	211
8. Soldering and brazing nickel alloy parts	212
9. Soldering and brazing parts made of aluminum and its alloys	214
10. Brazing magnesium and magnesium-alloy parts	225
11. Soldering and brazing of other metals and alloys	226
Bibliography	228

AVAILABLE: Library of Congress

GO/sfm
2-24-59

Card 6/6

SOV/137-58-10-21555

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 10, p 157 (USSR)

AUTHORS: Gruzlov, P.Ya., Lakedemonskiy, A.V., Vasil'yev, Ye.A.

TITLE: A High-strength Sulfurous Cast Iron (Vysokoprochnyy sernisty chugun)

PERIODICAL: Tekhnol. avtomobilestroyeniya, 1958, Nr 2, pp 13-20

ABSTRACT: Spheroidal form of graphite particles in cast iron is achieved by means of inoculating the molten metal with Mg. Although Mg cast iron possesses good mechanical properties, its application is limited owing to technological difficulties connected with production of high-quality castings of this metal. Inoculation of malleable iron with S makes it possible to obtain cast iron with spheroidal graphite by fairly simple means, permits to speed up the annealing process (by increasing the Si content) and obtain, during heat-treatment procedures designed to produce granular pearlite, a structural material with good mechanical properties. The method developed for the introduction of S into the cast iron is simple and may, therefore, be employed in any foundry shop. 1. Cast iron--Mechanical properties 2. Cast iron--Physical properties 3. Sulfur--Applications A.S.
4. Magnesium--Metallurgical effects

Card 1/1

~~LAKEDEMONSKIY, A.V.~~; KHRYAPIN, V.Ye.; SHPAGIN, A.I., kand.tekhn.nauk,
revisent; RYBAKOVA, V.I., inzh., red.; UVAROVA, A.F., tekhn.red.

[Solderer's handbook] Spravochnik paial'shchika. Moskva, Gos.
nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1959. 352 p.
(MIRA 12:9)

(Solder and soldering)

ASSONOV, A.D., kand.tekhn.nauk; LAKEDEMONSKIY, A.V.; PROSYANIK, G.V.

Shell molding of gears. Avt.prom. no.1:28-30 Ja '59.
(MIRA 12:1)

1. Moskovskiy avtozavod imeni Likhacheva.
(Shell molding (Founding))

SOV/113-59-6-12/21

12(2)

AUTHOR:

Lakedemonskiy, A.V.

TITLE:

Covering Steel Strip With Bearing Alloy

PERIODICAL:

Avtomobil'naya promyshlennost', 1959, Nr 6, pp 32-34
(USSR)

ABSTRACT:

It was found that when coating steel strip with the SOS bearing alloy developed by the Moscow Automobile Plant imeni Likhachev, tin from the preliminary hot tinning process was being carried into the tank with the bearing alloy by the steel strip. As a result, the alloy contained 8-10% tin instead of the specified 5.5-6.5%, and an easily fusible triplex eutectic was formed in its structure, weakening it. To avoid this, the plant carried out investigations to see how the preliminary tinning could be dispensed with. As a result of these investigations a new complex flux forming a thin metallic layer over the defective portions of the metal strip was

Card 1/2

SOV/113-59-6-12/21

Covering Steel Strip With Bearing Alloy

developed. It is composed of 350-400 grams per liter of zinc chloride, 40-50 g/l stannous chloride, 4-5 g/l cuprous chloride, 30-35 milliliters per liter hydrochloric acid (density 1.18) and up to 1000 milliliters per liter of water. Tests have shown it to be satisfactory.

ASSOCIATION: Moskovskiy avtozavod imeni Likhacheva (Moscow Automobile Plant imeni Likhachev)

Card 2/2

SOV/128-59-10-5/24

18(5)
AUTHORS:

Bogachev, A.F., Burtsev, A.D., Lakedemoulskiy, A.V., Lupanov, B.P.,
Andrianov, Ye.I., and Sagusyy, V.V., Engineers

TITLE:

Exothermic Mixtures for the Heating of Risers

PERIODICAL:

Liteynoye proizvodstvo, 1959, Nr 10, pp 17-21 (USSR)

ABSTRACT:

The authors present a report on research which has been made on exothermic mixtures for the heating of risers. The qualities of already-known exothermic mixtures were investigated at the beginning of the research. The exothermic mixtures were divided into three groups, according to their oxygen balance of thermite and their chemical and granulate consistence. Bashed which are made of thermite mixture with additions, with coke ashes and with coke dross, give different results during combustion. These results are depending on their consistence, as figs. la-c show. Table 1 shows different mixtures, their granularity and the percentage of different components. The technology of preparing materials for mixtures is not complicated. Aluminum chips and dross are at the same time exposed to crushing in grinding mills with the last

Card 1/2

SOV/128-59-10-5/24

Exothermic Mixtures for the Heating of Risers

sifting through sieves of 1.5 mm. The rest repeatedly goes through a grinding mill. The coke dross goes through a sieve of 6 mm. The bushes (Fig.2) are produced in wooden core moulds (Fig.3). Special standards are elaborated for the dimensions of the bushes (Table 4). Exothermic bushes, which are used in combination with diaphragms, are made in the same core moulds as the usual ones. The difference is that they have a center piece in the lower part of the wooden inset which has the shape of the parting diaphragm and dimensions according to table 7. The exothermic mixtures which are used at MosZIL, are recommended for use in foundry production. A.F. Yurasov, M.I. Averbukh, M.I. Kurlovich, P.S. Romanov, N.P. Gritsko, V.I. Zheltov and P.I. Fedorov participated in this study. There are 5 photographs, 3 diagrams and 9 tables.

Card 2/2

LAKEDEMONSKIY, A.V., red.; STEPANCHENKO, N.S., red. izd-va; UVAROVA,
A.F., tekhn. red.

[Defects in castings and ways to prevent them; (translations)]
Defekty otlivok i mer ikh preduprezhdenia; [doklady]. Pod red.
A.V.Lakedemonskogo. Moskva, Mashgiz, 1962. 258 p.

(MIRA 15:7)

1. Nauchno-proizvodstvennaya konferentsiya "Izucheniye prichin
braka v liteynom proizvodstve i razrabotka mer bor'by s nim."
(Founding--Defects)

BELOPUKHOV, A.K.; VINBERG, L.I.; DUDIN, A.A.; ZASLAVSKIY, M.L.;
MOSKVIN, P.P.; LAKEDEMONSKIY, A.V., inzh., retsenzent; OSIPOVA,
L.A., inzh., red.; EL'KIND, V.D., tekhn. red.

[Pressure die casting] Lit'e pod davleniem [By] A.K.Belopukhov i
dr. Moskva, Mashgiz, 1962. 399 p. (MIRA 15:7)
(Die casting)

LAKE DEMONSKY, A.V.

Research institutes and laboratories for founding abroad. Biul.-
tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch. i tekh.inform.
no.6:95-96 '62. (MIRA 15:7)

(Founding) (Research, Industrial)

SHKOL'NIKOV, E.M.; LAKEDEMONSKIY, A.V.; BONDARENKO, L.G.; ABRAMENKO, Yu.Ye.;
PETUKHOV, S.A.

Cast camshafts for the ZIL-111 engine. Lit. proizv. no.5:7-8 My '62.
(MIRA 16:3)

(Automobiles--Engines)

(Iron founding)

LAKEDEMONSKIY, A.V.; KHRYAPIN, V.Ye.; SHPAGIN, A. I., kand. tekhn.
nauk, retsenzent; KUBAREV, V.I., inzh., red.; GARANKINA,
S.P., red.izd-va; UVAROVA, A.F., tekhn. red.

[Welder's handbook] Spravochnik paial'shchika. Izd.2., perer.
Moskva, Mashgiz, 1963. 440 p. (MIRA 16:10)
(Welding--Handbooks, manuals, etc.)

PROSYANIK, Georgiy Vasil'yevich; LAKEDEMONSKIY, Anatoliy Vladimirovich;
BAZILEV, N.P., nauchnyy red.; SIROTIN, A.I., red.; TOKER,
A.M., tekhn. red.

[Making shell molds] Izgotovlenie obolochkovykh form. Mo-
skva, Proftekhizdat, 1963. 270 p. (MIRA 16:7)
(Shell molding (Founding))

LOKALIZACIJA, A.V.; LOKALIZACIJA, A.V., poslovanje, poslovanje,
rešenja

[Bimetal castings] Bimetalne legirane osovine. Kodice,
Mashinostroenie, 1964. 179 p. (MIRA 17:7)

LAKEDEMONSKIY, A.V., kand. tekhn. nauk; SHKOL'NIKOV, E.M., kand. tekhn.
nauk; ABRAMENKO, Yu.Ye., inzh.; BONDARENKO, L.G., inzh.;
SELEZNEVA, Ye.D., inzh.

Cast distributing shafts for forced carburetor engines. Lit.
proizv. no.12:40-41 D '65. MIRA 18:12)

LAKEDEMONSKIY, A.V., kand.tekhn.nauk; PLENTSOV, G.I., kand.tekhn.nauk;
SHERMAN, A.D.; ABRAMENKO, Yu.Ye.

Characteristics of the wear of cylinders of motor-vehicle engines.
Avt.prom. 31 no.4:14-17 Ap '65. (MIRA 18:5)

1. Moskovskiy avtozavod imeni Likhacheva.

ASINOVSKAYA, G.A.; LAKEDEMONSKIY, A.V.; LASHKO, N.F.; LASHKO, S.V.

The terminology of soldering. Trudy VNIIVTOGENMASH no.12:
193-199 '65. (MIRA 18:11)

JIRASEK, Labor; LAKENSKY, Jan

Occupational eczema caused by epoxy resins. Cesk. dermat. 36 no. 3:154-162
My '61.

1. II dermatovenerologicka klinika v Praze, prednosta prof. dr.
K. Hubschmann.

(OCCUPATIONAL DERMATITIS etiol)
(RESINS toxicol)

LAKERNIK, M.M.

BAGDASAROV, V.A.; LAKERNIK, M.M.

Electric smelting for matte in copper metallurgy. TSvet.met. 28
no.3:55-57 My-Je '55. (MIRA 10:11)
(Copper--Electrometallurgy)

LAKERNIK, Mark Moiseyevich; SEVRYUKOV, Nikolay Nikolayevich; BELYAYEV, A.I.,
prof., dokt.; retsenzent; VELLER, R.L., kand.tekhn.nauk; retsenzent;
VANYUKOV, A.V., retsenzent; KROL', L.Ya., retsenzent; SAMSONOV, G.V.,
retsenzent; LEONIDOV, N.K., inzh., retsenzent; ZHEMCHUZHINA, Ye.A.,
red.; BL'KINA, L.M., red.izdatel'stva; MIKHAYLOVA, V.V., tekhn.red.

[Metallurgy of nonferrous metals] Metallurgiya tsvetnykh metallov.
Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po cherno i tsvetnoi
metallurgii, 1957. 535 p. (MIRA 11:1)
(Nonferrous metals--Metallurgy)

LAKERNIK, M.M.; SLONINSKIY, B.I.

Electrothermic smelting of Lokot' slags. TSvet. met. 31 no.9:
28-30 S '58. (MIRA 11:9)
(Altai Territory--Nonferrous metal industries)
(Electrometallurgy) (Salvage (Waste etc.))

LAKERNIK, M.M.

PHASE I TREASURE ISLAND BIBLIOGRAPHICAL REPORT

AID 503 - I

Call No.: TN785.L3

BOOK

Author: LAKERNIK, M. M.

Full Title: METALLURGY OF LEAD

Transliterated Title: Metallurgiya svintsa

PUBLISHING DATA

Originating Agency: None

Publishing House: State Scientific and Technical Publishing House of Literature on Ferrous and Nonferrous Metallurgy ("Metallurgizdat")

Date: 1953

No. pp.: 234

No. of copies: 4,000

Editorial Staff

Editor: None

Appraisers: Loskutov, F. M., Prof., Dr., Karchevskiy, V. A., Eng., Chernyak, M. A.

TEXT DATA

Coverage: This book gives information on raw materials used in lead works and refining plants, and on methods of preparing the charge for smelting. It discusses the basic physico-chemical processes occurring during the operations of roasting, sintering and smelting of lead concentrates, and the refining of crude lead. Descriptions of the design, working principles and operation of metallurgical equipment and of the basic safety measures are given. The "Introduction" contains a brief history of the development of lead pro-
1/4

Metallurgiya svintsa

AID 503 - I

duction in Russia and of the contributions of Russian and Soviet scientists in this field. The book is provided with illustrations of furnaces and metallurgical machinery, tables and diagrams.

	Pages
Table of Contents	5
Foreword	7
Introduction	11-40
Ch. I General Information (Physicochemical properties of lead and its basic compounds; Uses of lead; Concentrating lead ores; Basic industrial extraction processes)	41-59
Ch. II Preparation of Charge (Composition and homogeneity; Methods of storage, crushing and transportation of charge components; Methods of measur- ing and mixing the components. Preparation of charge; Basic safety measures)	60-85
Ch. III Roasting and Sintering of Lead Concentrates (Preliminary data; Chemistry of roasting and sintering pro- cesses; Flow sheets of the roasting process; Working prin- ciples and operation of sintering machinery)	86-136
Ch. IV Reducing Smelting Process in Shaft Furnaces (Changes of charge components in the furnace, slags, charge estimate; Working principles and operation of shaft	

2/4

Metallurgiya svintsa

AID 503 - I

Pages

- furnaces for lead smelting; Safety measures)
- Ch. V Products of Lead Smelting 137-154
(Crude lead; Copper-lead matte; Slags; Dust removal from gases)
- Ch. VI Refining of Lead 155-202
(Indispensability of the refining process and its flow sheet; Decoppering of lead; Removal of antimony, arsenic, tin, gold, silver, zinc and bismuth from lead; Casting of lead; Brief data on the electrolysis of lead; Safety measures)
- Ch. VII Hearth Smelting 203-209
- Ch. VIII Automatic Control of Metallurgical Processes 210-222
- Ch. IX Problems of Economics and Organization of Production 223-234
(Socialist organization of production; Preliminary measures and labor organization; Workshop planning; Technical and economic factors of the lead industry and the cost of production)
- Purpose: Approved by the Educational and Methodical Board of the Main Administration of Professional Training of the Ministry of Culture of the USSR as a textbook for trade schools. The book is also

3/4

Metallurgiya svintsa

AID 503 - I

intended for qualified workers in the lead industry.

Facilities: None

No. of Russian and Slavic References: 7 Russian (1940-1952)

Available: Library of Congress

4/4

LAKERNIK, M.M.

Metallurgy

SHURNIKOV, Aleksandr Petrovich; PAKHOMOVA, G.N., kandidat tekhnicheskikh nauk, retsenzent; PEYSAKHOV, I.L., kandidat tekhnicheskikh nauk, retsenzent; KOPYTOV, S.A., inzhener, retsenzent; ~~LAKERNIK, M.M.~~ redaktor; ARKHEANGEL'SKAYA, M.S., redaktor; VAYNSHTEYN, Ye.B., tekhnicheskiy redaktor.

[Hydrometallurgy of zinc] Gidrometallurgiya tsinka. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1954. 255 p. [Microfilm] (MIRA 8:2)
(Zinc--Metallurgy)

Lakshmin M. M.

3

27

The reaction between zinc oxide and iron
 Lakshmin, Shrivastava, *Indian Journal of Chemistry*, No. 10, 219-220
 (1952); *Ind. J. Chem.*, 1952, No. 10, 219-220.
 Refer: *Zh. Fiz. Khim.*, 1956, No. 2887. The reaction between
 solid ZnO or ZnFe₂O₄ and Fe at 1000-1250° was studied by
 the change in the wt. of the reacting mixture in a device that
 provided continuous weighing. Zn vapor formed during the
 reactions was drawn off by a current of N₂. Energy of
 activation for ZnO and Fe at 1000° was 43.7 kcal/mole. For
 ZnFe₂O₄ and Fe the activation energy at 1000° is 48 kcal/mole.
 ZnO is reduced by Fe wire as fast as by CO, this is
 attributed to the presence of a layer of Fe on the surface.
 Addition of inert substances has no effect upon the velocity of
 the reaction of ZnO and Fe. A. N. Petrov.

LOSKUTOV, Fedor Mikhaylovich, professor, doktor; AGEYENKOV, V.G., professor, retsenzent; OL'KHOV, N.P., inzhener, retsenzent; ~~LAKERNIK, M.M.,~~ redaktor; EL'KIND, L.M., redaktor izdatel'stva; BERLOV, A.P., tekhnicheskii redaktor

[Metallurgy of lead and zinc] Metallurgiya svintsa i tsinka. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1956. 478 p. (MIRA 9:12)

(Lead--Metallurgy)

(Zinc--Metallurgy)

LAKERNIK, M.M.

Selecting an efficient diagram for the refining of lead. TSvet.met.29 no.9:
43-47 S '56. (Lead--Metallurgy) (HIRA 9:10)

LAKERNIK, MARK MOISEYEVICH

PHASE I BOOK EXPLOITATION

429

Lakernik, Mark Moiseyevich, Candidate of Technical Sciences; and
Sevryukov, Nikolay Nikolayevich, Docent, Candidate of Technical Sciences

Metallurgiya tsvetnykh metallov (Metallurgy of Nonferrous Metals)
Moscow, Metallurgizdat, 1957. 535 p. 8,500 copies printed.

Reviewers: Belyayev, A.I., Professor, Doctor; Veller, R.L., Candidate of Technical Sciences; Vanyukov, A.V.; Krol', L. Ya.; Samsonov, G.V.; and Leonidov, N.K., Engineer; Ed.: Veller, R.L.; Zhemchuzhina, Ye.A.; Ed. of Publishing House: El'kina, L.M.; Tech. Ed.: Mikhailova, V.V.

PURPOSE: This is a textbook for students at nonferrous-metallurgy technicums; it may also be used by foremen and other workers taking special improvement courses.

Card 1/13

Metallurgy of Nonferrous Metals

429

COVERAGE: The book sets forth the principles of the metallurgy of nonferrous metals (copper, nickel, lead, zinc, tin, aluminum, magnesium, antimony, and mercury), precious and rare metals, and also iron and steel. In addition, the authors discuss methods of ore concentration, preparation of ores for smelting, types of metallurgical furnaces, production methods, and characteristics of refractories. Chapters II, III, IV, V, VIII, IX, X, XI, XII, XVIII, XIX, XX, XXI, XXIV-XXX were written by Lakernik, M.M.; Chapters I, VI, VII, XIII-XVII, XXII, and XXIII, by Sevryukov, N.N. There are no references.

TABLE OF CONTENTS:

Preface	7
Introduction	8
PART I. GENERAL INFORMATION	
Ch. I. Metals and Their Production	11
1. Classification of metals	11
Card 2/13	

SCV/136-58-9-5/21

* AUTHORS: Lakernik, M.M. and Slonimskiy, B.I.

TITLE: Electrothermic Smelting of Loktevo Slags (Elektrotermicheskaya plavka loktevskikh shlakov)

PERIODICAL: Tsvetnyye Metally, 1958, Nr 9, pp 28-31 (USSR)

ABSTRACT: The authors mention large waste-slag resources in Altay and some of the attempts made to recover their metal contents. They describe pilot-plant work at Gintsvetmet on the electro-thermic smelting of samples of Loktevo slags in an electric furnace at the Irtyshtskiy works. The composition of the samples was: Cu 1.92, Pb 2.78, Zn 3.56, Fe 7.0, S 1.9, SiO₂ 41.08, CaO 10.15, Al₂O₃ 13.59, MgO 3.38 and BaO 4.98%, Ag 114.8 and Au 2.4 g/ton. Different waste slag compositions were obtained with different smelting conditions (table 1) and from these and material balances (table 2) for copper, lead and zinc together with a consideration of energy requirements, the authors deduce a flow sheet which is economically effective. They suggest that further investigations be made to embrace slags of composition different from those dealt with and that a survey of waste-slag resources be

Card1/2


• Electrothermic Smelting of Loktevo Slags

SOV/136-56-9-5/21

carried out. The Editor points out that if the high-silica Loktevo slags are mixed with other slags it may be possible to effect the smelting in a shaft furnace.

There are: 1 figure and 2 tables

1. Slags--Processing 2. Slags--Properties 3. Electric furnaces
Card2/2 --Performance



LAKERNIK, M. A.

Date: 10/13/1952/11/30

~~Abstract of U.S. Patent No. 2,607,113, issued June 11, 1953, to M. A. Lakernik, for a process of producing a polymeric material from a mixture of ethylene oxide and ethylene glycol. Various aspects of synthesis and the construction and performance of the polymer are discussed.~~

H. J. M.

6
3

AZOS, S.; AREF'YEV, A.; ARTAMONOV, I.; BABINA, I.; BEREHOVSKIY, V.; BLOZHKO, V.;
 BRAVERMAN, A.; BYKHOVSKIY, Yu.; VINOGRADOVA, M.; GALANKINA, Ye.;
 GIL'DENKERSH, F.; GLOBA, T.; GREYVER, N.; GORDON, G.; GUL'DIN, I.;
 GULYAYEVA, Ye.; GUSHCHINA, I.; DAVYDOVSKAYA, Ye.; DAMSKAYA, G.;
 DERKACHEV, D.; YEVDOKIMOVA, A.; YEGUNOV, V.; ZABELYSHINSKIY, I.;
 ZAYDENBERG, B.; AZMOSHNIKOV, I.; ITKINA, S.; KARGHEVSKIY, V.;
 KLUSHIN, D.; KUVINOV, Ye.; KUZNETSOVA, G.; KURSHAKOV, I.;
 LAKERNIK, M.; LEYZEROVICH, G.; LISOVSKIY, D.; LOSKUTOV, F.;
 MAL'EVSKIY, Yu.; MASLYANITSKIY, I.; MAYANTS, A.; MILLER, L.;
 MITROPANOV, S.; MIKHAYLOV, A.; MYAKINENKOV, I.; NIKITINA, I.;
 NOVIN, R.; OGNEV, D.; OL'KHOV, N.; OSIPOVA, T.; OSTRONOV, M.;
 PAKHOMOVA, G.; PETKER, S.; PLAKSIN, I.; PLETENEVA, N.; POPOV, V.;
 PRESS, Yu.; PROKOP'YEVA, Ye.; PUCHKOV, S.; RE'KOVA, F.; RUMYANTSEV, M.;
 SAKHAROV, I.; SOBOL', S.; SPIVAKOV, Ya.; STRIGIN, I.; SPIRIDONOVA, V.;
 TIMKO, Ya.; TITOV, S.; TROITSKIY, A.; TOLOKONNIKOV, K.; TROFIMOVA, A.;
 FEDOROV, V.; CHIZHIKOV, D.; SHEYN, Ya.; YUKHEPANOV, D.

Roman Lazarevich Veller; an obituary. TSvet. met. 31 no.5:78-79
 My '58. (MIRA 11:6)

(Veller, Roman Lazarevich, 1897-1958)

SOV/136-59-6-6/24

AUTHORS: Lakernik, M.M., Candidate of Technical Sciences and
Lavrov, L.G., Fokin, N.A., Engineers

TITLE: Electrothermic Treatment of the Berezovskiy Complex
Concentrate (Elektrotermicheskaya pererabotka
Berezovskogo kollektivnogo kontsentrata)

PERIODICAL: Tsvetnyye metally, 1959, Nr 6, pp 32 - 38 (USSR)

ABSTRACT: The concentrate used contains 3.5% copper, 7% lead,
22% zinc, 20% iron, 30% sulphur and 7% silica.
Laboratory tests showed that it could be successfully
melted in a sealed electric furnace. After many tests,
the Irtyshsk Works constructed a furnace for production.
It is a three-phase 3 000 kVA furnace with internal
diameter 3 600 mm and hearth area 10 m² (Figure 1).
Graphite electrodes, water cooled in the arch, are used.
The hearth and wall linings are chrome magnesite and
the metallic furnace case is sprayed with water.
Melting occurs with 4.5 - 7.5 thousand amps. The gases
are sharply cooled in a settling chamber (Figure 2),
where zinc and lead condense. The furnace is loaded
mechanically through a bunker (Figure 3). The
temperature under the arch is 1 100 - 1 150 °C and the

Card 1/3

SOV/136-59-6-6/24

Electrothermic Treatment of the Berëzovskiy Complex
Concentrate

slag temperature 1 300 - 1 350 °C. The furnace is sealed and the pressure regulated automatically by an oil regulator type RDNBI-100. It has been shown that this furnace can be used for complex polymetallic products inaccessible by ordinary metallurgical processes. During the process, 20% lime is added to obtain a slag with the correct properties. The slag contains 0.18% Cu, 0.15% Pb, 2.4% Zn, 14% Fe, 33% SiO₂ and 36.4% CuO. The crude metal contains 20% Cu, 6% Pb, 2.4% Zn, 40% Fe, 22% S. Enough coke is added to produce a gas containing 90% CO which has the correct reducing conditions. The dust obtained from the settling chamber consists of 20% Pb, 70% Zn, 4% S, 0.3% Cd, 0.4% Cu, 0.8% Fe, 1.5% SiO₂ and 0.75% CaO. The advantages of the process are that it is easy to mechanise and good hygienic working conditions are maintained. The disadvantages are that

Card2/3

SOV/136-59-6-6/24

Electrothermic Treatment of the
Berezovskiy Complex Concentrate

the gas is high in carbon monoxide and that the process
has a high energy capacity which means it can only be
used where cheap electrical energy is available.
There are 7 figures.

Card 3/3