

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5

LARICHEV, P.A. (Moskva)

The subject "powers and radicals in class 8." Mat.v shkole no.4:11-18
(MIRA 9:9)
J1-Ag '56. (Algebra--Study and teaching)

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5"

LARICHEV, Pavel Afanas'evich; LEPESHKINA, N.I., redaktor; MAKHOVA, N.N..
tekhnicheskiy redaktor

[A collection of problems in algebra] Sbornik zadach po algebre.
Moskva, Gos. uchebno-pedagog.izd-vo M-va prosv. RSFSR, Pt.2.
[For grades eight to ten of secondary schools] Blis 8-10 klassov
srednei shkoly. Izd. 8-oe, perer. 1957. 222 p. (MLRA 10:7)
(Algebra--Problems, exercises, etc.)

LARICHEV, P.A. (Moskva).

Problems in rearranging the teaching of mathematics in secondary schools in connection with the introduction of the new program.
Mat. v shkole no.4:16-23 S-O '57. (MLRA 10:8)
(Mathematics—Study and teaching)

LARICHEV, Pavel Afanas'yevich; LEPESHKINA, N.I., red.; MAKHOVA, N.N.,
tekhn.red.

[Handbook on problems in algebra; for classes 8 to 10 of secondary
schools] Sbornik zadach po algebre; dlja 8-10 klassov srednei
shkoly. Izd. 9-e. Moskva, Gos. uchebno-pedagog. izd-vo M-va
prosv. RSFSR. Pt.2. 1958. 222 p. (MIRA 11:4)
(Algebra--Problems, exercises, etc.)

LARICHEV, P.A.

Methodical advice. Mat. v shkole no.3:58-60 My-Je '58.

(MIRA 11:5)

(Mathematics--Study and teaching)

LARICHEV, P.A. (Moskva)

Study of arithmetic in the 5th grade during the 1959-1960
school year. Mat.v shkole no.4:15-17 Jl-Ag '59.
(MIR 12:11)

(Arithmetic--Study and teaching)

S/124/60/000/006/035/039
A005/A001

Translation from: Referativnyy zhurnal, Mekhanika, 1960, No. 6, p. 170, # 8025

AUTHOR: Larichev, P.Ya.

TITLE: The Calculation of Extracentrally Compressed Thin-Walled Rods on
the Base of the Deformation State ✓

PERIODICAL: V sb.: 17 Nauchn. konferentsiya professorsko-prepodavat. sostava
Leningr. inzh. stroit. in-ta, Sekts. matem., soprotivleniya materi-
alov, teor. mekhan., fiz., khimii, elekrotekhn., Leningrad, 1959,
pp. 79-82

TEXT: A thin-walled rod of open cross section with two axes of symmetry
is considered. It is compressed by forces applied to the ends with eccentricities.
Two coordinate systems are used: 1) a stationary system, 2) a mobile trihedron,
the edges of which are directed along the tangent of the deformed rod axis and
along the main axes of the turned cross section. The expressions for the moments
of the external forces with respect to the movable coordinate axes are set up for
an arbitrary cross section: a) on the one hand, through the characteristics of
the cross sections and the derivatives of deformations, whereat approximate

Card 1/2

S/124/60/000/006/035/039
A005/A001

The Calculation of Extracentrally Compressed on the Base of the Deformation State

formulae of the rod curvature are used, b) on the other hand through the moments and the longitudinal force at the rod ends. By equating the right-hand sides of the equations, a system of three nonlinear differential equations of equilibrium is obtained. It is assumed that the deflections vary according to a sinusoid. The equation system is reduced to one equation of seventh order with respect to one of the deflections. The general and particular solutions are found. The values of the four arbitrary constants in the particular solution are determined from the boundary conditions. Having found the solution for one of the deflections, the expressions for another deflection and for the torsion angle can be derived, and having found these, the stresses at an arbitrary point of the rod can be found. It is necessary to point out that the problem studied in the article is a special case of the problem considered by S.P. Vyaz'menskiy, (Sb. nauchn. tr. Leningr. inzh.-stroit. in-t, 1957, No. 26, pp. 270-313 - RZhMekh, 1958, No. 11, # 13244) and L.N. Vorob'yev (Tr. Novocherk. politekhn. in-ta, 1958, Vol. 69/83, pp. 3-48 - RZhMekh, 1960, No. 1, # 1232. G.M. Chuvikin

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5

LARICHEV, S.

[REDACTED] Book section for amateur photographers. Sov. foto 17 no. 4:76-77 Ap '57.
(Bibliography--Photography) (MLRA 10:6)

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5"

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5

LARICHEV, V.A.

DECEASED
c 1961

1961/2

SEE ILC

ENGINEERING

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000928630008-5"

NIKITIN, Sergey Mikhaylovich; LARICHEN, V.I., red.; VINOGRADOVA, V.A.,
tekhn. red.

[Indices of industrial production in capitalist countries] Indeksy
promyshlennoi produktsii v kapitalisticheskikh stranakh. Moskva,
Gos. stat. izd-vo, 1958. 105 p. (MIRA 11:9)
(Industrial statistics)

ISKRA, Viktor Maksimovich; LARICHEV, V.I., red.; SHADRINA, N.D., tekhn.red.

[Automation--abundance or new calamities?] Avtomatizatsiia - izobillie ili novye bedstviia? Moskva, Izd-vo VTsSPS Profizdat, 1959.
117 p.

(MIRA 13:?)

(Automation)

MISHA, Kristat' [Misja, Kristat]; LARICHEV, V.I., red.; RAKOV, S.I.,
tekhn.red.

[History of the trade-union movement in Albania] Iстория
profsoiuznogo dvizheniia v Albanii. Moskva, Izd-vo VTsSPS,
Profizdat, 1960. 94 p.
(MIRA 13:8)

1. Sekreter' TSentral'nogo Soveta profsoyuzov Albanii (for Misha).
(Albania--Trade unions)

SOUKUP, Frantisek [Soukup, Frantisek], inzh.; LARICHEV, V.I., red.;
SUADLINA, N.D., tekhn.red.

[Electricity never accepts an excuse; 99 cases of violations of
operating rules and safety rules with indications of their causes
and consequences] Elektrичество не прощает; 99 случаев
нарушений правил эксплуатации и техники безопасности с указа-
нием их причин и последствий. Москва, Изд-во VTsSPS Profizdat,
1960. 156 p. Translated from the Czech. (MIRA 14:2)
(Electric engineering--Safety measures)

LARICHEV, V. N.

LARICHEV, V. N. -- "The Investigation of the Electric and Photo-electric Properties of Transistors of the PbS Group." Leningrad Physico-technical Inst of the Acad Sci USSR, Leningrad, 1956. (Dissertation for the Degree of Candidate in PHYSICOMATHEMATICAL SCIENCES).

SO: KNIZHNAЯ LETOPIS' (Book Register), No. 42, October 1956, Moscow.

SOV/121-58-8-10/29

AUTHORS: Larichev V.N., Lind A.B. and Morozov I.K.

TITLE: A Pneumatic Device for the Inspection and Sorting of the Housings of Live Centres (Pnevmaticheskiy pribor dlya kontrolya i sortirovki korpusov vrashchayushchikhsya tsentrov)

PERIODICAL: Stanki I Instrument, 1958, Nr 9, pp 27~28 (USSR)

ABSTRACT: A pneumatic device is described, developed by the Office for Interchangeability of the Standards, Measures and Measuring Instruments Committee (Byuro Vzaimozamenyayemosti komiteta standartov, mer i izmeritel'nykh prilozov) under the designation BV-780 in order to inspect the fitting dimensions of the housings of live centres for lathes. Each of the two inspected hole diameters is sorted within the allowable limits into four dimensional groups, thus creating 16 groups. The maximum value of the mean diameter determines the group. The diameter and the deviation from the cylindrical form are measured by two pairs of nozzles arranged at right angles. The distance between nozzles is about 55% of the length of the bore. Fig 2 shows the pneumatic circuit. The air is filtered and

Card 1/2

A Pneumatic Device for the Inspection and Sorting of the Housings
of Live Centres

SOW/121-58-8-10/29

stabilised, and then proceeds to the distributor containing the intake nozzles with a diameter so chosen that the measuring pressure fed to the pneumatic plug is half the working pressure. The pneumatic plug is a two-step cylindrical plug and inspects simultaneously two fitting diameters and the shape deviations (ovality and conicity). It is connected to an 8 contact differential mercury transmitter operating by the counter-pressure method. In one of the transmitter chambers a constant pressure is maintained. The other chamber has its pressure varied depending on the outflow from the pneumatic plug. Calibration is carried out with the help of a master component.

There are 3 figures

Card 2/2

AUTHORS:

Kolomiyets, B. T., Larichev, V. N.

57-20-5-1/31

TITLE:

Investigation of the Photoelectric Properties of Semiconductors of the Group PbS by Means of the Condenser Method (Issledovaniye fotoelektricheskikh svoystv poluprovodnikov gruppy PbS kondensatornym metodom)

PERIODICAL:

Zhurnal Tekhnicheskoy Fiziki, 1958, Vol. 28, Nr. 5,
pp. 921-924 (USSR)

ABSTRACT:

As is known, lead-sulfide, -selenide and -telluride exhibit a strong photosensitivity in the infrared range only, if they are in shape of small polycrystalline layers, which were specially treated (activated) in oxygen or in air at temperatures of from 300 to 500°C. According to the activation conditions, the photosensitivity can change by the hundred- or thousand-fold. In order to understand the nature of the photoconductivity of such activated layers, it is of interest to investigate the non-activated substances. This, however, is connected with great experimental difficulties. The authors applied in their experiments the condenser method for the investigation of the internal

Card 1/4

Investigation of the Photoelectric Properties of
Semiconductors of the Group PbS by Means of the
Condenser Method 57-28-5-1/36

photoeffect in semiconductors (References 1 .. 4). The results obtained on the basis of the examinations are as follows: The photo e. m. f. which was determined in lead-sulfide, -selenide and -telluride by means of the condenser method, and the photoconductivity in the activated layers of these semiconductors are of a completely different type and are caused by two different processes. According to data in publications it can be assumed, that the width of the forbidden zone equals 0,37, 0,25 and 0,3 eV at room temperature, corresponding to PbS, PbSe and PbTe. These values correspond to the activation energy, which was computed according to the long-wave limit of photoconductivity. If, however, the activation energy is computed according to the red limit of the spectral distribution of the photo e. m. f., values are obtained exceeding by from 5-8 times the width of the forbidden zone. Contrary to the photoconductivity the photoeffect exhibiting such a spectral distribution cannot be explained by spatial processes.

Card 2/4

Investigation of the Photoelectric Properties of
Semiconductors of the Group PbS by Means of the
Condenser Method

57-28-5-1/36

Just as much the great time constant of the photo e. m. f. (up to 10^{-2} sec) cannot correspond to the mean life of the light carriers in the volume, nor to the period of diffusion equilibrium. In more pure monocrystals of PbSe and PbTe the mean life of the carriers, which are not in equilibrium, does not exceed 10^{-7} . The assumption seems to be most probable, that the hydrogen atoms adsorbed at the surface represent very deep superficial level wells for the electrons. Therefore the photoeffect is caused by a liberation of electrons from these wells by the action of visible light. This assumption is also proved by the fact that the magnitude, the sign and the shape of the spectral distribution of the photo e. m. f. is markedly dependent upon the influence of the atmospheric oxygen. From this assumption it also proceeds, that the sign of the photo e. m. f. in the general case does not determine the sign of the photocurrent. The results of this work cannot be regarded as final. Further investigations are necessary.

Card 3/4

Investigation of the Photoelectric Properties of
Semiconductors of the Group PbS by Means of the
Condenser Method

57-28-5-1/36

There are 2 figures, 1 table and 6 references, 5 of which
are Soviet.

ASSOCIATION: Fiziko-tehnicheskiy institut AN SSSR, Leningrad
(Physico-technical Institute, AS USSR, Leningrad)

SUBMITTED: June 26, 1957

1. Semiconductors--Photoconductivity

Card 4/4

AUTHORS:

Kolomiyets, B. T., Larichev, V. N.

57-28-6-33/34

TITLE:

On the Problem of the Mechanism of Conductivity and Photoconductivity in Polycrystalline Layers of Semiconductors of the PbS Group (K voprosu o mekhanizme provodimosti i fotoprovodimosti v polikristallicheskikh sloyakh poluprovodnikov gruppy PbS)

PERIODICAL:

Zhurnal Tekhnicheskoy Fiziki, 1958, Vol. 28, Nr 6,
pp. 1358 - 1362 (USSR)

ABSTRACT:

In the present paper some experimental results obtained by the investigation of the influence exercised by oxygen upon the electric and photoelectric properties of polycrystalline layers of PbS, PbSe and PbTe are described. On the basis of the work carried out the following conclusions may be drawn: The non-linearity of the volt-ampère characteristics of the photosensitive samples can be looked upon as proof of the fact that non-ohmic transition resistances exist in the most active layers, and that they play an important part in the mechanism of the conductivity and photoconductivity of the layers. For such samples the barrier theory of p-n-p transitions is applicable. It was

Card 1/3

On the Problem of the Mechanism of Conductivity and
Photoconductivity in Polycrystalline Layers of Semiconductors of the PbS Group

57-28-6-33/34

worked out by Slater (Reference 7) and Petritz (Reference 8) with respect to the layers of PbS. In photoresistances of PbSe and in particular of PbTe the p-n-p transitions are of secondary importance. The oxygen, which is introduced into the layers at room temperature, is adsorbed at the edges of the microcrystals. The nonlinearity of the volt-ampère characteristics of such samples do not prove, in the authors' opinion, that there is no negative surface charge, but solely that there are no potential barriers on the edges of the microcrystals. Apparently the influence exercised by the opposite boundary of the microcrystals (Reference 9) makes itself felt. It follows herefrom that the barriers of the Schottky type do not exercise any considerable influence upon the conductivity and photoconductivity of the polycrystalline layers of semiconductors of the PbS group and that the theory developed by Smith and Gibson (Reference 1 and 6) is not applicable in this case. The surface states occurring as a result of oxygen adsorption apparently manifest themselves by the existence of the photoeffect (with a maximum of spectral distribution in the visible part with a high degree of inertia),

Card 2/3

On the Problem of the Mechanism of Conductivity and 57-28-6-33/34
Photoconductivity in Polycrystalline Layers of Semiconductors of the PbS Group

which is observed when measuring the photoelectromotive force
by the condenser method (Reference 10). There are 3 figures and
10 references, 2 of which are Soviet.

SUBMITTED: July 22, 1957

1. Semiconducting films—Conductivity 2. Semiconducting
films—Photoconductivity 3. Semiconducting films—Electron
transitions 4. Oxygen—Electrical effects 5. Lead alloys—
Properties

Card 3/3

LARICHEV, V.N.; LIND, A.B.; MOROZOV, I.K.

Pneumatic instruments used for checking and sorting running-center
bodies. Stan. i instr. 29 no. 8:27-28 Ag '58. (MIRA 11:8)
(Engineering instruments)
(Lathes--Testing)

24(4)

PHAK I. VOKH KAPITUL'ATSION
Akademiya nauk Ukrainskoj SSR. Institut fiziki

Po polosledovatel'nosti I. opiticheskogo yevidentiya v poluprovodnikakh i opticheskikh vicegazanokh avtorechchach po fotovoltiicheskim i opticheskim vysokochastotnym v poluprovodnikakh, s. Kyiv, 1957. Translations of Photocurrent and Optical Phenomena in Semiconductors, Solid State Spectroscopy, and Semiconductor Devices. The collection will be useful to advanced students in universities and institutions of higher technical training or specializing in the physics and technical application of semiconductors.

Additional Sponsor: Akademiya nauk SSSR. Pressdium.
Ed. of Publishing House: I. V. Klinina; Tech. Ed.: A. A. Matveychuk;
Rep. Ed.: V. Ye. Lashkov, Academy of Sciences, Ukrainian SSR, Academy

PURPOSE: This book is intended for scientists in the field of semiconductor physics, solid state spectroscopy, and semiconductor devices. The collection will be useful to advanced students in universities and institutions of higher technical training or specializing in the physics and technical application of semiconductors.

Coverage: The collection contains reports and information bulletins (the latter are indicated by asterisks) from the First All-Union Conference on Optical and Photoelectric Phenomena in Semiconductors. A wide scope of problems in solid-state semiconductor physics are considered: Photoconductivity, photoelectrochemistry, photovoltaics, optical properties, photoelectronics, photoelectrophotovoltaic cells, the actions of hard and complex radiation, etc. The materials were prepared for publication by Z. I. Rabinov, O. V. Jinikko, K. D. Polysya, N. Z. Lubchenko, and M. K. Stepanian. References and discussion follow each article.

SOV/3140

Photoelectric and Optical Phenomena (Cont.)

Karpovich, N. A. and A. A. Matveychuk. "The 'Electrifying' Effect of Photoelectroactive Force in Photoelectric Cells Employing Dyes 290
Akimenko, T. A. and Ya. K. Shchegloko. The Sign of Photoelectric Current Carriers and the Relation of Photoconductivity in Tin Oxide and Silver Oxide Semiconductors Sensitized by Organic Dyes 301
Petrov, Ya. A. Sensitization of Photoelectric Effect in Inorganic Semiconductors by Organic Dyes (Measse) 314
Zaluzec, B. M. and V. Ye. Lashkov. Investigation of Photoelectric Properties of Semiconductors of the P33 Group by the Condenser Method 316
Kolodkin, V. Ye. The Problem of the Nature of Condenser Photoelectric Effect (Measse) 318

Card 12/16

82991

S/181/60/002/008/010/045
B006/B070

24.3600

AUTHORS:

Zolotarev, V. F., Larichev, V. N.

TITLE:

p-n Junctions in Photosensitive PbS Films

PERIODICAL: Fizika tverdogo tela, 1960, Vol. 2, No. 8, pp. 1741-1750

TEXT: The aim of the authors was to investigate the volt-ampere characteristics of PbS films and their temperature dependence, and to demonstrate the existence of p-n junctions. At present, there are two groups of theories for photoconductivity. One of the theories assumes that, on illumination, carriers are released where oxygen plays an important role as electron trap. The second theory is based on the idea that the photosensitive film consists of a series of p-n junctions. The minority carriers, liberated by light, diffuse to the junction and lower the potential barrier between p- and n-type regions, thus increasing the photocurrent. In order to find out the actual mechanism, an experiment suggested in Ref. 5 is used as the criterion. If potential barriers exist in the film, volt-ampere characteristics must be nonlinear. ✓

Card 1/3

82991

p-n Junctions in Photosensitive PbS Films

S/181/60/002/008/010/045
B006/B070

Therefore, the authors investigated the volt-ampere characteristics of PbS films prepared in different ways. The electrical circuit of the arrangement is shown in Fig. 1. Typical characteristics (taken in light and darkness) are shown in Fig. 2. The form of the characteristics was found to be independent of the method of preparation of the film and to depend on the manner of activation. Some samples showed a photo-emf that is directly related to the non-linearity of the characteristic. Chemically prepared films of PbS showed linear characteristics for low temperature activation in vacuo (Fig. 4). Fig. 5 shows $\ln \sigma$ (σ - the conductivity) as function of $1/T$ for chemically prepared films for high temperature activation in air, taken in dark and in light of two intensities. The results are discussed in detail. Experiments proved that on high temperature activation in air PbS layers showed p-n-p junctions. Films, that were activated at low temperature or in vacuum, showed no potential barrier. The p-n junctions have shunts whose conductivity is independent of temperature and exposure of the sample. The magnitude of the shunt differs from film to film and also from junction to junction in the same film; the photo-emf is a consequence of the latter. The

Card 2/3

p-n Junctions in Photosensitive PbS Films

82991
S/181/60/002/008/010/045
B006/B070

surface impurity conductivity of an oxide film; or chains of free lead atoms can act as shunt. Three possible reactions, from which free lead may arise on high temperature activation, are given. The O⁺⁺ levels are traps for the photo electrons in p-type region; free lead atoms are traps for the photo holes in n-type region. The photoconductivity $\Delta\sigma/\sigma$ depends mainly on the trap concentration and only slightly on the magnitude of the shunts. There are 7 figures and 11 references: 3 Soviet, 7 US, and 1 German.

SUBMITTED: February 28, 1959 (initially) and February 29, 1960
(after revision)

X

Card 3/3

LARICHEV, V.N.; LIND, A.B.

Pneumatic device for checking the plates of a gear pump. Stan.i
instr. 34 no.5:31-32 My '63. (MIRA 16:5)
(Pumping machinery--Testing)

I. 25472-66 EWT(1)/EWT(m) IJP(c) AT/JD/JG

ACC NR: AP6009693

SOURCE CODE: UR/0181/66/008/003/0958/0959

AUTHOR: Iarichev, V. N.; Illarinova, V. A.

38

ORG: Kazan' State University im. V. I. Ul'yanov-Lenin (Kazanskiy gosudarstvenny universitet)

B

TITLE: Characteristics of induced photo emf in mercury iodide

27

SOURCE: Fizika tverdogo tela, v. 8, no. 3, 1966, 958-959

TOPIC TAGS: mercury compound, photo emf, light absorption, photosensitivity

ABSTRACT: The authors present preliminary results of the investigation of induced photo emf in mercury iodide, consisting in the fact that prior exposure of the semiconductor to light in the region of the intrinsic absorption in the impurity region causes a sharp increase in the photosensitivity. This is connected with the transfer of the carriers from the adhesion levels into one of the allowed bands. The induced photo emf was investigated by a capacitor method. The use of two monochromators made it possible to illuminate the samples simultaneously with two beams of different wavelengths. The samples were in the form of thin polycrystalline layers deposited on a glass substrate, and also in the form of powder and thin layers obtained by precipitation. A plot of the spectrum shows that illumination with 438 nm wavelength (region of intrinsic absorption) increases the sensitivity in the impurity region. The sign of the photo emf was determined by using a flash lamp, and was found to be negative in the intrinsic-absorption region, and positive in the impurity region.

Card 1/2

L 25472-66

ACC NR: AP6009693

O

In the transition region (590--600 nm) the supplementary illumination changed the sign of the photo emf. It is concluded that the adhesion levels were partially filled with carriers prior to the illumination. By using short pulses [the authors] also investigated the frequency characteristics of the photo emf and found that it can be described by a plot of the function $(1 + (\omega\tau)^2)^{-1/2}$ with two values of the time constant τ . The influence of constant illumination on the frequency characteristic of the photo emf calls for further study. Orig. art. has: 1 figure and 1 formula.

SUB CODE: 20 / SUBM DATE: 28May65 / ORIG REF: 004

Card 2/2 CC

LARICHEV, V.Ye.; KRYCHANOV, Ye.I.

"The remote past of the Maritime Territory" by A.P.Okladnikov.
Izv.Sib.otd.AN SSSR no.1:105-107 '62. (MIRA 15 :3)
(Maritime Territory--History)

LARICHEVA, G. M.

GINDINA, M.M.; KOGANOVA, G.V.; LARICHEVA, G.M.; MELKOVA, A.Ye.; POLYAKOVA, M.G.; SKOBELKINA, I.P.; IKONNIKOV, V.V., prof. otvetstvennyy red. ROSHCHINA, L., red.izd-va; LEBEDEV, A., tekhn.red.

[State Bank of the U.S.S.R.: a brief account on the fortieth anniversary of the October Revolution] Gosudarstvennyi bank SSSR; kratkii ocherk k sorokaletiiu Oktiabria. Moskva, Gosfinizdat, 1957. 254 p. (MIRA 11:2)

1. Gosudarstvennyy bank, Moscow.
(Banks and banking)

LARICHEVA, I. I., Cand Med Sci -- "Treatment of chronic inflammatory diseases of female ~~sexual~~ ^{the genital} organs by ~~the mud-~~
~~aero-sauna~~ ^{extra-health} iontophoresis of the ~~epicardial~~ region under ~~non-resort~~
conditions." Kiev, 1961. (Kiev Order of Labor Red Banner
Med Inst im Acad A. A. Bogomol'ets) (KL, 8-61, 262)

- 483 -

LARICHEVA, K. A.

"On the Action of Acetylcholine upon the Rhythical Contractions of the
Skeletal Muscle," Dokl. AN SSSR, 53, No.3, pp. 289-92, 1946

Inst. Evolutionary Morphology im. A. N. Severtsoy, AS USSR

MIL'SHTEYN, G.I.; LARICHEVA, K.A. (Moskva)

Effect of lysergic acid-diethylamide on some aspects of the
behavior of mice and rats. Farm. i toks. 26 no.6:753-756
N-D '63 (MIRA 18:2)

BABAYANTS, R.S.; BLAGOVESHCHENSKAYA, V.V.; VERGILESOVA, O.S.; VISSONOV, Yu.V.;
VYALOVA, N.A.; GLAZUNOV, I.S.; DRUTMAN, R.D.; KLEMPARSKAYA, N.N.;
KOTOVA, E.S.; KURSHAKOV, N.A., prof.; LARICHEVA, L.P.; LYSKOVA, M.N.;
MALYSHEVA, M.S.; PETUSHKOV, V.N.; RYNKOVA, N.N.; SOKOLOVA, I.I.;
STUDENIKINA, L.A.; CHUSOVA, V.N.; SHESTIKHINA, O.N.; SHULYATIKOVA,
A.Ya.; SHTUKKENBERG, Yu.M.; BARANOVA, Ye.F., red.

[Acute radiation lesion in man] Ostraia radiatsionnaia travma
u cheloveka. Moskva, Meditsina, 1965. 313 p.

(MIRA 18:9)

1. Chlen-korrespondent AMN SSSR (for Kurshakov).

LARICHEVA, L.S.

(Barnaul)

Limiting accuracy of the asymptotic expansions of a certain class
of functions. Part 1. Izv. vys. ucheb. zav., mat., no. 63(09-115)
'63 (MIRA 17:8)

LARICHEVA, L.S (Barnaul)

Limit estimate of the exactness of asymptotic expansions of a certain
class of functions. Part 2. Izv. vys. ucheb. zav.; mat. no.3;111-116
'65. (MIRA 18:7)

1. LARICHEVA, M. D.
2. USSR (600)
4. Rye
7. Studying fertility of rye seeds produced by wheat. Agrobiochiia No. 6
1952.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

1. LARICHEVA, M. D.
2. USSR (600)
4. Hybridization, Vegetable
7. Productivity of hybrids as a function of conditions under which parental forms were raised. Sel.isem. 20 no. 1 1953.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

KRASNIKOV, B.V., doktor sel'skokhozyaystvennykh nauk; LARICHEVA, M.D.,
kand.sel'skokhozyaystvennykh nauk

Late fall sowing as a method for developing resistance to
flower-stalk formation in sugar beets grown for feed purposes
in the non-Chernozem zone. Agrobiologiya no.6:791-795 N-D
'61. (MIRA 15:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut kormov imeni
V.R. Vil'yamsa, st. Lugovaya, Moskovskaya oblast'.
(Sugar beets)

SHEBALINA, M.A., kand.sel'skokhozyaystvennykh nauk; LARICHEVA, M.D.,
kand.sel'skokhozyaystvennykh nauk

"Beets" by V.T. Krasochkin. Reviewed by M. A. Shebalina and M. D.
Laricheva. Zemledelie 23 no.11:92-93 N '61. (MIRA 14:12)
(Beets) (Krasochkin, V. T.)

LARICHEVA, M.D., kand.sel'skokhozyaystvennykh nauk; SHNEYDER, Yu.I.,
kand.bilogicheskikh nauk; KASHMANOVA, O.I.

Late fall sowing as a method for developing a comparatively
disease resistant variety of sugar beets. Agrobiologiya no.3:
(MIRA 15:10)
447-448 My-Je '62.

1. Vsesoyuznyy nauchno-issledovatel'skiy institut kormov,
Moskovskaya oblast'.
(MOSCOW PROVINCE—SUGAR BEETS—DISEASE AND PEST RESISTANCE)

LARICHEVA, M.D., kand. sel'skokhoz. nauk

Growth characteristics of the sugar beet in the non-Chernozem zone.
Agrobiologiya no.4:594-598 Jl-Ag '64. (MIRA 17:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut kormov, Moskovskaya
oblast'.

SPOTARENKO, S.S.; LARICHEVA, M.G.

Some results of mass use of gamma globulin in the prophylaxis
of infectious hepatitis in Moscow Province. Vop.med.virus.
no.9:419-424 '64. (MIRA 18:4)

1. Iz Moskovskoy oblastnoy sanitarno-epidemiologicheskoy stantsii.

LARICHEVA, M.N., kand. sel'skokhoz. nauk; SHNEYDER, Yu.I., kand. biolog.
nauk

Preservation of turnip and sugar beet roots. Zashch.rast. ot
vred. i bol. 9 no.10:24-25 '64 (MIRA 18:1)

1. Vsesoyuznyy institut kormov, Institut kartofel'nogo khozyaystva.

VOSTOKOVA, Ye.A.; SHAVYRINA, A.V.; LARICHEVA, S.G.; VIKTOROV, S.V.,
doktor geogr. nauk, nauchnyy red.; FEDOROVA, L.N., red.izd-
va; IVERUSALIMSKAYA, Ye.S., tekhn. red.

[Handbook on indicator plants for ground waters and soils in
southern deserts of the U.S.S.R.] Spravochnik po rasteniam-
indikatoram gruntovykh vod i pochvo-gruntov dlia iuzhnykh
pustyнь SSSR. Pod red. S.V.Viktorova. Moskva, Gosgeoltekhn-
izdat, 1962. 123 p. plates. (MIRA 15:12)

(Russia, Southern--Indicator plants)

(Russia, Southern--Desert flora)

16(1)
AUTHOR:Laricheva, V.V. (Moscow)

SOV/40-22-4-15/26

TITLE:

The Non-Linear Damping of Eigen Oscillations in Systems of
Arbitrary Order (Nelineynoye gasheniye sostvennykh kolebaniy
sistem proizvol'nogo poryadka)

PERIODICAL:

Prikladnaya matematika i mekhanika, 1958, Vol 22, Nr 4,
pp 536 - 538 (USSR)

ABSTRACT:

The damping of eigen oscillations of a system of second order
of the form

(1) $\ddot{x} + \omega^2 x = \delta$

is based on the fact that the damping function δ as a function
of the oscillation speed causes a dissipation of energy. In
the present case the dissipation of energy is to take place
by non-linear dampers which satisfy the equation:

$$\delta = \omega^2 k^2 x$$

where the magnitude k is to satisfy the following conditions

$$\begin{aligned} k^2 &= 0 \quad \text{for } \dot{x} > 0 \\ 0 < k^2 &< 1 \quad \text{for } \dot{x} < 0 \end{aligned}$$

Card 1/2

The Non-Linear Damping of Eigen Oscillations in
Systems of Arbitrary Order

SOV/40-22-4-15/26

Under the given conditions the energy of the system is diminished by a certain value during every oscillation, i.e. the system is suppressed. For the given equation of second order the problem can be solved and the damping time can be approximatively calculated. The same method is applied to systems of n-th order of the form :

$$(13) \quad \sum_{s=1}^n (B_{s1} \ddot{x}_s + d_{s1} \dot{x}_s) = \delta_1 \quad (1 = 1, \dots, n)$$

The calculation of the initial conditions occurring in the solution set up can be principally carried out according to the same method as it is usual for linear systems. It is indicated that the calculation of the damping is still practicable, if the magnitudes of damping δ do not depend on the oscillation velocity, but only on the coordinate and on the acceleration.

SUBMITTED:

December 22, 1957

Card 2/2

24 (70)
S/892/62/000/001/022/022
B102/B106

AUTHORS:

Larichev, A. V., Laricheva, V. V.

TITLE:

Inversion of the matrix of the sensitivity function of a
scintillation spectrometer

SOURCE:

Moscow. Inzheenerno-fizicheskiy institut. Voprosy dosimetrii
i zashchity ot izlucheniya, no. 1, 1962, 150-155

TEXT: The corrections for Compton distribution, photoefficiency, collimator solid angle, and low-energy γ -ray absorption, necessary in the transition from the apparatus pulse-height spectrum to the true γ -ray spectrum measured with a single-crystal scintillation spectrometer, have already been calculated by Yu. A. Kazanskiy (Pribory i tekhnika eksperimenta, no. 4, 32, 1959). He obtained the correction formula by means of the original matrix of the Compton contributions. Since this method is cumbersome and not free from errors, the authors here use the inverse complete matrices of the sensitivity function (cf. Collection: Pribory i metody analiza izlucheniya, no. 3, Gosatomizdat 1961) for calculating the correction for a spectrometer with an 80-80 mm NaI(Tl).

Card 1/3

8/892/62/000/001/022/022
B102/B186

Inversion of the matrix of the ...

crystal and a collimator 300 mm in length and 20 mm in diameter. The relation obtained for the normalization of the Compton distribution for one incident photon equals that given by J. Hubell (Rev. Sci. Instrum., 29, no. 1, 65, 1958): $P_k = N_k/N_0 = \epsilon - \epsilon^{ph}$. If the multiplication of the photons (factor Ω_{eff}/Ω_0) due to transmission effects and their reduction in number (factor $e^{-\mu d}$) due to absorption is taken into account, the correction function becomes $\epsilon'' = P_{ph}^{''}\epsilon'' + P_k^{''} = \epsilon(\Omega_{eff}/\Omega_0)e^{-\mu d}$, and therefore $P_k^{''} = \epsilon'' - \epsilon''P_{ph}$. The latter relation serves for normalizing each element of the Compton distribution of the original matrix. As an example, the original and inverse total matrices are given for $E = 600$ kev.

The results agree closely with those obtained by E. Rawson and D. Cormak (Nucleonics, 16, no. 10, 92, 1958) and J. Kookum (Nucl. Instrum. 4, no. 3, 171, 1959). The inverse matrix is characterized by the following properties: (1) it is triangular; (2) each diagonal element is the inverse of the corresponding element of the original matrix; (3) all its diagonal elements are positive and most of its off-diagonal elements negative;

Card 2/3

LARICHEVA, V.V; REYN, M.V. (Moscow)

"Asymptotic solutions based on the non-Kepler undisturbed motion".

report presented at the 2nd All-Union Congress on Theoretical and Applied
Mechanics, Moscow, 29 Jan - 5 Feb 64.

I. 19230-66 EWT(d) IJP(c)
ACC NR: AP5028271

SOURCE CODE: UR/0020/65/165/002/0289/0292
25
24
B

AUTHOR: Laricheva, V. V.

ORG: none

TITLE: Efficient transformation and asymptotics of a class of nonlinear differential equations

SOURCE: AN SSSR. Doklady, v. 165, no. 2, 1965, 289-292

TOPIC TAGS: differential equation, nonlinear differential equation
16, 44, 53

ABSTRACT: The author treats

$$\begin{aligned} dx/dt &= -y + \epsilon \Pi_1(p, x, y), & dy/dt &= x + \epsilon \Pi_2(p, x, y), \\ dp/dt &= \epsilon \Pi_3(p, x, y). \end{aligned} \quad (1)$$

She shows that the interval of suitability of the averaged equations can be significantly broadened in comparison to the theorem of N. N. Bogolyubov and Yu. A. Mitropol'skiy (Asimptoticheskiye metody v teorii nelineynykh kolebaniy, M., 1963) on averaging system

$$d\tilde{t}/dt = \epsilon X_0(\tilde{t}) \quad (X_0(\tilde{t}) = \frac{1}{T} \int_0^T X(t, \tilde{t}) dt), \quad (2)$$

depending on the initial conditions. She further describes a means for approximate determination of α , θ , generalizing the corresponding result of V. V. Laricheva

UDC: 517.93

Cord 1/2

2

L 19230-66

ACC NR: AP5028271

and M. V. Reyn (Kosmicheskiye issledovaniya, 3, v. 1, 26, 1965) in the form of a series which yields an asymptotic representation. This paper was presented by academician A. A. Dorodnitsyn on 2 April 1965. Orig. art. has: 32 formulas.

SUB CODE: 12/ SUBM DATE: 23Mar65/ ORIG REF: 002

Card 2/2 VLR

39
29
B

L 26116-65 EWT(1)/FS(v)-3/EMF(m)/ENG(v)/T Po-4/Pg-4/Pe-5/Pg-4 G
ACCESSION NR: AP5005436 S/0293/65/003/001/0027/0041

AUTHOR: Laricheva, V. V.; Reyn, M. V.

TITLE: Asymptotics of celestial mechanics equations which is suitable for a wide range of variation in eccentricity

SOURCE: Kosmicheskiye issledovaniya, v. 3, no. 1, 1965, 27-41

TOPIC TAGS: celestial mechanics, perturbed motion, quasi Hamiltonian equation, slowly varying osculating elements, motion equation transformation

ABSTRACT: Transformation of the equations of motion of a mass point in a central gravitational field under small perturbations to equations in slowly varying variables is proposed. Slowly varying variables in equations of motion correspond to non-perturbed non-Keplerian motion. The equations of perturbed motion in osculating elements are reduced to a "quasi-Hamiltonian" form which, when the parameter ϵ characterizing the value of the perturbation is equal to zero, becomes the Hamiltonian form of equations of non-perturbed Keplerian motion. The quasi-Hamiltonian form of the equations makes it possible to single out effectively the principal part of the perturbation in order to select the non-Keplerian non-perturbed motion from which the particular solution (spiral trajectory) of the equations of the perturbed

Card 1/2

L 26116-65

ACCESSION NR: AP5005436

motion can be obtained. Conditions for selecting slowly varying variables are presented. It is shown that these variables are more effective than Keplerian osculating elements for solving the problem of accelerating and decelerating the mass point in the gravitational field under small perturbations, using the first approximation of the Krylov-Bogolyubov method for averaging the equations of motion. It is proved that the solutions of averaged equations in various osculating elements are identical. The first approximation (of the Krylov-Bogolyubov method) to the solution and its relative error are analyzed for problems with a wide range of variation of orbital elements. The good accuracy of the proposed approach for obtaining solutions of equations of perturbed motion is verified by means of examples which have exact solutions. Orig. art. has: 1 figure and 53 formulas. [LK]

ASSOCIATION: none

SUBMITTED: 27Nov63

NO REF Sov: 002

ENCL: 00

SUB CODE: AA

OTHER: 001

ATD PRESS: 3186

Card 2/2

L 20252-66 EWP(m)/EWP(c)/EWT(1)/T/EWA(d)
ACCESSION NR: AP5015663

IJP(c) GW

UR/0293/65/003/003/0359/0367
521.401.4:521.6

AUTHORS: Laricheva, V. V.; Reyn, M. V.

13

TITLE: A method for constructing solutions to the equations of plane perturbed motion in celestial mechanics

SOURCE: Kosmicheskiye issledovaniya, v. 3, no. 3, 1965, 359-367

TOPIC TAGS: satellite orbit^y, elliptic orbit, logarithmic spiral, perturbation theory, perturbed satellite motion, spiral trajectory, magnetic field, gravitational field, celestial mechanicsABSTRACT: The equations of motion for a particle in a force field in the presence of perturbations are given by

$$\frac{dp}{du} = \frac{2ea_u p^3}{(1+x)^3}, \quad \frac{dx}{du} = -y + \frac{2ea_r p^2}{(1+x)^2}, \quad \frac{dy}{du} = x + \frac{ea_u p^2 y}{(1+x)^3} + \frac{ea_r p^2}{(1+x)^2}$$

where u is a polar angle, p , e_{a_r} , e_{a_u} - dimensionless focal parameter, radial and transverse perturbation acceleration components, respectively, and $x = e \cos(u - \omega)$, $y = e \sin(u - \omega)$. A stable motion for this equation is given by a

Card 1/3

L 20852-66

ACCESSION NR: AP5015663

spiral trajectory

$$x = \epsilon f_1(p, \epsilon), \quad y = \epsilon f_2(p, \epsilon);$$

which leads to

$$p = F_1(x, \epsilon), \quad p = F_2(y, \epsilon), \quad \frac{dx}{dp} = \epsilon f'_1(p, \epsilon), \quad \frac{dy}{dp} = \epsilon f'_2(p, \epsilon).$$

When substituted above, this gives

$$\frac{\epsilon f'_1}{(1+x)^3} = -y + \frac{2\epsilon a_u p^2}{(1+x)^2}, \quad \frac{\epsilon f'_2}{(1+y)^3} = x + \frac{2\epsilon a_u p^2 y}{(1+y)^3} + \frac{\epsilon a_r p^2}{(1+x)^2}.$$

Using these results, a set of special cases is analyzed. The first is a motion in a small radial perturbation field

$$p = \text{const} = 1 \quad \frac{dx}{du} = -y, \quad \frac{dy}{du} = x + \frac{\epsilon a_r}{(1+u)^2}.$$

The analysis shows that under a small constant radial attraction no acceleration is possible for the particle with a satellite orbit. Next, the effect of the earth's magnetic field on the electrically charged satellite is investigated for $\epsilon_0 < 1$. This leads to the results

$$e \approx \sqrt{A_m^2 + 2u A_m \cos(u - \varphi_m) + u^2}, \quad \dot{u} = u - \text{Arctg} \frac{A_n \sin(u - \varphi_n)}{A_n \cos(u - \varphi_n) + u}.$$

Card 2/3

L 20852-66

ACCESSION NR: AP5015663

Finally, the case is considered where the small perturbations are proportional to the gravitational pull described by the equations.

$$\frac{dp}{du} = \frac{2\epsilon p \ddot{a}_u}{1+x}, \quad \frac{dx}{du} = -y + 2\epsilon \ddot{a}_u, \quad \frac{dy}{du} = x + \frac{\epsilon \ddot{a}_u y}{1+x} + \epsilon \dot{a}_u.$$

The particular solution for these equations is shown to be a logarithmic spiral which leads to a non-Keplerian, unperturbed motion

тено. В [4] при помощи вычислительной

Orig. art. has: 38 equations and 2 figures.

ASSOCIATION: none

SUBMITTED: 27Nov63

ENCL: 00

SUB CODE: SV, ME

NO REF Sov: 001

OTHER: 004

Card 3/3

FAYBISOVICH, L.I.; VARAKIN, P.I.; LARICHKIN, M.S.; MEDOVAR, B.I.; LATASH, Yu.V.;
MAKSIMOV, I.P.; TYURIN, V.I.; BUSHMELEV, V.M.

Effect of electric slag remelting on the quality of rotor open-hearth
steel. Met. i gornorud. prom. no.5:18-21 S-0 '64. (MIRA 18:7)

L 35339-66 EWT(m)/EWP(w)/T/EWP(t)/ETI/EWP(k) IJP(c), JD
ACC NR: AP6011826 (N) SOURCE CODE: UR/0383/66/000/002/0035/0039
40
B

AUTHOR: Faybisovich, L. I.; Varakin, N. I.; Larichkin, M. S.; Medovar, B. I.;
Latash, Yu. V.; Yemel'yanenko, Yu. G.; Maksimov, I. P.; Koval', S. I.; Akulinin, M. A.

ORG: none

TITLE: Quality of heavy forgings of 36KhN1MFAR electroslag rotor steel

SOURCE: Metallurgicheskaya i gornorudnaya promyshlennost', no. 2, 1966, 35-39

TOPIC TAGS: steel forging, steel, nonmetallic inclusion, brittleness, temper
brittleness

ABSTRACT: The study deals with the effect of electroslag melting on the quality of vacuum-degassed and nondegassed open-hearth steel. Forgings of 36KhN1MFAR steel, obtained from electroslag ingots weighing 13 tons, have a compact structure and a homogeneous chemical composition. The content of sulfur, gas, and nonmetallic inclusions in them is considerably lower than in similar forgings from metal made the conventional way. The mechanical properties of the remelt metal are characterized by high stable values in the length and cross section of the forging both in longitudinal and diametrical directions. Electroslag melted 36KhN1MFAR steel does not possess a tendency to temper brittleness. Its ductility transition temperature is below -70C. Orig. art. has: 5 figures and 4 tables. [NT]

SUB CODE: 11/ SUBM DATE: none/ ORIG REF: 003
Card 1/1 *bb* UDC: 669-13:658.562

DOBROVOL'SKIY, D.M.; LYAL'KIN, M.A. (g. Petrovka Gor'kovskoy oblasti);
BOBERSKIY, A.A. (st. Kok-Su Alma-Atinskoy oblasti, Kazakhskoy
SSR); MIKHAYLOV, A.V.; LARICHKIN, M.Ye.; GERSHMAN, V.I.;
SMOLOV, Ye.I. (Sevastopol')

Notes on textbooks. Fiz.v shkole 22 no.6:87-89 N-D '62.
(MIRA 16:2)

1. 3-ya vos'miletnyaya shkola, g.Serdol'sk, Penzenskoy oblasti
(for Dobrovolskiy). 2. Srednaya shkola, s.Undino-Posel'ye
Chitinskoy oblasti (for Mikhaylov, A.V.). 3. Shemshinskaya
srednaya shkola Tatarskoy ASSR (for Larichkin). 4. 56-ya
vechernaya shkola Moskva (for Gershman).
(Physics--Textbooks).

LARIKOV, A.F.

MURASHEV, V.A., prof., doktor tekhn.nauk; MIRONOV, S.A., prof., doktor tekhn.nauk; ALEKSANDROVSKIY, S.V., kand.tekhn.nauk; TAL', K.Z., kand.tekhn.nauk; DMITRIYEV, S.A., kand.tekhn.nauk; MULIN, N.M., kand.tekhn.nauk; SIGALOV, E.Ye., kand.tekhn.nauk; NEMIROVSKIY, Ya.M., kand.tekhn.nauk; TABENKIN, N.L., inzh. [deceased]; KALATUROV, B.A., kand.tekhn.nauk; BRAUDE, Z.I., inzh.; KRYLOV, S.M., kand.tekhn.nauk; FOKIN, K.F., doktor tekhn.nauk; GUSEV, N.M., prof., doktor tekhn.nauk; YAKOVLEV, A.I., inzh.; KORENEV, B.G., prof., doktor tekhn.nauk; DERESHKEVICH, Yu.V., inzh.; MOSKVIN, V.M.; LUR'YE, L.L., inzh.; MAKARICHEV, V.V., kand.tekhn.nauk; SHEVCHENKO, V.A., inzh.; VASIL'YEV, B.F., inzh.; KOSTYUKOVSKIY, M.G., kand.tekhn.nauk; MAGARIK, I.L., inzh.; IL'YASHEVSKIY, Ya.A., inzh.; LARIKOV, A.F., inzh.; STULOV, T.T., inzh.; TRUSOV, L.P., inzh.; LYUDKOVSKIY, I.G., kand.tekhn.nauk; POPOV, A.N., kand.tekhn. nauk; VINOGRADOV, N.M., inzh.; USHAKOV, N.A., kand.tekhn.nauk; SVERDLOV, P.M., inzh.; TER-OVANESOV, G.S., inzh.; GLADKOV, B.N., kand.tekhn.nauk; KOSTOCHKINA, G.V., arkh.; KUREK, N.M.; OSTROVSKIY, M.V., kand.tekhn.nauk; PEREL'SHTEYN, Z.M., inzh.; BUKSHTEYN, D.I., inzh.;

(Continued on next card)

MURASHEV, V.A.---(continued) Card 2.

MIKHAYLOV, V.G., kand.tekhn.nauk; SIGALOV, E.Ye., kand.tekhn.nauk; GVOZDEV, A.A., prof., retsenzent; MIKHAYLOV, V.V., prof., retsenzent; PASTERNAK, P.L., prof., retsenzent; SHUBIN, K.A., inzh., retsenzent; TEMKIN, L.Ye., inzh., nauchnyy red.; KOTIK, B.A., red. izd-va; GORYACHEVA, T.V., red.izd-va; MEDVEDEV, L.Ya., tekhn.red.

[Handbook for designers] Spravochnik proektirovshchika. Pod ob-shchei red. V.I.Murasheva. Moskva, Gos.izd-vo lit-ry po stroit., arkhit. i stroit.materialam. Vol.5. [Precast reinforced concrete construction elements] Sbornye zhelezobetonnye konstruktsii. 1959. 603 p.

(MIRA 12:12)

1. Akademiya stroitel'stva i arkhitektury SSSR. Nauchno-issledo-vatel'skiy institut betona i zhelezobetona, Perovo. 2. Deystvitel'-nyy chlen Akademii stroitel'stva i arkhitektury SSSR (for Murashev, Gvozdev, Mikhaylov, V.V., Pasternak, Shubin). 3. Chlen-korresp. Aka-demii stroitel'stva i arkhitektury SSSR (for Mironov, Gusev, Moskvin, Kurek).

(Precast concrete construction).

LARIKOV, I.A.

Improve the methods of growing vegetable seeds of the canning type. Kons.i ov. prom. 16 no.2:32-34 F '61. (MIRA 14:4)

1. Vserossiyskiy sovet narodnogo khozyaystva.
(Vegetables--Varieties) (Canning industry)

LARIKOV, I.A.

Improve the work of state farms under the economic councils
of the R.S.F.S.R. Kons.i ov.prom. 17 no.10:22-23 O '62.

(MIRA 15:9)

1. Upravleniye pishchevoy promyshlennosti Vserossiyskogo soveta
narodnogo khozyaystva.

(State farms) (Canning industry)

18 27 27
5

Resistometric study of the natural aging of lead-tin alloys
L. N. Larikov (Sofia Univ.). *Comp. rend. acad. bulgari
sci. 9, No. 3, 543 (1956).* — The natural aging process was
studied for Pb-Sn alloys contg. 1-19% by wt. Sn by the
compensation method at 20°. For most samples there is a
rapid decrease in the elec. resistance with time which sets
in after a latent period. As the Sn concn. is increased
the length of the latent period decreases and the rate of
change in the resistance is increased. The exp'd. data
indicate that the ordering of these alloys is accompanied by a
rapid decrease in the elec. resistance, thereby verifying that
the aging is of the high-temp. type. J. Rovtar Leach

//

[Signature]

BULGARIA/Physical Chemistry - Crystals.

Abs Jour : Ref Zhur - Khimiya, No 5, 1958, 13580
Author : L.N. Larikov.
Inst : Academy of Sciences of Bulgaria
Title : X-Ray Study of Aging Lead-Tin Alloys.
Orig Pub : Dokl. Bolg. AN, 1956, 9, No 4, 65-68

B-5

Abstract : The aging of Sn alloys with Pb was studied roentgenographically on monocrystals and polycrystal specimens. The decomposition of the oversaturated solid solution starts after a preparatory (latent) period, it proceeds according to a 2-phase scheme and results in the state of "coll. equilibrium". A decrease of interior stresses in the basic phase occurs in the result of the decomposition of the solid solution, which may be seen from the relative intensity rise of the high index lines of the basic phase on

Card 1/2

LARIKOV, L. N.

Distr: 4E2c

✓ The age-hardening mechanism of lead-tin alloys. L. N. Larikov. Godishnik Sofiiskiya Univ. Fiz. Mat. Tekh. Khim. 30, Pt. 1-2, 27-54 (1955/56) (Pub. 1958).—Pb-Sn alloys (I) in the entire interval of solid-soln. concns. have properties similar to those of higher Pb-content alloys. After tempering, room temp. hardness increases with time. With a Sn content exceeding 4.5% the hardness/time curve passes through a max. and then gradually falls off. The anomalous mech. properties of I are due to the great speed with which the natural age-hardening process proceeds. The hardness of tempered I, representative of a homogenous solid soln., increases almost linearly with increase in Sn content. The mech. properties of I cannot be permanently improved by the simple addn. of the deficient Sn, since an increase in Sn content not only increases the final max. hardness, but also the speed of the ensuing softening. The strengthening of I is accompanied by a simultaneous decrease in elec. resistance and a change in the lattice parameter. The results of x-ray tests testifies to the creation of significant tensions and deformations in age-hardened alloys. Natural age-hardening of I can be divided into 4 basic stages: (a) latent period, (b) period of spontaneous disintegration of the solid soln., (c) period of coagulation of the new phase, (d) period of recrys. and softening. The duration of these periods and their correlation depends above all on the compn. of the alloys. Y. Himmelblau

5
1 free

SOV/137-58-7-15658

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 7, p 249 (USSR)

AUTHOR: Larikov, L. N.

TITLE: Effect of Alloying Elements on the Hardening of Lead Alloys
(Vliyaniye legiruyushchikh elementov na uprochneniye svintse-vykh splavov)

PERIODICAL: Sb. nauchn. rabot In-ta metallofiz. AN UkrSSR, 1957, Nr 8,
pp 128-144

ABSTRACT: A review of extant works on the study of hardening of Pb-alloys. The effect of alloying elements on the formation and properties of Pb-base solid solutions is analyzed. The conclusion is made that at temperatures below the melting point and at relatively great strain rates the relative hardening of solid solutions is practically independent of the nature of the solvent metal but depends only on the character of the modification of the parameter of its crystalline lattice by the alloying element (in accordance with the law determined by A. P. Gulyayev and Ye. G. Trusova, ZhTF, Nr 20, p 66, 1950). At relatively high temperatures and low strain rates the action of the alloying element on the forces of interatomic bonds in

Card 1/2

SOV/137-58-7-15658

Effect of Alloying Elements on the Hardening of Lead Alloys

the solid solution is manifested more strongly. Furthermore, in the present work, intermediary phases in Pb alloys which can strengthen alloys either in the role of primary components of the heterogeneous structure or as a secondary segregate separating upon the aging of supersaturated solid solutions are analyzed. The problem of hardening of some Pb-base alloys upon natural aging is discussed. Bibliography: 36 references.

Ya. L.

1. Lead alloys--Hardening 2. Alloys--Metallurgical effects

Card 2/2

LARIKOV, L. M.

18 18 18
Mechanism of natural aging of lead-tin alloys. N. Larikov. Compl. rend. Acad. bulgare sci. 10, 69-72 (1957); preceding abstr.—The aging of Pb alloys contg. up to 19% Sn consists of 4 periods: (1) latent period, during which the hardness and lattice parameter remain the same and the elec. resistance decreases an insignificant amt., (2) spontaneous decompr. of solid soln., during which the hardness increases rapidly, elec. resistance drops sharply, and the decompr. of solid soln. proceeds heterogeneously, (3) coagulation period and recovery of lattice of primary phase, during which hardness and elec. resistance decrease slightly and the lattice parameter remains unchanged, and (4) recrystn. and softening period, during which hardness and elec. resistance decrease more rapidly and the lattice parameter reaches the equil. value. H. W. Rathmann

LARIKOV, L. N. and POLOTSKIY, I. G.

"On the Question of the Influence of Ultrasonics on Phase Transitions in Solid Metals and Z Alloys."

paper presented at the 4th All-Union Conf. on Acoustics, Moscow, 26 May - 2 Jun 58.

LARIKOV, L.N.

Aging of lead alloys [with summary in English]. Ukr. fiz. zhur. 3
no.3:397-407 My-Je '58. (MIRA 11:10)

1. Institut metallofiziki AN USSR.
(Lead alloys)

LARIKOV, L.N.

Determination of the recrystallization temperature of metals.
Ukr.fiz.zhur. 3 no.5:664-667 S-0 '58. (MIRA 12:2)

1. Institut metallofiziki AN USSR.
(Metals) (Crystallization)

LARIKOV, L.N.

Mobility of atoms in metals near the recrystallization temperature. Ukr.fiz.zhur. 3 no.5:668-672 S-O '58. (MIRA 12:2)

1. Institut metallofiziki AN USSR.
(Metals) (Molecular dynamics)

LAR, KU, L. N.

SOV/2306

18(4,7), 25(1) PHASE I BOOK EXPLOITATION

: Akademiya nauk Ukrainskoj SSR. Institut metallofiziki

Voprosy fiziki metallov i metallovedeniya (Problems in the Physics of Metals and Metallurgy) Kiev, Iduovo AN Ukrainskoy SSR, 1959. (Series: Tsel. Shornik nauchnykh robot, Nr. 9) Kratka

alid. Izdert. 31,000 copies printed.

Ed. of Publishing House V.Z. Shchukin; Tech. Ed.: M.I. Yermakov; Editorial Board: V.N. Sytschenkov, Andrianov, Honorary of Sciences, Dzerzhinsk SSSR (Rep. Ed.); G.D. Gorbatkin, Doctor of Physical and Mathematical Sciences; and I.Ia. Bel'tyn'yar, Doctor of Technical Sciences.

PURPOSE: This collection of articles is intended for scientific workers, aspirants, and engineers in the fields of the physics of metals, metallurgy, and metallurgy. It may also be useful to students of advanced courses in metallurgical and physical faculties.

CONTENTS: This collection of articles deals with the following:

Topics: effect of high-speed heating, heat treatment, deformations, and crystallization conditions on phase transformations, structures, and properties of metals and alloys; the effect of additional alloying components on volumetric and intercrystalline diffusion in alloys; and the effect of reported quench hardening and radioactive and ultrasonic treatment on the physical properties of alloys. No personalities are mentioned. References follow several of the articles.

Lyash, L.I., and Yu.P. Sosulin. Effect of Plastic Deformation on Internal Stress in Metal.

Changes in the substructure of metals due to shifting from statical to vibratory loading were studied. Experiments in which cylindrical specimens of the aluminum alloy, Avari, were flattened, statically and with vibrations, between plates at room temperature are described.

Lyash, L.I., and L.V. Milkhonov. Changes in the Crystalline Deformation of Cobaltum Subjected to Various Types of

This article deals with a study of changes which take place in certain characteristics of cobaltum when it is subjected to different types of deformation. Such changes include distortion of crystal lattices of the second and third types, distortion of the sizes of coherent zones, and changes in texture and strength accompanying varying methods and degrees of hardening.

Lyash, L.N. Problem of Phase Transformations in Plastically Deformed Metals and Alloys

The author discusses processes taking place in phases which were in a state of equilibrium or quasi-equilibrium before plastic deformation. Also discussed are processes occurring during the deformation of a metastable phase.

27

35

(7)

LARIKOV, L.N.

PAGE 1 BOOK INFORMATION	SET/PAIT
Akademicheskaya kniga. Institut metallofiziki Tsvetnye flisti metallya i metallovedeniya (Problems in the Physics of Metals and Metallurgy) Kirov, Izd-vo Akademi, 1979. 215 p. (Series: Issled. po: Metallofizika metallurgicheskoy rabot, no. 10) 3,000 copies printed.	
Ms. of Publishing House: O.J.S. Rechkhronika: Tech. Ed.: R.A. Butin; Editorial Board: V.M. Gorbunov, Academician, Academy of Sciences USSR (Chairman); S.B. Gerashchenko, Doctor of Physics and Mathematics, and I.I. Dzhuravets, Doctor of Technical Sciences.	
PURPOSE: This collection of articles is intended for scientific workers, engineers and technicians working in metal physics, metallurgy and metalworking, and for students in advanced courses of metallurgy and physics departments.	
CONTENTS: The collection of articles gives the results of an investigation of the effect of high heating rates, thermal treatment, deformation and crystallization on the phase transformations, structure and properties of metals and alloys, and of the effect of alloying additives on volume and intergranular alloys.	
PROBLEMS IN THE PHYSICS OF METALS AND METALLOGRAPHY	54
Effect of irradiation in alloys, as well as the effects of repeated tempering or ultrasonic irradiation on the physical properties of alloys. There is also a description of an X-ray method for studying the structure of individual grains. The following publications are mentioned: V. I. Shabash, A. I. Gaidarov, S. G. Glazunov, Yu. I. Monozov, V. Panfilov, L. A. Klyant, and I. N. Delibayev, "Section of Technical Sciences." There is a bibliography of Soviet and non-Soviet references at the end of each article.	121
Kharkov, V.M., Yu.M. Petrov, and V.I. Butin. Electron Microscopy Investigation of the Carbide Phase During Tempering and Electropolishing of Carbon Steels	122
Bastenko, Yu.G., and I.V. Smiljan. Characterisation of Crystal Structure Changes in the Bainite-Cementite Process of Steel Alloys	123
X Larchenko, M. Growth of Crystals in the Solid Phase	123
Larchenko, M. Effect of Soluble Impurities on the Linear Growth Rate of Recrystallization Centers	123
Orlova, J.D., and V.P. Kotyubchenko. Effect of Oxides on the Crystallization of Iron and Copper-Glass Alloys	124
Romanov, A.Y. Structure of the Molten Alkaline Metal and ION Point Defects in Certain Liquid Metal Systems	124
Lebedev, A.S., and A.Y. Romanov. Investigation of the Close- Point Defects in Certain Liquid Metal Systems	125
Polyakova, I.D., and O.I. Lepikhina. Mechanics of the Action of Microvoids on the Crystallization Process	126
Fechukhov, V.M., A.Ye. Smirnov, and Ye.P. Maystrukova. Investigation of Transformation in the Solid State of Concrete Alloys	126
Fechukhov, V.M., and Yu.I. Korchubetsky. Transformation in Annealed Ferrous Iron During Rapid Cooling	126
Kushnarevskii, Yu.A. Formation Conditions of Metastable Ausenite in Carbide-Forming Steel Alloys	126
Konyukhov, Yu.Ye. Problem of the Decomposition of Metals During Growth	200
Appendix. Parameters Characterizing Certain Properties of Metals and Alloys	207
AVAILABILITY: Library of Congress	
CARD 6/6	JAI/PR/maas 9-20-60 15

SOV/21-59-1-11/26

18(7)

AUTHORS: Zasimchuk, Ye.E . and Larikov, L.N.

TITLE: The Linear Rate of the Growth of Recrystallization Centers in Heavily Deformed Nickel and Iron.(Lineynaya skorost' rosta tsentrov rekristallizatsii v sil'-no deformirovannykh nikel'e i zheleze)

PERIODICAL: Dopovidi Akademii nauk Ukrains'koi RSR, 1959, Nr 1,
pp 42-45 (USSR)

ABSTRACT: It has been demonstrated in the work of L.N. Larikov [1] that the time τ until the appearance of the first recrystallized grains (size L) in heavily-deformed metals is basically determined by the linear speed (G) of the growth of the recrystallization centers, and can be expressed by the equation $\tau = \frac{L}{2G}$. The authors of this paper have established the way of determining the temperature-dependence of G by measuring τ and L in several temperatures, in the here-

Card 1/3

SOV/21-59-1-11/26

The Linear Rate of the Growth of Recrystallization Centers in
Heavily Deformed Nickel and Iron.

SOV/21-59-1-11/26

described radiometallographic experiments with iron and nickel deformed by compression to 80%. The data includes the pre-exponential factor G_0 and the activation energy Q_G of the process for electrolytic nickel (99.99%) forged at 1000°C , the same nickel remelted in a vacuum, armco iron (99.88%) and electrolytic iron (99.97%) refined by annealing in H_2 current in 1200°C and subsequently remelted and soaked in a vacuum for 12 hours. The results show that slight impurities lead to a perceptible change of G_0 and a considerable increase of Q_G . In the case of very pure, vacuum-remelted nickel, the Q_G value approaches the activation energy of boundary diffusion. There are 2 graphs, 1 table, and 5 references, 3 of which are Soviet, 1 German

Card 2/3

SOV/21-59-1-11/26

The Linear Rate of the Growth of Recrystallization Centers in
Heavily Deformed Nickel and Iron.

and 1 English.

ASSOCIATION: Institut metallfiziki AN UkrSSR (Institute of the Physics of Metals of the AS UkrSSR)

PRESENTED: August 11, 1958, By G.V. Kurdyumov, Academician.

Card 3/3

LARIKOV, L.N.

82140
S/05/00/000/02/16/023

24.1800
Translation from: Referativnyy zhurnal, Fizika, 1960, No. 2, pp. 137-138, # 3534

AUTHORS: Larikov, L. N., Polotskiy, I. G.

TITLE: The Problem of the Effect of Ultrasound¹ on the Phase Transformation
in Solid Metals and Alloys

PERIODICAL: Sb. nauchn. rabot In-ta metallofiz. AN UkrSSR, 1959, No. 9, pp. 50-53

TEXT: It was established that ultrasonic irradiation (750 kc, ~ 10 w/cm²) produces no noticeable effect on the kinetics of natural aging of a lead-tin alloy and the allotropic transformation of γ -Co \rightarrow ξ -Co. The ultrasonic irradiation of alloy samples of the Duraluminum type led to a considerable acceleration of the aging process. It was shown that under the conditions of irradiation pointed out above, the effect of acceleration of the phase transformations is observed only in those cases when the kinetics of the process is sensitive to small temperature changes, such as take place in the case of an aluminum alloy. It must be assumed, therefore, that the effects which are observed in similar cases are caused by a temperature increase due to the absorption of ultrasonic energy by the samples and its transformation into heat. This does not exclude a possible effect of ultrasound on phase transformations in metals and alloys by deformation of the samples during the action of oscillations with great amplitude.

Authors' conclusions

44

Card 1/1

LARIKOV, L.N.

Crystal growth in solid phase. Sbor. nauch. rab. Inst. metallofiz.
AN URSR no.10:111-121 '59. (MIRA 13:9)
(Crystals--Growth) (Solutions, Solid)

LARIKOV, L.N.

Effect of soluble impurities on the linear speed of recrystallization
nuclei growth. Sbor. nauch. rab. Inst. metallofiz. AN URSR no.10:121-
129 '59. (MIRA 13:9)

(Crystallization) (Alloys--Metallography)

18(7)
AUTHORS:Zasimchuk, Ye. E., Kurdyumov, G. V., Larikov, L. N.
SOV/48-23-5-16/3

TITLE:

The Influence of Alloy Elements on the Kinetics of Recrystallization of the Alloys With Nickel Basis (Vliyaniye legiruyushchikh elementov na kinetiku rekristallizatsii splavov na niklevoy osnove)

PERIODICAL: Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1959,
Vol 23, Nr 5, pp 615-619 (USSR)ABSTRACT: The introduction to the present paper contains a table accurately describing the analyses of 27 alloys. Each of these alloys was converted to the monophase condition by thermal treatment and subsequently deformed at room temperature up to 80%. The samples were then annealed from 5 minutes to 10 hours in the temperature range of 280-900°C, and the state of recrystallization was investigated. The time was measured after which the primary center of recrystallization attained the magnitude of 10^{-3} cm at a given temperature. The results obtained from various measurements of the alloys in question are summarized in four diagrams; the logarithm of time τ , elapsing until the appearance and growing of the first recrystallization centers up to a magnitude of 10^{-3} cm,

Card 1/2

SOV/48-23-5-16/31

The Influence of Alloy Elements on the Kinetics of Recrystallization of
the Alloys With Nickel Basis

is plotted on the ordinate, and the value $T^{-1} \cdot 10^3$ is plotted on the abscissa, with T equaling the absolute annealing temperature: It holds $\tau = Ae^{\frac{RT}{E}}$, i.e. the measuring values of each individual alloy lie on a straight line, each alloy possessing its own characteristics. The energy activating recrystallization is determined from the velocity at which recrystallization takes place. These values are summarized in table 2 and are indicated in kcal/g-atom. Two further diagrams (Figs 5, 6) show the values of the activating energy, of the diffusion coefficient and of the modulus of elasticity of nickel alloys with chromium and molybdenum. Finally, conclusions are drawn from the results concerning the mobility of the atoms in the metal lattice, the concentration ratios in the boundaries of the growing recrystallization centers, and concerning the dependence of the surface tension on concentration. There are 6 figures, 2 tables, and 11 references, 9 of which are Soviet.

ASSOCIATION: Institut metallofiziki Akademii nauk USSR (Institute of Metal Physics of the Academy of Sciences, UkrSSR)
Card 2/2

DANILENKO, V.M. [Danylenko, V.M.]; KRIVOGLAZ, M.O.[Kryvohlaz, M.O.]
LARIKOV, L.N.; SMIRNOV, A.A.

Ukrainian Republic Conference on the Theory of Metals and Alloys.
Ukr. fiz. zhur. 5 no.1:130-135 Ja-F '60. (MIRA 14:6)
(Metals—Congresses)
(Alloys—Congresses)

GRIDNEV, V.N., ovtv.red.; LARIKOV, L.N., kand.khim.nauk, red.; POLOTSKIY,
I.G., doktor khim.nauk, red.; PAYNERMAN, I.D., doktor tekhn.nauk,
red.; LEVKIY, S.D., red.izd-va; BAKHLINA, N.P., tekhn.red.

[Use of ultrasonic waves for the investigation of properties,
quality control and the working of metals and alloys] Primenenie
ul'trazvukovykh kolebanii dlia issledovaniia svoistv, kontroliia
kachestva i obrabotki metallov i splavov. Kiev, 1960. 106 p.
(MIRA 13:6)

1. Akademiya nauk USSR, Kiyev. Institut metallofiziki. 2. Chlen-
korrespondent AN USSR (for Gridnev).
(Metals--Testing) (Metalwork--Testing)
(Ultrasonic testing)

LARIKOV, L.N.

Effect of inclusions and dispersed particles of the secondary phase
on the growth of recrystallization nuclei. Sbor. nauch. rab. Inst.
metallofiz. AN URSR no.11:61-66 '60. (MIRA 13:11)
(Crystals-Growth)

LARIKOV, L.N.

Investigating the effect of aluminum and chromium additions on the
kinetics of α -iron recrystallization. Sbor. nauch. rab. Inst.
metallofiz. AN URSR no. 11:67-73 '60. (MIRA 13:11)
(Iron alloys--Metallography) (Crystallization)

GERTSRIKEN, S.D. [Hertsriken, S.D.]; LARIKOV, L.N.; SLYUSAR, B.F.
[Sliusar, B.P.]

Determining the latent energy of deformation in copper, copper-zinc
alloys and in Armco iron by the calorimetric method. Ukr. fiz. zhur.
(MIRA 14:4)
5 no. 5:672-676 S-0 '60.

1. Institut fiziki metallov AN USSR.
(Deformation (Mechanics)) (Copper)
(Copper-zinc alloys) (Iron)

69706
S/126/60/009/03/033/033
E193/E483

18.7500

AUTHORS:

TITLE:

Gertsriken, S.D., Larikov, L.N. and Novikov, N.N.
Volumetric and Structural Changes Taking Place in
Cold-Worked Electrolytic and Cast Nickel During Heating

PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol 9, Nr 3,
pp 478-480 (USSR)

ABSTRACT:

It has been found, during earlier investigations (Ref 1,2) of nickel, deformed in torsion, that changes occurring in this metal during subsequent heating take place in two stages. During the first stage (relaxation), the decrease in the dimensions of the specimens is accompanied by liberation of a part of the latent energy of deformation and an increase in the electrical conductivity, hardness of the metal remaining practically constant. During the second stage (recrystallization), the volumetric changes are accompanied by the liberation of the main part of the latent energy of deformation, further increase in the electrical conductivity and a decrease in hardness. However, it has not been found possible to determine the transition from one stage to the other from the dimensional changes.

Card 1/6

69706

S/126/60/009/03/033/033
E193/E483**Volumetric and Structural Changes Taking Place in Cold-Worked Electrolytic and Cast Nickel During Heating**

To find an explanation of this effect, it was necessary to correlate the volumetric changes with the structural changes taking place in the same specimens, subjected to various modes of deformation. Another interesting problem was to find out whether the effect of small gaseous additions on the temperature range of volumetric changes in deformed nickel is similar to that on the rate of growth of recrystallization centres, as revealed by X-ray analysis (Ref 3). It was for this reason that the present authors studied the volumetric and structural changes that, on heating, take place in various grades of plastically deformed nickel. Electrolytic nickel, containing 99.99% Ni, was used as the starting material. A portion of this material was melted in vacuum in order to remove the gaseous impurities (mainly hydrogen). The annealed specimens were deformed at room temperature either by drawing to 0.5 mm diameter or by twisting wires of the same diameter. The volumetric changes of the specimens during heating (at a rate of 50°C/h) were ✓

Card 2/6

S/126/60/009/03/033/033
E193/E483

Volumetric and Structural Changes Taking Place in Cold-Worked Electrolytic and Cast Nickel During Heating

measured with the aid of a device described elsewhere (Ref 4). At the same time, the variation of the X-ray diffraction patterns produced by specimens placed in the same apparatus and heated to the same temperatures at the same heating rates, was studied. The growth of the first recrystallization centres to dimensions of the order of 10^{-3} cm was revealed by appearance of spots on the background of Debye lines; this background disappeared when the process of recrystallization was completed. The experimental results are reproduced in Fig 1 and 2. Fig 1 shows the change of volume ($\Delta V/V \times 10^4$) in nickel deformed in torsion, plotted against the temperature, curves 1 and 2 relating to electrolytic nickel and nickel melted in vacuum respectively; the degree of deformation is given by nd/l , where n is number of turns, d the diameter and l the length of the specimen; the magnitude of nd/l for the electrolytic nickel and for the vacuum-melted material was 0.3 and 0.25 respectively. The

Card 3/6

69706

S/126/60/009/03/033/033

E193/E483

Volumetric and Structural Changes Taking Place in Cold-Worked
Electrolytic and Cast Nickel During Heating

results for nickel, deformed by drawing to $\epsilon \approx 96\%$,
are reproduced in Fig 2, where $\Delta V/V \times 10^4$ (continuous
curves, left-hand scale), and the width of the $\beta(331)$
lines (broken curves, right-hand scale) are plotted
against temperature ($^{\circ}\text{C}$); curves 1, 2 relate to
electrolytic and vacuum-melted metal respectively;
arrows pointing upwards indicate the appearance of
spots on the X-ray pattern, arrows pointing downwards
indicate disappearance of the diffuse background. It
will be seen that the volumetric changes taking place
during relaxation and recrystallization stages are more
clearly separated in specimens deformed by drawing and
containing gaseous impurities. "Spreading" of these
effects in a wide temperature interval in the case of
specimens deformed in torsion is obviously associated
with the non-uniform character of the relaxation
processes taking place in non-uniformly deformed material.
Small deflections on the volume versus temperature curves
reflect the processes of relaxation and recrystallization

Card 4/6

69706
S/126/60/009/03/033/033
E193/E483

Volumetric and Structural Changes Taking Place in Cold-Worked Electrolytic and Cast Nickel During Heating

taking place in the outer, most heavily deformed layer of the torsion specimens; it was also these layers that produced the X-ray diffraction pattern. The transition from the relaxation to recrystallization stage in vacuum-melted nickel specimens is not shown distinctly on the volume versus temperature curves either; this is due to the fact that the temperature ranges of relaxation and recrystallization are very close. The relaxation and recrystallization stages can be easily distinguished in specimens of electrolytic nickel containing small proportions of gaseous impurities. Although the volumetric changes corresponding to the relaxation stage terminate at the same temperature as in pure nickel, they take place within narrower temperature range. Similar narrowing of the temperature range of volumetric changes is observed also during recrystallization; in this case, however, the effect is displaced towards the region of higher temperature in full agreement with the X-ray data. It should be pointed out also that,

Card 5/6

✓

69706

S/126/60/009/03/033/033
E193/E483

Volumetric and Structural Changes Taking Place in Cold-Worked
Electrolytic and Cast Nickel During Heating

according to the X-ray data, the second stage of the volumetric changes taking place during heating of deformed nickel appears to be a result of the formation and growth of the recrystallization centres; this is indicated by the fact that the temperature range of volumetric changes coincides with the temperature range of the recrystallization process.^b There are 2 figures and 6 references, 3 of which are Soviet, 2 English and 1 German.

ASSOCIATION: Institut metallofiziki AN USSR
(Institute of Physics of Metals AS UkrSSR)
Kiyevskiy gosudarstvennyy universitet im T.G.Shevchenko
(Kiyev State University imeni T.G.Shevchenko)

SUBMITTED: July 6, 1959

Card 6/6

18(0), 24(0)

S/053/60/070/01/006/007
B006/B017AUTHORS: Danilenko, V. M., Krivoglas, M. A., Larikov, L. N.,
Smirnov, A. A.TITLE: Congress of the Ukrainian Republic on the Theory of Metals
and AlloysPERIODICAL: Uspekhi fizicheskikh nauk, 1960, Vol 70, Nr 1, pp 191-198
(USSR)ABSTRACT: This Conference which took place from 1 - 5 June, 1959 in Kiyev was attended by scientists from the Ukraine and from other Republics of the Union; 70 lectures were delivered and discussed in 2 plenary meetings in 2 sections (electron theory and molecular-kinetic theory of metals and alloys). The problems and prospects of metal theory in the light of the fulfillment of the Seven-year Plan and the phenomenological theory of ferromagnetism were summarized in 2 lectures by I. M. Lifshits and S. V. Vonsovskiy. The following lectures were also delivered: V. P. Silin on the investigation of the influence of the interaction between the conduction electrons ²¹ on the metal properties by the aid of the theory by L. D. Lan-

Card 1/9