

GURVICH, I.A.; MILCHENTSEV, I.M.; ERCHENOV, V.F.

Some transformations of gibberellin acid derivatives. Izv. AN SSSR.
Ser.khim. no.1:184-186 '66. (MIRA 19:1)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR.
Submitted June 9, 1965.

MIL'SHEYN, MIKHAIL ABRAMOVICH

MIL'SHEYN, Mikhail Abramovich, general-mayor; SLOBODENKO, Aleksey Kirillovich, polkovnik; ~~PAVLENKOV~~, M.V., redaktor; GUBIN, M.I., tekhnicheskiy redaktor

[Military ideologists of capitalist countries on the character and means of conducting modern war] Voennye ideologi kapitalisticheskikh stran o kharaktere i sposobakh vedeniya sovremennoi voyny. Moskva, Izd-vo "Znanie," 1957. 63 p. (Vsesoiuznoe obshchestvo po rasprostraneniyu politicheskikh i nauchnykh snanii. Ser.1, nos.11-12)
(War) (MIRA 10:7)

MIL'SHTEYN, M.A., general-mayor; SLOBODENKO, A.K., polkovnik; ZLATOVEROV, B.S.,
podpolkovnik, red.; GUBINA, Z.A., tekhn.red.

[Bourgeois military science] O burzhuaznoi voennoi nauke. Moskva,
Voen. izd-vo M-va obor.SSSR, 1957. 285 p. (MIRA 10:12.)
(Military art and science)

MIL'SHTEYN, Mikhail Abramovich, general-mayor; SLOBODENKO, Aleksey Kiril-
lovich, polkovnik; MOROZOV, B.N., polkovnik, red.; SLEPTSOVA, Ye.N.,
tekh. red.

[Bourgeois military science] O burzhuaznoi voennoi nauke. Izd.2.,
perer. i dop. Moskva, Voen. izd-vo M-va obr. SSSR, 1961. 354 p.
(MIRA 14:10)

(Military art and science—History)

MIL'SHTEYN, M.A.

Intramuscular use of plasma in a clinic for pulmonary tuberculosis.
Trudy Kiev. nauch.-issl. inst. p̄rel. krovi i neotiozh. khir. 3:16-
18 '61. (MIRA 17:10)

1. Odesskaya gorodskaya tuberkuleznaya bol'nitsa.

BABSKIY, A.A.; ROMANYUK, R.S.; LERNER, L.S.; KOROPOTNITSKAYA, O.L.; MIL'SHTEYN,
M.A.

Seromarin, a colloid-salt blood substitute. Trudy Kiev. nauch.-issl.
inst. perel. krovi i neotlozh. khir. 3:103-106 '61.

(MIRA 17:10)

1. Odesskaya oblastnaya stantsiya perelivaniya krovi.

MIL'SHTEYN, M.I.

DEMANOV, D.A., inshener (Khabarovsk); MIL'SHTEYN, M.I., inshener (Khabarovsk)

Skillful maintenance of roadbeds in winter. Put' 1 put. khos. no.1:
13 Ja '57. (MLRA 10:4)

(Railroads--Maintenance and repair)

MIL'SHTEYN, M.I., kand.tekhn.nauk

Protection of tracks from erosion on the Far Eastern railroads.
Amur. sbor. no.2:202-217 '60. (MIRA 15:3)
(Soviet Far East--Railroads--Construction) (Erosion)

MIL'SHTEYN, M.I. kand.tekhn.nauk (Khavarovsk)

Better organization of track maintenance. Put' i put.khoz. 4
no.8:19-20 Ag '60. (MIRA 13:7)
(Railroads--Track)

MIL'SHTEYN, M.I., kand.tekhn.nauk (Khabarovsk); KHAIT, E.I., kand.tekhn.
nauk (Khabarovsk)

Technical and economic justification for the distribution of
track skeleton assembling units. Zhel.dor.transp. 43 no.5:44-47
My '61. (MIRA 14:4)

(Railroads--Maintenance and repair)

MIL'SHTEYN, M. I., kand. tekhn. nauk (Khabarovsk)

Standardization of narrow gauges. Put' 1 put.khoz. 9 no. 4:19-20
'65. (MIRA 18:5)

MIL'SHTEYN, M. Z., inzh.

"Tractor transmission gears; technical specifications". Reviewed
by M.Z.Mil'shtein. Trakt.i sel'khoz mash. 31 no.9:43-45 8 '61.
(MIRA 14:10)

1. Kiyevskiy zavod im. Lapse.
(Tractors--Transmission devices)

MIL'SHTEYN, M.Z., inzh.

Accuracy of tooth profiles of medium-module gears shaped by shaving.
Vest.mash. 41 no.9:57-58 S '61. (MIRA 14:9)
(Gear cutting)

MIL'SHTEYN, M.Z.

Selecting allowances for shaving medium-module gears. Stan.1 instr.32
no.7:24-26 J1 '61. (MIRA 14:6)

(Gear cutting)

MILISHTEYN, M.Z.

High-efficiency shaving of gears. Stan. i. instr. 35 no. 7:37-38
J1 '64. (MIRA 17:10)

KARTAVOV, Sergey Alekseyevich, prof.; LEVCHENKO, Andrey Matveyevich, kand. tekhn. nauk; RUDNIK, Sergey Sergeevich, doktor tekhn. nauk; BOVSUNOVSKIY, Yakov Ivanovich, kand. tekhn. nauk; BAZHENOV, Ivan Ivanovich, kand. tekhn. nauk; KOVALENKO, Vladimir Vladimirovich, kand. tekhn. nauk; LOMACHENKO, Zinaida Nikolayevna, kand. tekhn. nauk; MIL'SHTEYN, Mark Zel'manovich, kand. tekhn. nauk; RADCHENKO, Yuliya Gavrilovna, kand. tekhn. nauk; REZNICHENKO, Mikhail Petrovich, kand. tekhn. nauk; TRUBENOK, Aleksandr Davidovich, kand. tekhn. nauk; KHRISTICH, Zakhar Dem'yanovich, kand. tekhn. nauk; SHNAYDERMAN, Isay Yakovlevich, kand. tekhn. nauk; GOLUBOV, N.P., kand. tekhn. nauk, retsenzent; DUMANSKAYA, V.A., kand. tekhn. nauk, retsenzent; MAKSIMOV, G.D., kand. tekhn. nauk, retsenzent; YAKOVENKO, G.A., kand. tekhn. nauk, retsenzent

[Technology of the manufacture of machinery] Tekhnologiya mashinostroeniya. [By] S.A.Kartavov i dr. Kiev, Tekhnika, 1965. 526 p. (MIRA 18:7)

1. Kafedra tekhnologii mashinostroyeniya Kiyevskogo politekhnicheskogo instituta (for all except Golubov, Maksimov, Yakovenko).

ZLOBIN, V.F.; IUNKIN, Ya.A.; MIL'SHTEYN, M.Z.; RYBITSKIY, V.A.

Diamond grinding of a sectional multicut hard-alloy tool.
Mashinostroitel' no.10:16-18 0 '64.

(MIRA 17:11)

SHUL'MAN, P.A.; MIL'SHTEYN, M.Z.

Basic trends of the technical preparation and organization in
introducing diamond grinding. Mashinostroitel' no.10:25-27
O '64. (MIRA 17:11)

KUNKIN, Ya.A., kand.tekhn.nauk; MIL'SHTEYN, M.Z., kand.tekhn.nauk; RYBITSKIY,
V.A., kand.tekhn.nauk

Efficiency of diamond machining of hard-alloy cutters.
Mashinostroitel' no.3:18-19 Mr '65. (MIRA 18:4)

ZAKHARENKO, I.P., kand. tekhn. nauk; MIL'SHTEYN, M.Z., kand. tekhn. nauk

Diamond grinding and the design of tools. Mashinostroitel' no.7:
29-30 J1 '65. (MIRA 18:7)

MIL'SHTEYN, M.Z.

Effect of the wear of a shaving cutter on the microgeometry of
tooth surfaces. Stan. 1 Instr. 36 no.8:12-13 Ag '65. (MIRA 18:9)

BURLACHENKO, M.A., kand. med. nauk; SIGAL, L.D.; KAUSHANSKIY, M.Z.;
PEL'TIN, K.K.; KRAVETS, I.G.; ZDANOVICH, O.A.; ERMAN, I.D. (Kishinev);
MIL'SHTEYN, P.V. (Bel'tsy); ETLIS, S.S. (Bendery); MISHCHENKO, S.A.;
ROYTIKH, R.M. (Tiraspol'); VASSERMAN, Z.S. (Soroki)

Role of artificial pneumothorax in the compound treatment of
pulmonary tuberculosis. Probl. tub. no 7:24-29 '63. (MIRA 18:1)

1. Iz Moldavskogo instituta tuberkuleza (direktor - kand. med.
nauk M.A. Burlachenko).

DEYEV, Yu.S.; KRONGAUZ, A.N.; MIL'SHTEYN, B.S.

Indicators of gamma-irradiation utilizing photoresistors. Vest. rent.
1 rad. 34 no.4:66-68 J1-Ag '59. (MIRA 12:12)

1. Iz dozimetricheskogo otdela (rav. - dotsent A.N. Krongauz) Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta Ministerstva zdravookhraneniya RSFSR (dir. - dotsent I.G. Legunova).

(RADIOMETRY equipment and supply)

MIL'SHTEYN, R.S.

PHASE I BOOK EXPLOITATION

SOV/6062

Vaynberg, M. Sh., A. N. Krongauz, R. S. Mil'shteyn, V. I. Tryapitsin,
and A. V. Frolova.

Praktikum po dozimetriceskim priboram dlya rentgenovskogo i
yadernykh izlucheniy (Manual on Dosimetric Instruments for X-Ray
and Atomic Radiation). Moscow, Medgiz, 1961. 182 p. 7000
copies printed.

Ed. (Title Page): A. N. Krongauz; Ed.: V. F. Smirnov; Tech. Ed.:
N. I. Lyudkovskaya.

PURPOSE: This book is intended for physicians, medical students, and
laboratory personnel working with radioactive substances.

COVERAGE: The book contains descriptions and technical characteristics
of various dosimetric instruments produced in the USSR and used in
medical practice. It also contains a series of practical exer-
cises to be carried out in the study of nuclear physics and dosi-
metry in medical school. No personalities are mentioned. There

Card 1/5

Manual on Dosimetric (Cont.)

SOV/6062

are 17 references, all Soviet.

TABLE OF CONTENTS:

Foreword	3
Introduction	5
1. Basic reference information on dosimetry	6
2. Classification of dosimetric instruments	19
3. General methodological instructions applying to work with dosimetric instruments	23
4. General instructions for eliminating the simpler defects while working with dosimetric instruments	24
5. Recording of measurement data and their processing	27

PART I. DOSIMETERS

1. RM-1M medical roentgenometer	31
---------------------------------	----

Card 2/5

MIL'SHTEYN, R.S.

Experimental determination of the half-value for soft β -irradiation and determination of the thickness of the window in gas counters. Med.rad. no.11863-66 '61. (MIRA 14:11)

1. Iz kafedry radiatsionnoy gigiyeny (zav. - prof. G.F. Krotkov)
Tsentral'nogo instituta usovershenstvovaniya vrachey.
(BETA RAYS MEASUREMENT)

LYAPIDEVSKIY, V.K.; MIL'SHTEYN, R.S.

Roentgenometer determining radiation quality. Med. rad. 8 no.5:
62-65 My '63. (MIRA 17:5)

1. Iz dozimetricheskogo otdela (rukovoditel'-dotsent A.N. Krongauz)
Nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta
Ministerstva zdravookhrananiya RSFSR.

LYAPIDEVSKIY, V.K. (Moskva); MIL'SHTBYN, R.S. (Moskva)

Determination of deep penetrating doses by means of a
rotating phantom. Trudy Tsent. nauch.-issl. inst. rentg.
i rad. 11 no.1899-102 '64. (MIRA 18:11)

LUKOV, B.N., prof. (Kuybyshev); PETROV, V.I., dotsent (Moskva);
 PAVLENKO, T.M., aspirant (Moskva); YERMOLAYEV, V.G., prof.
 (Leningrad); ADO, A.D., prof.; VOVSI, M.S., prof.;
 YERMOLAYEV, V.G., prof. (Leningrad); KUPRIYANOVA, N.A. (Kazan');
 PETROV, G.I. (Moskva); DOLGOPOLOVA, A.V. (Moskva); SAKHAROV, P.P.,
 prof.; BYKHOVSKIY, Z.Ye., prof.; MIN'KOVSKIY, prof. (Chelyabinsk);
 KHEMEL'CHONOK, I.P. (Irkutsk); TENKIN, Ya.S., prof. (Moskva);
 MIN'KOVSKIY, A.Kh., prof. (Chelyabinsk); MIL'SHTEYN, T.N., doktor
 med.nauk (Leningrad); TRUTNEV, V.K., zasluzhennyy deyatel' nauki,
 prof. (Stavropol'); TURIK, G.M. (Moskva); FRENKEL', M.M. (Moskva);
 MAZO, I.L.; POKRYVALOVA, K.P.; PROSKURYAKOV, S.A., prof.;
 ATKARSKAYA, A.A., prof.; GOL'DFARB, I.V., prof. (Izhevsk);
 PORUBINOVSKAYA, N.M. (Moskva); RUDNEV, G.P., prof.; VOL'FSON, I.Z.,
 prof. (Stalingrad); DOROSHENKO, I.T., prof. (Kalinin);
 ROZENFEL'D, M.O., prof. (Leningrad); SHUL'GA, A.O., prof. (Orenburg);
 MIKHLIN, Ye.G., prof.; TRET'YAKOVA, Z.V. (Moskva); MANUYLOV, Ye.N.,
 prof. (Moskva); DOROSHENKO, I.T., prof. (Kalinin); YERMOLAYEVA, V.G.,
 prof.

Speeches in the discussion. Trudy gos. nauch.-issl. inst. ukha,
 gorla i nosa no.11:79-87,129-146,179-186,233-248,311-333 '59.

(MIRA 15:6)

1. Chlen-korrespondent AMN SSSR (for Ado). 2. Direktor Moskov-
 skogo gosudarstvennogo instituta ukha, gorla i nosa (for Trutnev).
 (OTORHINOLARYNGOLOGY—CONGRESSES)

LOPOTKO, I.A.; UNDRITS, V.F.; PRBOBRAZHENSKIY, B.S.; KHILOV, K.L.; LIKHACHEV,
A.G.; SENDUL'SKIY, I.Ya.; MIL'SHTEYN, T.N.; GRINBERG, G.I.; ROMM, S.Z.

Basic problems in Soviet otorhinolaryngology; on the 1960 working
plan for research in the Academy of Medical Sciences of the U.S.S.R.
Vest.otorin. 21 no.5:3-14 S-0 '59. (MIRA 13:1)
(OTO RHINOLARYNGOLOGY)

LOPOTKO, I.A.; UNDRITS, V.F.; PREOBRAZHENSKIY, B.S.; KHILOV, K.L.;
SENDUL'SKIY, I.Ya.; LIKHACHEV, A.G.; MIL'SHTEYN, T.N.;
GRINBERG, G.I.; ROMM, S.Z. (Leningrad - Moskva)

Most important problems in Soviet otorhinolaryngology; on the
research plan for the field of otorhinolaryngology during 1961-
1962, according to the Academy of Medical Sciences of the U.S.S.R.
Vest.otorin. 22 no.5:3-24 S-O '60. (MIRA 13:11)
(OTOLARYNGOLOGY)

MIL'SHTEYN, T.N., doktor med.nauk

Basic problems in scientific research in the field of occupational pathology of the ear, nose and throat. Vest.otorin. no.4:9-17 '62. (MIRA 16:3)

1. Iz Leningradskogo nauchno-issledovatel'skogo instituta po boleznyam ukha, gorla, nosa i rechi (dir. - prof. I.A. Lopotko, nauchnyy rukovoditel' - Geroy Sotsialisticheskogo Truda deystvitel'nyy chlen AMN SSSR prof. V.I. Voyachek).
(OTORHINOLARYNGOLOGY) (OCCUPATIONAL DISEASES)

MIL'SHTEYN, T.N., doktor med.nauk

Research methods recommended for studying occupational lesions
of the olfactory analyzer. Vest. otorin. no.5:10-15 '62.

(MIRA 15:9)

1. Iz Leningradskogo nauchno-issledovatel'skogo instituta po
boleznyam ukha, nosa, gorla i rechi (dir. - prof. I.A. Lopotko,
nauchnyy rukovoditel' - Geroy Sotsialisticheskogo Truda deyst-
vitel'nyy chlen AMN SSSR prof. V.I. Voyachek).

(SMELL)

(OCCUPATIONAL DISEASES)

MIL'SHTEYN, T.N., doktor med. nauk

Methodology of examination recommended for use in scientific works for the study of occupational lesions of the acoustic and vestibular analysors. Vest.otorin. 24 no.6:9-24 N-D'62.

(MIRA 16:7)

1. Iz Leningradskogo nauchno-issledovatel'skogo instituta po boleznyam ukha, nosa, gorla i rechi (direktor - prof. I.A. Lopotko, nauchnyy rukovoditel' - Geroy Sotsialisticheskogo Truda, deystvitel'nyy chlen AMN SSSR prof. V.I.Voyachek)
(OCCUPATIONAL DISEASES) (ACOUSTIC NERVE-DISEASES)

MILUSHKIN, V. N.; MINIOVICH, F. L.; MARENNIKOVA, .S S.; AKATOVA-SHELUKHINA, E.M.
MALTSEVA, N. N. and GENKINA, F. B.

"Hyperimmune antivaccinia Gamma Globulin from Animal Sera."

report submitted for the Expert Committee on Smallpox of the World Health Organization, Geneva, 14-20 Jan 1964.

Inst. for Research on Viral Preparations, Moscow.

MIL'SHTEYN, V. N.

DECEASED
c. '61

1963/
/4

Electronics

MUROMOVA, G.A., MIL'SHTEYN, V.V.

Fish Culture--Volga River

Improving the stock of the pisciculture industry in the Volga Delta. Ryb. khoz. 28,
no. 4, 1952.

AUGUST 1952

9. Monthly List of Russian Accessions, Library of Congress, _____ 1953. Unclassified.

MIL'STEYN, VLADIMIR VOL'FOVICH

MIL'STEYN, Vladimir Vol'fovich; KOSSOVA, O.N., red.; CHEBYSHOVA, Ye.A., tekhn.red.

[Breeding sturgeons] Razvedenie osetrovyykh. Moskva, Fishchepromisdat,
1957. 65 p. (Sturgeons) (MIRA 10:12)

USSR/Soil Science - Mineral Fertilizers.

J.

Abs Jour : Ref Zhur - Biol., No 4, 1958, 15319

Author : V.V. Mil'shteyn

Inst : Zoological Institute of the Academy of Sciences USSR

Title : The Use of Fertilizers on Spawning and Rearing Farms.
(Primeneniye udobreniy v nerestovo-vyrostnykh khozyayst-
vakh).

Orig Pub : Tr. probl. i temat. soveshchaniy. Zool. in-t AN SSSR,
1957, vyp. 7, 73-77

Abstract : At the Spawning and Rearing Farm "Batrachok" (in the
volga River delta) superphosphate was applied twice for
10 days before filling the lake and after the inlet of
the melted water; this increased the productivity of
the fish on the farm by 35.8 kilograms per hectare, or
by 22% over the average fish production of the

Card 1/2

MIL'SHEYN, V. V., Candidate of Biol Sci (diss) -- "A comparative-ecological analysis of young sturgeons during the pond period of development". Leningrad, 1959. 18 pp (State Sci Res Inst of the Lake and River Fish Economy), 160 copies (KL, No 20, 1959, 111)

~~MILISHEV V.~~ V. kand.biol.nauk

Eliminate obstacles in the reproduction of fishes. NTO 2
no.11:24 N '60. (MIRA 13:11)

1. Direktor Kizanskogo rybovednogo zavoda.
(Caspian Sea--Sturgeons)

MIL'SHTEYN, Vladimir Vol'fovich; KHLATINA, Ye.S., spets. red.;
RUMYANTSEVA, M.B., red.

[Improvement in the biotechnics of sturgeon farming]
Sovershenstvovanie biotekhniki razvedeniia osetrovykh.
Moskva, Izd-vo "Pishchevaia promyshlennost'," 1964. 22 p.
(MIRA 17:5)

MIL'SHTEYN, V.V.

Ecology of young sturgeons in fishponds. Trudy VNIRO 56:9-23 '64.
(MIRA 18:4)

1. Kaspiyskiy nauchno-issledovatel'skiy institut morskogo
rybnogo khozyaystva i okeanografii. *1964*

See list

SOBOLEVSKAYA, R.F.; MIL'SHTEYN, V.Ye.

Stratigraphy of Sinian sediments in the central Taymyr Peninsula.
Trudy NIIGA no.125:20-30 '61. (MIRA 16:7)
(Taymyr Peninsula--Geology, Stratigraphic)

MIL'SHTEYN, V.Ye.

Problematic formations of the Kelosovskaya series in the
Sinian system of the eastern and central Taymyr Peninsula.
Sbor. st. po paleont. i biostrat. no.32:37-59 '63.
(MIRA 16:11)

MIL'SHTEYN, Ya.

Laying gas pipes with the aid of a connecting sleeve. Zhil.-kon.
khoz. 5 no.8:19-20 '55. (MLRA 9:3)

1. Nachal'nik konstruktorskogo byuro Moskovskogo gazovogo zavoda.
(Pipe fitting)

MIL'SHTEYN, Ya.A.

Sealing flare joints of cast-iron gas pipelines. Gas.prom no.1:30-
32 Ja '56. (MIRA 10:1)
(Gas,Natural--Pipelines) (Packing (Mechanical engineering))

1000-1000-1000
MIL'SHITSYN, Yakov Abramovich; ALTUF'YEVA, A.M., redaktor; PETROVSKAYA,
Ye.S., tekhnicheskiy redaktor

[Repair of gas equipment] Remont gazovoi apparatury. Moskva,
Izd-vo M-va kommun.khoz.RSFSR, 1957. 80 p. (MLRA 10:7)
(Gas manufacture and works--Apparatus)

MIL'SHTEYN, Ya.

New gas appliances. Zhil.-kon. khes. 7 no.3:6-8 '57.

(MLRA 10:4)

1. Nachal'nik konstruktorskogo byuro Moskovskogo gasovogo zavoda.

(Gas manufacture and works--Apparatus)

MIL'SHTEYN, Ye.S.

Device for cutting high-carbon tool and alloyed steel with
abrasive wheels with 250-400 mm.diameter and 2-3mm.thick.
Mashinostroenie no.1:102 Ja-F '62. (MIRA 15:2)
(Cutting machines)

MIL'SHTOYA, G. I.

"Certain Interrelationships Between the Functional Mobility of the Visual Analyser and Binocular Vision," Dokl. AN SSSR, 98, No.6, pp 965-967, 1954.

Evaluation A-53327, 26 Jul 56

MILSIMER, Frantisek, dr.

Pressing gloss on hardboard. Tech praca 15 no.8:596-599 Ag '63.

1. Interier, n.p., Praha.

BR

S/078/62/007/004/001/016
B110/B101

AUTHORS: Margulis, Ye. V., Getskin, L. S., Mil'skaya, N. S.

TITLE: Pressure of the saturated SeO_2 vapor

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 7, no. 4, 1962, 729-731

TEXT: The pressure of the saturated SeO_2 vapor was measured in the range from 130 to 231.5°C by means of the saturation method for the purpose of checking the divergent literature data (Fig. 2). Dried SeO_2 is present in the vertical, U-shaped saturator (8) which is kept at constant temperature in a thermostat filled with a corresponding glycerin + water mixture. The temperature of the SeO_2 charge controlled by means of a Pt-resistance thermometer was kept constant within $\pm 0.5^\circ\text{C}$. The condensing tube connected with the saturator via a mercury seal was cooled by melting ice. The water-vapor saturated carrier gas (O_2 for preventing SeO_2 reduction) escaping from the condensing tube, reaches a gasometer which keeps the gas pressure constant with barometric pressure with an accuracy of 0.076 mm Hg. In the condensate of the SeO_2 vapor dissolved in water, Se was colorimetrically determined, and the pressure of the saturated SeO_2 vapor

Card 1/3

Pressure of the saturated ...

S/078/62/007/004/001/016
B110/B101

was calculated according to: $p_s = P_s / [M \cdot V (P_w - p_w) / gTR + 1] = P_s / K$, where p_s is the pressure of the saturated vapor of the substance at the temperature of the saturator in mm Hg; P_s is the total pressure in the saturator in mm Hg, M is the molecular weight of the evaporated substance, V is the volume of the gas passed through the saturator in liter, P_w is the total pressure in the water gasometer, in mm Hg, T is the gas temperature in the water gasometer, in $^{\circ}K$, R is the gas constant: 62.361 mm Hg/ $^{\circ}K$, and g is the weight in g of the substance evaporated during the experiment. Between 20 and 300 $^{\circ}C$ no polymorphous conversion was detected for SeO_2 . The pressure of the saturated SeO_2 vapor was 0.017 mm Hg at 130 $^{\circ}C$ and 8.13 mm Hg at 231.5 $^{\circ}C$. The following temperature dependence of the saturated-vapor pressure was ascertained: $\log p = 10.7265 - 4936.2/T$. The heat of evaporation of SeO_2 is $\Delta H = 22.583$ kcal/mole. There are 2 figures and 1 table.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy gornometallurgicheskiy institut tsvetnykh metallov (All-Union Mining and Metallurgical Scientific Research Institute of Nonferrous Metals)

Card 2/4

Pressure of the saturated ...

S/078/62/007/004/001/016
B110/B101

SUBMITTED: May 8, 1961

Fig. 2: Scheme of the apparatus for the determination of the vapor pressure of SeO_2 .

Legend: (1) oxygen cylinder; (2) and (3) H_2SO_4 bottles; (6) wash bottle with KOH; (4) and (7) manometers; (5) rheometer; (8) saturator with SeO_2 ; (9) thermostat; (10) reflux condenser; (11) Pt resistance thermometer; (12) potentiometer; (13) Hg seal; (14) condensing tube; (15) bubbler bottle with water; (16) water gasometer; (17) valve installation for maintaining barometric pressure in the gasometer; (18) and (19) thermometers.

Card 3/4

MARGULIS, Ye.V.; MIL'SKAYA, N.S.

Harmful effect of copper sulfides on the roasting process of lead
concentrates. TSvet. met. 35 no.6:31-34 Je '62. (MIRA 15:6)
(Lead--Metallurgy) (Copper sulfide)

L 11135-66 EWT(1) RO

ACC NR: AP6022533 (A)

SOURCE CODE: UR/0017/66/000/004/0024/0026

27
B

AUTHOR: Mil' skiy, A.

ORG: none

TITLE: Methods of protecting food, water, animals, and water supplies from contamination

SOURCE: Voyennoye znaniya, no. 4, 1966, 24-26

TOPIC TAGS: civil defense, contamination, radioactive contamination, bacteriologic contamination, radioactive agent, bacteriologic agent, *CBR protective equipment*

ABSTRACT: This article is one of a series of lectures devoted to fundamentals of civil defense. It deals with the measures to be taken in case of contamination resulting from the possible use of bacteriological, chemical, or radioactive agents by an enemy. Orig. art. has: 2 figures. [AM]

SUB CODE: 15/ SUBM DATE: none/

LS
Card 1/1

MIL'SKIY, A.I., kandidat tekhnicheskikh nauk.

~~hydro~~mechanical regulator of exhaust steam pressure.
Sudostroenie 22 no.11:9-14 N '56.

(MLRA 10:2)

(Pressure gauges) (Steam flow)

MIL'SKIY, A.I., kand.tekhn. nauk.

Dynamic calculation of pressure-regulating systems. Sudostroenie
24 no.8:22-25 Ag '58. (MIRA 11:10)
(Marine engines) (Pressure regulators)

MIL'SKIY, A.V.

Development of the chemical and physicochemical analysis methods
for the control of food industries and inspection of food products.

Trudy UNIIPP no.2:120-134 '59.

(MIRA 14:1)

(Food--Analysis)

(Food adulteration and inspection)

MIL'SKIY, O.V. [Mil's'kiy, O.V.]; GAYDUKHOVICH, Kh.Ya. [Haidukhovych, Kh.Ya.]; SHLESTOVA, S.V.

Use of the refractometric method for determining fat content of ginerbread and semiprocessed products for pastry and cake manufacture. Khar.prom. no.2:76-80 Ap-Je '62. (MIRA 15:9)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy promyshlennosti.

(Baked products--Testing)
(Refractometer)

MIL'SKIY, A.V.; GAUDUKOVICH, A.Ya.

Determining egg product content of pastries and baked products.
Khleb.i kond.prom. 6 no.6:5-7 Je '62. (MIRA 15:7)

1. Ukrainskiy nauchno-issledovatel'skiy institut pishchevoy
promyshlennosti.

(Baked products)

(Food—Analysis)

MIL'SKIY, A.V. [Mil's'kyi, O.V.]; GAYDUKHOVICH, Kh.Ya. [Haidukhovych, Kh.IA.];
SHELESTOVA, S.V.

Refractometric method for determining sugar content of gingerbread.
Kharch.prom. no.4:50-53 O-D '63. (MIRA 17:1)

VULIKH, A.I.; STATSENKO, A.A.; MAKOVETSKIY, M.I.; MIL'SKIY, S.A.

Chemical method for the preparation of welding fluxes. Prom.khim. reak.
i osobo chist.veshch. no.2:18-22 '63. (MIRA 17:2)

VULIKH, A.I., kand.tekhn.nauk; STATSENKO, A.A., inzh.; MAKOVETSKIY, M.I.,
inzh.; MIL'SKIY, S.A., inzh.

New technology for the production of fluxes for soldering and
welding. Svar. proizvod. no.9:24-26 S '63. (MIRA 16:10)

1. Novosibirskiy zavod khimicheskikh reaktivov.

MIL'SKIY, V.I.

"The Extraction of Indene From High Fractions of Heavy Benzol by Technical Grade Triethyleneglycol." Cand Tech Sci, Donets Order of Labor Red Banner Industrial Inst imeni N.S. Khrushchev, Stalino, 1953. (KL, No 16, Apr 55)

SO: Sum. No. 704, 2 Nov 55 - Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (16)

L 12343-63

EPF(c)/EWP(j)/EWT(m)/BDS Pr-4/Pc-4
RM/WW/AB

S/081/63/000/005/031/075 64

AUTHOR: Mil'skiy, V. I.TITLE: Notes on the synthesis of benzene homologuesPERIODICAL: Referativnyy zhurnal, Khimiya, no. 5, 1963, 198, abstract 5Zh115 (Tr. Donetsk. polytekhn.in-ta, 1961, v. 53, 91-93)

TEXT: A series of refinements were conducted in the already known method (see Smith, L, Synthesis in Organic Preparations, Moscow, Publishing House of Foreign Literature, v. 2, 1949, 253) of methylating xylol (I) with the aid of CH_3Cl to the point of formation of pentamethyl- and hexamethyl benzene. Methylation of I is conducted to formation of mesitylene, which is isolated and subjected to further methylation, which shortens the duration of the reaction from 120 to 11-13 hours. Powdered AlCl_3 is used. The impure synthesis product is freed from the catalyst by means of careful addition of water, the purification being achieved by co-distillation with ethylene glycol. Some changes in the apparatus for conducting these syntheses were proposed. M. Ryashentseva.

[Abstractor's note: Complete translation]

Card 1/1

BAJEC, D., dr.; CUPIC, V., prof. dr.; MILSTAJN, R., dr.

Surgery in diabetic children. Med. Glas. 18 no.11:379-381
N '64

1. Institut SRS za zdravstvenu zaštitu majke i deteta u
Beogradu (Direktor: prof. dr. V. Cupic) Hirurska odeljenja
Instituta (Nacelnik: dr. D. Bajec).

RUMANIA / Chemical Technology, Chemical Products and Their
Application. Pharmaceuticals. Vitamins. Antibiotics.

H-17

Abs Jour : Ref Zhur - Khimiya, No 5, 1959, No. 16501

Author : Milstoc, M.; Patrascu, S.

Inst : Not given

Title : Corn Extract as a Raw Material in the Production of
Antibiotics

Orig Pub : Rev. chim., 1957, 8, No 1, 54-55

Abstract : Corn extract derived in the manufacture of corn starch
is an excellent culture medium for various fungi and is
suitable for the manufacture of antibiotics. Quality of
the extracts is dependent on the ratio of total nitrogen
(I) to carbohydrates (II) and to lactic acid (III). With
a high content of III and a low content of II, the
decomposition of amines is facilitated and the decomposi-
tion products are easily assimilated by the microorganisms.

Card 1/2

H-54

RUMANIA/Chemical Technology - Chemical Products and Their Applications - Drugs, Vitamins, Antibiotics. H.

Abs Jour : Ref Zhur - Khimiya, No 11, 1958, 37203

Author : Milstoc, M., Dragoi, E.

Inst : -

Title : Penicillin G Preparation in a Lactose free Fermentative Medium.

Orig Pub : Rev. Chim., 1957, 8, No 5, 333-334

Abstract : A method of Penicillin G preparation (I), in which glucose (II) replaces lactose, in the nutrient, is described. Laboratory studies have proven the necessity of stepwise introduction of II, when medium's carbohydrate's concentration is 0.1%. As a result of pilot plant trials, solutions of I with concentration ≥ 2000 units/ml were obtained.

Card 1/1

1.2

43

42

MILTENYI, Karoly, dr.; VAVRO, Istvan, dr., foeloado

Causes for crimes committed against property in Budapest.
Pt.1. Stat szemle 41 no.10/11:989-998 O-N '63.

1. Kozponti Statisztikai Hivatal osztalyvezetoje (for Miltenyi).
2. Kozponti Statisztikai Hivatal (for Vivro).

FODOR, M.; MILTENYI, L.

Studies on L forms of staphylococcus aureus strains of different antibiotic and phage sensitivity. Acta microbiol. acad. sci. Hung. 11 no.2:155-163 '64.

1. Institute of Microbiology (Director: L. Vaczi) and Institute of Pathophysiology (Director: L. Kesztyus), University Medical School, Debrecen.

SZILAGYI, T.; CZABA, B.; MILTENYI, L.; KASSAI, L.

Hypothermia and horse serum anaphylaxis. Acta microbiol. acad.
sci. Hung. 11 no.4:399-402 '64-'65

1. Institute of Pathophysiology (Director: L. Keztyus), Uni-
versity Medical School, Debrecen.

L 13513-66 EWA(j)/T/EWA(b)-2 JK

ACC NR: AP6007051

SOURCE CODE: HU/0018/65/017/003/0322/0325

AUTHOR: Szilagyi, Tibor--Siladi, T.; Csaba, Bela--Chaba, B.; Miltenyi, Laszlo--
Milteni, L.; Kassai, Laszlo--Kashshai, L.

ORG: Medical University of Debrecen, Institute of Pathophysiology (Debreceni
Orvostudományi Egyetem, Korelettani Intezet)

TITLE: Hypothermia and horse serum anaphylaxis 445

3A
B

SOURCE: Kiserletes orvostudomány, v. 17, no. 3, 1965, 322-325

TOPIC TAGS: experiment animal, hypothermia, blood serum, animal physiology,
pathology

ABSTRACT: Guinea pigs were sensitized with horse serum and different serum
fractions were injected to induce shock. It was found that beta-globulin has
the most pronounced anaphylactogenic effect. It was also shown that in the
hypothermic state guinea pigs sensitized with horse serum become desensitized to
the serum fractions with a weak anaphylactogenic effect but not to those with
a strong one. Orig. art. has: 1 figure and 2 tables. [JPRS]

SUB CODE: 06 / SUBM DATE: 15Aug64 / ORIG REF: 004 / OTH REF: 001

Card 1/1 DR

HUNGARY

CSABA, Bela, MILTENYI, Laszlo, FOLDES, Istvan; Medical University of Debrecen, Institute of Pathophysiology (Debreceni Orvostudományi Egyetem, Korelettani Intezet).

"Antigen Distribution in the Tissue of Dogs in Anaphylactic Shock."

Budapest, Acta Physiologica Academiae Scientiarum Hungaricae, Vol XXX, No 1, 1966, pages 99-105.

Abstract: [English article, authors' English summary modified] Anaphylactic shock was induced in dogs by means of ^{51}Cr labelled egg albumin. The control animals received ^{51}Cr labelled egg albumin but no shock was induced in them. In the controls, activity was highest in the blood followed, in decreasing order, by that in the liver, kidney, spleen, lung, urine, heart, intestine, skeletal muscles and brain. In the test animals, the activity in the blood and lungs was higher than that in the controls if the second injection was into the saphenous vein; after intraportal injection, the highest activity was measured in the liver. The disappearance of mast cells of the animals in shock was 70 per cent from the liver, 39 per cent from the lungs and 30 per cent from the ear. 4 Hungarian, 11 Western references. [Manuscript received 22 Mar 65.]

HUNGARY

SZILAGYI, Tibor, ~~MILTENYI, Laszlo~~, LEVAI, Geza, BENKO, Karoly; Medical University of Debrecen, Institute of Pathophysiology, Institute of Anatomy and Central Laboratory (Debreceni Orvostudományi Egyetem, Korelettani Intezet, Anatómiai Intezet es Kozponti Laboratorium).

"Formation of an Intravascular Precipitation in the Anaphylactic Shock of Guinea Pigs."

Budapest, Kiserletes Orvostudomány, Vol XIX, No 1, Jan 67, pages 1-6.

Abstract: [Authors' German summary] Passive Arthus and antigen-antibody-complex reactions as well as passive cutaneous anaphylaxis was produced in alloxan-diabetic rabbits and mice. It was established that the development of this skin reaction is decreased in severity by the presence of diabetes. A hyperglycemia produced by the administration of glucose has a similar inhibitory effect. It is probable that the inhibition of histamine liberation by the high sugar level and the formation of granulation tissue is responsible for the decrease in the intensity of the skin reaction. 7 Hungarian, 5 Western references. [Manuscript received 3 Dec 65.]

1/1

MILTENYI, M. 1951

(Physiol Inst. U. of Budapest)

"Differences in Haemoglobin Content of Individual Erythrocytes."

Acta Physiol (Budapest), 1951 2/1 suppl (18)
No abst. in Exc. Med.

MILTENYI, M. 1951

(Elettani Intezete, Budapest U.)

"Differences in the Hemoglobin Contents of Single Red Blood Corpuscles."

Kiserl. Orvostud, 1951, 3/4(245-249)
Abst: Exc. Med. 11, Vol. 5, No. 6, p. 721

MILTENYI, M.

Simultaneous determination of calcium and phosphorus from 2 ml of serum. Kiserletes orvostud. 4 no. 4:308 Aug 1952. (GLML 23:5)

1. Doctor. 2. Second Children's Clinic of Budapest Medical University.

MILTENYI, M.; NOWOTNY, A.

Diagnostic significance of paper electrophoresis of serum albumin.
Orv. hetil. 94 no. 1:17-22 4 Jan 1953. (CIML 24:1)

1. Doctors. 2. Second Pediatric Clinic (Director -- Prof. Dr. Gesa Petenyi), Budapest Medical University and Central Blood Bank and Research Institute (Director -- Dr. Balint Sores), National Blood Bank Service.

MILFENYI, Miklos

Methodology of paper electrophoresis. Kiserletes orvostud. 6 no.4:
369-374 July 54.

1. Budapesti Orvostudományi Egyetem II. sz. Gyermekklinika.
(ELECTROPHORESIS
paper, technic)

Miltényi, M.

Hemagglutination test for the demonstration of C-reactive protein. K. Gál and M. Miltényi (State Inst. Public

Health, Budapest). *Acta Microbiol. Acad. Sci. Hung.* 3, 41-61(1956)(in English).—Prepn. of C-polysaccharide from a pneumococcal strain type 1 (by a modification of a method by Anderson and McCarty, *C.A.* 45, 4285) and the use of this material to det. the C-reactive protein (CRP) by quant. hemagglutination; are described. The optimal conditions for the assay were: a final concn. of 1% washed sheep red blood cells, pH 6-8, and 0.075-0.15M NaCl made isotonic with glucose. KCl was less sensitive and CaCl₂ unsuitable. By means of these CRP detns. the course of 2 acute inflammatory diseases (rheumatic polyserositis and mastoiditis was followed). Cf. *C.A.* 41, 4667. O. Sebek

MD

MILTENYI, Miklos, dr.; GAL, Kamill, dr.

Diagnostic significance of the determination of the C-reactive protein. Orv. hetil. 97 no.13:337-342 25 March 56.


1. A Budapesti Orvostudományi Egyetem II. sz. Gyermekklinikájának (igazgató: Petenyi Geza dr. egyet. tanár) és az Országos Közegésügyi Intézet (főigazgató: Tako, József dr.) Bakteriológiai Osztályának. (osztályvezető: Fűrés, István dr.) közleménye.

(BLOOD PROTEINS, determ.

C-reactive protein, new method by indirect hemagglut.,
value in diag. of inflamm. in various dis. (Hun))

(INFLAMMATION, diag.

C-reactive protein determ. in various dis. (Hun))



MILTENYI, Miklos

Increase in the plasma volume in rheumatic fever and its effect on serum protein fractions and the erythrocyte count. Kiserl. orvostud. 13 no.5:481-485 0 '61.

1. Budapesti Orvostudományi Egyetem II. sz. Gyermekklinika.
(RHEUMATIC FEVER physiol.) (BLOOD VOLUME physiol.)
(BLOOD PROTEINS physiol.) (ERYTHROCYTE COUNT physiol.)

LORANT, Imre, dr.; MILTENYI, Miklos, dr.

Naphthazoline poisoning. Orv.hetl. 102 no.30:1415-1416 23 Ji '61.

1. Budapesti Orvostudományi Egyetem, II. sz. Gyermekklinika.

(SYMPATHOMIMETICS toxicol)

~~KISS~~, Sandor, dr.; MILTENYI, Miklos, dr.; BODANSZKY, Hedvig, dr.

Thyroid function tests in atrophy in infants. Gyermekgyógyászat 13
no.6:168-171 Jé '62.

1. A Budapesti Orvostudományi Egyetem II Gyermekklinikajának (Igazgató:
Petenyi Geza dr. egyet. tanár) közleménye.

(THYROID GLAND physiol)
(INFANT NUTRITION DISORDERS physiol)

MILTENYI, M.

Comments on Albert Lozza's paper: Properties and binding of acid fuchsin with serum proteins in paper electrophoresis. Kiserl. orvostud. 14 no.6:655-657 D. '62.

(ROSANILINE DYES) (BLOOD PROTEIN ELECTROPHORESIS)

FONO, Renee, dr.; MILTENYI, Miklos, dr.; BUKY, Bela, dr.

Hypervolemia and hypersalemia in cyanotic children with congenital heart defects. Orv. hetil. 103 no.1:1-5 7 Ja '62.

1. Budapest Orvostudományi Egyetem, II Gyermekklinika.

(HEART DEFECTS CONGENITAL physiol)
(BLOOD VOLUME physiol)
(CHLORIDES blood)

FONO, Renee, dr.; MILTENYI, Miklos, dr.; FORRAI, Gyorgy, dr.; BUKY, Bela, dr.

Thromboelastographic studies in congenital defects of the heart
with hypernatremia in children. Orv. hetil. 103 no.7:299-301 18 F '62.

1. Budapesti Orvostudományi Egyetem, II Gyermekklinika.

(HEART DEFECTS CONGENITAL blood)

(SODIUM blood)

(BLOOD COAGULATION in inf & child)

HUNGARY

MILTENYI, Miklos, Dr, SIEDLER, Janos, Dr, FOKO, Renee, Dr; Medical University of Budapest, II. Pediatric Clinic (Budapesti Orvostudományi Egyetem, II. Gyermekklinika).

"Sodium Metabolism Tests on Patients with Congenital Vitium."

Budapest, Orvosi Hetilap, Vol 104, No 12, 24 Mar 63, pages 542-544.

Abstract: [Authors' Hungarian summary] The Na-metabolism was tested on 13 patients with cyanosis and congenital vitium, on 16 with normal circulation and on 2 with decompensated vitium. The not decompensated cyanotic congenital vitium patients reacted to per os Na administration similarly to the control group. Their Na volume and the total exchangeable Na values do not differ from those found in the control group. 2 Hungarian, 8 Western references.

1/1

MILTENYI, Miklos, Dr, HERVEI, Sarolta, Dr; Medical University of Budapest, II. Pediatric Clinic (Budapesti Orvostudományi Egyetem, II. Gyermekklinika).

"APPROVED FOR RELEASE: Monday, July 31, 2000" CIA-RDP86-00513R0011343

"Neonatal Anemia Caused by Fetomaternal Transfusion."

Budapest, Orvosi Hetilap, Vol 104, No 38, 22 Sep 63, pages 1799-1800.

Abstract: [Authors' Hungarian summary] A case of the recently recognized form of neonatal anemia, which is caused by fetomaternal transfusion, is reported for the first time in Hungary. The diagnosis was based on the determination of the elevated fetal hemoglobin content of the maternal blood. All Western references.

1/1

MILTENYI, Miklos, dr.; HERVEI, Sarolta, dr.

Anemia in a newborn infant caused by maternal-fetal exchange.
Orv. hetil. 104 no.38:1799-1800 22 S '63.

1. Budapesti Orvostudományi Egyetem, II. Gyermekklinika.
(INFANT, NEWBORN, DISEASES)
(MATERNAL-FETAL EXCHANGE)
(ANEMIA) (BLOOD TRANSFUSION)
(FETAL HEMOGLOBIN) (HEMOGLOBINOMETRY)

S/081/62/000/003/059/090
B149/B102

15.3200

AUTHORS: Golyshev, A. B., Mil'to, A. A.

TITLE: The possible use of glass-plastics as reinforcement for concrete structures

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 3, 1962, 393-394, abstract 5K370 (Izv. vyssh. uchebn. zavedeniy. Str-vo i arkhitekt., no. 3, 1961, 25-32)

TEXT: Results are given of experimental investigations into the determination of concrete strength, deformations, anchorage and bond for glass-plastic reinforcing bars. The resistance to cracking and rigidity of concrete structures reinforced with glass-plastic material is also considered. The ultimate tensile strength was determined, as well as the following: elastic modulus and the character of time growth of residual deformations in reinforcement. The experiments were conducted in different media (air, water, concentrated solution of $\text{Ca}(\text{OH})_2$. The use of glass plastics as pre-stressed reinforcement by good prospects, since rigidity and resistance to cracks of unstressed glass plastic reinforced

Card 1/2

B

The possible use of...

S/081/62/000/003/059/090
B149/B102

bars are considerably lower than in unstressed steel reinforced bars.
The losses of stress in glass plastics reinforcement from elastic
compression, creep, and shrinkage are 5 or 6 times lower than the
corresponding losses in steel reinforcement. [Abstracter's note:
Complete translation.]

✓
B

Card 2/2

GOLYSHEV, A.B., kand. tekhn. nauk; MIL'TO, A.A., inzh.

Possibility of using glass plastics as reinforcement for concrete
ship structure. Sudostroenie 29 no.1:54-57 Ja '63. (MIRA 16:3)
(Glass reinforced plastics) (Concrete reinforcement)

ACCESSION NR: AR4033716

S/0081/64/000/003/S099/S099

SOURCE: Referativnyy zhurnal. Khimiya, Abs. 35620

AUTHOR: Golyshhev, A. B.; Mil'to, A. A.; Borisyuk, Z. S.

TITLE: Experimental investigation of the properties of a plastobeton based on FA monomer

CITED SOURCE: Sb. Eksperim. teor. issled. zhelezobeton. konstruktsiy. M., Gosstroyizdat, 1963, 15-29

TOPIC TAGS: concrete, organomineral concrete, plastobeton, furfural acetone based concrete, reinforced concrete, armoplastobeton, concrete physical property, cement

ABSTRACT: The authors investigated the properties of an organomineral concrete, plastobeton (PB), which consists of a furfural-acetone (FA) monomer with a mineral filler. A PB of the following composition was prepared (wt %): sand 83.2, FA monomer 12, benzenesulfonic acid 4.8 and acetone 10% of the weight of benzenesulfonic acid. In the investigation of armoplastobeton (APB) properties, smooth 3.2 and 8 mm steel wire was used as the reinforcing element. The strength and deformation characteristics of cement-based materials were investigated in a parallel study.

Card 1/2

ACCESSION NR: AR4033716

Mechanical tests were carried out on cubic and prismatic strength, compression and elongation deformation, and notch toughness as well as studies of PB-to-framework adhesion, PB water and petroleum impermeability, corrosive action on the framework, frost, atmosphere and sea water stability and PB aging. It has been found that PB is superior to cement-based materials in many physical-mechanical characteristics. The axial elongation and bending strength of PB is about twice as high as that of cement. PB possesses enhanced notch toughness and good framework adhesion. APBs possess high crack resistance (approximately 1.5-2.5 times as high as cement). The use of PB is, however, limited by lower APB rigidity, lack of stability to benzene, a tendency toward aging and difficult setting of the material into molds.

DATE ACQ: 02Apr64

SUB CODE: MA

ENCL: 00

Card 2/2

ACC NR: AM5028930

(N)

Monograph

UR/

Abrosimov, Konstantin Aleksandrovich; Mil'to, Aleksey Aleksandrovich; Pasinskiy Anatoliy Maksimovich

Technology of reinforced concrete shipbuilding (Tekhnologiya zhelezobetonogo sudostroyeniya) Leningrad, Izd-vo "Sudostroyeniye", 65. 0347 p. illus., biblio. 2,500 copies printed.

TOPIC TAGS: shipbuilding engineering, concrete, reinforced concrete, construction material

PURPOSE AND COVERAGE: This book presents the newest developments in the technology of constructing reinforced concrete ships. Special note is made of the methods of producing reinforced concrete ship structures, shipyard construction of the ship hulls, and the use of new high-efficiency materials. Descriptions are made of the technology and organization of mechanical assembling, insulation work, finishing and equipment for installing reinforced concrete ships. Data is given on the main works of shipyard reinforced concrete shipbuilding, its equipment, and technical and economic aspects of building these ships. A large part of the book deals with mechanization of production processes of building the hulls. The book is recommended for technical engineers in the planning, construction and scientific study organizations of the shipbuilding industry, and for engineers in shipyard reinforced concrete shipbuilding. It can be useful for students of shipbuilding institutes and departments.

Card 1/2

UDC: 629.12.011.25.002.7

ACC NR: AM5028930

TABLE OF CONTENTS (abridged):

- Preface --3
- Short historical survey of the development of technology of reinforced concrete shipbuilding --5
- Ch. I. Methods of setting up and organization of production in shipyard reinforced concrete shipbuilding --9
- Ch. II. The structure of shipyard reinforced concrete shipbuilding --32
- Ch. III. Preparation of equipment constructions --43
- Ch. IV. Processing of concrete mix --109
- Ch. V. Forming sections of reinforced concrete ships --150
- Ch. VI. Accelerating the hardening of concrete --184
- Ch. VII. Sectional construction of the hull of ships --193
- Ch. VIII. Preparation of monolithic constructions for the hull of a ship --228
- Ch. IX. Finishing the surface and testing the impenetrability of the ship's hull. Drainage of ships --244
- Ch. X. Construction of ships from prestressed reinforced concrete --253
- Ch. XI. Preparation of prestressed reinforced concrete sections --266
- Ch. XII. Dockyard construction of ships from prestressed reinforced concrete --291
- Ch. XIII. Completion of construction work --303
- Ch. XIV. Related problems in the development of technology of reinforced concrete --328
- Ch. XV. Safety procedures while building reinforced concrete ships --336
- Bibliography --344

Card 2/2

SUB CODE: 13.11 / SUBM DATE: 09 Jul 65 / ORIG REF: 040

ROGOVOY, P.P.; MIL'TO, N.I.

Some data on microbiological studies of green alder soils in the
White Russian S.S.R. Dokl. AN BSSR 8 no.7:473-476 '64.

(MIRA 17:10)

1. Belorusskiy tekhnologicheskii institut.