

NIRENBURG, V.L.; POSTOVSKIY, I.Ya.

Cyanoethylation of 1-phenyl-5-tetrazolinethione. Zhur. ob. khim.
34 no.10:3200-3203 0 '64. (MIRA 17:11)

1. Ural'skiy politekhnicheskii institut imeni S.M. Kirova, Sverdlovsk.

TANASEYCHUK, B.S.; POSTOVSKIY, I.Ya.

Some polycyclic chalcene analogs. Zhur. org. khim. 1 no. 7:1282-1282 J1 '65.

Ethylene derivatives of 1,2-benzanthracene. Ibid.:1277-1277 (1965 18:11)

1. Ural'skiy politekhnicheskii institut imeni S.M. Kirova, Sverdlovsk.

POSTOVSKIY, I.Ya.; TANASEYCHUK, B.S.

Some 1-N,N-bis(β -ch'roethyl)-4-arylthiosemicarbazides. Zhur.
org. khim. 1 no.8:1515 Pg 165. (MIR 1981)

1. Ural'skiy politekhnicheskii institut imeni Kirova.

BEDNYAGINA, N.P.; POSTOVSKIY, I.Ye.

Hydrolytic cleavage of some heterocyclic sulfones. Part 6: Synthesis and properties of *p*-nitrophenylsulfonyl-*N*-methylbenzimidazolylmethane and nitrophenylsulfonylbenzothiazolylmethane. Zhur.ob.khim. 30 no.10:3193-3196 O '61. (MIRA 14:4)

1. Ural'skiy politekhnicheskii institut.
(Sulfone)

GRINBLAT, Ye.I.; POSTOVSKIY, I.Ya.

Reactions involving additions of acetylenecarboxylic acids and their esters. Part 2: Reactions with cyclic thioamides. Zhur. ob. khim. 31 no.2:394-400 F '61. (MIRA 14:2)

1. Ural'skiy politekhnicheskiy institut.
(Acetylenedicarboxylic acid) (Amides) (Propiolic acid)

POSTOVSKIY, P. Ya.

E-2

USSR/ Organic Chemistry - Synthetic organic chemistry

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 11785

Author : Postovskiy P. Ya., Kushkin B.V.

Title : Concerning the Structure of Disulfamides of Thiazole

Orig Pub : Zh. obshch khimii, 1956, 26, No 7, 2052-2058

Abstract : By alternatively introducing two different sulfaryl residues into 2-aminothiazole (I) were prepared isomeric disulfamides; thus by reacting I with p-chlorobenzene sulfochloride (II) and interacting the resulting 2-(p-chlorobenzenesulfamino)-thiazole (III) with acetylsulfanylchloride (IV) was synthesized 2-(p-chlorobenzenesulfamido) 3-(acetylsulfanylyl)-thiazolin-4 (V); and from 2-acetylsulfanylyl aminothiazole (VI) and II was prepared 2-acetylsulfanylylamido-3-(p-chlorobenzenesulfonyl)-thiazolin-4 (VII); analogously from 2-benzenesulfonyl aminothiazole and IV was synthesized 2-(benzenesulfonylimido)-3-(acetylsulfanylyl)-thiazolin-4 (VIII); and from VI and benzene sulfochloride -- 2-(acetylsulfanylylimido)-3-(benzenesulfanyl)-thiazolin-4 (IX). Structure of V, VII, VIII and IX is established by their ammonolysis with 15% solution of NH_3 (4 hours, 70°), as a result of which were obtained,

Card 1/2

POSTOVSKIY, V.

POSTOVSKIY, V., inzh.; KHOKHLACHEV, B., inzh.

Using gas under high pressure. Stroi.mat. 3 no.7:26-27

Л 157.

(MIRA 10:10)

(Cement plants) (Drying apparatus)

POSTOVSKIY, V.A., inzhener; BRYNTSEV, B., inzhener.

Crusher for moist and viscous materials. TSement 22 no.5:28 S-0 '56.
(MIRA 10:1)

1. Bryanskiy tsementnyy zavod.
(Bryansk--Cement industries) (Crushing machinery)

PROCEDURES AND PROPERTIES INDEX

19

CA

Experiments with combination lining of rotary kilns.
 V. A. Postovskii, A. A. Andronov, I. D. Vitiborich and
 K. V. Krasovskii. *Prum. Stroitel. Material.* 1940, No. 6,
 24-7; *Chem. Zentr.* 1940, II, 3533.—A 30.9-m. rotary
 kiln was lined with grog brick 2.0 m., talc brick 0.5 m.,
 clinker concrete brick 3.0 m., chrome-magnesite brick
 (in iron frame) 8.4 m., talc brick 3.4 m. and rippled grog
 brick 12 m. This lining was in service 64 days. With the
 exception of exchanging the exptl. rippled grog no other ad-
 justments were required. M. Hosh

METALLURGICAL LITERATURE CLASSIFICATION

A S M S L A

COMMON ELEMENTS

COMMON VARIABLES INDEX

COMMON ELEMENTS

COMMON VARIABLES INDEX

ALAMPYEV, P. M., PREOBRAZHENSKII, V. S.,
POSTOVTSEV, M. I.

USSR (600)

Geography - Congresses

Brief Report. Izv. AN SSSR. Ser. geog. no. 4, 1952.

Monthly List of Russian Accessions, Library of Congress, November 1952. Unclassified.

POSTOVTSSEV, S T.

НЕМЕТАЛЛИЧЕСКИЕ ВКЛЮЧЕНИЯ СТАЛИ

С.И.Павлов Г.Ф.Коваленко	Очистка заливочной стали от тугоплавких включений
С.Е.Велько А.М.Самарин	Новые методы раскисления стали и индукционной плавки во время ее дегазации.
Д.К.Бугаев Л.М.Мельников	Влияние вадеридов на обособление сорняков в структуре литой стали.
С.Т.Ростовцев Д.И.Струтинский В.И.Васильковский К.С.Прохоров	Особенности неметаллических включений в вакуумированной раскисленной стали.
В.А.Урюков Ю.Т.Лушиничев Дуванов	Включения в микротвердостях сталей, содержащих титан.
Ю.Т.Лушиничев Дуванов О.В.Демков Е.В.Круглов	Включения в микротвердостях сталей, содержащих никель и кобальт.
А.И.Ковалев	Осажденные раскислители в процессах вакуумированной стали.
С.Г.Вознов П.М.Давыдов	Разработка и внедрение новой технологии выплавки инертногазированной стали.
В.П.Каресов П.В.Давыдов	Возможности пути устранения раскислительных включений.

report submitted for the 5th Physical Chemical Conference on Steel Production, Moscow-- 30 Jun 1959.

POSTOWSKIJ, I. J.

"Sur la réaction du dioxyde de sélénium avec quelques hydrazines." (p. 37)
Postowski, I. J., Lougowkine, B. P. et Mandrik, G. F.

SO: Journal of General Chemistry. (Zhurnal obshchei Khimii) 1937, Volume 7, No. 1.

ZENKIN, V.I.; POSTOY, V.A.; POPOVA, Z.I.; SAVIN, O.R.

Optimalizing controller for inertial processes. *Biul.tekh.-ekon.
inform.Gos.nauch.-issl.inst.nauch.i tekh.inform.* 18 no.1:36-37
Ja '65. (MIRA 18:4)

ACC NR: AR6035231

SOURCE CODE: UR/0372/66/000/008/G017/G018

AUTHOR: Zenkin, V. I.; Savin, O. R.; Chertkov, I. Ya.; Postoy, V. A.

TITLE: Designing a computer of an extremal regulator for heat processes

SOURCE: Ref. zh. Kibernetika, Abs. 8G107

REF SOURCE: Pribory i ustroystva sredstv avtomatiki i telemekhan. Resp. mezhved. nauchno-tekhn. sb., vyp. 1, 1965, 99-108

TOPIC TAGS: heat regulation, computer, extremal heat regulator

ABSTRACT: Systems of extremal regulation are investigated which consist of:
1) a nonlinear inertialess element whose input value x (regulating action) and output value y (static value of extremum—EV) are coupled by the equation

$$y = F(x, a(t), b(t), \dots, e(t)),$$

where $a(t), b(t), \dots, e(t)$ are the variable parameters which determine the extremum static characteristic; 2) a linear element whose input value y and output

Card 1/3

UDC: 62-506

ACC NR. AR6035231

value θ (current value of EV) are coupled by the differential equation

$$a_n \frac{d^n \theta}{dt^n} + \dots + a_1 \frac{d\theta}{dt} + \theta = k_{\theta} y;$$

3) a pickup unit for measuring the current value of EV; and 4) a step-type extremal regulator. To decrease the influence of linear element inertia, a static value of EV is introduced in the logic element of the extremal regulator, i. e., a regulation law is constructed in the form

$$\Delta x_{n+1} = \alpha \text{sign } \Delta y_n \text{sign } \Delta x_n,$$

where Δy_n is the increment of the value of EV. For the case when transients in the linear part of the object of regulation and in the pickup unit are described by differential equations of the first order, an algorithm of the operation of the extremal regulator computer is derived. It is shown that the value of $\text{sign } \Delta y_n$ required for realizing the regulation law can be calculated on the basis of signal increments at the pickup output. A computer circuit which uses summing transformers with a phase-sensitive amplifier is described. To improve the noise immunity of the extremal regulation system, it is necessary to calculate the increment of EV on the basis of the increments of the signal from the pickup which

Card 2/3

SHCHERBAKOV, O.A.; GARAN', I.M.; POSTOYALKO, M.V.; BURYLOVA, R.V.;
VOSHCHAKIN, M.A.; PIROZHKOVA, Z.A.

Stratigraphy of the boundary layers of the Tournai and Visé
stage in the Central Urals. New data based on the profile in
the railway groove between the Upper and Lower Gubakha. Dokl.
AN SSSR 158 no.1:112-115 S-0' 64 (MIRA 17:8)

1. Predstavleno akademikom D.V. Nalivkinym.

POSTOYALKOV, K. D., Cand Agr Sci -- (diss) "Effectiveness of fertilizers
in crop rotation on the non-irrigated lands of Central Kazakhstan." Alma-
Ata, 1958. 20 pp (Min of Agriculture Ka_{SSR}), 110 copies (KL, 16-58, 122)

POSTOYAN, M.S. (Yessentuki)

Practical solution of problems in the correct dosimetry and economical use of AKR-7 plastic in preparing bases in dental prosthesis laboratories. Stomatologiya 38 no.2:60-61 Ap '59. (MIRA 12:7)
(DENTAL PROSTHESIS) (PLASTICS)

YESAYAN, G.T.; GALOYAN, G.A.; BABAYAN, A.A.; POSTOYAN, N.R.

Interaction of sulfochlorides with dimadon. Dokl. AN Arm. SSR 38
no.5:301-304 '64. (MIRA 17:6)

1. Institut organicheskoy khimii AN Armyanskoy SSR. Predstavleno
akademikom AN Armyanskoy SSR V.I.Isagul'yantsem.

BOYADZHIAN, G.K.: POSTOYAN, S.R.

Survival of the foot-and-mouth disease virus in the tick *Ornithodoros*
lubrensis Neum, 1908. Izv. AN Arm. SSR. Biol. nauki 18 no.7:87-91
Jl. 165. (MIRA 18:8)

i. Arnyanskly institut zhivotnovodstva i veterinarii.

L 2019-66 EWT(1)/EWA(j)/EWA(b)-2 JK

ACCESSION NR: AP5021804

UR/0298/65/018/007/0087/0091

AUTHOR: Boyadzhyan, G. K., Postoyan, S. R.

33
30
13

TITLE: Survival of apthous stomatitis virus in Ornithodoros lahorensis neum 1908 ticks. Second report: Natural infection of ticks

SOURCE: AN ArmSSR. Izvestiya. Seriya biologicheskikh nauk, v. 18, no. 7, 1965, 87-91

TOPIC TAGS: experiment animal, virus, virus disease, animal disease, animal husbandry

ABSTRACT: An earlier investigation established that apthous stomatitis virus survives in the hemolymph of Ornithodoros lahorensis ticks for 32 days following experimental infection. The present study investigated possible transmission of apthous stomatitis virus from infected animals to bloodsucking O. lahorensis ticks and the length of virus survival in the tick organism. In two series of experiments, sexually mature O. lahorensis ticks were fed on infected guinea pigs or white mice. Alimentary tract contents and hemolymph

Card 1/2

L 2019-66

ACCESSION NR: AP5021804

of ticks were investigated at regular periods from 1 to 68 days to determine presence of the virus carrier state. The alimentary tract contents of ticks fed on infected guinea pigs gave positive results on the 5th, 7th, 20th, and 30th days. The alimentary tract contents of ticks fed on infected white mice also were positive from the 5th to the 68th days. Hemolymph investigations of ticks fed on infected guinea pigs and mice produced negative results in all cases. The authors conclude that aphthous stomatitis virus is transmitted from infected animals to the bloodsucking O. lahorensis ticks with the virus surviving in the alimentary tract from 30 to 68 days. In contrast to experimental infection of ticks, the virus does not pass from the alimentary tract to the hemolymph in the case of natural infection. Orig. art. has: 1 table.

ASSOCIATION: Armyanskiy institut zhivotnovodstva i veterinarii
 (Armenian Institute of Animal Husbandry and Veterinary) *44.155*

SUBMITTED: 20Jan65

ENCL: 00

SUB CODE: LS

NR REF SOV: 001

OTHER: 000

Card 2/2 *DP*

POSTOYAN, S.R.

Occurrence of ticks of the genus *Argas* of the "reflexus" group in
the Armenian S.S.R. Izv. AN Arm. S.S.R. Biol. nauki 15 no.12:89-92
p.62. (MIRA 17:8)

1. Protozoolog'skaya laboratoriya Instituta zhivotnovodstva
i veterinarii ArmSSR.

POSTOYAN, S.R.

New foci of tick-borne relapsing fever in the Armenian S.S.R.
Izv. AN Arm.SSR. Biol. nauki 16 no.10:77-85 0'63 (MIRA 16:12)

1. Protozoologicheskaya laboratoriya Instituta zhivotnovodstva
i veterinarii ArmSSR.

L 27846-65 EWT(1)/EWA(b)/T, BW/JK

ACCESSION NR: AP5007515

S/0298/64/017/008/0047/0051

13
12
B

AUTHOR: Boyadzhyan, G. K.; Postoyan, S. R.

TITLE: Survival of foot-and-mouth disease virus in the tick *Ornithodoros lahorensis* neum. 1908. Report I. Artificial infection of ticks

SOURCE: AN ArmSSR. Izvestiya. Biologicheskiye nauki, v. 17, no. 8, 1964, 47-51

TOPIC TAGS: foot and mouth disease

Abstract: *O. lahorensis* ticks were artificially infected with a culture strain of Type 0 foot-and-mouth disease virus. The virus was introduced directly into the body cavity of the ticks. After 28-32 days the virus had survived and had almost maintained its initial virulence. The specific effect of the virus on tissue cultures was not observed after it had remained in the ticks 38-48 days. The virulence of the virus declines gradually: after 7 days there is almost no decrease; after 15-20 days it has weakened considerably; after 28-32 days it is strong again; and then after 38-48 days it disappears completely. Orig. art. has 1 table.

ASSOCIATION: Laboratoriya virusologii i protozoologii Armyanskogo instituta zhivotnovodstva i veterinarii (Laboratory of Virology and Protozoology, Armenian)

Card 1/2

L-27846-65

ACCESSION NR: AP5007515

Institute of Livestock Raising and Veterinary Science)

SUBMITTED: 17Aug63

ENCL: 00

SUB CODE: LS

NO REF SOV: 002

OTHER: 000

JPRS

Card 2/2

L 1266-66 EWT(d)/T IJP(c)

ACCESSION NR: AR5008452

UR/0271/65/000/002/B008/B008

518.5:681.142.32.001

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel'naya tekhnika.
Svodnyy tom, Abs. 2B48

AUTHOR: Postoyenko, Yu. K. 44, 55

TITLE: Algorithms for computation of the correlation-function estimator

CITED SOURCE: Nauchn. tr. Sib. fil. Vses. n.-i. in-ta mekhaniz. s. kh,
vyp. 2, 1964, 89-100 44, 55

TOPIC TAGS: correlation function, correlation function estimation

TRANSLATION: A classification is suggested of algorithms intended for computation of time-correlation-function estimators on the basis of: (1) amplitude presentation of the source random processes; (2) time presentation of amplitude or polar data; (3) time-averaging method. Shortcomings of the algorithm are listed; the formulas for evaluating its statistical error are supplied. A block diagram of an amplitude continuous dynamic correlator is considered, and formulas are presented for the calculations involved. Formulas are given for

Card 1/2

L 1266-66

ACCESSION NR: AR5008452

determining the calculation time and the correlation-function statistical error. The advantages and disadvantages of this method are listed. Formulas are supplied for calculations on the basis of amplitude sampling step algorithm and also for determining the total time of computation and the statistical error of the method; a block diagram of the above correlator is shown. The long computation time in the case when the required delay exceeds the correlation time of the source process is a disadvantage of the sampling algorithm. A block diagram of a polar correlator and a polar sampling step correlator are presented. Some information is given on the algorithm intended for computing the normalized correlation-function estimator. Bibl. 24, figs. 7.

SUB CODE: MA, DP

ENCL: 00

KC
Card 2/2

POSTOYEV, I.I.

Development and importance of the technology of maximum
prefabrication of ship sections. Trudy LKI no.36:29-37 '62.
(MIRA 16:12)

1. Kafedra tekhnologii sudostroyeniya Leningradskogo korable-
stroitel'nogo instituta.

FOSTOYEV, I. M.

Izgotovienie burov i ikh remont s primeneniem kontaktnoi svarki /Manufacture of borers and their repair by contact welding/. Sverdlovsk, Metallurgizdat, 1953. 108 p.

SO: Monthly List of Russian Accessions, Vol. 6 No. 5, August 1953

POSTOYEV, I. M.

PHASE I TREASURE ISLAND BIBLIOGRAPHICAL REPORT AID 551 - I

BOOK

Call No.: AF639674

Authors: POSTOYEV, I. M. and RAZIKOV, M. I.

Full Title: MANUFACTURE AND REPAIR OF DRILLS BY MEANS OF RESISTANCE WELDING

Transliterated Title: Izgotovleniye burov i ikh remont s primeneniym kontaktnoy svarki

PUBLISHING DATA

Originating Agency: None

Publishing House: State Scientific and Technical Publishing House of Literature on Ferrous and Nonferrous Metallurgy (Metallurgizdat)

Date: 1953 No. pp.: 107 No. of copies: 4,000

Editorial Staff

Appraisers: Akhun, A. I., Dotsent, Kand. of Tech. Sci., Churin, V. A., Eng., Belov, A. I., Eng.

PURPOSE: The book is intended for middle ranking technicians' and highly-skilled workers in drill-manufacturing shops.

TEXT DATA

Coverage: This book discusses the experience of Ural mines in the manufacture of drills, reinforced by hard-alloy layers, with detachable boring bits. Resistance butt welding and electric heating used for the manufacture and repair of drills are examined. The book contains

Izgotovleniye burov i ikh remont s primeneniye kontaktnoy
svarki

AID 551 - I

data on the equipment of drill-sharpening workshops and welding plants, on the selection, installation, adjusting, maintenance and operation of welding machines, and on the choice of welding methods. The processing of welded butt joints after welding, their defects, the endurance testing of welded drills and safety measures are described. The book is provided with illustrations, tables and diagrams.

No. of References: 17 Russian (1934-1951).
Facilities: Ural Polytechnic Institute im. Kirov, Department of Technology and Welding Equipment, V. N. Bakul', M. M. Kravtsov, A. I. Belov, V. A. Churin, G. V. Cherepanov.

2/2

POSTOYEV, I.M.

PHASE I

TREASURE ISLAND BIBLIOGRAPHICAL REPORT

AID 551 - I

BOOK

Authors: POSTOYEV, I. M. and RAZIKOV, M. I.

Call No.: AF639674

Full Title: MANUFACTURE AND REPAIR OF DRILLS BY MEANS OF RESISTANCE WELDING

Transliterated Title: Izgotovleniye burov i ikh remont s primeneniye kontaktnoy svarki

PUBLISHING DATA

Originating Agency: None

Publishing House: State Scientific and Technical Publishing House of Literature on Ferrous and Nonferrous Metallurgy (Metallurgizdat)

Date: 1953

No. pp.: 107

No. of copies: 4,000

Editorial Staff

Appraisers: Akhun, A. I., Dotsent, Kand. of Tech. Sci., Churin, V. A., Eng., Belov, A. I., Eng.

PURPOSE: The book is intended for middle ranking technicians' and highly-skilled workers in drill-manufacturing shops.

TEXT DATA

Coverage: This book discusses the experience of Ural mines in the manufacture of drills, reinforced by hard-alloy layers, with detachable boring bits. Resistance butt welding and electric heating used for the manufacture and repair of drills are examined. The book contains

Izgotovleniye burov i ikh remont s primeneniye kontaktnoy svarki AID 551 - I

data on the equipment of drill-sharpening workshops and welding plants, on the selection, installation, adjusting, maintenance and operation of welding machines, and on the choice of welding methods. The processing of welded butt joints after welding, their defects, the endurance testing of welded drills and safety measures are described. The book is provided with illustrations, tables and diagrams.

No. of References: 17 Russian (1934-1951).

Facilities: Ural Polytechnic Institute im. Kirov, Department of Technology and Welding Equipment, V. N. Bakul', M. M. Kravtsov, A. I. Belov, V. A. Churin, G. V. Cherepanov.

2/2

POSTOYEV, I.M.; RAZIKOV, M.I.

[Manufacture and repair of drill bits by the use of butt welding] Izgotovle-
nie burov i ikh remont s primeneniem kontaktnoi svarki. Sverdlovsk, Gos.
nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1953. 106 p.
(MIRA 6:10)

(Electric welding) (Boring machinery)

POSTOYEV, K.I.; BEZRUKOV, G.N.

Discovery of brachiopod and crinoidal remains in talc-chloritic rocks in the Southern Urals. Izv. AN SSSR, Ser. geol. 26 no.5: 92-95 My '61. (MIRA 14:5)

1. Institut geologii rudnykh mestorozhdeniy petrografii, mineralogii i geokhimii AN SSSR, Moskva.

(Ural Mountains---Brachiopoda, Fossil)

(Ural Mountains---Crinoidea, Fossil)

SHABLIOVSKIY, V.V., kand.sel'skokhoz.nauk; POSTOYEV, K.M., mladshiy
nauchnyy sotrudnik

In the Far East. Zashch. rast. ot vred. i bol. 4 no.5:8-9 S-0
'59. (MIRA 16:1)
(Soviet Far East—Spraying and dusting in agriculture)

1. PCSTOYEV, M.
2. USSR (600)
4. Forests and Forestry
7. Unsuccessful book on the Tellermanovskiy forest ("Tellermanovskiy forest." Les i step'
4 no. 10 1952.

9. Monthly List of Russian Accessions, Library of Congress, January, 1953. Unclassified.

S/044/62/000/008/007/073
C111/C333

AUTHORS: Postoyev, V. S., Mikheyev, V. I.

TITLE: The tension state of a torus shaped shell under the influence of hydrostatic pressure

PERIODICAL: Referativnyy zhurnal, Matematika, no. 8, 1962, 33-34, abstract 8B149. ("Tr. Vses. zaochn. lesotekhn. in-ta", 1961, no. 7, 125-137)

TEXT: Examined is the calculation of a torus shaped shell in the general case, where the boundary conditions are given more exact than usual. The method of asymptotic integration is used to solve the equation for the symmetrical deformation of such a shell; the calculation formulas are obtained relatively easy by this method. ✓

[Abstracter's note: Complete translation.]

Card 1/1

POSTOYEV, V.S., kand. tekhn. nauk

Conference on problems of strength of hydraulic turbines.
Energomashinostroenie 10 no.10:37-44 (MIRA 13:12)

S/124/63/000/002/024/052
D234/D308

AUTHORS: Postoyev, V.S. and Mikheyev, V.I.

TITLE: Stressed state in a toroidal shell subjected to hydrostatic pressure

PERIODICAL: Referativnyy zhurnal, Mekhanika, no. 2, 1963, 8, abstract 2V49 (Tr. Vses. zaochn. lesotekhn. in-ta, no. 7, 1961, 125-137)

TEXT: The authors consider the stressed state in a toroidal shell subjected to hydrostatic pressure. It is described by the differential equation

$$\psi''' + i \frac{2k^2 \sin \theta}{1 + \alpha \sin \theta} \psi = - \frac{2k^2 a p}{E \delta} \frac{\tilde{A} \cos \theta}{(1 + \alpha \sin \theta)^{3/2}} \quad (1)$$

$$\tilde{A} = A_r + i A_i, \quad A_r = - \frac{2k^2 A}{pR}, \quad A_t = - \frac{\alpha}{2} \left(1 - \frac{2A}{pR} \right)$$

A is a constant determined by the axial force Q at the edge of the
Card 1/2

Stressed state ...

S/124/63/000/002/024/052
D234/D308

shell, ψ is the resolvent function of the stressed state, p the hydrostatic pressure, $\bar{\alpha}$ the excentricity of the tore, δ the shell thickness, R the mean radius of the section. The homogeneous equation

$$\psi'' + i \frac{2kc^2 \sin \theta}{1 + \bar{\alpha} \sin \theta} \psi = 0 \tag{2}$$

describes the state of the edge effect. The complex equation (2) is split into a system of two real equations with respect to ψ_r and ψ_i ($\psi = \psi_r + i\psi_i$). Eliminating ψ_r , the authors obtain a differential equation of the fourth order with variable coefficients, which is difficult to solve. Several assumptions are made in order to simplify the solution; it is assumed that the edge effect for a toroidal shell spreads to a very narrow region near the edge. The simplifications yield an equation of the fourth order with constant coefficients. A particular solution of (1) is represented in asymptotic form. Boundary conditions are considered for the case of a clamped edge.

[Abstracter's note: Complete translation]

Card 2/2

ARONSON, A.Ya., kand. tekhn. nauk; BUGOV, A.U., kand. tekhn
nauk; MALYSHEV, V.M., kand. tekhn. nauk; SKRYLEV, I.A.,
inzh.; FRANK-KAMENETSKIY, G.Kh., kand. tekhn. nauk;
POSTOYEV, V.S., kand. tekhn. nauk, retsenzent; ORGO, V.M.,
kand. tekhn. nauk, red.

[Strength calculation of the parts of hydraulic turbines]
Raschet na prochnost' detalei gidroturbin. Moskva, Mashino-
stroenie, 1965. 391 p. (MIRA 18:10)

POSTOYEVA, M.Ye.; URAZOVSKIY, S.S. [deceased]; KARPUKHIN, P.P.

Effect of ultraviolet rays on some properties of polyacrylonitrile
fibers and films. Khim. volok. no.4:66-68 '65. (MIRA 18:8)

1. Khar'kovskiy politekhnicheskii institut.

S/112/59/000/013/041/067
A002/A001

Translation from: Referativnyy zhurnal, Elektrotehnika, 1959, No. 13, pp.
172 - 173, # 27449

AUTHOR: Postoyeva, N.I.

TITLE: On the Approximation of Functions in the Light of Contemporary
Computer Engineering

PERIODICAL: Izv. Leningr. elektrotekhn. in-ta, 1958, No. 35, pp. 222-230

TEXT: The known formulae of function development into series by poly-
nomials of Chebyshev and Legendre are given, as well as formulae for calculating
the corresponding coefficients of development. Numerical values of the coef-
ficients of development by Chebyshev and Legendre polynomials for some elemen-
tary functions are given in an appendix. Reviewer's note: The paper was sub-
mitted to the editorial board in 1954 and does not reflect the contemporary
state of the problem on the methods of representing functions for the computers.
There are 7 references.

E.A.G.

Translator's note: This is the full translation of the original Russian
abstract.
Card 1/1

20763

S/043/61/000/001/005/010
C111/C222

16.7600

AUTHOR: Postoyeva, N.I.TITLE: On the problem of relative stationary incompressible viscous
fluid motionPERIODICAL: Leningrad. Universitet. Vestnik. Seriya matematiki, mekhaniki
i astronomii, no.1, 1961, 89-101TEXT: J.Leray (Ref.2: Etude de diverses équations intégrales non
linéaires et de quelques problèmes que pose l'Hydrodynamique. J.math.
pures et appliquées, 12, pp.12-82, 1933) investigated the integration
of the system

$$\Delta \vec{u} - \text{grad } p = \sum_{k=1}^3 u_k \frac{\partial \vec{u}}{\partial x_k} + \vec{f} + B\vec{u}, \quad (1')$$

$$\text{div } \vec{u} = 0, \quad (2')$$

where B is a constant asymmetric tensor) which describes the motion of
a tenacious incompressible fluid in a system rotating uniformly around
a fixed axis, and which besides rotates with a constant velocity in the
direction of the axis. The smoothness of f and the boundary S of the
considered region was assumed.

Card 1/5

20763

S/043/61/000/001/005/010
C111/C222

On the problem of relative...

O.A. Ladyzhenskaya (Ref. 1: Issledovaniye uravneniy Nav'ye Stoksa v sluchaye statsionarnogo dvizheniya vyazkoy neszhimayemoy zhidkosti [An investigation of the equations of Navier-Stokes in the case of a stationary motion of a tenacious incompressible fluid] UMN, no. 3, 1959) proved the solvability of the problem in the large for the case $B \neq 0$ for S and \vec{f} being not smooth.

The author shows that the method of (Ref. 1) can also be used for the proof of the existence of a solution of (1')-(2') with $B \neq 0$ for arbitrary Reynolds numbers and unsmooth \vec{f} and S . Here the motion is investigated in a region Ω of the three-dimensional space. The boundary S of Ω is assumed to be immovable and it is demanded that

$$\vec{u}|_S = 0. \quad (4)$$

In the set M of all finite in Ω continuously differentiable solenoidal vectors $\vec{u}(x)$ the author introduces the scalar product

$$(\vec{u}, \vec{v}) = \int_{\Omega} \vec{u}_{x_k} \vec{v}_{x_k} dx = \int_{\Omega} u_{ix_k} v_{ix_k} dx. \quad (5)$$

Card 2/5

20763

S/043/61/000/001/005/010
C111/C222

On the problem of relative...

The completing of M with respect to the norm $\| \cdot \|_H$ which corresponds to (5) yields the complete Hilbert space $H(\Omega)$. A function $\vec{u}(x)$ belonging to H and satisfying

$$\int_{\Omega} \vec{u}_{x_k} \vec{\phi}_{x_k} dx - \int_{\Omega} u_k \vec{u} \vec{\phi}_{x_k} dx + \int_{\Omega} B\vec{u} \vec{\phi} dx = - \int_{\Omega} \vec{f} \vec{\phi} dx \quad (8)$$

for every $\vec{\phi}$ of M is called a generalized solution of (1')-(2') of the class H. It is shown:

For every $\vec{f}(x)$ for which $\int_{\Omega} \vec{f}(x) \vec{\phi} dx$ is a linear functional over $\vec{\phi}$ in H the problem

$$\left. \begin{aligned} \Delta \vec{u} - B\vec{u} - \text{grad } p &= \vec{f} \\ \text{div } \vec{u} &= 0, \vec{u}|_S = 0 \end{aligned} \right\} \quad (9)$$

has a unique generalized solution of H.

After the linearized problem the author investigates the nonlinear problem for the bounded region and homogeneous boundary conditions; the existence of the solution is shown according to Leray-Schauder.

Then for a finite Ω the author considers the problem (1')-(2') and $\vec{u}|_S = \vec{c}|_S$, X

(14)

Card 3/5

20763

S/043/61/000/001/005/010

C111/C222

On the problem of relative...

where $\vec{\alpha}$ is the limit value of the vector $\vec{\alpha}(\mathbf{x}) = \text{rot } \vec{b}(\mathbf{x})$, $\vec{b}(\mathbf{x}) \in W_2^2(\Omega)$.

A function \vec{u} satisfying (8) for every Φ of M and for which $\vec{v} = \vec{u} - \vec{\alpha} \in H$ is called a generalized solution. The existence of the solution of (1'), (2'), (14) is proved; for \vec{f} there hold the same assumptions as above.

Finally the author investigates the case of an infinite region Ω , where the problem (1'), (2') and

$$\vec{u}|_S = 0, \quad \vec{u}(\mathbf{x}) - \vec{\alpha}(\mathbf{x}) \rightarrow 0 \text{ for } \mathbf{x} \rightarrow \infty \quad (16)$$

is considered. It is assumed that 1) the field of $\vec{\alpha}$ satisfies the homogeneous system of Navier-Stokes; 2) $\vec{\alpha}(\mathbf{x}) = \text{grad } a(\mathbf{x})$, where $a(\mathbf{x})$ is a polynomial of second degree with respect to the coordinates; 3) $a_{ix_k} + a_{kx_i} = 0$; 4) $\vec{\alpha}(\mathbf{x}) = \text{rot } \vec{b}(\mathbf{x})$, where $\vec{b}(\mathbf{x})$ together with its

three first derivatives is quadratically summable with respect to \mathbf{x} in the neighborhood of S . Let $\xi(\mathbf{x})$ be a smooth function vanishing on S and equalling 1 for large \mathbf{x} . Let $\vec{\beta}(\mathbf{x}) = \text{rot } \{ \vec{b}(\mathbf{x}), \xi(\mathbf{x}) \}$. A \vec{u} which satisfies (8) for every Φ of M and for which $\vec{v} = \vec{u} - \vec{\beta}(\mathbf{x})$ belongs to H is called a generalized solution of (1')(2'), (16). The existence of the

Card 4/5

20763

On the problem of relative...

S/043/61/000/001/005/010
C111/C222

generalized solution of (1'), (2'), (16) is proved.
There is 1 Soviet-bloc and 1 non-Soviet-bloc reference.

Card 5/5

POSTGRAD., H.I.

Relative station of motion in a viscous incompressible fluid.
Vest. LGU 16 no. 1:1-121 (1962). (ISSN 14:2)
(Functional Analysis) (Hydrodynamics)

POSTOYEVA, N. I.

O Razlozhenii Funktsii Kompleksnogo Peremennogo Po Polinomam, Mater. SB, 4 (4b),
(1938), 549-560.

SO: Mathematics in the USSR, 1917-1947
edited by Kurosh, A. G.,
Markushevich, A. I.,
Rashevskiy, P.K.
Moscow - Leningrad, 1948

SIMIRENKO, Lev Platonovich [deceased]; SHEPEL'SKIY, A.I., kand. sel'khoz. nauk, glav. red.; KOVTUN, I.M., kand. sel'khoz. nauk, zam. glav. red.; POSTYUK, A.V., zam. glav. red.; RODIONOV, A.P., doktor biol. nauk, zam. glav. red.; DEM'YANETS, Ye.F., starshiy nauchnyy sotr., red. toma; LISOVENKO, L.T., kand. biol. nauk, nauchnyy sotr., red. toma; NIKONENKO, M.N., kand. biol. nauk, red. toma; POSTOYUK, A.V., red.; DEREVIYANKO, G.S., tekhn. red.

[Pomology in three volumes; apple, pear, stone fruits] Pomologia v trekh tomakh; iablonia, grusha, kostochkovye porody. Kiev, Izd-vo Ukrainskoi Akad. sel'khoz. nauk. Vol.1. [Apple] Iablonia. 1961. 578 p. (MIRA 15:2)

1. Ukrainskiy nauchno-issledovatel'skiy institut sadovodstva (for Dem'yanets, Lisovenko).

(Apple--Varieties)

MARESOVA, Z.; POSTRANECKA, M.

Relation of bilirubin to suppurative diseases. Cesk. gastroent. 16
no.2:110-113 Mr '62.

1. III. int. klinika KU v Praze, prednosta akademik Josef Charvat
Interni nemocnice Na Slupi v Praze.
(BILIRUBIN) (ANTI INFECTIVE AGENTS) (SKIN ULCER)

POSTRANECKY, J.

551.594.2:016:551.515.4:621.316.98(02)
 ✓ 99-7
 Rihánek, Ladislav V. and Postranecký, Josef. Boušky a ochrana před bleskem.
 [Thunderstorms and lightning protection.] Prague, Československá Akademie Věd, 1957.
 507 p. numerous figs., 5 charts fold., refs., bibliog. p. 473-478. Review (in Czech) by
 J. Podzimek in Meteorologické Zprávy, 11(2):52-53, 1958.—In this thorough monograph,
 problems of thunderstorm electricity and lightning protection are treated in a general and
 an applied section. The general section includes a brief discussion of atmospheric structure
 and circulation and a thorough review of theories and knowledge on atmospheric ionization,
 electrical fields in the atmosphere, the formation of convective clouds, thundercloud elec-
 trification, classification of thunderstorms, thunderstorm distribution over the globe and in
 Czechoslovakia (map, tables, graphs), the structure and mechanism of various types of lightning
 strokes, electrical currents induced by lightning and their measurement, grounding under
 various soil conditions, etc. A survey is also made of thunderstorm and lightning research
 in various countries (p. 147-205) including the U.S.S.R., Sweden, Switzerland, U. S., Great
 Britain, Germany and Czechoslovakia. An extensive chapter on instruments and techniques
 (p. 205-294) concludes the general section. The whole section is profusely illustrated with
 explanatory diagrams, photographs of lightning and of instruments, block diagrams, sample
 records, etc. (illustrations are, to a large extent, reproduced from foreign literature). The
 second (applied) section was written for lightning rod designers and inspectors. It contains
 excerpts from the Czechoslovak official specifications for the protection requirements of
 different objects, and detailed review and comparison of the Soviet, American, British, Polish,
 Swiss, South African, Swedish, Dutch and German specifications. Numerous examples of
 lightning rod design for various structures are given in diagrams and photographs. Added
 features which contribute to the interest of the book are: a historical summary from FRANKLIN,
 Lomonosov and Drviš (first grounded lightning rod, 1754) to the present; a bibliography of
 Czechoslovak and foreign literature (some 450 items listed by author, title and source) which
 supplements the lists of references given at the end of each chapter; a polyglot dictionary
 (Czech-Russian-English-French-German) of over 600 meteorological and electrical terms;
 a list of symbols, abbreviations and units; a short glossary of technical and engineering terms.

10 9
1-JR

DC
1/2

9
1-SR

Rihánek, Ladislav V. and Postranecký, Josef
(in Czech); and a subject index. By combining scientific and technological aspects in considerable detail, the authors of this book made an original and valuable contribution to the field of thunderstorm research and lightning protection. Subject Headings: 1. Thunderstorm electricity textbooks 2. Thunderstorm electricity bibliographies 3. Lightning rod design
4. Polyglot dictionaries 5. Czech language 6. Czechoslovakia--G.T.
cc
3/2

cc RDS

POSTRANECKY, J.

Electrification of railroads by gas turbine electric traction. p. 420.
(Elektrotechnický Obzor, Vol. 45, no. 8, August 1956. Czechoslovakia)

SO: Monthly List of East European Accessions. (EEAL) LC. Vol. 6, No. 6.
June 1957. Uncl.

POSTRANECKY, J.

CZECH/2218

3(7)

Rihánek, Ladislav V., Engineer, and Josef Postránecký, Doctor, Engineer

Bouřky a ochrana před bleskem (Thunderstorms and Protection from Lightning)
Praha, Nakladatelství Československé akademie věd, 1957. 507 p.
(Series: Československá akademie věd. Sekce technická. Studie a prameny)
2,300 copies printed.

Sponsoring Agency: Československá akademie věd. Sekce technická.

Scientific Ed.: Josef Stránský, Professor, Engineer, Doctor, Corresponding
Member, Czechoslovak Academy of Sciences; Reviewers: Bohumír Novák, Engineer, and
Josef Podzimek, Doctor of Natural Sciences; Resp. Ed.:
Ladislav Hrdina; Tech. Ed.: František Končický.

PURPOSE: The book is intended for electrical engineers and scientists specializing
in problems of protection from lightning

COVERAGE: This is a comprehensive scientific survey of lightning phenomena and light-
ning protection devices. The book is divided into a theoretical part which discuss-
es the nature of lightning, surge phenomena, and instrumentation. The practical
part is devoted to methods of installing

Card 1/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

19

Lightning

A. THEORETICAL SECTION

I. Theory of Thunderstorms and Lightning

3. The Earth's Atmosphere	29
3.1. Study of the atmosphere	29
3.2. Nature of the atmosphere	30
3.3. Elements of the atmosphere	32
3.3.1. Atmospheric layers	32
3.3.2. Air currents	34
3.4. Clouds	36
3.5. Atmospheric electricity	37
3.5.1. Corpuscular and wave radiation	38
3.5.2. Ionization	41
3.5.3. Atmospheric conductivity	47
4. Electrical Conditions of a Stable (Quiet) Atmosphere and of the Earth	50
4.1. Electrical state of a quiet atmosphere	51
4.2. Electric conduction currents in the atmosphere	53
4.3. Negative charge of the Earth	53

Card 3/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

4.4. Electric currents in the Earth's crust	56
5. Origin and Occurrence of Thunderstorms	57
5.1. Thunderclouds and their electrical manifestations	57
5.2. Theory of the origin of electricity in clouds	61
5.2.1. Lenard effect	62
5.2.2. Simpson's theory on the break-up and fall of drops	62
5.2.3. Elster and Geitel's induction theory	62
5.2.4. Wilson's ionization theory	65
5.2.5. Aerological exploration of clouds in the Kew Observatory	66
5.2.6. Findeisen and Rossman's theory	67
5.2.7. E. Wall's theory	70
5.2.8. Frenkel's adsorption theory	71
5.2.9. Gunn and Kramer's theory	74
5.3. Evaluation of theories of the origin of electricity in clouds	75
5.4. Main types of thunderstorms	76
5.4.1. Thermal thunderstorms	76
5.4.2. Orographic thunderstorms	78
5.4.3. Nocturnal thunderstorms	78
5.4.4. Frontal thunderstorms	79

Card 4/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

5.5. Occurrence of thunderstorms	79
6. Mechanism of Thunderstorms and Lightning	87
6.1. Main types of lightning	87
6.1.1. Saint Elmo's fire	88
6.1.2. Streak lightning	88
6.1.3. Sheet lightning	89
6.1.4. Chain lightning	90
6.1.5. Ball lightning	90
6.2. Origin and path of streak lightning	91
6.2.1. Investigation of streak lightning by Szpor's method	95
6.2.2. Energy of streak lightning	97
6.3. Composition of lightning striking the ground	97
6.3.1. Number of flashes [discharges]	101
6.3.2. Time intervals between discharges	102
6.3.3. Duration of a flash	104
6.3.4. Length of a flash	105
6.4. Current and charge of lightning	105
6.4.1. Wave shape of the lightning current	110

Card 5/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

6.4.2. Polarity of lightning	113
6.4.3. Superposed oscillations in the lightning discharge	114
6.5. Lightning voltage	117
6.6. Laboratory studies of electric discharges	119
6.6.1. Discharge wave	120
6.6.2. Discharge generator	122
7. Grounding	126
7.1. Resistance of a ground contact	127
7.1.1. Types of soil and their specific resistivities	127
7.1.2. Effect of moisture	130
7.1.3. Effect of temperature	131
7.1.4. Effect of depth	131
7.1.5. Spacing of ground contacts	132
7.1.6. Improvement of grounding properties	132
7.2. Electrical conditions in the soil	133
7.3. Properties of small grounding rods exposed to high voltage currents	135
7.4. Surge impedance of antenna-line wire grounding	140

Card 6/14

Thunderstorms and Protection From Lightning (Cont.)		CZECH/2218
7.5.	Specific features of the discharge of current in the ground	141
8.	Concrete Examples of Research on Thunderstorms and Lightning	147
8.1.	Soviet research	148
8.2.	Swedish research	155
8.2.1.	Measurement with a suspended antenna	156
8.2.2.	Measurement with a loop antenna	157
8.2.3.	Remarks on the methods cited	160
8.2.4.	Examples of lethal and incendiary lightning	160
8.3.	Swiss research on lightning	161
8.3.1.	Measurement of atmospheric voltage	161
8.3.2.	Measurement of lightning currents	162
8.3.3.	Device for the measurement of lightning at Monte San Salvatore [Lugano]	163
8.3.4.	Results of measurement taken from 1947-1954	170
8.3.5.	Swiss program for further research	177
8.4.	US research (Empire State Building)	178
8.5.	The Thunderstorm Project (USA)	184
8.6.	British research	192
8.6.1.	Lightning research in Nigeria	194
8.7.	German research	197

Card 7/14

Thunderstorms and Protection From Lightning (Cont.)		CZECH/2218
8.8.	Czechoslovak research	198
8.8.1.	Lightning research applications to the present	198
8.8.2.	Suggestions for the future development of Czechoslovak lightning research	201
II. Measuring Instruments and Methods		
9.	Instruments for Measuring Electricity in Normal Atmosphere and for Lightning	206
9.1.	Instruments for measuring invisible radiation	206
9.2.	Electrostatic measurements	208
9.2.1.	Electrometers and ballistic galvanometers	208
9.2.2.	Instruments for recording the electric gradient of atmosphere	210
9.2.3.	New method of measuring the vertical electric field of atmosphere	211
9.2.4.	Potential gradient recorder	212
9.3.	Measurement of atmospheric electric currents	213
9.3.1.	Pointed recorder (ERA recorder) of currents between atmosphere and ground	214
9.3.2.	Instrument for simultaneous recording of the potential gradient and the current between the atmosphere and ground	215

Card 8/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

9.3.3. Device for measuring the currents in clouds and the surge voltage	218
9.4. Wilson's instrument for measuring the Earth's negative charge	220
9.5. Voltage divider for surge waves	221
9.6. Klydonograph and recorder of surge voltages	222
9.7. Magnetic cores for measuring lightning current	227
9.8. Fulchronograph	232
9.9. Other instruments with magnetic cores	234
9.9.1. Magnetic surge integrator	234
9.9.2. Instrument for recording the surge wave front	236
9.9.3. Instrument for recording the sharpness of a surge wave	237
9.10. Oscillographs	237
9.10.1. String oscillograph	238
9.10.2. Cathode-ray oscillograph	239
9.10.3. Swedish (ASEA) oscillograph for measuring atmospheric surge voltages	253
9.11. Lightning discharge counter for a limited area	256
10. Cameras for Photographing Lightning Discharges	263
10.1. Boys' high-speed camera	263
10.2. Boys' low-speed camera	267

Card 9/14

Thunderstorms and Protection From Lightning (Cont.)	CZECH/2218
11. Radiogoniometric Measurements in Thunderstorm Areas	272
12. Measurements of Earth Resistivity and of Measurable Ground Resistivity	277
12.1. Measurement of earth resistivity	277
12.1.1. Measurements with low-frequency instruments	279
12.1.2. Measurements with high-frequency instruments	284
12.1.3. Methods of measurements with low-frequency and high-frequency instruments	288
12.1.4. Determination earth resistivity from three measurements	290
12.2. Techniques of measuring ground resistivity	292
B. PRACTICAL SECTION	
13. Protection of Human Life	295
13.1. Effect of lightning on human beings	295
13.2. How to behave in thunderstorms	297
14. Damage to Property Caused by Lightning and the Role of Lightning Rods	297
14.1. Damage to property by lightning	297

Card 10/14

Thunderstorms and Protection From Lightning (Cont.)		CZECH/218
14.2.	Significance of lightning rods	300
15.	Czechoslovak Standards and Specifications for Lightning Rods	301
16.	Foreign Standards, Specifications and Proposals for Lightning Protection	311
16.1.	Soviet standards	312
16.1.1.	Some data on lightning discharges	312
16.1.2.	Various effects of lightning	313
16.1.3.	Thunderstorm areas in the USSR	318
16.1.4.	Classification of buildings by categories, according to to the code for lightning protection	318
16.1.5.	Protection of installations of various categories from lightning	320
16.1.6.	Protective devices against direct strokes of lightning	324
16.1.7.	Protective range of lightning rods and their distances from protected installations	328
16.1.8.	Installing of lightning rods	330
16.1.9.	Preventing the entry of voltage surge into installations by the use of outside conductors	333

Card 11/14

Thunderstorms and Protection From Lightning (Cont.)

CZECH/2218

16.1.10.	Protection against secondary effects of lightning	334
16.1.11.	Grounding technique	337
16.1.12.	Examples of protection from lightning in buildings of various categories	342
16.2.	US standard specifications	347
16.3.	British standards	355
16.4.	Polish standards	358
16.4.1.	A proposition for new Polish standards	358
16.5.	Swiss standards	374
16.6.	South African standards	380
16.7.	Swedish standards	382
16.8.	Dutch standards	385
16.9.	German standards	389
17.	Comparison of Standards	394
17.1.	Summary of thunderstorm and lightning conceptions	394
17.2.	Standards for protection from lightning	394
17.3.	Protection of special objects from lightning	400
17.4.	Conclusion	406
18.	Examples of Protective Devices Against Lightning	406

Card 12/14

POSTRANECKY, Martin

First British research satellite US/UK-1 Ariel. Cs cas fys 15 no.3:
286-289 '65.

1. Submitted January 11, 1965.

POSTRANECKY, Martin (Prague 2, Neklanova 30); GRUN, Marcel (Prague 2, Na
vytoni 14)

The Alouette research satellite. Cs cas fys 15 no.2:186-187 '65.

1. Submitted November 30, 1964.

YERSHOV, Pavel Nikolayevich; POSTRELOV, G.A., red.; VOROB'YEVA, N.N.,
red.izd-va; BRATISHKO, L.V., tekhn.red.

[Using Portland cement fibrolite slabs in standard housing
construction] Fibrolitovye plity na portland-tsemente v
standartnom domostroenii. Moskva, Tsent. biuro tekhn.infor-
matsii lesnoj promyshl., 1958. 6 p. (MIRA 12:1)
(Sillimanite) (Building blocks)

BARYSHEVA, M.D.; TRULEVICH, V.K.; TUL'ZHENKOVA, F.P.; TSVETAYEVA, Ye.M.;
POSTRELOVA, T.A., red.

[Vegetable and potato growing in the Far North; bibliographic
index for 1932-1957] Ovoshchevodstvo i kartofelevodstvo na
Krainem Severe; bibliograficheski ukazatel' 1932-1957 gg. Lenin-
grad, 1959. 51 p. (MIRA 13:11)

1. Moscow. Tsentral'naya nauchnaya sel'skokhozyaystvennaya biblio-
teka.

(Russia, Northern--Vegetable gardening)
(Russia, Northern--Potatoes)

AMANZHULOV, S.A.; AMOSENKOVA, N.I.; POSTRICHEVA, O.V.

Detection of *Rickettsia burneti* in the horsefly *Tabanus*
staegeri. Med. paraz. i paraz. bol. 34 no. 52612-614 3-0 '65
(MIRA 19:1)

1. Kazakhskiy institut krayevoy patologii AMN SSSR, Alma-Ata
i otdel osobo opasnykh infektsiy Leningradskogo instituta
epidemiologii i mikrobiologii imeni Pastera. Submitted Novem-
ber 22, 1963.

AMANZHULOV, S.A.; AMOSENKOVA, N.I.; POSTRICHEVA, O.V.

Results of virological confirmation of Q fever in Kazakhstan.
Trudy Len. inst. epid. i mikrobiol. 25:83-94, '63.

(MIRA 17:1)

1. Iz Instituta krayevoy patologii AN KazSSR i otdela
osobo opasnykh infektsiy Leningradskogo instituta epidemio-
logii i mikrobiologii imeni Pastera.

POSTRICHEVA, O.V.; AMANZHULOV, S.A.; BORISOV, V.D.; KARAKULOV, I.K.

Spread of Q fever in the Virgin Territory. Zdrav. Kazakh. 21 no.8:
50-54 '61. (MIRA 14:9)

1. Iz Instituta krayevoy patologii AN Kazakhskoy SSR i kafedry
epidemiologii Kazakhskogo meditsinskogo instituta.
(VIRGIN TERRITORY—Q FEVER)

RAYEVSKIY, V.G.; POSTRIGAN', M.V.; GUL', V.Ye.

Studying the thermostability of welded joints of combined film materials. Film materials with one-sided polyethylene coating. Plast. massy. no.9:23-25 '65. (MIRA 18:9)

RAYEVSKIY, V.G.; POSTRIGAN', M.V.; GUL', V.Ye.

Heat resistance of the welded seams of composite film materials.
Plast. massy no.2:45-47 '66. (MIPA 19:2)

L 2270-66--- EWT(m)/EPF(c)/EWP(w)/EWP(t)/EWP(r)/EWP(j)/T/EWP(t)/EWP(k)/EWP(b)
ACCESSION NR: AP5022224 EWA(c)/ETC(m) IJP(c) RM/ID/WW/RW
UR/0191/65/000/009/0023/0025
678-416:678.029.43

AUTHOR: Rayevskiy, V. G.; ^{44,55} Postrigan', M. V.; ^{44,55} Gul', V. Ye. ^{44,55}

73
66
B

TITLE: Study of the thermal stability of welded joints of composite film materials

SOURCE: Plasticheskiye massy, no. 9, 1965, 23-25

TOPIC TAGS: ¹⁰ weld evaluation, aluminum foil, polyethylene terephthalate, polyethylene plastic, cellulose, thermal stability

ABSTRACT: The authors studied the temperature dependence of the strength of welded joints of two types on two-layer materials with polyethylene coatings. ^{15, 44, 55} The base materials were aluminum foil (60 μ thick) with hydrated cellulose (cellophane) and polyethylene terephthalate (dacron) films. A polyethylene coating 25-35 μ was deposited by extrusion. Joints 5 mm wide were then prepared and their strength characteristics were measured. The strength of the joints at room temperature, relative to the strength of the material, was 12.5% in the case of the foil, 6.3% in the case of cellophane, and 19% in the case of dacron. When the temperature was raised to 100C, the strength of the joints dropped to

Card 1/2

L 2270-66

ACCESSION NR: AP5022224

20% of the value of room temperature, and did not change with further rise in temperature. The temperature dependence of the strength of the joints in shear was studied. The adhesion strength in shear decreases abruptly at 90-100C, apparently because of the softening of polyethylene at these temperatures. It is shown that the strength of welded joints at a given temperature can be calculated from the strength determined under standard conditions. "G. F. Il'vokhina⁴⁴⁵ and V. V. Kopchikov participated in the experimental part of the work." Orig. art. has: 2 figures, 1 table, and 1 formula.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: MM, MT

NO REF SOV: 001

OTHER: 005

Card

2/2

POSTRIGAN' P.A.

A case of surgical removal of a 15-centimeter nail from the duodenum of a one-year-old child. Khirurgiia 34 no.5:132 My '58 (MIRA 11:7)

1. Iz Takhtinskoy rayonnoy bol'nitsy Khabarovskogo kraya.
(DUODENUM, foreign bodies
nail in young child., surg. (Rus))

POSTRIGAN', P.A.

Acute empyema of the gall bladder caused by ascariasis. Vest.khir.
79 no.8:123 Ag '57. (MIRA 10:10)

1. Iz khirurgicheskogo otdeleniya (zav. - P.A.Postrigan') Nevel'-
skoy gorodskoy bol'nitsy Sakhalinskoy oblasti. Adres avtora:
Yuzhno-Sakhalinsk, gorodskaya bol'nitsa.

(ASCARIDS AND ASCARIASIS) (EMPYEMA)
(GALL BLADDER--DISEASES)

POSTRIGAN', P.A. (Khabarovsk)

Traumatism at enterprises of the Okhotsk Fishing Trust of the
Khabarovsk Economic Council. Ortrop.travm.i protez. 21 no.4:
51-53 Ap '60. (MIRA 13:9)

(FISHERIES--HYGIENIC ASPECTS)
(KHABAROVSK TERRITORY--INDUSTRIAL ACCIDENTS)

POSTRIGAN', P.A. (Khabarovsk, Militseyskaya ul., d.59)

Industrial injuries in the Khabarovsk repair yards of the Ministry
of River Navigation of the R.S.F.S.R. Ortop., travm. i protes. 22
no.3249-50 '61. (MIRA 14:4)

1. Iz Khabarovskoy lineynoy bol'nitsy Dal'nevostochnogo vododrav-
otdela.

(Khabarovsk—SHIPBUILDING WORKERS—DISEASES AND HYGIENE)

POSTRIGAN', S.A. [Postryhan', S.A.]

Suckering plants growing in patches. Ukr. bot. zhur. 22 no.5:
91-92 '65. (MIRA 18:10)

1. L'vovskiy lesotekhnicheskij institut, kafedra botaniki.

POSTRIGAN', S.A. [Postryhan', S.A.]

Boissiera and Koelipnia in the environs of Lvov. Ukr. bot. zhur.
20 no.3:108 '63. (MIRA 17:9)

1. Kafedra botaniki L'vovskogo gosudarstvennogo universiteta.

POSTRIGAN', Ye. [Postryhan', IE]

Ready for the building season. Sil'.bud. 10 no.4:18-19
Ap '60. (MIRA 13:7)

1. Starshiy inzhener upravleniya stroitel'stva Cherkasskogo
oblsel'khozupravleniya.
(Cherkassy Province--Brick industry)

POSTRIKOV, N.N.,
E.V. BRITZKE, (Min. Syrje Zwet. Met., 1929, 4, 375-387)

BOTVINIK, S.A., dotsent, zavednyushchiy; POPEKOVA, N.F.; KUROCHKIN, I.D.; POSTROMA, Ye.V.

Early and accelerated methods of laboratory diagnosis of dysentery. Second report. Zhur.mikrobiol.epid.i immun. no.9:34-37 8 '53. (MLRA 6:11)

1. Kafedra mikrobiologii Yaroslavskogo meditsinskogo instituta.

(Dysentery)

POSTRUZNIK, Srecko, dr.

Colpo-hysterectomy in total prolapse in senility. Med.arh., Sarajevo
15 no.1:107-115 Ja-F '61.

1. Ginekolosko porodiljni odjel bolnice Sibenik (Sef: dr Srecko
Postruznik)

(HYSTECTOMY in old age)
(UTERINE PROLAPSE surg)

CIZMIC, Marinko, dr.; POSTRUZNIK, Srecko, dr.

Value of hysterosalpingography in the diagnosis of genital tuberculosis. Lijecn. vjesn. 85 no.4:415-421 '63.

1. Iz Rendgenskog zavoda i Ginekolosko-porodajnog odjela Medicinskog centra u Sibeniku.

(HYSTEOSALPINGOGRAPHY)

(TUBERCULOSIS, FEMALE GENITAL)

S

YUGOSLAVIA

CIZMIG, Dr Marinko, and Dr Srecko POSTRUŽNIK, X-ray Institute (Rendgenski Zavod) and Department of Gynecology and Obstetrics (Ginekolosko-porodjajni Odjel), Medical Center (Medicinski Centar), Sibenik.

"The Value of Hysterosalpingography in the Diagnosis of Genital Tuberculosis."

Zagreb, Liječnicki Vjesnik, Vol 85, No 4, April 1963, pp 415-421.

Abstract: [Authors' English summary modified] Adnexal tuberculosis can be diagnosed with a combination of biological, bacteriological, pathohistological, and radiological methods of investigation. Hysterosalpingography is of particular diagnostic importance in adnexal tuberculosis, especially in cases of latent tubal tuberculosis when the specific process cannot be revealed by any other method. The value of this procedure has been amply proved by X-rays, clinical examinations, and operative treatment. 1/1/Eleven photographs, 15 Western and Yugoslav references.

POSTRUZNIK, Srecko, Dr.

Intubation of the intestine with Miller-Abbot tube in
gynecology. Lijec. vjes. 77 no.10-12:498-503 Oct-Dec 55.

1. Iz Ginekolosko-porodiljskog odjela Opce bolnice dra
M. Stojanovica u Zagrebu.

(INTESTINAL OBSTRUCTION, diagnosis,
Miller-Abbott tube. (Ser))

s/080/60/033/04/25/045

AUTHORS: Levitskaya, K.V., Postukhov, P.T., Danilov, S.N.TITLE: The Effect of Oxidizing and Reducing Additives to Viscose¹ on Its Properties. Communication 11.

PERIODICAL: Zhurnal prikladnoy khimii, 1960, Vol 33, Nr 4, pp 896 - 902

TEXT: On adding sodium hypochlorite to finished viscose directly after dissolution of xanthogenate the amount of titrable sulfur decreases in proportion to the ripening of viscose, mainly at the expense of xanthogenate sulfur; the polymer grows more quickly than in experiments without addition of an oxidant. It is evident that under the action of the oxidant cellulose dixanthogenides are formed which split up easily in an alkaline medium, speeding up the ripening of viscose. The addition of persulfates into the mercerization alkali strongly decreases the viscosity of the viscose obtained. If persulfate is introduced during the dissolution of xanthogenate the viscosity of viscose, the salt index and the total quantity of the titrable sulfur decrease strongly, mainly at the expense of xanthogenate sulfur. Sulfate which is formed from persulfate affects little the properties of viscose. The addition of 5% of sodium peroxide in relation to the weight of α -cellulose prior to and directly after the dissolution of

Card 1/2

s/080/60/033/04/25/045

The Effect of Oxidizing and Reducing Additives to Viscose on Its Properties.
Communication 11.

xanthogenate increases the ripeness and viscosity of viscose, but reduces the total quantity of titrable sulfur. Sodium peroxide partially speeds up the ripening process of viscose. The treatment by oxygen on various stages of viscose manufacture changes the properties of the viscose obtained, especially during the stages between the mercerization and the dissolution of xanthogenate. The addition of sulfite (1.5% of the weight of the α -cellulose in alkali cellulose prior to xanthogenation) increases the content of xanthogenate sulfur in viscose and decreases also considerably the viscosity of viscose and inhibits its coagulation. The introduction of sodium sulfite into the finished viscose affects the viscosity of viscose, but does not change the distribution of carbon bisulfide.

There are: 7 tables and 13 references, 9 of which are Soviet, 2 German and 2 Japanese.

SUBMITTED: November 14, 1959

Card 2/2

POSTULKA, J.; SIBER, J.

Light-steel Roofing not supported by purlins for the electric-power station
in Nanking. p. 27.

POZEMNI STAVBY. (Ministerstvo stavebnictvi)
Praha, Czechoslovakia Vol. 7, no. 1, Jan. 1959

Monthly List of East European accession, (EEAT), IC, Vol. 8, No. 12, Dec. 1959
Uncl.

1ST AND 2ND COPIES

PROCESSES AND PROPERTIES INDEX

1ST AND 4TH COPIES

Ca

8

Gravels of the Gazimuro-Zavodskii District (Eastern Transbaikalia). L. N. Postnikov. *Soviet Geol.* 1941, No. 1, 132-5. Petrographic and mineralogical data are given for gold, tin (cassiterite along with pyrite, limonite, hematite, cerussite, galena, ilmenite, gold, etc.) and tungsten (scheelite, wolframite) deposits. F. H. Rathmann

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND COPIES

1ST AND 4TH COPIES

1ST AND 2ND COPIES

1ST AND 4TH COPIES

POSTULKA, Josef, inz.

Rotund boiler house with a suspended roof. Poz stavby II
no. 6: 306-308 '63.

1. Krajsky projektovy ustav Bratislava.

POSTUJKA, Jozef, ins.

A sport hall with a suspended roof in Bratislava. Inz stavby 11 no.2:
41-46 F '63.

1. Krajsky projektovy ustav, Bratislava.

POSTUPAL'SKAYA, M.

Looking through the window. IUn.nat. no.2:15 My '56. (MLBA 9:11)
(Birds)