

SHEYNFAYN, R. Yu.; LIPKIND, B.A.; STAS', O.P.; NEYMARK, I. Ye.

Mechanism of the porous structure formation in silica gel.
Part 3: Role of aging of neutral and alkaline hydrogels in
the formation of the porous structure of xerogels. Koll.
zhur. 26 no.6:734-738 N-D '64 (MIRA 18:1)

1. Institut fizicheskoy khimii imeni L.V.Pisarzhhevskogo AN
UkrSSR i Gor'kovskaya opyt'naya baza Vsesoyuznogo nauchno
issledovatel'skogo instituta po pererabotke nefi i gaza i
polucheniyu zhidkogo topliva.

... ..

Method of
Part 2.
... ..
... ..

(0000 10:12)

L.
... ..

VARVAK, P.M.; KIRIYENKO, V.I.; CHUDNOVSKIY, V.G.; KRYLOV, V.K.; BRAUDE,
Z.I.; FKIMYAN, V.A.; IVANOV-DYATLOV, A.I.; FRANOV, P.I.; ASHAKOV,
A.Ye.; BERDICHEVSKIY, N.M.; IZAKSON, S.I.; KOZLOV, V.I.; KOLESNIK,
K.S.; KUYDICH, S.A.; SVERDLOV, A.I.; SIMON, Yu.A.; SHEYNFAYN, S.R.;
BOLOTIN, V.V.; GOL'DENBLAT, I.I.

Book reviews and bibliography. Stroi. mekh. i rasch. soor. 3
no.6:46-50 '61. (MIRA 15:4)
(Bibliography—Structures, Theory of)

LUCHANSKIY, L.N.; DAVYDOV, A.V.; SHEYNFEL'D, B.Sh.

Using tall oil for the preparation of rosin-containing alkyd
resins. Lakokras. mat. i ikh prim. no.6:75-77 '61. (MIRA 15:3)

1. L'vovskiy lakokrasochnyy zavod.
(Tall oil) (Gums and resins)

SHEYNFELD, N., kand. tekhn. nauk

Effective methods of testing large structural elements. Na
stroj. Ros. 3 no.10:30-31 0 '62. (MIRA 16:6)

(Precast concrete--Testing)

BERDICHEVSKIY, G.I., kand.tekhn.nauk; DMITRIYEV, S.A., kand.tekhn.nauk;
MIKHAYLOV, K.V., kand.tekhn.nauk; GVOZDEV, A.A., prof., doktor
tekhn.nauk; MIKHAYLOV, V.V., prof., doktor tekhn.nauk; BULGAKOV,
V.S., kand.tekhn.nauk; VASIL'YEV, A.P., kand.tekhn.nauk; YEVGEN'YEV,
I.Ye., kand.tekhn.nauk; MULIN, N.M., kand.tekhn.nauk; SVETOV, A.A.,
kand.tekhn.nauk; FRENKEL', I.M., kand.tekhn.nauk; BELOBROV, I.K.,
inzh.; MATKOV, N.G., inzh.; MITNIK, G.S., inzh.; SKLYAR, B.L., inzh.;
SHILOV, Ye.V., inzh.; MASENKO, I.D., inzh.; NIZHNIHENKO, I.P., inzh.;
FILIPPOVA, G.P., inzh.; MIZERNYUK, B.N., kand.tekhn.nauk; ~~SHEYNFEL'D,~~
~~N.M.,~~ kand.tekhn.nauk; BALAT'YEV, P.K., kand.tekhn.nauk; BARBARASH,
I.P., kand.tekhn.nauk; MITGARTS, L.B., kand.tekhn.nauk; SHIFRIN, M.A.,
kand.tekhn.nauk; PETROVA, V.V., red.izd-va; TEMKINA, Ye.L., tekhn.red.

[Temporary instruction on the technology of making prestressed re-
inforced concrete construction elements] Vremennaya instruksiya po
tekhnologii izgotovleniya predvaritel'no napriazhennykh zhelezobe-
tonnykh konstruksii. Moskva, Gos.izd-vo lit-ry po stroit., arkhit. i
stroit.materialam, 1959. 255 p. (MIRA 12:12)

(Continued on next card)

BERDICHEVSKIY, G.I.---(continued) Card 2.

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut betona i zhelezobetona, Perovo. 2. Nauchno-issledovatel'skiy institut betona i zhelezobetona Akademii stroitel'stva i arkhitektury SSSR (for Gvozdev, V.V.Mikhaylov; Berdichevskiy, Bulgakov, Vasil'yev, Dmitriyev, Yevgen'yev, K.V.Mikhaylov, Mulin, Svetov, Frenkel', Belobrov, Matkov, Mitnik, Sklyar, Shilov). 3. Nauchno-issledovatel'skiy institut organizatsii, mekhanizatsii i tekhpomoshchi Akademii stroitel'stva i arkhitektury SSSR (for Masenko, Nizhnichenko, Filippova, Mizernyuk, Sheynfel'd). 4. Nauchno-issledovatel'skiy institut Glavmospromstroymaterialov (for Balat'yev, Barbarash). 5. Nauchno-issledovatel'skiy institut po stroitel'stvu Ministroya RSFSR (for Mitgarts, Shifrin). 6. Deystvitel'nyye chleny Akademii stroitel'stva i arkhitektury SSSR (for Gvozdev, V.V.Mikhaylov).

(Prestressed concrete)

SHEYNFEL'D, N.M., kand.tekhn.mauk; BULGAKOVA, V.V., inzh.

Remarks on S.S.Krotovskii's book "Field testing of large
precast reinforced concrete construction elements." Bet.1
zhel.-bet. no.6:291-292 Je '60. (MIRA 13:7)
(Precast concrete--Testing)
(Krotovskii, S.S.)

BALDEN, V.A., doktor tekhn.nauk; SHEYFEL'D, N.M., kand.tekhn.nauk

Roof trusses from steel pipes. Prom.stroi. 43 no.12:27-29
'65. (MIRA 18:12)

¹⁴
SHEYNFEL'D, N., kand. tekhn. nauk; MASLOBOYSHCHIKOV, A., tekhnik

Stand for testing large construction elements. Stroitel' no.7:
22-24 JI '60. (MIRA 13:8)
(Girders--Testing)

SHEYNFEL'D, N.M., kand.tekhn.nauk

Dismountable stand for testing beams, wall panels, and girders.
Bet. i zhel.-bet. no. 3:135-136 Mr '61. (MIRA 14:5)
(Prestressed concrete—Testing)

SHEYNFEL'D, N.M., kand.tekhn.nauk

Quality control methods for structural elements must be improved. Prom. stroi. 40 no.9:58-59 '62. (MIRA 15:11)
(Building materials—Testing)

BALDIN, V.A.; BELYAYEV, B.I.; SOKOLOVSKIY, P.I.; SHEYNFEL'D, N.M.;
ARONE, R.G.

Steels of increased and high strength for structural elements.
Prom. stroi. 41 no.1:17-21 Ja '64. (MIRA 17:6)

HAIDIN, V.A., doktor tekhn. nauk; SHEYMERID, R.M., kand. tekhn. nauk

Using thin-walled closed profiles in metal structures.
Prom. stroi. 42 no.1:32-34 '65. (MIRA 18:3)

L 16702-65 EWT(1)/EPA(s)-2/EPF(n)-2/ENG(v)/EPR/EWA(1) Pe-5/Ps-4/Pt-10/
Pu-4 ESD(t)/AEDG(a)/SSD/AFWL/RAEM(a) WW S/0058/64/000/010/E006/E006 B

ACCESSION NR: AR5000791

SOURCE: Ref. zh. Fizika, Abs. 10E43

AUTHORS: Sheynfel'd, V. L.; Rykov, V. I.

TITLE: Thermal conductivity of normal liquids, and its connection with some other physical parameters

CITED SOURCE: Uch. zap. Kishinevs. un-t., v. 69, 1964, 30-34

TOPIC TAGS: thermal conductivity, liquid state, speed of sound, refractive index, surface energy, temperature dependence

TRANSLATION: Formulas are obtained relating the coefficient of thermal conductivity of a liquid with the heat of evaporation, the specific surface energy, and the speed of sound in the liquid. A relation is obtained between the speed of sound in the liquid and the total free surface energy. It is shown that this relation gives the temperature dependence of the speed of sound, which is in much better agreement with experiment than the known formulas of Altenburg

Card 1/2

L 16702-65
ACCESSION NR: AR5000791

and Auerbach. A relation is obtained between the speed of sound in the liquid and its refractive index.

SUB CODE: GP, TD

ENCL: 00

Card 2/2

L 9211-66 EWT(i)/EWT(m)/ETC/EWT(m)/EWP(j)/ETC(m) RPL ~~na/ia/ra~~
ACC NR: AR6000118 SOURCE CODE: UR/0058/65/000/008/EO08/EO08

SOURCE: Ref. zh. Fizika, Abs. 8E53

AUTHORS: Rykov, V. I.; Sheynfel'd, V. L.; Yakovleva, G. S.

ORG: none

TITLE: On the Frenkel'-Gubanov formula and the relation between the speed of sound, heat of evaporation, and surface energy

CITED SOURCE: Uch. zap. Kishinevsk. un-t, v. 75, 1964, 31-34

TOPIC TAGS: surface tension, temperature dependence, thermodynamic law, sound propagation, thermal expansion, evaporation

TRANSLATION: Starting from the well-known Frenkel'-Gubanov formula for the temperature coefficient of surface tension, the authors establish with the aid of several thermodynamic laws the relation between the speed of sound, heat of evaporation, free surface energy, and thermal coefficient of volume expansion for normal liquids. A relation is established between the speed of sound and the boiling temperature.

SUB CODE: 20

Card 1/1

78
B

ACC NR: AR7000883

SOURCE CODE: UR/0058/66/000/009/E107/E107

AUTHOR: Sheynfel'd, V. L.

TITLE: Temperature dependence of the galvanomagnetic and thermomagnetic properties of bismuth antimony alloys with lead impurities

SOURCE: Ref. zh. Fizika, Abs. 9E851

REF SOURCE: Sb. Materialy IV Konferentsii molodykh uchenykh Moldavii, 1964, Sekts. fiz.-matem. Kishinev, 1965, 43-47

TOPIC TAGS: ^{bismuth} alloy, ~~bismuth~~ antimony alloy, ~~impurity~~, ~~alloy impurity~~, galvanomagnetic effect, thermomagnetic effect, temperature dependence, ^{metal} property, ^{magnetic property}

ABSTRACT: The galvanomagnetic and thermomagnetic properties of Bi—Sb (0.1; 3.5, and 7 atomic % Sb) with Pb impurities (0.1, 0.3, 0.5, and 1 atomic % Pb) were investigated in the 30—200C temperature range. The dependence of the specific resistance $\rho(T)$ of the Bi—Sb alloy with an Sb concentration of over 1% has a minimum which shifts toward the higher temperatures with the addition of Pb. The Hall coefficient R and magnetic resistance $\Delta\rho/\rho$ decrease with an

Card 1/2

ACC NR: AR7000883

increase in T and in the concentration of both Sb and Pb. However, in a weak field H , the curve R (atomic % Pb) has a maximum. The relationships of thermoelectric efficiency of alloys $\alpha(T)$ and α (atomic % Pb) have maximums which depend on the Sb concentration. The dependence curve of Nernst-Ettingshausen's ($N-E$) longitudinal coefficient against T shows a positive maximum in most cases. In individual specimens there are temperature intervals in which the coefficient $N-E < 0$. The results obtained are explained by the decrease in the overlap of the valence band and the conductivity zone with the Sb impurity to Bi, and by the decrease in the electron concentration in the conductivity band of the Bi-Sb alloy to which the Pb impurity is added. Yu. Ogrin. [Translation of abstract]

[GC]

SUB CODE: 20//

Card 2/2

L 8556-66 EWT(1)/EWT(m)/EPF(n)-2/EWP(j)/EWA(h)/ETC(m)/T/EWA(d) RPL

ACCESSION NR: AP5021177 RM/WW/JW

UR/0139/65/000/004/0108/0111

AUTHOR: Rykov, V. I.; Sheynfel'd, V. L.

TITLE: The application of the Frenkel-Gubanov formula to normal liquids with polyatomic molecules

SOURCE: IVUZ. Fizika, no. 4, 1965, 108-111

TOPIC TAGS: heat capacity, heat of vaporization, heat theory, liquid property

ABSTRACT: The formula of Ya. I. Frenkel and A. Gubanov (ZhETF v. 16, no. 5, 435, 1946) for the temperature coefficient of the surface tension

$$v^{2/3} \frac{d\sigma}{dT} = -\frac{2}{3} \alpha v^{2/3} - \frac{\sigma v^{2/3} (C_p - C_v)}{L} - 0.84$$

is found to differ from the experimental values of certain normal liquids by 30--50%. The constant 0.84 is not universal and should, according to Frenkel and Gubanov, depend on the structure of the molecules because of the neglect of the effect of the surface on the rotational and internal degrees of freedom of polyatomic molecules. For organic liquids the constant is found to be about 3/2. It is shown further that the Frenkel-Gubanov formula can also be very useful for obtaining semi-empirical relations if the constant 0.84 is replaced by a quantity

Card 1/2

L 8556-66

ACCESSION NR: AP5021177

Proportional to the Eotvos coefficient, with a proportionality constant $2/3$. A new relation between the heat of evaporation and the difference between the heat capacities is obtained which is in good agreement with experiment. It can be useful for calculating the difference between the heat capacities of a liquid at constant pressure and volume. Orig. art. has: 2 tables and 10 formulas. 4

ASSOCIATION: Kishinevskiy gosuniversitet (Kishinev State University) ⁴⁴⁵⁵

SUBMITTED: 25Oct63

ENCL: 00

SUB CODE: GP, TD

NR REF SOV: 006

OTHER: 004

jw

Card 2/2

SHEYNFINKEL', V.M., inzh.

Hydraulic, pneumatic, and electrical devices in prostheses of
the upper extremities (Review of foreign literature and patents).
Ortop., travm. i protez. no. 5:65-69 '61. (MIRA 14:8)

1. Iz Leningradskogo nauchno-issledovatel'skogo instituta prote-
zirovaniya (dir. - dotsent M.V. Strukov).
(PROSTHESIS)

KRIVKOV, G.A., polkovnik meditsinskoy sluzhby; VEKSLER, Ya.I., mayor meditsinskoy sluzhby, kandidat meditsinskikh nauk; YEFREMOV, A.S., mayor meditsinskoy sluzhby; SHYNGERTS, A.R., podpolkovnik meditsinskoy sluzhby, kandidat meditsinskikh nauk; RUNOVSKIY, D.N., polkovnik meditsinskoy sluzhby.

Course of experimental pneumonia following damage by radiation.
Voen.-med.zhur. no.7:41-45 J1 '56. (MLRA 9:11)
(RADIATION SICKNESS) (PNEUMONIA)

TSUKERMAN, M.A., kand.med.nauk; VEKSLER, Ya.I., kand.med.nauk; SIZYAKIN, P.S.;
TERGENT'YEV, N.I.; KORZAN, D.P.; RUNOVSKIY, D.N.; SHEYNGERTS, A.R.,
kand.med.nauk; BRUN, S.A. (Rostov-na-Donu)

Basis for early necrectomy in experimental third degree burns.
Ortop., travm. i protez. 18 no.5:44-49 S-O '57. (MIRA 12:9)
(BURNS AND SCALDS)

17(2)

SOV/177-58-11-5/50

AUTHORS: Runovskiy, D.N., Colonel of the Medical Corps and
Sheyngerts, A.R., Lieutenant-Colonel of the Medical
Corps, Candidate of Medical Sciences

TITLE: Lethal Outcomes of Ileus

PERIODICAL: Voenno-meditsinskiy zhurnal, 1958, Nr 11, pp 17 -
21 (USSR)

ABSTRACT: The article is based on 378 dissection reports of patients who died of ileus in the course of 9 years and on data of Ya.L. Rappoport, A.I. Abrikosov, A.V. Rusakov and A.M. Vakhurkina. In 58.2% of the cases, death was caused by strangulation ileus, in 29.9% by spastic ileus, in 8.2% by the occlusive form and in 3.7% by the dynamic form. Most of the lethal outcomes in ileus were due to late operation. The intervals from the beginning of the disease up to the operation are shown in table 1. The author stresses the importance of taking organizational measures in order to reduce the diagnostic period in medical

Card 1/2

TSUKERMAN, M.A.; VEKSLER, Ya.I.; SIZYAKIN, P.S.; RUNOVSKIY, D.N.; SHEYNGERTS, A.R.

Immunotherapy of thermal burns in radiation diseases. Vest.khir.
83 no.7:130-135 J1 '59. (MIRA 12:11)
(BURNS AND SCALDS) (SERUM THERAPY) (RADIATION SICKNESS)

TSUKERMAN, M.A.; VEKSLER, Ya.I.; SIZYAKIN, P.S.; RUNOVSKIY, D.N.;
SHEYNGERTS, A.R. (Rostov-na-Donu)

Treatment of burn-radiation sickness with serum of burn convalescents
in combination with early necrectomy. Pat. fiziol. i eksp. terap.
4 no. 5:3-7 S-0 '60. (MIRA 13:10)
(RADIATION SICKNESS) (BURNS AND SCALDS) (SERUM)

27-1220

25253

S/177/60/000/007/008/011
D264/D304

AUTHORS: Grivkov, G.A., Colonel, Medical Corps, Veksler, Ya.I., Candidate of Medical Sciences, Lieutenant Colonel, Medical Corps, and Sheyngerts, A.R., Candidate of Medical Sciences, Lieutenant Colonel, Medical Corps

TITLE: The features of the course of certain ailments of the internal organs against a background of radiation afflictions

PERIODICAL: Voyenno-meditsinskiy zhurnal, no. 7, 1960, 45-51

TEXT: In view of the absence of published information on changes in the clinical course of internal diseases as a result of radiation ailments, the authors studied the course of certain diseases against a background of radiation sickness. The present article deals with the results of a study of experimental exudative pleuritis and myocarditis complicated by acute radiation sickness. Data on experimental pneumonia complicated by radiation sickness can be

X

Card 1/3

The features of the course...

25253

S/177/60/000/007/008/011
D264/D304

X

found in Voyenno-meditsinskiy zhurnal, no. 7, 1956. Assisted by M.S. Lipovetskiy, the authors studied exudative pleuritis in rabbits: a) without radiation sickness, b) with radiation sickness but without pleuritis, c) with pleuritis evoked immediately after irradiation and d) 7 days after irradiation. The total radiation dose was 502 r. It was found that exudative pleuritis complicated by radiation sickness had a number of features peculiar only to the combined ailment: marked and rapid development of anemia; stormy course of pleuritis of a definite hemorrhagic nature; the formation of extensive blood clots in the pleural cavity; considerable retardation of exudate resorption; complication by pneumonia; high mortality. The disease was most severe cases where pleuritis was evoked at the height of radiation sickness. The experimental myocarditis tests were conducted in a similar manner with the assistance of D.P. Korzan and V.P. Palamarchuk. The course of myocarditis in the irradiated animals (as compared with the intact rabbits) was much more severe, often with progressive leukopenia (usually accompanied by lymphopenia) and a high mortality rate (11 out of 17 animals). The myocardium seemed to be affected earlier and more deeply than in

Card 2/3

The features of the course...

25253

S/177/60/000/007/008/011
D264/D304

the intact animals. The results show that radiation gives pleuritis and myocarditis features that are not typical of the pathological process in non-irradiated animals. There are 2 tables.

SUBMITTED: February, 1960

Card 3/3

KRIVKOV, G.A.; VEKSLER, Ya.I.; KORZAN, D.P.; SHEYNGERTS, A.R.;
KHASABOVA, V.A.; PALAMARCHUK, V.P.

Experimental myocarditis in acute radiation sickness. Pat.
fiziol. i eksp. terap. 6 no.4:81-83 J1-Ag '62. (MIRA 17:8)

VEKSLER, Ya.I., kand. med. nauk; USHAYEVA, I.I.; RADYUK, L.I.;
SHEYNGERTS, A.R., kand. med. nauk

Characteristics of the course of alloxan diabetes in
animals injured by penetrating radiation. Probl. endok. i
gorm. 9 no.3:40-43 My-Je '63. (MIRA 17:1)

KHANIN, I.M.; KUPRIYENKO, I.G.; SHEYNGOL'D, M.A.; YARENCHUK, V.A.

Basic trends in the development of the construction of coke ovens abroad using the underjet gas distribution system. Koks i khim. no.7:58-64 '60. (MIRA 13:7)

1. Dnepropetrovskiy khimiko-tehnologicheskii institut.

(Coke ovens)

"An Attachment with Mechanical Drive for Planning and Plated on the Spot"
Stereo Instrument, 17 Nov 10-11, 1966.

SHEV:COL'D, E. M. and V. L. MOREEV.

Remont oborudovaniia liteinykh tsekhov mashinostroitel'nykh zavodov.
Kiev, Mashgiz, (Ukr. otd-nie) 1950. 169 p. diags.

Bibliography: p. 168.

Repair of foundry equipment in machine-building plants.

DLC: TJ1165.M6

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of
Congress, 1953.

СОВЕТСКОЕ УДОСТОВЕРЕНИЕ

POMERANTSEV, Vadim Grigor'yevich; SHEYNGOL'D, Yefim Markoyich; AFONINA, G.;
veduchi redaktor; KUDRYAVTSEV, G., veduchi red.; PATSALYUK, P., tekhn.red.

[Modernization of machine tools] Modernizatsiia metalorizal'nykh
verstativ. Kyiv, Derzh.vyd-vo tekhn.lit-ry URSR, 1957. 62 p.
(MIRA 10:12)

(Machine tools)

ABRAMOVICH, I.I., prof., ANBINDER, A.G., inzh., ANTOSHIN, Ye.V., inzh.,
 ARKHANGEL'SKIY, L.A., inzh., ASTAF'YEV, S.S., kand. tekhn. nauk,
 AFANAS'YEV, L.A., inzh., BARGSHEYN, I.I., inzh., BORISOV, Yu. S.,
 inzh., red., BYALYY, I.L., inzh., VETVITSKIY, A.M., inzh., GERSHMAN,
 D.Kh., inzh., GINZBURG, Z.M., inzh., GOROSHKIN, A.K., inzh.,
 YEVDOKIMCHIK, Kh.I., inzh., ZHIKH, V.A., kand. tekhn. nauk,
 ZABYVAYEV, Ye. I., kand. tekhn. nauk, [deceased], ZOBIN, V.S., inzh.,
 IVANOV, G.P., kand. tekhn. nauk, KAPRANOV, P.N., inzh., KONDRATOVICH,
 V.M., inzh., KOSTEREV, S.K., inzh., KOVAL'SKIY, N.N., inzh., KRUGLYAK,
 L.A., inzh., LUKYANOV, T.P., inzh., LAPIDUS, A.S., kand. tekhn. nauk,
 LIVSHITS, G.A., kand. tekhn. nauk, LISHANSKIY, I.M., inzh., MIGALINA,
 Ye.Ya., inzh., NOSKIN, R.A., kand. tekhn. nauk; PRONIKOV, A.S.,
 doktor tekhn. nauk, REGIRER, Z.L., kand. tekhn. nauk, RUDYK, M.A.,
 inzh., SOKOLOVA, N.V., inzh., SAKLINSKIY, V.V., inzh., SAKHAROV, V.P.,
 inzh., TOKAR', M.Kh., inzh., TKACHEVSKIY, G.I., inzh., KHRUNICHEV,
 Yu.A., kand. tekhn. nauk, TSOPIN, K.G., inzh., red.; SHEYNGOL'D, Ye. M.,
 inzh., SOKOLOVA, T.F., tekhn. red.

[Handbook for machinists of machinery plants in two volumes] Spravochnik
 mekhanika mashinostroitelnogo zavoda v dvukh tomakh. Moskva, Gos.
 nauchno-tekhn. izd-vo mashinostroit. lit-ry. Vol. 2. [The technology
 of repair work] Tekhnologiya remonta. Otv. red. toma IU, S. Borisov,
 1958. 1059 p. (MIRA 11:10)

(Machinery--Maintenance and repair)
 (Machine-shop practice)

ANTOSHIN, Ye.V.

PHASE I BOOK EXPLANATION 807/3561

Spravochnik tekhnicheskikh mashinostroitel'nogo zavoda v 4 knazh tomakh.
 1. 21 Tekhnologiya remontov (Handbook for Mechanics of Machine-building
 Plants in Two Volumes. Vol. 2). Technology of Repair Operations) Moscow,
 Mashgiz, 1959. VII, 1059 p. 40,000 copies printed.

Prof. M.I. Yu.S. Borisov, Engineer; Ed.: K.O. Teopin, Engineer; Tech. Ed.:
 N.F. Bonolov; Eds. of Ser.: Yu.S. Borisov, Engineer, A.P. Vladimirovskiy,
 Doctor of Technical Sciences, and R.A. Koskin, Candidate of Technical Sciences;
 Managing Ed. for Reference Literature (Mashgiz): V.I. Krylov, Engineer.

PURPOSE: This handbook is intended for personnel responsible for repair and main-
 tenance operations in a machinery-manufacturing plant.

CONTENT: The handbook contains information pertinent to the organization of
 repair and maintenance operations, design-preparation of maintenance work, and
 economics of maintenance. Information on scientific research organizations and
 plants participating in preparation of this volume is included in the separate
 volume 1. (807/3559). There are no references. Basic topics covered include
 maintenance and making of parts in maintenance operations; metal-working,
 checking parts for precision; finishing operations; assembly work; maintenance work;
 power equipment; and maintenance of foundations.

Manufacture and maintenance of basic parts for forging and pressing
 equipment (Ginsburg, Z.L., Engineer) 319

Drop hammers 319

Forging hammers 340

Horizontal forging machines 342

Steam-hydraulic presses 344

Crack presses 345

Maintenance and manufacture of parts for hoisting machinery
 (Buzgalin, I.M., Engineer) and Byalyy, I.L., Engineer) 346

General material requirements 346

Travelling cranes 347

Lock-grabbing elements 348

Brooms 348

Blocks 348

Manufacture of bimetallic parts (Borisov, Yu.S., Engineer) 348

Method of stationary casting 349

Centrifugal method of casting 350

Manufacture of bimetallic worm gears, mita, and other parts 351

Card 9/26

ANTOSHIN, Ye. V.

.20(5)

p 3

PLANS I BOOK REPRODUCTION

807/1361

Spravochnik mekhanicheskikh mashinostroitel'nogo zavoda v drevni tomash. 1; 2; Tekhnologiya remonta (Handbook for Mechanics of Machine-Building Plants in Two Volumes. Vol. 2: Technology of Repair Operations) Moscow, Mashiz, 1958. Vol. 1, 1099 p. 40,000 copies printed.

Redp. Ed.: Yu.S. Borisov, Engineer; Ed.: K.G. Tsypin, Engineer; Tech. Ed.: Y.F. Sokolov; Eds. of Ser.: Yu.S. Borisov, Engineer, A.P. Vladimirovich, Doctor of Technical Sciences, and R.A. Soskin, Candidate of Technical Sciences; Managing Ed. for Reference Literature (Mashgiz): V.I. Krylov, Engineer.

PURPOSE: This handbook is intended for personnel responsible for repair and maintenance operations in a machinery-manufacturing plant.

CONTENTS: The handbook contains information pertinent to the organization of repair and maintenance operations, design-preparation of maintenance work, and methods of maintenance. Information on scientific research organizations and plants participating in preparation of this volume is included in the coverage of volume 1 (807/1359). There are no references. Basic topics covered include: reconditioning and making of parts in maintenance operations; metal-working; hoisting, and pipe-fitting; finishing operations involved in maintenance work; checking parts for precision; basic bench and assembly work; maintenance of power equipment; and maintenance of foundations.

- General bench work, maintenance, and assembly work 141
- Assembly of machines for repair 142
- (Charygal', Ye. M., Engineer) and Byalyy, I.L., Engineer) 143
- Metalworking operations in maintenance of equipment 144
- Straightening of deformed parts 145
- Repair of threaded holes 146
- Scraping off of surfaces 147
- Substitution of machining for scraping 148
- Lapping 149

Card 12/25

ANTOSHIN, Ye.V.

p 3

PHASE I BOOK REPRODUCTION

907/1361

Справочник махинистов машиностроительного завода имени Сталина
 1. 2: Технология ремонта (Handbook for Mechanics of Machine-building
 Plants in Two Volumes, Vol. 2: Technology of Repair Operations) Moscow,
 Mashgiz, 1958. VII, 1059 p. 40,000 copies printed.

Реф. М.: Ye.S. Borisyev, Engineer; Ed.: K.O. Tropin, Engineer; Tech. Ed.:
 T.F. Sobolova; Ed. of Ser.: Ye.S. Borisyev, Engineer, A.P. Vakhlyevskiy,
 Doctor of Technical Science, and P.A. Zoskin, Candidate of Technical Science,
 Mashgiz Ed. for Reference Literature (Mashgiz) V.I. Krylov, Engineer.

PURPOSE: This handbook is intended for personnel responsible for repair and main-
 tenance operations in a machinery-manufacturing plant.

COVERAGE: The handbook contains information pertinent to the organization of
 repair and maintenance operations, design-preparation of maintenance work, and
 economics of maintenance. Information on scientific research operations and
 plants participating in preparation of this volume is included in the sections of
 or Volume 1 (207/1359). There are no references. Basic topics covered include
 reconditioning and making of new in maintenance operations; metal-working
 drawing, and pipe-fitting; finishing operations involved in maintenance work;
 working parts for precision; basic operations involved in maintenance work;
 repair equipment; and maintenance of foundations.

- Soldering, tinning, and lining with babbit (Shayngal'd, Ye.M., Engineer)
- Engineer; and Ryaly7, I.L., Engineer
- Soldering and tinning
- Lining bearings with babbit
- Assembly operations (Shayngal'd, Ye.M., Engineer, and Ryaly7, I.L.,
 Engineer)
- Organizing assembly operations
- Assembly of fixed joints
- Installation of roller bearings
- Bolt joints
- Fitting of joints
- Installation of joining pins
- Assembly of belt and chain drives
- Assembly of gear and worm drives
- Balancing of rotating parts and assemblies (Sobolova, I.Y., Engineer)
- Methods of static balancing
- Methods of dynamic balancing

444
 445
 446
 447
 449
 449
 449
 452
 456
 457
 458
 458
 460
 461
 462

Card 13/26

ANTOSHIN, Ye V

.25(5)

PLANE I BOOK EXPLOITATION

807/1561

Spravochnik mekhanika mashinostroitel'noy servisa v druzh tozhestvo. T. 2: Tekhnologiya remontov. (Handbook for Mechanics of Machine-Building Plants in Two Volumes. Vol. 2: Technology of Repair Operations) Moscow, Mashgiz, 1956, VII, 1099 p. 40,000 copies printed.

Resp. Ed.: Yu.S. Borisov, Engineer; Ed.: K.G. Topilo, Engineer; Tech. Ed.: I.Y. Sokolov, Ed. of Bet: Yu.S. Borisov, Engineer, A.P. Vladimirov, Editor of Technical Sciences, and N.A. Kostin, Candidate of Technical Sciences; Managing Ed. for Reference Literature (Mashgiz): V.I. Krylov, Engineer.

NOTE: This handbook is intended for personnel responsible for repair and maintenance operations in a machinery-manufacturing plant.

CONTENTS: The handbook contains information pertinent to the organization of repair and maintenance operations, design-preparation of maintenance work, and planning of maintenance. Information on scientific research organizations and their participation in preparation of this volume is included in the coverage of reconditioning (807/1559). There are no references. Basic topics covered include: boring, and pipe-cutting; finishing operations involved in maintenance work; checking parts for precision; basic bench and assembly work; maintenance of power equipment; and maintenance of foundations.

Techniques used in checking geometric shapes and the interrelationship of machine parts (Shaynughid, Ye.M., Engineer) and Spalyty, I.L., Engineer) 601

Basic rules followed in checking 601

Use of a flatness gage 601

Manufacture, use, and maintenance of the flatness gage 601

Checking the rectilinearity of guides 604

Revisions for checking the position of assemblies and parts 608

608

Methods of measuring the geometric precision of machine tools 615

(Sokolov, I.Y., Engineer) 615

Checking the flatness of machine tool working parts which 616

support the machined item 616

Methods of measuring the geometric precision of machine tools 616

(Sokolov, I.Y., Engineer) 616

Checking the flatness of machine tool working parts which 616

support the machined item 616

Methods of measuring the geometric precision of machine tools 616

(Sokolov, I.Y., Engineer) 616

Checking the flatness of machine tool working parts which 616

support the machined item 616

Methods of measuring the geometric precision of machine tools 616

(Sokolov, I.Y., Engineer) 616

Checking the flatness of machine tool working parts which 616

support the machined item 616

Methods of measuring the geometric precision of machine tools 616

(Sokolov, I.Y., Engineer) 616

Checking the flatness of machine tool working parts which 616

support the machined item 616

Methods of measuring the geometric precision of machine tools 616

(Sokolov, I.Y., Engineer) 616

Checking the flatness of machine tool working parts which 616

support the machined item 616

Card 17/85

ANTOSHIN, Ye V

PLAN I BOOK EXPLOITATION

80V/1361

p 3

Spravochnik mekhanika mashinostroitel'nogo zavoda v dnuh tomakh
t. 2: Tekhnologiya remonta (Handbook of Mechanics of Machine-building
Plants in Two Volumes Vol. 2: Technology of Repair Operations) Moscow,
Mashgiz, 1958. VII, 1059 p. 40,000 copies printed.

Bezp. kl. Yu.S. Borisov, Engineer; Ed.: K.G. Troits, Engineer; Tech. Ed.:
T.P. Sokolov; Ed. of Ser: Yu.S. Borisov, Engineer, A.P. Vlasivskiy,
Doctor of Technical Sciences, and R.A. Kostin, Candidate of Technical Sciences;
Managing Ed. for Reference Literature (Mashgiz): V.I. Krylov, Engineer.

PURPOSE: This handbook is intended for personnel responsible for repair and main-
tenance operations in a machinery-manufacturing plant.

CONTENTS: The handbook contains information pertinent to the organization of
repair and maintenance operations and preparation of maintenance work, and
methods of maintenance. Information on scientific research organizations and
plants participating in preparation of this volume is included in the coverage
of Volume 1 (80V/1359). There are no references. Basic topics covered include
reconditioning and making of parts in maintenance operations; metal-working,
hoisting, and pipe-fitting; finishing operations involved in maintenance work;
checking parts for precision; basic bench and assembly work; maintenance of
power equipment; and maintenance of foundations.

Checking the rigidity of metal-cutting machine tools (Sokolov, M.V.,
Engineer) 755

Ch. V. Basic Bench and Assembly Work and Adjustment of Coordinates in
the Maintenance of Industrial Equipment (Sheynyal'g, Ye. M.,
Engineer; Ed. Prilyi, I.L., Engineer)
Maintenance of metal-cutting machine tools
760
761
762
763
764
765
766

Card 19/86

LEVCHUK, G.G., inzh.; SHEYNGOL'D, Ye.M., inzh.; BYALYY, I.L., inzh.

Introducing new technological processes for equipment repair.
Vest.mashinostr. 42 no.6:43-47 Je '62. (MIRA 15:6)
(Charkov--Industrial equipment--Maintenance and repair)

SHEYNGOL'D, Ye.M.

Hoisting devices for easing the work of repair mechanics.
Mashinostroitel' no.9:20-22 S '63. . . (MIRA 16:10)

(Hoisting machinery)

SHEYNIN, A., kandidat tekhnicheskikh nauk.

Some problems of introducing the aggregate method of repair.
Avt.transp.33 no.10:13-15 0'55. (MIRA 9:1)

1. Zamestitel' nachal'nika Tekhnicheskogo upravleniya Ministerstva
avtomobil'nogo transporta i shosseynykh dorog SSSR.
(Motortrucks--Repairing)

SHEYNIN, A., kand.tekhn.nauk; KUZ'MIN, N., inzh.

Effect of the transportation distance on automobile fuel
consumption. Avt.transp. 35 no.9:14-15 S '57. (MIRA 10:10)
(Automobiles--Fuel consumption)
(Transportation, Automotive)

SHEYNIN, A.

Calculation and analysis of fuel consumption (according to
new norms). Avt. transp. 38 no. 12:21-23 D '60. (MIRA 13:12)
(Motor vehicles--Fuel consumption)

SHEYNIN, A., kand.tekhn.nauk; KORNEICHEV, N., inzh.

Increasing the durability of tires. Avt.transp. 40
no.11:16-18 N '62. (MIRA 15:12)

1. Proizvodstvenno-tekhnicheskoye upravleniye Ministerstva
avtomobil'nogo transporta i shosseynykh dorog RSFSR.
(Tires, Rubber—Maintenance and repair)

SHEYNIN, A.

Reports must be accurate. Fin. SSSR 22 no.10:65-68 0 '61.
(MIRA 14:9)

1. Zamestitel' glavnogo bukhaltera upravleniya stroitel'stva
Novosibirskogo sovmarkhoza.
(Novosibirsk Province--Construction industry--Accounting)

SHEYNIN, A., kand. tekhn. nauk

Development of an economic and technical base for automotive
transportation. Avt. transp. 41 no.8:19-21 Ag '63.
(MIRA 16:11)

SHEYNIN, A., kand. tekhn. nauk

Calculating maintenance and repair requirements of a motor vehicle fleet.
Avt. transp. 42 no.9:22-26 S '64. (MIRA 17:1)

PORTNOVA, S.L.; BEHEZNIKOV, V.M.; ANANCHENKO, S.N.; SHEINKER, Yu.N.;
TORGOV, I.V.

Nuclear magnetic resonance of some D-homosteroids. Dokl. AN
SSSR 166 no.1:125-128 Ja '66.

(MIRA 19:1)

1. Submitted March 27, 1965.

SHAYMIN A. B.

USSR/Chemistry - Physical Chemistry

Aug 52

"The States of Iodine in Several Organic Solvents," S. A. Zhukharyev, L. S. Lilich and A. B. Sheynin

"DAN SSSR" Vol 85, No 6, pp 1333-1335

It is believed that a coordination bond arises between the I and the solvent mol when I is dissolved in an org solvent. In the present work, I is dissolved in varying concns in solvents (CCl_4 , $\text{C}_2\text{H}_5\text{Cl}$, $\text{C}_2\text{H}_5\text{Br}$, $\text{C}_4\text{H}_9\text{Br}$, and $\text{C}_2\text{H}_5\text{I}$) and the vapor pressures of I noted. It is found to decrease in the following order: CCl_4 RCl RBr RI . The vapor pressure of I_2 over CCl_4 follows Henry's law of soln. The degree of interaction of I with the solvent increases with the degree of the electron-donating properties of the solvent. The hypothesis of the formation of a coordination-covalent bond between the I and the solvent is confirmed. Presented by Acad A. N. Terenin 18 Jun 52

238T18

See Y.M.N., 7.15.

USSR/Physical Chemistry - Thermodynamics, Thermochemistry, B-8
Equilibria, Physical-Chemical Analysis, Phase Transitions.

Abs Jour : Referat Zhur - Khimiya, No 1, 1958, 370

Author : Yu.S. Varshavskiy, A.Ya. Kapnis, A.B. Sheynin

Inst : Academy of Sciences of USSR

Title : Composition of Equilibrium Gaseous Phase above Binary
Solution and Van der Waals Equation.

Orig Pub : Zh. fiz. khimii, 1957, 31, No 5, 1166-1168

Abstract : Discussion article. See Reshetnikov M.A., Dokl. AN
SSSR, 1949, 68, 531.

Card 1/1

SOV/80-32-5-18/52

5(4)

AUTHORS: Kheyfets, V.L., Sheynin, A.B.

TITLE: The Inter-Phase Tension in Some Sulfide-Silicate Systems at High Temperature

PERIODICAL: Zhurnal prikladnoy khimii, 1959, Vol 32, Nr 5, pp 1039-1042 (USSR)

ABSTRACT: The measurement of the surface tension on the boundary of two liquid phases is very difficult. For this purpose a new method has been applied, based on the determination of the boundary angle between the two phases. At a low size of the immersed droplet both its halves can be regarded as segments of a circle, from which the angle can be calculated. A similar idea has been used in the method employed by Mikiashvili, Samarin and Tsylev [Refs 2, 3]. Molten systems of the type matte-slag are investigated here, which are important for the non-ferrous metallurgy. The surface tension on the boundaries matte-gas and slag-gas was determined by the method of the maximum pressure of gas bubbles [Refs 4, 5]. A slag drop of 0.2 - 0.5 g was immersed into the system which was kept in a flow of nitrogen for 30 min at 1,300°C. Then the size of the droplet magnified 10-fold was projected on a screen. The error was 5-10%. Both the surface and inter-phase

Card 1/3

SOV/80-32-5-18/52

The Inter-Phase Tension in Some Sulfide-Silicate Systems at High Temperature

tension decrease with the increase of iron sulfide content in the melt. Analogous relations were found by Sryvalin, Yesin and Nikitin [Refs 8,9] for the systems Cu_2S-FeS and $Cu_2S-Ni_3S_2$. For the calculation of the inter-phase tension the data of Vanyukov and Ivanov [Ref 10] were also used. The surface tension of slags is the lower, the higher the silica content in them. The substitution of CaO by FeO increases the inter-phase tension. The "mechanical" losses in the nickel production can be reduced by increasing the inter-phase tension which facilitates the aggregation of the matte reguli. The surface tension increases with the decrease of the nickel content in the matte. There are: 3 graphs, 1 diagram and 10 references, 7 of which are Soviet, 2 English and 1 German.

Card 2/3

SOV/80-32-5-18/52

The Inter-Phase Tension in Some Sulfide-Silicate Systems at High Temperature

ASSOCIATION: Proyeektnyy i nauchno-issledovatel-skiy institut nikelevoy, kobal'tovoy i olovyannoy promyshlennosti (Planning and Scientific Research Institute of the Nickel, Cobalt and Tin Industry)

SUBMITTED: February 18, 1958

Card 3/3

SOV/76-33-9-9/37

5(4)

AUTHORS:

Kheyfets, V. L., Sheynin, A. B.

TITLE:

Oscillographic Investigation of the Kinetics of Electrode Processes. I) Method

PERIODICAL:

Zhurnal fizicheskoy khimii, 1959, Vol 33, Nr 9, pp 1945-1950
(USSR)

ABSTRACT:

An investigation of the kinetics of electrode processes by means of oscillographic diagrams with the coordinates potential-time as obtained by the switching on and off of the polarization current was already performed by V. A. Royter et al (Refs 1-3). A. T. Vagranyan and Z. A. Solov'yeva (Ref 8) pointed out that the short recording time of the oscillographic method is an advantage of such kind that the influence of a surface change of the electrode is avoided. Citing the works of V. A. Royter, V. A. Yuza, Ye. S. Poluyan (Ref 1) and V. I. Kravtsov (Ref 6) a method of analyzing oscillograms as obtained by switching on and off of the current is described in the present paper, which may be applied to arbitrary amounts of polarization and permits the determination of the amount of the exchange current i_0 and the coefficients α and β . The effect of a parallel proceeding electrochemical secondary

Card 1/2

SOV/76-33-9-9/37

Oscillographic Investigation of the Kinetics of Electrode Processes.

I) Method

process on the electrode upon the shape of the oscillogram is discussed and confirmed that no such effect may be ascertained as long as the contribution of the by-process does not exceed 20%. The analysis of the influence of concentration changes on the phase boundary electrode-electrolyte upon oscillograms confirmed (equations (17) and (18)) that for cathode polarization the current change is proportional to activity changes on the boundary electrode-electrolyte so that the described method is not applicable, while it may be applied for anode polarization that is not too low. There are 10 references, 8 of which are Soviet.

ASSOCIATION: Institut nikel'evoy, kobal'tovoy i cloyannoy promyshlennosti Gipronikel' (Institute of the Nickel, Cobalt and Tin Industry Gipronikel')

SUBMITTED: February 19, 1958

Card 2/2

VARSHAVSKIY, Yu.S.; KIPNIS, A.Ya.; SHEYNIN, A.B.

More about the approximate equation of Van der Waals. Zhur.
fiz.khim.34 no.1:211 Ja '60. (MIRA 13:5)
(Equation of state)

ZINOV'YEV, V.A.; SHEYNIN, A.B.; KHEYFETS, V.L.

Oscillographic study of the kinetics of electrode processes.
Part 2: Cobalt electrode in cobalt sulfate solutions. Zhur. fiz.
khim. 35 no.1:98-101 Ja'61. (MIRA 14:2)

1. Gosudarstvennyy institut nikel'evoy, kobal'tovoy i olobyannoy
promyshlennosti. (Cobalt)

SHEYNIN, A.B.; ZINOV'YEV, B.A.; KHEYFETS, V.L. (Leningrad)

Oscillographic study of the kinetics of electrode processes. Part 3:
Cobalt electrode in solutions of various compositions. Zhur. fiz.
khim. 35 no.3:513-516 Mr '61. (MIRA 14:3)

1. Institut nikelovoy, kobal'tovoy i olovyannoy promyshlennosti
Leningrad.

(Electrodes, Cobalt)

KHEYFETS, V.L.; SHEYNIN, A.B.; KRASIL'SHCHIK, B.Ya.; FISHER, Yu.V.

Measurement of the differential capacity of electrodes and of the resistance of electrochemical reactions by means of alternating current. Zhur.prikl.khim. 35 no.7:1550-1556
Jl '62. (MIRA 15:8)

1. Gosudarstvennyy institut po proyektirovaniyu predpriyatiy promyshlennosti.

(Electrodes)

(Electrochemistry)

VARSHAVSKIY, Yu.S.; SHEYNIN, A.B.

Entropy of systems containing scarcely distinguishable components.
Dokl. AN SSSR 148 no.5:1099-1101 F '63. (MIRA 16:3)

1. Predstavleno akademikom A.A.Grinbergom.
(Entropy) (Gases)

VIKTORETSKIY, G.M.; SHKININ, A.B.

Regularities of continuous leaching at constant active reagent concentrations. Izv. vys. ucheb. zav.; byst. met. 7 no.6:38-44 (MIRA 18:3)

1. Institut "Gipronikal" i leningradskiy gornyy institut.

SHEYNIN, A.B.; RYTVINSKAYA, M.V.; KHEYFETS, V.L. (Leningrad)

Oscillographic study of the kinetics of electrode processes.
Part 4. Zhur.fiz.khim. 38 no.11:2562-2568 N '64.

(MIRA 18:2)

1. Nauchno-issledovatel'skiy i proyektnyy institut "Gipronikel".

VIGDORCHIK, Ye.M.; SHEYNIN, A.B.

Analytical regularities of continuous dissolution with recirculation of the solid phase. Izv. vys. ucheb. zav.; tsvet. met. 8 no.1:43-51 '65. (MIRA 18:6)

1. Nauchno-issledovatel'skiy i proyektnyy institut "Gipronikel".

VICTORNIK, Ye.M.; ZHEVNIK, A.B.

Mathematical description of continuous processes of dissolution.
Dokl. AN SSSR 100 no.4:679-682 F 165. (MIRA 18:2)

1. Proyektnyy i nauchno-issledovatel'skiy institut "Gipronikel".

VIGDORCHIK, Ye.M.; SHEYNIN, A.B.

Continuous dissolution in a cascade of reactors with a constant concentration of the active reagent. Dokl. AN SSSR 160 no.3:661-664 Ja '65. (MIRA 18:3)

1. Proyeektnyy i nauchno-issledovatel'skiy institut Gipronikel'. Submitted July 18, 1964.

KOROGODSKIY, M.V.; SHEYNIN, A.M., redaktor; MULIKOVA, I.F., tekhnicheskii redaktor

[Work practice with automobile trains; work practice of driver V.P. Bondarchuk of the auto brigade of the All-Union transportation Maintenance Association] Opyt raboty na avtopoezde; iz opyta raboty shofera Kirovogradskoi avtoroty Soiuzzagottransa V.P. Bondarchuka. Moskva, Nauchno-tekhn. izd-vo avto-transportnoi lit-ry, 1955. 30 p. (MLRA 9:2)

(Automobile trains)

SHEYNIN, A.M., kandidat tekhnicheskikh nauk.

Effect of operation factors on fuel consumption in automobiles.
Trudy MADI no.19:80-101 '56. (MIRA 10:1)
(Automobiles--Fuel consumption)

BRONSHTEYN, L.A., kand.tekhn.nauk; nauchnyy sotrudnik; BILIBIN, I.V.,
nauchnyy sotrudnik; KVITCHENKO, Ya.P., nauchnyy sotrudnik;
LEVIN, D.M., nauchnyy sotrudnik; NADEZHIN, B.N., nauchnyy
sotrudnik; NOVIKOVA, A.I., nauchnyy sotrudnik; PONIZOVKIN,
A.N., nauchnyy sotrudnik; SHEYNIN, A.M., nauchnyy sotrudnik;
ZUYEVA, N.K., tekhn.red.

[Operational and economic evaluation of truck-trains of various
composition] Ekspluatatsionno-ekonomicheskaya otsenka avtopoezdov
razlichnogo sostava. Moskva, Nauchno-tekhn.izd-vo avtotransp.
lit-ry. No.1. [ZIL truck train] Avtopoezda ZIL. 1958. 58 p.
(MIRA 12:12)

1. Moscow. Nauchno-issledovatel'skiy institut avtomobil'nogo
transporta. 2. Nauchno-issledovatel'skiy institut avtomobil'nogo
transporta (for all except Zuyeva).
(Automobile trains)

ILARIONOV, Vitaliy Alekseyevich, kand.tekhn.nauk; MORIN, Mikhail Mikhaylovich,
kand.tekhn.nauk; SHEYNIN, Aleksandr Mikhaylovich, kand.tekhn.nauk;
MASHCHENKO, A.F., red.; GALAKTIONOVA, Ye.N., tekhn.red.

[The theory of motor vehicles] Teoriia avtomobilis. Moskva,
nauchno-tekhn.izd-vo M-va avtomobil'nogo transp. i shosseinykh dorog
RSFSR, Moskva, 1960. 186 p. (MIRA 13:12)
(Motor vehicles)

BRONSHTEYN, L.A., kand.tekhn.nauk; BRUSYANTSEV, N.V., kand.tekhn.nauk;
GRECHINSKAYA, L.T., inzh.; GROZOVSKIY, T.S., kand.tekhn.nauk;
KRAMARENKO, G.V., kand.tekhn.nauk; KRICHEVSKIY, Z.A., inzh.;
LEVIN, D.M., kand.tekhn.nauk [deceased]; Prinimáli uchastiye:
BEGETEREV, G.N., kand.tekhn.nauk; SHEYNIN, A.M., kand.tekhn.nauk;
SHLIPPE, I.S., kand.tekhn.nauk; NAYDENOV, B.F., inzh. AFANAS'YEV,
L.L., kand.tekhn.nauk, red.; VASIL'YEVA, I.A., red.izd-va; UVAROVA,
A.F., tekhn.red.

[Handbook for automotive transportation] Avtotransportnyi spravochnik. Izd.4., ispr. i dop. Pod obshchei red. L.L.Afnas'eva. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960.
819 p. (MIRA 13:12)
(Transportation, Automotive--Handbooks, manuals, etc.)

^{M.}
SHEYNIN, A., kand.tekhn.nauk

New uniform standards for motor vehicle fuel consumption. Avt.
transp. 38 no. 5:15-18 My '60. (MIRA 14:2)
(Motor vehicles--Fuel consumption)

SHEYNIN, Aleksandr Mikhaylovich; BORISOV, Mikhail Ivanovich; FILIN, A.G.,
red.; DONSKAYA, G.D., tekhn. red.

[Standards of liquid fuel consumption for automobiles; reference
book] Normy raskhoda zhidkogo topliva dlia avtomobilei; spravochnik.
Moskva, Nauchno-tekhn. izd-vo M-va avtomobil'nogo transp. i shosseinykh
dorog RSFSR, 1961. 174 p. (MIRA 14:7)
(Automobiles—Fuel consumption)

SHEYNIN, A.,^Mkand.tekhn.nauk; MARSKIY, Ye., inzh.

More attention to the mechanization and automation of maintenance and repair of motor vehicles. Avt.transp. 40 no.9:6-7 S '62.
(MIRA 15:9)


1. Proizvodstvenno-tekhnicheskoye upravleniye Ministerstva avtomobil'nogo transporta i shosseynykh dorog RSFSR.
(Motor vehicles—Maintenance and repair)


SHEVNI, Aleksandr Mikhaylovich, kand. tekhn. nauk; ILARIONOV,
V.A., red.; GALAKTIONOVA, Ye.N., tekhn.red.

[Operating fuel efficiency of motor vehicles] Eksplua-
tatsionnaia toplivnaia ekonomichnost' avtomobilei. Mo-
skva, Avtotransizdat, 1963. 167 p. (MIRA 17:1)
(Motor vehicles—Fuel consumption)

PINUS, E.R., inzh.; KORSHUNOV, V.I., inzh.; SHEYNIN, A.M., inzh.

Utilization of the waste from crushed carbonaceous rocks in
concrete. Avt. dor. 28 no.5:20-22 My '65. (MIRA 18:11)





SHEYNIN, B. I.

Sheynin, B. I. - "Methods of developing gas-turbine equipment", Trudy Rost. n/D in-ta s.-kh. mashinostroyeniya, Issue 4, 1948, p. 65-77, - Bibliog: 5 items.

SO: U-411, 17 July 53, (Letopis 'Zhurnal 'nykh Statey, No. 20, 1949).

SHEYNIN, B. I.

Sheynin, B. I. - "Preheating the input air in cupolas", Trudy Rost. n/D in-ta s.-kh. mashinostroyeniya, Issue 4, 1948, p. 101-05.

SO: U-411, 17 July 53, (Letopis 'Zhurnal 'nykh Statey, No. 20, 1949).

SHEYNIN, B. I.

PA 46/49T34

USSR/Engineering
Fuel Conservation
Power Plants, Electric

Aug 48

"Rostov Oblast Scientific-Technical Meeting on
Fuel Economy," B. I. Sheynin, Cand Tech Sci,
3 pp

"Za Ekonomiyu Topliva" Vol V, No 8

Eighty-five industrial-power engineers, elec-
trical engineers, and government representatives
participated in subject conference, 25-26 May 48.
Heard and considered 13 reports, five on intro-
duction of new techniques and improvement in
fuel utilization in oblast electric power plants.
46/49T34

SHEYNIN, B. I.

33104

Теплоотдача Парогазовой Смеси S Небольшим Soderzhanie Para. Trudy Rost. N/D In-Ta.
S. Zh. Mashinostroeniya, Vyp 5, 1949, C. 85-90. -Bibliogr: 5 Nazv.

SO: Letopis' Zhurnal'nykh Statey, Vol. 45, Moskva, 1949

F

0

1635. OPERATION OF MIXERS OF GAS (HEAT TREATMENT) FURNACES ON HOT GAS. Sheinin, B.I. (Za Eksp. Topliva (Fuel Econ.), Aug. 1951, 18-21). The mixers referred to are for mixing producer gas and air prior to flameless combustion. Their design and operation are treated theoretically. (L).

SHEYNIN, B. I.

ABRAMOV, A.S.; SHEYNIN, B.I.; LEBEDEV, M.V., redaktor; NOVOCHADOV, A.G.,
redaktor; GUROVA, O.A., tekhnicheskiy redaktor.

[Fuel, furnaces and boiler installations] Toplivo, topki i ko-
tel'nye ustanovki. Moskva, Izd-vo Ministerstva kommunal'nogo
khoziaistva RSFSR, 1953. 247 p. (MLRA 7:8)
(Boilers)

Mashinist upravleniya kompressora (Piston Compressor Operators), Gossonergizdat.

The booklet describes problems of theory, functioning, and arrangement of compressors, and includes instruction for the care, tending, and maintenance of piston compression units, and measures for organizing the work area of operators.

The booklet is intended for piston-compressor operators.

SO: Sovetskaya kniga (Soviet Books), No. 163, 1953, Moscow, (U-6472)

LAVROV, N. A., Eng.; MEYNIK, B. I.

Coal, Pulverized

Practical scheme for supplying coal dust from air mills to burners. Elek. sta. 23,
No. 2, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

YURENEV, V.N.[author]; BAZHENOV, I.G.; SHEYNIN, B.I., kandidat tekhnicheskikh nauk [reviewers].

"Industrial steam turbine electric power plants." Elek.sta. 24 no.7:63-64
Jl '53. (MLBA 6:7)

(Electric power plants) (Iurenev, V.N.)

USSR/Engineering - Power

FD-2245

Card 1/1 Pub 41-13/17

Author : Katarzhis, A. K., Kosterin, S. I., and Sheynin, B. I., Moscow

Title : An electrical method of registering the separation of a steam-water mixture

Periodical : Izv. AN SSSR. Otd. Tekh. Nauk 2, 132-136, Feb 1955

Abstract : Describes a method for registering the separation of a steam-water mixture by using an electrically heated filament. The device works on the principle that the filament would have different heat emissions in steam and water. Diagrams, table. One USSR reference.

Institution:

Submitted : January 31, 1955

AID P - 1321

Subject : USSR/Engineering

Card 1/2 Pub. 110-a - 3/19

Authors : Davidov, A. A., Eng., Polyakov, V. V., Eng. and Sheynin, B. I., Kand. of Tech. Sci.

Title : Study of the distribution of the steam-water mixture from the header along the piping system

Periodical : Teploenergetika, 2, 15-19, F 1955

Abstract : The results of research experiments are presented concerning the distribution of the steam-water mixture as observed on laboratory test equipment. Those experiments show the relation existing between the indexes of distribution of the steam-water mixture and of the volume load per second of the distributing header. Recommendations are presented concerning the choice of some elements of construction. Diagrams, charts.

Teploenergetika, 2, 15-19, F 1955

AID P - 1321

Card 2/2 Pub. 110-a - 3/19

Institutions: Institute of Power Engineering, Academy of Sciences,
USSR; TETS #9 of Mosenergo (Moscow Power Plant System);
BPK (Bureau for the Construction of Continuously
Operating Coal Boilers).

Submitted : No date

SHE 1, 1, 1

AID P - 3393

Subject : USSR/Electricity
Card 1/1 Pub. 29 - 8/30
Authors : Krasnoperov, F. A., and B. I. Sheynin, Engs.
Title : Cooling of the supporting crown of a boiler
Periodical : Energetik, 3, 10, 14-15, 0 1955
Abstract : The author describes a 150 t/hr capacity Ramsin once-through boiler which was interrupted several times in its operation because of the burning out of its crown. A cooling of the crown was developed, which the author describes as successful. Two drawings.
Institution : None
Submitted : No date

KOSTERIN, S.I., doktor tekhnicheskikh nauk; SHEYNIH, B.I., kandidat tekhnicheskikh nauk; KATARZHIS, A.K., inzhener.

Experimental characteristics of the occurrent flow of a steam-water mixture in a straight horizontal tube. Teploenergetika 3 no.1:22-26 Ja '56. (MLRA 9:2)

1. Energeticheskiy institut Akademii nauk SSSR.
(Fluid dynamics)

~~SECRET~~ SHENIN, B.I., kandidat tekhnicheskikh nauk; VOLEOVA, V.I., inzhener.

Investigating the effect of the velocity of a steam-water mixture in the dispensing collector on the distribution among the parallel turns. Teploenergetika 4 no.9:37-40 S '57. (MLRA 10:8)

1. Energeticheskiy institut Akademii nauk SSSR i Moskovskoye otdeleniye tsentral'nogo kotloturbinnogo instituta.
(Boilers)

AUTHOR: Kosterin, S.I., Doctor Tech.Sci. and Sheynin, B.I., SOV/96-58-6-14/24
Cand.Tech.Sci.

TITLE: Hydraulic frictional resistance to flow of a steam/water mixture in a straight horizontal tube. (Gidravlicheskiye soprotivleniya treniya techeniyu parovodyanoy smesi v pryamoy gorizonta'l'noy trube).

PERIODICAL: Teploenergetika, 1958, V. 5. No.6. (USSR) pp. 71-76

ABSTRACT: Two methods have been used to calculate the hydraulic frictional resistance to flow of a two-phase mixture in a tube. The first employs the Darcy-Weissbach formula, which is clearly arbitrary. The second method of calculation is based on relative pressure drops: this method is convenient both in theory and practice, and is used by many investigators. To clarify the main relationships of the hydrodynamics of flow of a two-phase system in a straight horizontal tube, an analytical study is made of the most typical flow structure. Under a wide variety of conditions the flow separates out into two layers: this was observed under various conditions with steam contents by weight ranging from 15 to 65% (see fig.2.), and was accordingly taken as the typical mode of flow. An expression is derived for the specific pressure-drop in the liquid phase, which is equal to that in the gas phase. Then a dimensionless expression is derived for the pressure drop, which is expressed in

Card 1/3