

IVANOV, V., polkovnik; MARAKAZOV, A.I., red.; SOMINSKIY, Ye.M.,
red.

[Aviation equipment of the air forces of capitalist
countries; a collection of translated articles] Avia-
tsionnaya tekhnika VVS kapitalisticheskikh stran; sbor-
nik perevodnykh statei. Moskva, Voenizdat, 1964. 269 p.
(MIRA 18:9)

SOV/155-58-8-13/30

AUTHORS: Teterin, P.K., Klyuchkin, N.I., Candidates of Technical Sciences and Iusorina, I.Ye., Korepanov, S.P., Sominskiy, Z.A., and El'bert, S.M., Engineers

TITLE: The Production of Two-layer Soldered Tubes (Proizvodstvo dvusloynykh payanykh trub)

PERIODICAL: Stal', 1958, Nr 8, pp 722 - 726 (USSR)

ABSTRACT: The process of production of two-layer soldered tubes was developed by TsNIIChM and tested on the Sinar'skiy Pipe Plant. The tubes are made from a cold-rolled steel strip coated on both sides with a thin layer of copper. The edges of the strip are bevelled and the strip is formed into a two-layer tube semis with a close contact of the layers and overlapping of edges (Figure 1). The tube semis are passed through an electric furnace, heated to a temperature somewhat higher than the melting temperature of copper. The heating and cooling is done in a protective atmosphere. During the heating, soldering of the layers along the whole contact surface takes place. Thus, the manufacturing process consists of four main operations: copper coating of strip, bevel cutting of edges, forming of strip into tube semis and soldering. This kind of tube is being produced within a range of diameters from 6 to 16 mm with

Card1/4

SOV/133-58-8-13/30

The Production of Two-layer Soldered Tubes

the wall thicknesses from 0.6 to 0.9 mm. Low-carbon, mild steel (08) cold-rolled strip, 0.3 - 0.45 mm in thickness supplied in an annealed state in coils of a width corresponding to the required diameter of the tubes is used as a starting material. The strip is electrolytically coated with copper to a thickness of 4μ ; 1μ of copper is deposited from the cyanide electrolyte and 3μ from an acid electrolyte. The coating process is continuous (Figure 2, table). The speed of strip through the electrolytic baths varies from 2.85 to 9.65 m/min, depending on its width. Cutting of edges is done in one pass without liquid cooling of knives. The rate of cutting up to 65 m/min (Figures 3 and 4). Forming of strip according to scheme shown in Figure 5 is done on a continuous 14-stand mill (Figure 6) produced by TsKBMM TsNIITMASH at a rate of 30-45 m/min. Formed semis are cut into a measured length (14 100 nm). Lots of 30 semis are passed for soldering in an electric resistance furnace (Figure 7) consisting of two chambers: heating and cooling. The temperature of the heating chamber is maintained at $1130 - 1140^{\circ}\text{C}$. The rate of

Card2/4

SCV/133-58-8-13/3C

The Production of Two-layer Soldered Tubes

passage through the furnace varies from 0.78 to 2.0 m/min, depending on the tube diameter. Protective atmosphere is obtained from charcoal gas producer (CO 31-37%, $\text{H}_2 \geq 11\%$, CH_4 0.2-0.7%, CO_2 1-4%, humidity 7-10 g/m³). In order to retain a uniform distribution of copper on the surface of tubes during soldering, the latter are coated with a thin layer of a special coating material (not specified) before soldering. It is stated that the mechanical properties of tubes are similar to those of seamless tubes from mild steel (tensile strength 38-42 kg/mm², relative elongation 24-30% and pass the hydraulic test according to GOST 301-50). It is pointed out that the process of production of the above tubes is already introduced into practice. It presents significant, technical and economic advantages in comparison with the drawing process. Such tubes can replace

Card 3/4

The Production of Two-layer Soldered Tubes

SOV/133-58-3-13/30

successfully steel seamless tubes as well as copper and brass tubes, thus providing a large saving of non-ferrous metals.

There are 7 figures and 1 table.

ASSOCIATION: TsNIIChM and Sinarskiy trubnyy zavod (Sinarskiy Pipe Plant)

Card 4/4

1. Pipes--Production 2. Steel--Coatings 3. Furnaces--Applications

POPOV, Andrey Dmitriyevich; SOMINSKIY, Zel'man Abelevich; KHAKHALIN, Boris
Dmitriyevich; EL'BERT, Semen Moiseyevich; FILIPPOV, A.S., kand.
tekhn. nauk, retsenzent; DUGINA, N.A., tekhn. red.

[Continuous pouring of cast iron] Nepreryvnos lit'e chuguna. Mo-
skva, Mashgiz, 1961. 110 p. (MIRA 14:11)
(Continuous casting) (Cast iron)

BISK, M.B.; SOMINSKIY, Z.A.; SHVEYKIN, V.V.

Tube drawing with self-centering mandrels on rectilinear-type mills.
Stal' 23 no.6:536-540 Je '63. (MIRA 16:10)

1. SinarSKIY trubnyy zavod i Ural'skiy politekhnicheskiy institut.

L 13052-66 EWT(m)/EWA(d)/EWP(t)/EWP(k)/EWP(z)/EWP(b)/EWA(c) MJW/JD/HW
ACC NR: AP5027911 SOURCE CODE: UR/0133/65/000/011/1021/1023

AUTHOR: Sominskiy, Z. A.; El'bert, S. M.; Bisk, M. B.; Potopayev, A. P.; Kazachkov,
B. M.; Borodin, A. I.; Chistyakov, V. G.

ORG: none

TITLE: Parameter refinement in the hot working of tubes made from Kh18N10T, 30KhGSA
and Kh5M steels

SOURCE: Stal', no. 11, 1965, 1021-1023

TOPIC TAGS: tool steel, metal tube, plastic deformation

ABSTRACT: Optimum preheating schedules are established for the subsequent hot working of tubes made of Kh18N10T steel. Care was taken to hold the mandrel temperature below 600°C in order to preserve the useful tool life. Thermocouples were placed into various portions of the mandrel and the temperatures measured for varying conditions. All tubes were drawn to 100 m air blast, water-air spray mixture and water spray cooling was employed. A mixture of zinc oxide and graphite was used as a lubricant. Data are presented for tubes drawn to 40, 50, 60 and 70 m after various preheat temperatures (between 80 and 250°C) and for the cooling methods discussed above. Data on the change in mandrel temperature showed a large degree of variation (310 to 510°C) increasing with draw length and preheat temperature. The cooling efficiency also was

UDC: 621.774.39

Card 1/3

L 13052-66

ACC NR: AP5027911

a significant factor, the highest cooling rate being achieved with water spray cooling. For Kh18N10T steel, the preheat temperature recommended was between 150-200°C. The other phase of the study dealt with the determination of optimum temperature intervals for the hot deformation of 30KhGSA and Kh5M steels. Mechanical property data were obtained in the form of dynamic bend resistance as a function of temperature of testing (ambient temperature to 700°C) for Kh5M and impact resistance as a function of temperature of testing (20-600°C) for 30KhGSA. Also the fracture appearance was analyzed in both cases. The plasticity of Kh5M steel increased up to the temperature range of 300-400°C where it remained constant and subsequently rose again. The transition from ductile to brittle fracture took place at temperatures of about 40-60°C. The explanation preferred for the retardation in rise of plasticity in the range 300-400°C was dislocation solute interactions (C and N especially). This Cottrell type cloud retarded the motion of dislocations. At higher temperatures, the ductility of the steel increased due to thermal activation assisting the release of dislocations from their C and N atmospheres. For 30KhGSA steel, the impact strength rose with temperature to 150°C where it reached a maximum at 150-200°C and subsequently dropped, reaching another peak at about 400°C. Thereafter, the drop became very sharp and at 500°C the value was the same as for room temperature. Above 550°C, a sharp rise in impact strength occurred as a function of temperature. Again Cottrell cloud was used to explain the leveling off of impact strength at 400-550°C. Alloying elements which combine chemically with the solute C and N atoms offset this behavior; this explains the higher

Card 2/3

L 13052-66

ACC NR: AP5027911

plastic properties of Kh5M. Considering the effect mentioned, it was concluded that the optimum working temperature interval for Kh5M should be 200-300°C, and 100-200°C for 30KhGSA. Thus the optimum preheating temperatures in the inductor should be 100-200°C and 60-120°C respectively. The tool life was considerably lengthened by following the above hot working parameters. Orig. art. has: 2 figures, 2 tables.

SUB CODE: 11/ SUBM DATE: 00/ ORIG REF: 002/ OTH REF: 002

Card 3/3 *Ad*

POLIVANOV, A.A., vetvrach; SOMINSKIY, Z.F., dotsent; KIRILLIN, V.M.,
glavvetvrach

Some materials on the epizootiology and clinical aspects of
Aujesky's disease in cattle. Veterinariia 36 no.4:29-31 Ap
'59. (MIRA 12:7)

1.Zaveduyushchiy otdelem Ul'yanovskoy oblast'nykh laboratorii (for
Polivanov). 2.Ul'yanovskiy sel'skokhozyaystvennyy institut (for
Sominskiy). 3.Cherdaklinskiy rayon, Ul'yanovskaya oblast' (for
Kirillin).
(Ul'yanovsk Province--Pseudorabies)

SUMARIN, I.A.; KERKIN, V.K.; AUBAKIROV, M.M. Sverdlovsk, Kn.S.

Isotopic effects in the dissociation of carbon dioxide in a silent electric discharge. Zhur.Tiz.khim. 38 no.8:1072-2074 Ag '64.

(MIRA 18:1)

Moskovskiy universitet imeni M.V.Lomonosova, Khimicheskiy fakul'tet.

AID P - 5594

Subject : USSR/Engineering

Card 1/1 Pub. 107-a - 6/12

Authors : Somkin, L. N., Eng. Ya. S. Timofeyev, Eng. and V. G. Khoroshaylov, Eng.

Title : Welding of **turbine nozzle** made of EI-618 alloy, with ceramic flux.

Periodical : Svar. proizv., 11, 23-25, N 1956

Abstract : The authors describe the procedure and technique of automatic welding of turbine nozzle(diaphragms)made of EI-618 alloy with the FZh-1 ceramic flux, developed specially for the purpose, and the EI-400 electrode. Five photos (including 1 macro and 1 micro-structure) and 1 table of components of the FZh-1 flux; GOST standard; 6 Russian references (1951-55).

Institution : Not given.

Submitted : No date

Somkin, L.N.

SUBJECT: USSR/Welding 135-1-4/14

AUTHORS: Timofeyev, Ya.S., Eng.; Somkin L.N., Eng.; Khoroshaylov, V.G., Candidate of Technical Sciences.

TITLE: Welding assemblies and parts of aluminum alloy AV. (Svarka uzlov i detaley iz aluminiyevogo splava marki AB)/

PERIODICAL: "Svarochnoye Proizvodstvo", 1957, # 1, pp 13-15 (USSR)

ABSTRACT: The aluminum alloy AMU (AMTs) having proved to be of no sufficient strength for long service, the authors' plant tried the aluminum alloy AB (TOCT 4784), composed of 0.2-0.6 % Cu, 0.45-0.09 % Mg, 0.15-0.35 % Mn, 0.5-1.2 % Si, remainder Al; after hardening and aging its mechanical properties are: $\sigma_b = 32 \text{ kg/mm}^2$; $\delta = 8\%$. After trying the alloys AK, AB, B61, and B61K, it was found that the most advantageous welding rod material for both oxy-acetylene welding and argon - arc welding is the alloy AB in form of strips. Preliminary annealing is necessary. Welding with alloy AB in argon gives safe butt joints between tubes and flanges, provided the parts are forged and the distance

Card 1/2

MUSTAFINA, A.M.; SOKKIN, M.I.

Determining the manshift output of an excavator. Trudy
Inst. gor. dela AN Kazakh. SSR 18:21-24 '65.

(NIRA 18:12)

MUSTAFINA, A.M.; ISAYEV, M.A.; SOMKIN, M.I.

Potentialities of increasing excavator efficiency at the Sokolovka mine (Sokolovka-Sarbay Mining and Ore Dressing Combine). Trudy Inst. gor. dela AN Kazakh. SSR 1977

Improving the technology of waste piling at mines of the Sokolovka-Sarbay Combine. Ibid., 60-77

(MIRA 18:12)

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3

SOMKUTI, A.

"Tasks for Hungarian State Railways in 1953." (p.71). CUKORIPAR (Cukoripar
es a Mezogazdasagi Ipari Tudomanyos Egyesulet) Budapest. Vol 9, No 5, Feb. 1953.

SO: East European Accessions List, Vol 3, No 8, Aug 1954.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3"

SOVIET, R.

Classification of trunks on the basis of growth and development. p. 82,
(AF MK, Budapest, Hungary), Vol. 3, No. 3, Apr. 1958.

SC: Monthly List of East European Acquisitions, (EEAL), IS, Vol. 4,
No. 4, May 1958, Incl.

SOMKUTI, E.

SOMKUTI, E. Afforestation in the Soviet Union. p. 239

Vol. 8, no. 5, May 1956

AGRATUKOMANY

AGRICULTURE

Budapest, Hungary

So: East European Accession, Vol. 6, No. 3, March 1957

SOMKUTI, Elemer, dr., a mezogazdasagi tudomanyok kandidatusa

Remark about Dr. Laszlo Szonyi's article entitles "Data on the growth in thickness of some tree species." Erdő 11 no.12:572-574 D '62.

1. Erdőmernöki Foiskola igazgathohelyettese, Sopron.

SOMKUTI, Elemer, dr., a mezogazdasagi tudomanyok kandidatusa

Ferenc Lesenyi, 1887-1962; obituary. Erdo 11 no.11:494-496 N '62.

1. Erdesseti es Faipari Egyetem igazgatchelyettese, Sopron.

SOMKUTI, Jeno, dr.; SZEKELY, Arpad, dr.

Sarcoma of the gallbladder. Magy. Sebesz. 15 no.1:75-77 F '62.

1. A fóvarosi Janos korhaz Sebeszeti Osztalyanak es II Belgyogyaszati Osztalyanak kozlemenye.

(SARCOMA surg) (GALLBLADDER neopl)

S. M. I., L.

A cable fault detector, an invention by Antal Baloggy. u. th.
(MFTT F. M. K. Vol. 6, no. 16, Sept. 1957, Budapest, Hungary)

See: Monthly List of New Hungarian Accessions (Hungary) Vol. 1, no. 17, Dec. 1957.
Incl.

GERGELY, Rezso, Dr.; CSILLAG, Antal, Dr.; JAKABFFY, Dezso, Dr.; SOMKUTI, Jeno, Dr.

Nitrous oxide narcosis. Orv. hetil. 99 no.44:1540-1543 2 Nov 58.

1. A Fovarosi Janos Korhaz (igazgato: Tako Jozsef dr.) Sebesseti Osztalyanak (foorvos: Gergely Rezso dr.) kozlemenye.

(NITROUS OXIDE, anesth. & analgesia
clin. evaluation, indic. & compl. (Hun))

GYORGY, L.; SOMKUTI, T.; KELEMEN, B.; BORBELY, L.

The problem of ergotoxin-adrenaline synergism and antagonism; the effect of general anesthesia. Acta physiol. hung. 14 no.3:287-300 1958.

1. Institute of Pharmacology, Medical University, Budapest.

(ERGOT ALKALOIDS

ergotoxine - epinephrine synergism & antag., exper. in cats
& eff. of anesthetics)

(EPINEPHRINE

epinephrine - ergotoxine synergism & antag., exper. in cats
& eff. of anesthetics)

(ANESTHETICS, eff.

on exper. on epinephrine - ergotoxine synergism & antag.
in cats)

GYORGY, L.; BORBELY, L.; KELEMEN, B.; SOMKUTI, T.

The adrenergic properties of ergotoxin. Acta physiol. hung. 14 no.4:391-398
1958.

1. Pharmakologisches Institut der Medizinischen Universitat, Budapest.
(ERGOT ALKALOIDS, eff.
ergotoxin, paradoxical adrenergic actions (Ger))
(SYMPATHETIC NERVOUS SYSTEM, eff. of drugs on
same)

GYORGY, L.; BORBELY, L.; KERTESZ, M.; SOMKUTI, T., with the technical assistance
of E. Seress

Pharmacology of a new spasmolytic drug. Acta physiol. hung. 15 no.2:
189-199 1959.

1. Institute of Pharmacology, the Medical University, Budapest.
(PAPAVERINE, related cpds.
6,7-dimethoxy-1-(3,4-dimethoxyphenyl)-isoquinoline
pharmacol.)

SOMKUTY, L.

SOMKUTY, L. - Practical experiences with measurements made with a new cable
detector. p 137, Vol. 4, no. 5, May 1956
VILMAESSZAG (Magyar Elektrotechnikai Egyesulet)

SOURCE: East European Accessions List (SEAL) Vol. 6, No. 4--April 1957

VERMES, Laszlo; SOMLAI, Jozsef

Development of the finishing technique of shoe upper leathers.
Bor cipo 10 no.2:41-43 Mr '60.

1. Tancsics Borgyar.

SOMLAI, Oszkar (Budapest)

Structural build-up of the innovator movement at "Egyesult Izzo"
(Tungsram). Ujít lap 13 no.23:15 D '61.

1. Az Egyesult Izzo Kozponti Ujitasai Irodajanak vezetoje, Budapest.

SOMLAI, T.

"Legal systems of patents, agreements of the Union; a lecture."

p. 12 (Ujítok Lapja) Vol. 9, no. 22, Dec. 1957
Budapest, Hungary

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

SOMLAI, Tibor

Modern paint-removing agents. Gepgyartastechn 2 no.12:458-459
D '62.

1. Magyar Allamvasutak Anyagvizsgalo Fonokseg.

SOMLAY, Tibor

Fight against corrosion. Vasut 13 no.8:20-21 Ag '63.

1. MAV Anyagvizsgalo Fonokseg helyettes vezetoje.

SOMLAY, Margit

"Population statistics" by A.M. Merkov. Reviewed by Margit
Somlay. Stat szemle 38 no.4:432 Ap '60.

SOMLAY, Tibor

Corrosion; an enemy of metals. Vasut 13 no.1:23-24 30 Ja '63.

1. Magyar Allamvasutak Anyagvizsgalo Fonokseg helyettes vezetoje.

SOMLAY, Tibor, okleveles vegyeszmernok

An account of the Days for Testing Materials in Transportation.
Kozl tud ~~bz~~ 13 no.2:90-92 F '63.

1. MAV Anyagvizsgalo Fonokseg helyettes vezetoje.

SCHLEV, O.; VOINOV, L.

"Some experiments with Bulgarian constructed electromagnetic couplings."

TEZHKA PROMISLENOST, Sofiia, Bulgaria, Vol. 8, no. 5, Mar. 1959

5-91.

Monthly list of East Europe Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59,
Unclassified

SOMLEV, P.

"Recommendation for Using V.A. Kolesov's Blades; Data Furnished by P.P. Grudev, Soviet Technical Scientist." p. 30, (TEZHKA PREDNISHLENOST, Vol. 3, No. 1, 1954, Sofiya, Bulgaria)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4
No. 5, May 1955, Uncl.

SOMLEV, P., inzh.

Machine building in Bulgaria. Nauka i tekhnika mladezh 15 no.10:1-2
0'63.

1. Direktor na Nauchno-izsledovatelskia i proektokonstruktorski institut za metaloobranotvashti mashini i instrumenti,
i chlen na Redaktsionnata kolegiia, "Nauka i tekhnika za
mladezhta".

SOMLEV, P., in m.

Bulgarian metal-cutting machines at the "Bulgaria Is Building Socialism" Exhibition in Moscow. Mashinostroenie 12 no. 10:
38-40 0¹63.

SOMLEV, P.

SOMLEV, P. Types of bearings for precise spindles in metal-processing machines and repairing and servicing them. p.44.

Vol. 5, no. 3, 1956, TEZHKA PROMISHLENOST, SOFIYA, BULGARIA.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 5, No. 10,
Oct. 1956.

SOMLEV, P.

Possibilities for installing metal-cutting machines without a foundation. Colorimetric determination of small quantities of chromium to cast iron and steel (up to 0.15 per cent).

pages 36-40 (TEZHKA PROMISHLENOST) Vol. 6, no. 7, July 1957,
Sofia, Bulgaria

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. No. 3,
March 1958

SOMLEV, P., inzh., nauchen sutrudnik

Modernization of metal-cutting machines. Tekh delo 13
no.428:1 26 My '62.

1. Nauchnoizsledovatelski institut po mashinostroene imetalooobra-
botvane.

SGMLEV, P., inzh., TERZIISKI, Iva., inzh.; VULEV, A., inzh.; VLADIMIROV, A., inzh.

Classification and specifications of metal-cutting tools.
Machine-type 12 no.217-11 F '63.

SOMLEV, P., inzh.; VOLEV, A.; TERZIISKI, Iv.; SIMEONOV, St.; POPOV, D.

Discontinuation and redistribution of the obsolete lathes
S5A and S8. Mashinostroene ll no.5:3-5 My '62.

1. Postoianen konsultant, "Mashinostroene" (for Somlev).

SOMLEV, P. inzh.

Machine tools in Bulgaria. Stan. i instr. 35 no. 2:2-10 F'64
(MIRA 17:3)

1. Direktor Nauchno-issledovatel'skogo i proyektno-konstruk-
torskogo instituta metallorezhhushchikh stankov i instrumentov,
g. Sofiya.

Distr: 4E2d(b)

30/60.

546.33° 131 : 537.531.8

Dependence of photoelectric current on the concentration of F centres in roentgenized NaCl crystals. I. Tarján, R. Veszka, J. Somló. Magyar Fizikai Folyoirat, Vol. 8, 1960, No. 1, pp. 21-29, 5 figs., 3 tabs.

To complete previous measurements by Gläser and Lohfeldt, natural sodium chloride crystals and material crystallized from analytically pure melt, subsequently tem-

pered, were studied. $9 \times 9 \times 2.5$ mm lamellae, cut from the crystals, were irradiated in several stages with an X-ray tube having a beam current of 58 kV and 5 mA. The F-centre concentration of the crystals was in every case smaller than $3 \cdot 10^{14} \text{ cm}^{-3}$. After the single stages of irradiation, the crystals were compared with a non-irradiated reference crystal at room temperature; absorption was measured with light of $440-470 \mu\text{m}$ wavelength and the photocurrent determined after applying 800 V voltage. The measurement of the photocurrent of the crystals showed a strong maximum, but at a different location for each crystal. The product of the quantum efficiency and displacement per unit field intensity was determined from the recorded curves; in the studied ranges of comparatively small concentrations the product

may be described by the function $\eta\sigma = \frac{1}{A + BN\mu}$, where the values of the constants characterizing the structural properties of the particular crystals are $A = \frac{N\sigma}{C\eta\lambda}$, $B = \frac{\sum c_i\sigma_i}{C\eta\lambda}$.

The difference between the A and B values of natural and artificial crystals can probably be explained by the crystallization taking place under divergent conditions. Detailed results of measurements are given.

1-XR

1-XR(MS)

1-IVP(c)

TARJAN, I.; VOSZKA, R.; SOMLO, A.

The effect of preheat treatment on the photoconductivity of X-ray
radiated NaCl crystals. Acta phys Hung 11 no.1:59-69 '60.
(EEAI 9:10)

1. Arztliches Physikalisches Institut, Budapest. Vergelegt von
Z.Gyulai.

(X-rays) (Photoconductivity)
(Crystals) (Salt) (Color centers)

OTTC, ... 1951

(Pathophysiol. Inst. I. of Budapest)

"Method for Determination of the Length of Isometric and Isotonic Contraction of the Ventricle.

Z. Kreisforsch. 1951 40/19-20(585-592)
Post: Enc. Med. 11, Vol. 5, No. 7, p. 311

UNGHVARY, L.; SOMLO, E.; TAMAS, G.

Oscillometry of pulse and cardiac output in hypertension. Orv. hetil.
93 no. 38:1094-1095 21 Sept 1952. (CLML 23:5)

1. Doctor for Unghvary and Somlo. 2. Institute of Pathophysiology
(Director -- Prof. Dr. Jozsef Sos).

SOMLO, Erno, dr.

A new method in the treatment of paroxysmal auricular fibrillation.
Orv. hetil. 102 no.17:783-785 23 Ap '61.

1. Orvostevabbkepzö Intezet, EKG Osztaly.

(AURICULAR FIBRILLATION ther) (QUINIDINE ther)
(PROCAINE AMIDE ther)

Som Ló, Gy

37. Some considerations on the selection of a suitable technology for the industrial production of monochlorobenzene. / Gy. Somin Ló, Magyar Kémikusok Lapja, Vol 11, 1956, pp. 87-93. 2 figs., 1 tab.

In the presence of ferric chloride catalyst the chlorination of benzene yields monochlorobenzene as chief product and besides the utilizable β -dichlorobenzene large amounts of polychlorobenzenes as by-products. The process consists essentially of three operations: chlorination, neutralization and distillation. The economy of the process is determined by the ratio monochlorobenzene to polychlorobenzene production and not by the conversion of benzene to monochlorobenzene. It is evident that the chlorination step determines economical plant operation. Continuous operation yields lower-chlorinated products (0.2-0.4 mols of chlorine per molecule of benzene) than the batch process and therefore in relation to the product a relatively large amount of benzene must be recirculated. The Demény-Sipos continuous process ensures a high monochlorobenzene-polychlorobenzene ratio and furthermore has several important advantages. Benzene presaturated with chlorine to 0.3 mol of chlorine per mol of benzene in an adsorption column is fed into the chlorinating apparatus packed with iron swarf where it is reacted with chlorine in a homogeneous phase. The hydrochloric acid overhead product of the reactor is absorbed into water after its benzene content has been stripped off. The liquid chlorinated products of the reactor are fed into a hydrogen chloride stripping tower where

1/2

Somlo, Gy.

they are freed from their absorbed hydrogen chloride content. The product from the stripping tower is fractionated and the benzene fraction is returned to the presaturator. This presaturation process was found advantageous from the economic viewpoint, moreover it eliminates explosion hazards since the hydrogen contamination present in the utilized hydrogen chloride gas can be discharged with the tail gas of the presaturator column.

PM 2/2
RTT

Somlo, Gy.; Gloetzer, J.; Simek, R.
APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3"

Economical use of energy bearers in Hungary's chemical industry. p. 341

MAGYAR KEMIKUSOK LAPJA. (Magyar Kemikusok Egyesulete)
Budapest, Hungary. Vol.14, no.9, September 1959

Monthly List of East European Accessions (EEAI) LC, Vol.8, no.11
November 1959
Uncl.

Budapest, 09.12.1981.

The establishment of chemical industry installations in the open air.
May 1981, Inf. 15 no. 332-370 Ag '60

1. Veggiművek Tervezo Vallalat.

SOMLO, Gyorgy; KOVATS, Gabor

Some problems relating to general planning in the chemical industry.
I. Magy kem lap 17 no.10:433-440 0 '62.

1. Vegyimuveket Tervezo Vallalat.

SOMLO, Gyorgy; KOVATS, Gabor

Certain problems of general planning in chemical industries. II.
Magy kem lap 17 no.11:481-487 N '62.

1. Vegyimuveket Tervezo Vallalat.

SOMLO, Gyorgy; LAZICZIUS, Akos

Achievements of applying general design principles in the design
of pigment plants. Magy kem lap 18 no.8:357-366 Ag '63.

1. Vegyimuveket Tervezo Vallalat.

HUNGARY

SZABO, Mihaly, Dr. SOMLO, Gyorgy, Dr. SEPP, Jozsef, Dr; City Council of Mako, Hospital and Ambulant Services, Laboratory (chief physician: SZABO, Mihaly, Dr), and Medical Ward (chief physician: TISZAI, Aladar, Dr) (Makoi Varosi Tanacs Korhaza es Rendelo Intezete, Laboratorium es Belgyogyaszati Osztaly).

"Methodological Problems of the Demonstration of Bacteriuria. The Significance and Value of the So-Called Screening Tests."

Budapest, Orvosi Hetilap, Vol 107, No 52, 25 Dec 66, pages 2449-2453.

Abstract: [Authors' Hungarian summary] The more important screening methods (nitrate tests, TTC test, etc.) used in quantitative bacteriology involving the urine are surveyed and the results of comparative studies, using these methods, are reported. Significant bacteriuria was correctly indicated by the simple Gries-Illosvay type of nitrite test in 55 per cent, by the Sleight type modification of the nitrite test and by the stroke plate technique in 98.5, and by the TTC test in 90 per cent of the cases. The combination of a chemical test and of a semiquantitative culture procedure is considered to be the most suitable method. 3 Hungarian, 30 Western references.

SOMLO, J.

A method for the synthesis of optimum systems by means of
digital computers. Mérés automat 11 no.12:392 '63.

SOMLO, Janos, okleveles gépeszmérnök

Once again on the kinetics of hydromotors controlled by
axial pistons. Gep 15 no.9:367-373 S '63.

1. Magyar Tudomanyos Akademia Automatizalasi Labora-
torium.

J. C. Lemoine, Paris, France

"Qualitative analysis of controllability, linear and nonlinear, etc.,
Kereb et al. Mat 12 no.12.365-370 1972.

1. Research Institute of Automation of the Hungarian Academy
of Sciences, Budapest.

SOMLO, J., Tudományos munkatárs

An account of the 9th Conference on Electronics, Telecommunication,
Automation and Nucleonics. Mérés automat 13 no.4:110 '65.

1. Research Institute of Automation of the Hungarian Academy
of Sciences, Budapest.

SÓMLO, János

Harmonic analysis of sectionally linear nonlinearities. Pt.2.
Méres automat 13 no.2/3:40-45 '65.

1. Research Institute of Automation of the Hungarian Academy of
Sciences, Budapest.

L 44633-66 T IJP(c)
ACC NR: AP6033126

SOURCE CODE: HU/0012/65/013/009/0273/0280

AUTHOR: Somlo, Janos--Somlo, Y. (Staff scientist) 26.

ORG: Research Institute for Automation, MTA (MTA Automatizalasi Kutato Intezet) B

TITLE: General method for the determination of descriptive functions. Part 1:
Symmetrical oscillations

SOURCE: Meres es automatika, v. 13, no. 9, 1965, 273-280

TOPIC TAGS: mathematic function, oscillation

ABSTRACT: A general method is described with the aid of which the harmonic linearization of nonlinear processes can be effected in the case of any nonlinear characteristic. Symmetrical oscillations are discussed and equations were presented for the determination of the coefficients of the descriptive functions in cases of one- or two-value characteristics. By employing the tables presented in the appendix, numerical calculations can be considerably reduced. Examples were presented to illustrate the techniques involved. Orig. art. has: 10 figures, 2 formulas and 2 tables.
[Based on author's Eng. abst.] [JPRS: 33,541]

SUB CODE: 12 / SUBM DATE: 01Apr64 / ORIG REF: 003 / SOV REF: 002
OTH REF: C02

Card 1/1 blg

UDC: 62-50:5.7.5
0920 0680

L 44030-66 EWT(1)
ACC NR: AP6032680

SOURCE CODE: HU/0012/65/03/012/0370/0378

*26
B*

AUTHOR: Somlo, Janos--Somlo, Ya. (Staff scientist)

ORG: Research Institute for Automation, MTA (Magyar Tudomanyos Akademia Automatizalasi Kutato Intezet)

TITLE: General method for determining the characteristic function. Part 2:
Non-symmetrical oscillations /

SOURCE: Meres es automatika, v. 13, no. 12, 1965, 370-378

TOPIC TAGS: oscillation, mathematic function

ABSTRACT: [Part 1 was published Ibid., 13, no. 9, 1965, pp. 273-280] This part discusses the harmonic linearization in the case of non-symmetrical oscillations covering both mono- and bi-functional characteristic curves. Examples were presented to illustrate the calculations involved and in an Appendix (p. 377) a table was given from which some frequently required values could be directly obtained. The author thanks Doctor, Professor Csaki Frigyes for his attention and advice. Orig. art. has: 6 figures, 1 formula and 1 table. [JPRS: 34,778]

SUB CODE: 12 / SU DATE: 01Apr64

Card 1/1 blg.

UDC: 62.50.517.5

ERIOS, Zoltan, dr.; SOMLO, Marianna

ACTH in the therapy of infantile meningeal tuberculosis.
Gyermekgyogyaszat 7 no.4:113-115 Apr 56.

1. A Budapesti Orvostud. Egyetem I. sz. Gyermekklin. (Igaz.:
Dr. Gagessi-Kiss, Pal egyet. tanar, akad.) kozl.
(TUBERCULOSIS, MENINGEAL, in inf. & child
ther., ACTH (Hun))
(ACTH, ther. use
tuberc., meningeal, in inf. & child. (Hun))

KISS, Bela (Nagykanizsa); SIKORA, Janos (Budapest); SOMLO, Pal (Budapest);
TOLCSVAI, Geza (Budapest)

Forum of innovators. Ujitalap 15 no.13:30 10 Jl '63.

SOMLO (Steinberger), Zoltan, dr.; CSAPO, Gabor, dr.; SZUCS, Zsuzsanna, dr.

Neurological complications of diabetes mellitus. I. Diagnostic problems
in rare manifestations. Orv. hetil. 103 no.8:351-354 25 F '62.

1. Szegedi Orvostudomanyi Egyetem, Ideg, Elmeklinika es I Belklinika.

(RETINA dis) (DIABETES MELLITUS compl)
(NEUROLOGICAL MANIFESTATIONS)

SZUCS, Zsuzsanna, dr.; CSAPO, Gabor, dr.; SOMLO (Steinberger), Zoltan, dr.

Neurological complications of diabetes mellitus. Orv. hetil. 103
no.11:496-498 18 Mr '62.

1.Szegedi Orvostudomanyi Egyetem, I. Belklinika es Ideg-Elmeklinika.

(DIABETES MELLITUS compl)
(NEUROLOGICAL MANIFESTATIONS)

LAKATOS, I.; BENKE, Gy.; SOMOGYI, I.; SUMÓ, T.

Neurological and electroencephalographic studies in systemic
lupus erythematosus and rheumatoid arthritis. Acta med. acad.
sci. Hung. 21 no.3:247-255 '65.

I. First Department of Medicine, and Department of Neurology
and Psychiatry, University Medical School, Szeged. Submitted
July 15, 1964.

S. ILLI, E.

Experiences with establishment of norms and our further tasks in the mixed wood industry. p. 274. FAIPAR, Budapest, Vol. 5, no. 10, 1955.

Current problems of stave production. p. 276.

Development in the lumber industry in the People's Republic of Rumania. p. 280.

SOURCE: East European Accessions List (EAL), LC, Vol. 5, No. 2, Feb. 1956.

FOLDI, M.; KOVACH, A.G.B.; PAPP, N.; KOLTAY, Edit; SOMLYAI, L.

Reflex increase of sodium excretion elicited by posterior pituitary extract (Piton). Acta physiol.hung. 17 no.4:407-427 '60.

1. 1st department of medicine, Department of Experimental Research, Medical University Budapest, Institute of Experimental Medicine, Hungarian Academy of Sciences, Budapest.
(PITUITARY GLAND, POSTERIOR extracts)
(SODIUM urine)

FOLDI, Mihaly, az orvostudomanyok doktora; KOVACH, Arisztid, az orvostudo-
manyok kandidatusa; PAPP, Miklos, az orvostudomanyok kandidatusa;
KOLTAY Edit; SOMLYAI Lajos

Naturiuresis of central origin caused by the extract of the hypophysis
posterior lobule (piton). Biol orv kozl MTA 11 no.2/3:293-305 '60.
(EEAI 10:5)

1. A Budapesti Orvostudomanyi Egyetem I. sz. Belklinikaja es Kiserleti
Kutato Laboratoriuma, a Magyar Tudomanyos Akademia Kiserleti
Orvostudomanyi Kutato Intezete.

(BLOOD)
(PITUITARY BODY)
(SODIUM)

FOLDES, Janos, dr.; SOMLYAI, Lajos, dr.

Results of the treatment of hyperthyreosis. Orv.hetil. 101 no.43:
1525-1530 23 O '60.

1. Budapesti Orvostudomanyi Egyetem, I. sz. Belklinika.
(HYPERTHYROIDISM ther)

SOMLYAKOV, V., inzhener.

Semi-mechanized production line for juices. Prom.koop.no.5:17 My '56.
(MLRA 9:9)

1.Pishchekhimotdel oblpromsoveta.
(Dnepropetrovsk--Fruit juices)

SOMLYO, Ferenc

Hungarian experiences with the use of chemicals
on maize. Mezogazd techn l no.1:24-25 '61.

SOMLYO, Zsuzsa

Touring Italy by a Trabant. Pt.9. Auto motor 16 no.8:29 21 Ap '63.

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3

SOMLYO, Zsuzsa

Touring Italy by a Trabant. Pt.10. Auto motor 16 no.9:29 6 My '63.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3"

SOMLYOI, B.

The IAR-811, p. (3) of cover, REPULES, (Magyar Orkentes Honvedelmi Szovetseg) Budapest, Vol. 8, No. 13, July 1955

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 4, No. 12, December 1955

SOMLVOI, B.

6th International Gliding Competition ends, p. 10, REPULES, (Magyar
Onkentes Honvedelmi Szovetseg) Budapest, Vol. 8, No. 13, July 1955

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 4, No. 12, December 1955

SOMLYOI, B.

How does the device for afterburning operate? p. 15, R. RULES, (Magyar
Honkentes Honvedelmi Szovetseg) Budapest, Vol. 8, No. 13, July 1955

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 4, No. 12, December 1955

SOMLYOI, B.

New medical instrument for the examination of fliers, p. 16, REFULE,
(Magyar Orkentes Honvedelmi Szovetseg) Budapest, Vol. 8, No. 13, July
1955

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 4, No. 12, December 1955.

SOMMER, B.

A faster method for calculating the weight of forgings. p. 434

STROJINDENSKA VYROBA. (Ministerstvo tezkeho strojirenstvi, Ministerstvo presneho
strojirenstvi a Ministerstvo automobiloveho prumyslu a zemedelskych stroju)
Praha, Czechoslovakia. Vol. 7, no. 10, Oct. 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 12, Dec. 1959
Uncl.

34

PHASE I BOOK EXPLOITATION

SOV/5799

Unkov, Ye.P., Doctor of Technical Sciences, Professor, Ed.

Sovremennoye sostoyaniye kuznechno-shtampovochnogo proizvodstva (Present State of the Pressworking of Metals) [Moscow] Mashgiz, 1961. 434 p. 5000 copies printed.

Ed. of Publishing House: A.I. Sirotin; Tech. Ed.: B.I. Model'; Managing Ed. for Literature on the Hot Working of Metals: S.Ya. Golovin, Engineer.

Title: Kuznechno-shtampovochnoye proizvodstvo v SSSR (The Pressworking of Metals in the USSR) by: A.V. Altykis, D.I. Berezhkovskiy, V.F. Volkovitskiy, I.I. Girsh (deceased), L.D. Gol'man, S.P. Granovskiy, N.S. Dobrinskiy, A.I. Zimin, S. L. Zlotnikov, A.I. Kagalovskiy, P.V. Lobachev, V.N. Martynov, Ye.N. Moshnin, G.A. Navrotskiy, Ya.M. Okhrimenko, G.N. Rovinskiy, Ye.A. Stoqua, Yu.L. Rozhdestvenskiy, N.V. Tikhomirov, Ye.P. Unkov, V.F. Shcheglov, and L.A. Shofman; Eds: Ye.P. Unkov, Doctor of Technical Sciences, Professor, and B.V. Romanov.

Title: Kuznechno-shtampovochnoye proizvodstvo v ChSSR (The Pressworking of Metals in the Czechoslovak SR) by: S. Burda, F. Hrazdil, F. Drastik, F. Zlatohlávek

Card 1/8

Present State of the (Cont.)

SC7/5799

Z. Kajval, V. Krauz, Z. Kupka, F. Major, K. Marvan, J. Horák, J. Oichaal,
K. Paul, B. Sommer, M. Honz, J. Čáslava, V. Šindelář, and J. Žolc; Eds.:
A. Nejepsa and M. Vlk.

PURPOSE: This book is intended for engineers and scientific personnel concerned
with the pressworking of metals.

COVERAGE: Published jointly by Mashgiz and SNTL, the book discusses the present
state of the pressworking of metals in the USSR and the Czechoslovak Socialist
Republic. Chapters were written by both Soviet and Czechoslovak writers. No
personalities are mentioned. There are 129 references: 98 Soviet, 16 English,
8 German, 5 Czech, and 2 French.

TABLE OF CONTENTS:

PRESSWORKING IN THE USSR

Ch. I. The Characteristics of Forging Shops in USSR Plants [A.I. Zimin and
Ye.P. Unkov] 5

Ch. II. Methods of Calculating the Pressure for Forging in the Pressworking

Card 2/8

36

Present State of the (Cont.)	SOV/5799
of Metals [Ye.P. Unksov]	13
Ch. III. Die Forging on Forging Presses [V.F. Volkovitskiy]	22
Ch. IV. Die Forging on Horizontal Upsetters [I.I. Girsh, deceased]	31
Ch. V. Die Forging on Drop Hammers and [Power-Screw] Percussion Presses [Ya. M. Okhrimenko and V.F. Shcheglov]	41
Ch. VI. The Making of Forgings and Shaped Blanks in Forging Rolls [V.N. Martynov]	58
Ch. VII. Die-Sizing in Squeeze-Forming Presses [V.F. Volkovitskiy]	77
Ch. VIII. Rolling-Out Annular Blanks [Yu.L. Rozhdestvenskiy]	82
Ch. IX. The Manufacture of Metal Hardware on Pressworking Automatics [G.A. Navrotkiy]	93

Card 3/8

Present State of the (Cont.)	SGV/5799
Ch. X. Bending and Straightening of Sheets, Shapes, and Tubes [Ye.M. Moshnin]	112
Ch. XI. Stamping From Sheets and Strips [S.L. Zlotnikov and G.N. Rovinskiy]	119
Ch. XII. Automatic Pressworking Lines [S.L. Zlotnikov]	146
Ch. XIII. The Equipment of Blank-Producing Shops and Sections in Pressworking [P.V. Lebedev]	159
Ch. XIV. The Production of Blanks for [Machine] Parts by Helical Cross Rolling [S.P. Granovskiy and Ye. A. Stosha]	175
Ch. XV. Metal Extrusion on Hydraulic Presses [A.I. Kagalovskiy and L.A. Shofman]	183
Ch. XVI. Parts Forging From Light-Metal Alloys on Large Hydraulic Presses [L.D. Gol'man and L.A. Shofman]	201

Card 4/8

Present State of the (Cont.)	SCV/5799
Ch. XVII. Mass Production of Parts [Solid Wheels and Tires] by Forging With Subsequent Rolling [A.V. Altykhin, and L.D. Gol'man]	203
Ch. XVIII. Forging and Bending of Plates [Ye.N. Meshnin]	216
Ch. XIX. Making Large Forgings on Hydraulic Presses [N.S. Dobrinskiy, and N.V. Titovirov]	229
Ch. XX. Drop-Hammer and Crank-Press Forging [D.I. Berezhkovskiy, and V.F. Shcheglov]	234
Bibliography	225
PRESSWORKING IN THE CECOSR	
Ch. I. The Development of Metal Pressworking Processes in the Czechoslovakian Socialist Republic [F. Drastík, Railroad Engineering Institute, Prague]	261

Card 5/8

Present State of the (Cont.)	SU/5799
Ch. II. Making Large Forgings [B. Kraus, New Metallurgical Plant imeni Klement Gottwald, Kunice]	272
Ch. III. The Forging of Rotors for Turbogenerators [J. Novák, Metalurgical Plant imeni Lenina, Plzeň]	299
Ch. IV. The Forging of Large Crankshafts [S. Burda, K. Paul, and M. Hont, Metallurgical Plant imeni Lenina, Plzeň]	314
Ch. V. Techniques Used in Forging Large Rotors [F. Zlatník, Vítkovice Metallurgical Plant imeni Klement Gottwald, Ostrava]	335
Ch. VI. The Forging of Forked Pipes for Gas Pipelines [J. Šťáha, Vítkovice Metallurgical Plant imeni Klement Gottwald, Ostrava]	345
Ch. VII. The Forging of Large Strengthening Rings for the Runners of Mixed-Flow Turbines [F. Kuglin, Vítkovice Metallurgical Plant imeni Klement Gottwald, Ostrava]	358

Card 6/8

34

Present State of the (Cont.)	SOT/5799
Ch. VIII. Scientific Research Work in the Field of Cold Impact Forging of Metals [F. Hrdil, Plant imeni Smorla, Brno]	355
Ch. IX. Experience in the Cold Impact Forging of Nonferrous Metals [K. Marvan and J. Ondraš, Plant Tesla, Metalurgical Enterprise, Hloubětín, and V. Šindelář, Scientific Research Institute of Vacuum Electrical Engineering, Prague]	381
Ch. X. The Manufacturing Process and Organization in the Stamping of Bodies at the Automobile Plant "Metalurgical Enterprise (AZNP) Mladá Boleslav" [Z. Kojval, AZNP, Mladá Boleslav]	397
Ch. XI. The Mechanization of Obsolete Enterprises as a Means of Increasing Labor Productivity [B. Šenner, Vítkovice Metallurgical Plant imeni Kliment Gottwald, Ostrava]	410
Ch. XII. The Initial Pressworking of FeAl Alloys and Large FeCrAl Castings [F. Major and J. Šolc, Scientific Research Institute of Iron, Prague].	

Card 7/8

BECVAR, J.; KLIKA, R.; SOMMER, B., inz.; SESTAK, Bohdan; KNOFOVEC, L.

Information on metallurgy. Hut listy 16 no.11:829-836 N
'61.

SOMMER, Beris

Precise perforation of cylindrical holes in die forgings. Stroj vyr
lo n. 3:139-140. '62.

1. Vitkovické závody Klementa Gottwalda, n.p., Ostrava.

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3

SOMMER, B.

Uranium forging. Nut listy 17 no.2:151-152 F '62.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001652410009-3"

SOMMER, B., inz.

Present conditions and development of manufacturing the steel
bottles for gas. Hut listy 17 no.5:318-326 My '62.

1. Vitkovické závody Klementa Gottwalda, Ostrava-Vitkovice.

KEPKA, M., inz.; PUNCOCHAR, Zd., inz.; VESELY, J., inz.; KECLIK, V., inz.; BECVAR, J., inz.; RANT, Pavel, inz.; CHVOJKA, Jan, inz.; SOMMER, B., inz. KALIVODA, A., inz.; HREBK, A.

Information on metallurgy. Hut listy 18 no.3:207-223 Mr '63.

SOMMER, B., inz.

New method of disk forging. Hut listy 19 no. 2: 136-139
F '64.

SOMMER, E.

Sommer, E.

Mechanization helped collective farmers in Prestovice to reach the labor unit of
34 körury. p. (2) of cover.

(Vol. 5, no. 9, May 1955)

MECHANISACE ZEMEDILSTVI

SO: Monthly List of East European Accession, (EEAL), LC, Vol. 4, No. 9,
Sept. 1955, Uncl.

SOMMER, F.

"Automatic control in a sizing machine."

p. 468 (Textil) Vol. 12, no. 12, Dec. 1957
Prague, Czechoslovakia

so; Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

L 20218-66 EFT(t)/EFT(k) JD/IF
ACC NR AT6010344

SOURCE CODE: CZ/0032/65/015/007/0540/0112

AUTHOR: Korinek, M. (Doctor; Engineer); Tmej, J. (Engineer); Sommer, F. 30

ORG: [Korinek; Tmej] Technical Institute of Machinery and Textiles, Liberec (Vysoka skola strojni a textilni); [Sommer] AZNP, Mlada Boleslav

TITLE: Stamping parts of irregular form

SOURCE: Strojirenstvi, v. 15, no. 7, 1965, 540-542

TOPIC TAGS: metal stamping, sheet metal, material deformation

ABSTRACT: The article deals with some methods which can be applied to check whether or not the material selected for manufacturing sheet parts by stamping and the envisaged process promise satisfactory results in series production. Besides model technique, attention should be given to methods based upon evaluation of deformations of grids applied to samples before shaping. This paper was presented by Z. Kejval. Orig. art. has: 8 figures. [JPRS]

SUB CODE: 13, 20 / SUBM DATE: none / OTH REF: 001 / SOV REF: 002

Card 1/17/15

UDC: 621.986;621.979.02;621.002.2

2

CHRUSZCICKA, Maria; SOMMER, Irena

Dissolution of small amounts of phenol in river and prepared waters. Gosp wodna 23 no.11: 441-444 N°63.

1. Zaklad Ochrony i Uzytkowania Wod, Katowice.