

ACCESSION NR: AT4033628

principal units or elements of a typical teaching machine are described and analyzed: 1) the information presentation unit (microfilm projector, tape-recorder, etc.); 2) the response introduction unit (device for collecting the answers of the student; for example, a typewriter-like arrangement on which the replies can be physically printed out); 3) the comparison unit (where the answer of the student is analyzed and compared with the answer programmed in the machine); 4) the timing unit (to measure and regulate the time intervals between the presentation of the question and a correct answer, as well as between two successive questions); 5) the memory unit (where information on possible answers by the student is stored); 6) the evaluation unit (by means of which the student is advised of the correctness or incorrectness of his answers); 7) the information selection unit (necessary when operating with a ramified program, in order to select the next step of the program as a function of the student's answer to the preceding question); 8) the program itself (the fundamental and essential part of any teaching machine). The automatic device called the "Ekzamenator", developed at the Institute, is described. By means of this machine, the student is given a series of questions on current material. Each of the questions is accompanied by several mutually-exclusive responses. The student must

Card 2/5

ACCESSION NR: AT4033628

provide the correct answer to each question. The evaluation is made according to the relative number of correct answers by the student, with consideration of the time taken in replying. All the units of the machine are designed in two versions: the first uses telephone relays as logical elements; the second — semiconductors. Both types are described on the basis of block diagrams accompanying the text. Also described in the article is the "Repetitor" teaching machine, designed for foreign language instruction in the higher institutes of learning (the so-called "vuz") and in the lower-echelon schools. The answer is introduced into the machine by means of a keyboard arrangement. The authors discuss the difficulties created by this form of machine address in terms of the special features and peculiarities of foreign language teaching. Of the two types of programs (linear and ramified) which are commonly used for teaching machines, the "Repetitor" employs the ramified or "expanded" type. Sequential "blocks" of information are fed to the student, depending on the degree of accuracy with which he answers the questions contained in the preceding "blocks". Two operating conditions are possible: one in which the student sets for himself the rate or "tempo" of teaching; the other, in

Card 3/5

ACCESSION NR: AT4033628

which this rate is established by the machine itself. Work is evaluated on the basis of a four-point scale ("excellent", "good", "satisfactory" and "poor") as a function of: 1) the number of errors made by the student in completing the exercises on a given subject theme; 2) the reaction time of the student; 3) the number of requests to the machine for "help" (this accomplished by depressing a special button marked "assistance" on the control panel of the machine, resulting in the supplying of either a leading question or of additional information). A block diagram of the "Repetitor" teaching machine is presented and the operation of the basic units of the device are analyzed, along with a discussion of the algorithm used. Noting that this machine is a partially self-adapting teaching device, the authors express the opinion that it would be expedient to construct a test model on the basis of the design described in the article, placing it into actual practice under academic conditions and then modifying and improving it. Orig. art. has: 13 figures.

ASSOCIATION: Moskovskiy Energeticheskiy institut (Moscow Power Institute)

Card 4/5

ACCESSION NR: AT4033628

SUMMITTED: 03Dec63

DATE ACQ: 16Apr64

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 000

Card 5/5

ALEKSANDROV, Viktor Yevgen'yevich, podpolkovnik; SVIRIDOKHIN, I.I.,
podpolkovnik, red.; SLEPTSOVA, Ye.N., tekhn. red.

[Incident in the air] Sluchai v vozdukhe. Moskva, Voen.
izd-vo M-va oborony SSSR, 1961. 31 p. (MIRA 15:2)

1. Chlen Soyuza sovetskikh pisateley (for Aleksandrov).
(Parachute troops)

SVIRIDOKHIN, I.I., podpolkovnik, red.; KRASAVINA, A.M., tekhn.red.

[The law of military life; collected articles on the new regulations of the Armed Forces of the U.S.S.R.] Zakon zhizni voina; O novykh ustavakh vooruzhennykh sil Soiuza SSR; sbornik statei. Moskva, Voen.izd-vo M-va obor.SSSR, 1961. 84 p.

(MIRA 14:6)

(Russia—Armed forces—Regulations)

BAKAYEV, Nikolay Vasil'yevich; SVIRIDOKHIN, I.I., podpolkovnik,
red.; MASLOVA, N.Ya., tekhn. red.

[Beacons are calling forward] Maiaki zovut vpered. Moskva,
Voenizdat, 1962. 50 p. (MIRA 15:8)
(Russia--Armed Forces--Military construction operations)

KOTYSH, N.T.; SVIRIDOKHIN, I.I., red.; CHAPAYEVA, R.I., tekhn. red.

[Law of wings; collected essays and articles on flight safety]
Zakon krylatykh; sbornik ocherkov i statei o bezopasnosti po-
letov. Moskva, voenizdat, 1962. 111 p. (MIRA 15:6)
(Flight--Safety measures)

VERKHOLETOV, A.P.; SVIRIDOKHIN, I.I., red.; CHAPAYEVA, R.I.,
tekhn. red.

[Through work is man great] Trudom velik chelovek. Mo-
skva, Voenizdat, 1962. 69 p. (MIRA 16:6)
(Russia--Armed forces) (Work)

SVIRIDOKHIN, I., podpolkovnik

"Dzhikaev's secret" by [kapitan] S. Nemtsev. Reviewed by I.
Sviridochkin. Starsh.-serzh. no.4:7 Ap '62. (MIRA 15:4)
(Tanks (Military science))

MEL'NIKOV, Nikolay Andreyevich; SVIRIDCHEKIN, I.I., red.;
SOLOMONIK, R.L., tekhn. red.

[At the cosmodrome] Na kosmodrome. Moskva, Voenizdat,
1964. 155 p. (MIRA 17:2)

POKRYSHKIN, Aleksandr Ivanovich, Trizhly Geroy Sovetskogo Soyuza
general-polkovnik aviatsii; SVIRIDCHKIN, I.I., red.

[Sky of war] Nebo voiny. Moskva, Voenizdat, 1966. 443 p.
(MIRA 18:12)

SELISHCHEV, Ivan Pavlovich; SVIRIDOKHIN, I.I., podpolkovnik, red.;
CHAPAYEVA, R.I., tekhn. red.

[Family of an officer] Sem'ia ofitsera. Moskva, Voenizdat,
1962. 118 p. (MIRA 15:10)
(Soldiers) (Family)

MAYEVSKAYA, V.M., kand.tekhn.nauk; MOROZOV, A.D., inzh.; SVIRIDONOV, A.A., tekhnik

The ATE-1 thermoelectric anemometer. Bezop.truda v prom.6 no.11:22-23
N '62. (MIRA 16:2)

1. Vostochnyy nauchno-issledovatel'skiy institut po bezopasnosti
rabot v gornoy promyshlennosti.
(Anemometer)

SVIRIDONOV, M. G.

"Study and Selection Utilization in Selection Work of Local Species of Millet of
Tubinskaya Autonomous Oblast." Cand Agr Sci, Leningrad Agricultural Inst, Min Higher
Education USSR, Leningrad, 1955. (KL, No 11, Apr 55)

SO: Sum. No. 704, 2 Nov 55 - Survey of Scientific and Technical Dissertations D_efended
at USSR Higher Educational Institutions (16).

L 36122-66 EWT(m)/EWP(t)/ETI IJP(c) WW/JD/JG/GD
ACC NR: AT6014761 SOURCE CODE: UR/0000/65/000/000/0118/0119

AUTHORS: Kurganov, G. B.; Baranov, I. A. (Candidate of technical sciences); Karasik, V. R.; Sviridonov, M. N.; Shmulevich, R. S.; Novokreshchenova, V. B.; Sentyurina, N.N.

ORG: none

TITLE: Device for investigating the critical current in superconductors and its application for studying the effect of iron impurity on the superconducting properties of niobium-zirconium alloy

SOURCE: Soveshchaniye po metallovedeniyu i metallofizike sverkhprovodnikov. 1st, 1964
Metallovedeniye i metallofizika sverkhprovodnikov (Metallography and physics of metals in superconductors); trudy soveshchaniya. Moscow, Izd-vo Nauka, 1965, 118-119

TOPIC TAGS: superconductivity, critical magnetic field, superconducting alloy, niobium alloy, zirconium containing alloy, iron containing alloy, solenoid, *physics*

laboratory instrument
ABSTRACT: A device is described for measuring the critical current of short wire samples as a function of the external transverse magnetic field (range 0--40 koe) (see Fig. 1). The magnetic field is created by a solenoid with windings of niobium-zirconium wire, whose construction was described in the preceding article (V. R. Karasik, G. B. Kurganov, V. G. Yerшов, I. Yu. Shebalin, B. D. Kopylovskiy, and V. S. Ivanov. Present compilation, p. 101). The device was used for investigating the properties of 0.2-mm diameter wire of Nb - 26% Zr alloy alloyed with iron (0.5, 0.4,

Card 1/2

TIMOSHININ, Valentin Dmitriyevich; KRECHKO, Andrey Yustinovich;
VARYPAYEVA, Anna Grigor'yevna; SVIRIDONOV, Mikhail Grigor'yevich;
KAZACHENOK, V., red.; KALECHITS, G., tekhn. red.

[Manual on sugar beet cultivation in the B.S.S.R.] Spravochnik
po vzdelyvaniu sakharnoi svekly v BSSR. Minsk, Gos.izd-vo
BSSR. Red.sel'khoz.lit-ry, 1961. 194 p. (MIRA 15:1)
(White Russia--Sugar beets--Handbooks, manuals, etc.)

LEYPUNSKAYA, D. I., BOKOLOV, D. V., SVIRIDOV, V. P. and TELECHENKOVA, H. I. ③

"Application of multi-channel gamma-ray spectrometry in activation well logging."

report to be submitted for the Conference on Nuclear Geophysics, Krakov, Poland, 24-30 Sept 1962.

STANKOV, S.; TROFIMOV, V.; VVEDENSKIY, A.; SVIRIDOV, A., inzh. vodnogo
transporta; CHERNOV, M., inzh. vodnogo transporta

Improve the management of the consolidated inland waterway
network. Rech. transp. 24 no.10:1-3 '65. (MIRA 18:12)

1. Nachal'nik Glavnogo upravleniya rechnogo flota pri Sovete
Ministrov KazSSR (for Stankov). 2. Nachal'nik Kamskogo rechnogo
parokhodstva (for Trofimov). 3. Nachal'nik Severnogo rechnogo
parokhodstva (for Vvedenskiy).

SVIRIDOV, A.

More attention to the studies of workers. Sov. profsoiuzy 6 no.6:
70-72 Je '58. (MIRA 11:7)

1. Direktor Chelyabinskogo gornometallurgicheskogo tekhnikuma.
(Chelyabinsk Province--Evening and continuation schools)

SVIRIDOV, A., inzh.; LUPICHEV, N., inzh.

Indices of the river fleet utilization. Rech. transp. 22
no.5:15-18 My '63. (MIRA 16:8)

(Inland water transportation)

27-58-7-18/27

AUTHOR: Sviridov, A.

TITLE: Improvement of the Qualification of Personnel (Povysheniye kvalifikatsii kadrov)

PERIODICAL: Professional'no-tekhnicheskoye obrazovaniye, 1958, Nr 7, p 26 (USSR)

ABSTRACT: Successful training of technical personnel depends largely on the qualification of the instructors and foremen who are responsible for the training of young workers at trade schools. Since many of the instructors with vast industrial experience lack technical education, the Chelyabinsk Technical School of Mining and Metallurgy, in cooperation with the principals of the FZO trade schools, have arranged technical evening courses. Foremen and instructors of the trade schools' training staff attend these courses willingly and with satisfactory results. This kind of training has already improved the teaching methods in a number of trade schools.

ASSOCIATION: Chelyabinskiy gornometallurgicheskii tekhnikum (Chelyabinsk Technical School of Mining and Metallurgy)

1. Technical personnel--Training

Card 1/1

SVIRIDOV, A., inzh.

Improve the quality of work planning for river transportation
vessels. Rech.transp. 22 no.1:16-17 Ja '63. (MIRA 16:2)
(Inland water transportation--Cost of operation)

SVIRIDOV, A.A.

Combined burner. Put' i put.khoz. 4 no.1:21 Ja '60.
(MIRA 13:5)

(Stoves)

SVIRIDOV, A.A.

Some aspects of favus control in Ural'sk Province.
Zdrav. Kazakh. 22 no.19:3-4 '62. (MIRA 17:5)

1. Iz Ural'skogo oblastnogo venerologicheskogo dispansera.

SVIRIDOV, A. A.

Puti uskorenogo povysheniia proizvoditel'nosti truda vo flote. [Means of raising the labor productivity in the fleet] . (Rechnoi transport, 1948, no.2, p. 6-8).
DLC: TC601.R4

SO: Soviet Transportations and Communications, A Bibliography, Library of Congress Reference Department, Washington, 1952, Unclassified.

SVIRIDOV, A., inzhener; SEDOV, F., inzhener; RYAZANOV, V., inzhener.

Stackless loading and mechanized unloading of lumber. Mor. 1
rech. flot 14 no.10:5-7 0 '54. (MLRA 7:11)
(Lumber--Transportation)

SVIRIDOV, A.A.

Higher level operation in river transportation. Rech.transp.
14 no.2:3-6 P '55. (MIRA 8:5)

1. Glavnyy inzhener Glavflota Ministerstva Rechnogo Flota.
(Inland navigation)

SVIRIDOV, A.A.

For continued developments and improvements in pusher tugging. *Rech.*
transp. 14 [i.e. 15] no.3:13-16 Mr '56. (MLBA 9:8)

1. Glavnyy inzhener Glavnogo upravleniya dvizheniya Ministerstva
rechnogo flota.

(Tugboats) (Inland navigation)

SVIRIDOV, A.A.

OKHOTNIKOV, Georgiy Il'ich; MIRONOV, Viktor Petrovich; SHUSTROV, Dmitriy
Mikiforovich; KHEYFETS, Movsha Berkovich; KOMISSAROV, N.G.,
retsenzent; SVIRIDOV, A.A., red.; MAKRUSHINA, A.A.N., red.izd-va;
TSVETKOVA, S.V., tekhn.red.

[The work of river navigation districts] Rabota flota po tiagovym
plecham. Moskva, Izd-vo "Rechnoi transport," 1957. 76 p.
(Inland water transportation) (MIRA 11:2)

SHUSTROV, Dmitriy Nikiforovich; SVIRIDOV, A.A., retsenzent; OKHOTNIKOV,
G.I., red.; MAKHUSHINA, A.N., red. izd-va; SALAZKOV, N.P., tekhn.
red.

[Technical plan for the operation of river steamship lines]
Tekhnicheskii plan raboty rechnykh parokhodstv. Moskva, Izd-vo
"Rechnoi transport," 1958. 169 p. (MIRA 11:9)
(Inland water transportation)

PRIKLONSKIY, V.P.; SVIRIDOV, A.A., inzh.

Conference on the use of the pushing method of towing in steamship
lines located in eastern basins. Rech. transp. 17 no. 7:23 J1 '58.
(MIRA 11:8)

1. Zamestitel' nachal'nika Obshchego rechnogo parokhodstva (for Priklonskiy).
(Siberia--Towing)

SHASHKOV, Zosima Alekseyevich. Prinimali uchastiye: ORLOV, D.A.;
KARASEV, N.Yo.; RUMYANTSEV, S.M.; SVIRIDOV, A.A.. ALEKSEYEV,
V.I., red.izd-va; YERMAKOVA, T.T., tekhn.red.

[River transportation of the U.S.S.R. and prospects for its
development] Rechnoi transport RSFSR i perspektivy ego
razvitiia. Moskva, Izd-vo "Rechnoi transport," 1959. 134 p.
(MIRA 12:10)

(Inland water transportation)

GALKOVSKAYA, M.G., kand.tekhn.nauk; NAUMOV, A.I.; PYATLIN, A.A.; SVI-
RIDOV, A.A.; SEDOV, F.G.; KHODUNOV, M.Ye., kand.yurid.nauk;
SHANCHUROV, P.M., kand.tekhn.nauk; SOTUZOV, A.A., prof., doktor
tekhn.nauk, red.; GOLOVNIKOV, V.I., kand.tekhn.nauk, red.;
ZOTOVA, V.V., kand.tekhn.nauk, red.; SEMENOV, Yu.K., red.;
ALEKSEYEV, V.I., red.izd-va; YERMAKOVA, T.T., tekhn.red.

[River navigator's manual] Spravochnik shturmana rechnogo flota.
Pod obshchei red. A.A.Soluzova. Moskva, Izd-vo "Rechnoi transport,"
1960. 631 p. (MIRA 13:7)

(Inland navigation)

SVIRIDOV, A., inzh.; LAVKOVSKIY, K., inzh.

New rules for the technical operation of the inland water
transportation system of the R.S.F.S.R. Rech. transp. 19
no. 6:55 Je '60. (MIRA 14:2)

(Inland water transportation)

SHUSTROV Dmitriy Nikiforovich; SUKOLENOV, Aleksandr Yevdo^limovich;
~~BELOUSOV, B.I., redsentsent~~; SVIRIDOV, A.A., red.;
MAKRUSHINA, A.N., red. izd-va; BODROVA, V.A., tekhn. red.

[Modern methods of work organization in river transportation]
Sovremennye metody organizatsii raboty rechnogo transporta.
Moskva, Izd-vo "Rechnoi transport," 1961. 88 p.

(MIRA 15:4)

(Inland water transportation) (Industrial organization)

SVIRIDOV, A.

Automatic conveyer line for processing chickens. Mias. ind.
SSSR 32 no.4:26-27 '61. (MIRA 14:9)

1. Rostovskiy myasokombinat (Yaroslavskiy sovnarkhoz).
(Rostov--Poultry plants--Equipment and supplies)

BARAKIN, Aleksandr Pavlovich; SVIRIDOV, A.A., red.; LOBANOV,
Ye.M., red.

[Business accounting on river-going merchant ships]
Khoziaistvennyi raschet rechnykh transportnykh sudov.
Moskva, Transport, 1965. 107 p. (MIRA 18:5)

SVIRIDOV, A.A.

Combined streptomycin and sulfathiazole therapy of gonorrhoea.
Vest. ven. i derm. no.3:54-55 My-Je '54. (MLRA 7:8)

1. Iz Zapadno-kazahstanskogo oblastnogo vendispensera.
(STREPTOMYCIN) (SULFATHIAZOLE) (GONORRHEA)

SVIRIDOV, A.A.

Penicillin therapy of acute gonorrhea. Sov. med. 18 no.7:39
Jl '54. (MLRA 7:8)

1. Iz Zapadno-Kazakhtanskogo oblastnogo venerologicheskogo
dispansera.

(PENICILLIN, therapeutic use
*gonorrhea)
(GONORRHEA, therapy
*penicillin)

SVIRIDOV, A.A.

Synthomycin therapy for gonorrhoea. Vest.ven. i derm. no.2:56 Mr-Ap
'55. (MLRA 8:5)

1. Iz Zapadno-Kazadstanskogo oblastnogo vendispensera.
(CHLOROMYCETIN)
(GONORRHEA)

SVIRIDOV, A.A., vrach

Use of Dorogov's antiseptic-stimulator preparation (ASD) in dermatological practice. Zdrav.Kazakh. 17 no.2:25-28 '57.
(MIRA 12:6)

1. Iz Zapadno-Kazakhstanskogo oblwendispensera.
(SKIN--DISEASES) (TISSUE EXTRACTS)

SVIRIDOV, A.A.

Penicillin treatment of erythema nodosum. Zdrav. Kazakh. 17
no. 3:25-26 '57. (MIRA 12:6)

1. Iz Zapadno-Kazakhstanskogo oblastnogo venerologicheskogo
dispansera.

(ERYTHEMA)

(PENICILLIN)

SVIRIDOV, A.A.

Treatment of gonorrheal urethritis in males with biomycin,
levomycetin, and synthomycin. Sov.med. 22 no.11:106-108 N '58
(MIRA 11:11)

1. Iz Zapadno-Kazakhstanskogo oblastnogo venerologicheskogo
dispansera (galvnyy vrach A.A. Sviridov, zav. oblazdravotdelom
G.F. Vasil'yev).

(GONORRHEA, ther.

chlortetracycline & chloramphenicol (Rus))

(CHLORTETRACYCLINE, ther. use

gonorrhea, with chloramphenicol. (Rus))

(CHLORAMPHENICOL, ther. use

gonorrhea, with chlortetracycline (Rus))

SVIRIDOV, A.A.

Influence of trauma on the course of syphilis. Zdrav. Kazakh. 21
no.1:82-83 '61. (MIRA 14:3)

1. Iz Zapadno-Kazakhstanskogo oblastnogo kozhno-venerologicheskogo
dispansera. (SYPHILIS) (WOUNDS AND INJURIES)

SVIRIDOV, A. A. Capt., Vet. Corps.

"Etiology, Clinical Aspects, and Therapy of So-called 'Chronic Dermatitis' in Horses" (1)

Article in the book "Bolezni Loshadey (Equine Diseases)", a collection of works on epizootolog, surgery, therapy and laboratory and clinicap practice in the treatment of equine diseases. In the majority of cases, previously published in the journal Veterinariya, or in one of the manuals issued by the Veterinary Administration of the Armed Forces USSR,

Compiled by A. Yu. Branzburg and A. Ya. Shapiro, under Editorship of A. M. Laktionova, State Press for Agric. Literature - 1947

-W-9922, 1 May 1950, p 3 Chap. IV - Surgical Diseases, p 173 TAB CON

m

SVIRIDOV, A. A.

"Preparation of anticryptococcal hyperimmune serum and its use in therapy of epizootic lymphangitis" - Veterinariya, 25, No. 2, 1948, pp 10-12

The serum obtained from a recovered animal, when used in large amounts (up to 100 ml) is effective in 87 per cent cures in cases of medium and serious gravity.

-B-18840, 2 Aug 1950 p 4

m

SVIRIDOV, A. A., Senior Scientific Coworker, SHABALIN, N. N., Chief Vet.
Novosibirsk Scientific Research Vet. Exptl. Station

"Pine-cresol-caustic liniment for treatment and prophylaxis of
mange of cattle and horses."

SO: Vet. 25 (10) 1948, p. 21

Use of Pine-Creosol Alkali Liniment etc.

-W-9922, 1 May 1950, p 2

SVIRIDOV, A. A., Scientific Co-worker
Novosibirsk Scientific Research Veterinary Experimental Station
"Early diagnosis of epizootic lymphangitis of horses."
Sov. Veterinariya 26 (7), 1949, p. 50

SVIRIDOV, A. A.

Tuberkulez sel'skokhozyaystvennykh zhiivotnykh i mery bor'by s nim
(Tuberculosis of Farm Animals and Measures for Combatting It). Novosibirsk.
Novosibgiz. 1951. 55 pages with illustrations.

U-5235

Sviridov, A. A.

Aug 53

USSR/Medicine, Veterinary - Foot-and-Mouth Disease

"Carriers of Foot-and-Mouth Disease Virus," A. A. Sviridov, Cand Vet Sci, Novosibirsk
Sci Res Vet Exptl Sta

Veterinariya, Vol 30, No 3, pp 18,19

For 4-6 months after recovery from foot-and-mouth disease, cattle may be carriers of the virus, which causes infection among other members of their herd. To prevent importation of the foot-and-mouth disease, it is necessary to treat the hide and the hoofs of convalescent animals with great thoroughness before they are allowed to mingle with healthy animals. This is recommended especially if epidemic of foot-and-mouth disease occurred during winter months.

265 T 36

SVIRIDOV, A.A., kand.veterinarnykh nauk

Novosibirsk Veterinary Research Station. Trudy VIEV 23:390-394 '59.
(MIRA 13:10)

(Novosibirsk--Veterinary research)

CHEN SHAO-CHZHUN [Ch'eng Shao-chung], prof.; SVIRIDOV, A.A., kand.
veterin.nauk; CHEN DZYA-TSIN' [Ch'eng Chia-ch'in], veterinarnyy
vrach; SYU SU-LIN [Hsiu Su-ling], veterinarnyy vrach; VAN YUN'-
SHI [Wang Yun-shih], veterinarnyy vrach; MA I-FYI, veterinarnyy
vrach

Differential diagnosis of foot-and-mouth disease and vesicular
stomatitis. Veterinariia 36 no.6:75-77 Je '59.

(MIRA 12:10)

(Foot-and-mouth disease) (Stomatitis in animals)

DZHUPINA, S.I.; SVIRIDOV, A.Á., kand. veterinarnykh nauk

Role of cured animals in the spreading of foot-and-mouth disease.
Veterinariia 39 no.10:26-29 0 '62. (MIRA 16:6)

1. Novosibirskoye oblastnoye upravleniye proizvodstva i zagotovok sel'skokhozyaystvennykh produktov (for Dzhupina). 2. Novosibirskaya nauchno-issledovatel'skaya veterinarnaya stantsiya (for Sviridov).

(Novosibirsk Province—Foot-and-mouth disease)

SVIRIDOV, A.A., kand. veter. nauk

Therapeutic and prophylactic measures against the malignant form of foot-and-mouth disease in cattle. Veterinaria 40 no.3:27 Mr '63. (MIRA 17:1)

1. Novosibirskaya nauchno-issledovatel'skaya veterinarnaya stantsiya.

SHUTSKAYA, Ye.I., kand. med. nauk; Primalni uchastiye: RABINOVICH,
S.Ye., prof.; SLEPTSOVA, A.I., vrach; LIVEN, K.I., vrach;
SOKOLOVA, R.I., vrach; PEREL'MAN, R.M., vrach; AL'TMAN, I.M.,
vrach; SHEPILOV, N.S., kand. veterin. nauk; SVIRIDOV, A.A.

Epidemiological importance of tuberculosis in cattle.
Veterinariia 40 no.10:19-20 0'63. (MIRA 17:5)

1. Novosibirskiy nauchno-issledovatel'skiy institut tuberkuleza
(all except Shepilov, Sviridov).

DZHURINA, S.I.; SVIREDOV, A.A.

Foot-and-mouth disease in moos under experimental conditions.
Veterinariia 42 no.5:47-48 My '65. (MIRA 18:6)

1. Novosibirskaya nauchno-issledovatel'skaya veterinarnaya
stanetsiya.

ACC NR: AP6030797

(A,N)

SOURCE CODE: UR/0346/66/000/009/0018/0020

AUTHOR: Nikitin, Ye. Ye. (Doctor of biological sciences); Kamalov, G. Kh. (Candidate of veterinary sciences); Sviridov, A. A. (Candidate of veterinary sciences); Kuchmasov, I. S. (Candidate of veterinary sciences); Uzyumova, N. N. (Veterinary doctor)

ORG: All-Union Foot-and-Mouth Disease Research Institute (Vsesoyuznyy nauchno-issledovatel'skiy yashchurnyy institut)

TITLE: Protective media for drying foot-and-mouth virus strains

SOURCE: Veterinariya, no. 9, 1966, 18-20

TOPIC TAGS: lyophilization, foot and mouth disease, virus disease, animal disease, *hoof and mouth disease*

ABSTRACT: Lyophilization has been found to be the best method of preparing virus preparations for long-term storage. The best protective medium for this purpose is an egg-white-gelatin-peptone mixture. The article discusses the preparation and properties of this and other mixtures. [WA-50; CBE No. 12]

SUB CODE: 06/ SUBM DATE: none/

Card 1/1

UDC: 619:616.988.43-095.162

45135

S/166/62/000/006/015/016
B104/B186

9.9390

AUTHOR: Sviridov, A. F.

TITLE: The amplification of electromagnetic waves in a trench positioned perpendicular to a radio station

PERIODICAL: Akademiya nauk Uzbekskoy SSR. Izvestiya. Seriya fiziko-matematicheskikh nauk, no. 6, 1962, 111 - 116

TEXT: An attempt is made to investigate how the variations in the strength of an electromagnetic field emitted from a radio station and occurring in a trench depend on the position with respect to the station. The investigations were made between Tashkent and Mirzachul' using 1829 m waves. The field strength was measured using a transistor receiver. The results from ten experiments using various trench models show that the field strength is not attenuated noticeably by a shallow trench perpendicular to the radio station, but decreases strongly when the trench runs parallel to the direction of the radio station. The presence of a half-turn formed by the trench produces an amplification in the coil of the magnetic receiver antenna which is defined by the author as a transformation, where $K = I_2/I_1$

Card 1/2

S/166/62/000/006/015/016

B104/B186

The amplification of ...

is the transformation coefficient, I_1 is the current generated in the antenna turning coil by the primary field strength, and I_2 is the total current generated by the strengths of the primary and of the emitted field. The transformation coefficient for a manhole is equal to 1, that for a trench perpendicular to the direction of the radio station is greater than 1 and that for a trench parallel to the radio station is less than 1. There are 4 figures.

ASSOCIATION: Tashkentskiy gosuniversitet im. V. I. Lenina (Tashkent State University imeni V. I. Lenin)

SUBMITTED: July 10, 1962

Card 2/2

ACC NR: AM6014513

(N)

Monograph

UR/

Kovalev, Feliks Ivanovich; Mostkova, Galina Pavlovna; Sviridov, Artem Fedorovich;
Shukalov, Vladislav Fedorovich

Marine static/semiconductor/ converters (Sudovyye staticheskiye/ poluprovodnikovyye/
preobrazovateli) Leningrad, Izd-vo "Sudostroyeniye", 1965, 240 p. illus., biblio.
1,600 copies printed.

TOPIC TAGS: ship component, electric energy conversion, frequency conversion, semi-
conductor rectifier, electric filter

PURPOSE AND COVERAGE: This book presents marine static electric power converters
(rectifiers, inverters, frequency converters) in semiconductor valves, principles of
their action, and a comparison of different basic schemes. It also includes re-
commendations for the selection of more optimal schemes for marine static electric
power converters in semiconductor valves. According to the given design relationship
it is possible to determine parameters of basic elements of converter units and
construct their operating characteristics. Also included are marine rectifier
aggregates in semiconductor valves with regulated and stabilized output voltage and
current for supplying various types of loads. External and regulating characteris-
tics are shown, such as the power factor, devices protecting against overcurrents
and overvoltages, filters, structures and means of cooling marine rectifier aggre-
gates. The book is recommended for engineers and technicians working with the de-

Card 1/2

UDC621.314:629,12

ACC NR: AM6014513

sign and assembly of marine electric power units. It also can be useful to students in ship-building institutes.

TABLE OF CONTENTS (abridged):

Preface -- 3
Introduction -- 5
Ch. I. Rectifiers -- 7
Ch. II. Inverters -- 92
Ch. III. Frequency converters -- 144
Ch. IV. Marine rectifier aggregates -- 164
Ch. V. Protection and signalling in marine converters -- 203
Ch. VI. Construction of marine converters -- 223
Bibliography -- 237

SUB CODE: 13,10 / SUBM DATE: 22Oct65 / ORIG REF: 043 / OIH REF: 025/

Card 2/2

TOLSTYAKOV, Yu.N., inzh.; SVIRIDOV, A.F., inzh.; KORTSENSHTEYN, E.Ya., kand.
tekhn.nauk

Marine electric discharge pumps. Sudostroenie 28 no.11:23-27 N '62.
(MIRA 15:12)
(Pumping machinery, Electric) (Marine engineering)

SVIRIDOV, A.F.

Apparatus for observing the dependence of the density of water
on temperature. Fiz.v shkole 23 no.1:54 Ja-F '63. (MIRA 16:4)

1. 168-ya shkola, Tashkent.

(Water--Density)

SURIDOV, A.G.

USSR

[Faint, mostly illegible typed text]

[Handwritten initials]

Sviridov, A.G.

AID P - 869

Subject : USSR/Electricity
Card 1/1 Pub. 29 - 2/23
Author : Sviridov, A. G., Eng.
Title : Arc welding of economizer and steam superheater joints
Periodical : Energetik, 10, 4-6, 0 1954
Abstract : The forming of cracks in welds of economizer pipes, in particular of those working under high pressure, can be reduced by replacing gas welding by arc welding. Two drawings.
Institution : Not given
Submitted : No date

SOV/51-5-5-2/23

AUTHORS: Dronov, A.P., Sviridov, A.G. and Sobolev, N.N.

TITLE: On Measurement of Flame Temperatures by the Method of Relative Intensities of Spectral Lines (Ob izmerenii temperatur plamen metodom otnositel'nykh intensivnostey spektral'nykh liniy)

PERIODICAL: Optika i Spektroskopiya, 1958, Vol 5, Nr 5, pp 490-499 (USSR)

ABSTRACT: In measurement of temperature by the method of relative intensities of spectral lines the following conditions must be satisfied: (1) The lines used in measurements should differ by at least 0.5 eV in the energies of their upper levels. (2) The lines chosen for measurements should not be subject to re-absorption. (3) To avoid self-reversal the lines used should not end at ground level. (4) The probabilities of transitions of the lines used should be known fairly accurately. (5) The intensity of the background near the lines used for measurement should be low. Preliminary experiments showed that in acetylene-air and hydrogen-oxygen flames the following lines can be used for measurement of flame temperature: Li at 8126, 6104, 4972, 4603, 4132 Å, and Na at 8195-83, 6160-54, 5688-83, 5154-49, 4983-79, 4669-35 Å. These lines satisfy conditions (1), (2), (3) and (5). To satisfy condition (4), the transition probabilities for

Card 1/5

SOV/51-5-5-2/23

On Measurement of Flame Temperatures by the Method of Relative Intensities of Spectral Lines

these lines were determined by finding their relative intensities in flames and measuring the flame temperature by the method using reversal of spectral lines. Fig 1 gives the apparatus used to produce controlled hydrogen-oxygen flames; 1 and 7 are reducing valves, 2 and 6 are mercury monometers, 3 is an atomizer, 4 is a device for trapping of larger drops of LiNO_3 and NaBr solutions, which are used as sources of Li and Na, 5 is a mixing chamber, 8 is a calibrated capillary and 9 is a burner. The apparatus used for producing acetylene-air flames was described in Ref 9. The flame temperature was measured using reversal of spectral lines. In measurement of temperature of acetylene-air flames the authors used a lamp with a tungsten ribbon as a light standard. Temperature of hydrogen-oxygen flames was measured using a carbon arc as an auxiliary source. The following lines were used for these measurements; Li at 6707.8 \AA and Na at $5890-96 \text{ \AA}$. The acetylene-air flame temperature was found to be 2420°K and that of the hydrogen-oxygen flame was found to be 3080°K . The flame spectra were photographed using an ISP-51 spectrograph. As a check of the results obtained, the line intensities were measured also using a photoelectric set-up shown in Fig 2, where 1 is a light

Card 2/5

SOV/51-5-5-2/23

On Measurement of Flame Temperatures by the Method of Relative Intensities of Spectral Lines

source, 2 a modulator disk, 3 a source of reference voltage, 4 is a spectrograph, 5 a photoelectric receiver consisting of two exit slits and 2 photomultipliers, 6 are amplifying cascades, 7 a synchronous detector and 8 is an end cascade. The transition probabilities of the Li and the Na lines, determined from their relative intensities and flame temperatures, are given in Tables 1 (Na lines) and 2 (Li lines). The 4982 Å Na line and the 6104 Å Li line were used as standards and their transition probabilities were taken to be equal to 1.00. Tables 3 and 4 give the mean experimental values (obtained by the present authors) of the transition probabilities of the Na and Li lines respectively. These values are given in the fourth columns of Tables 3 and 4 and are compared with the experimental values of Key (Ref 5), which are listed in the fifth columns, and with the theoretical values of Refs 6, 7 and 8 which are given in the sixth and later columns. There seems to be no agreement between Key's results and those obtained by the present authors. This may be due to the fact that Key used an arc as his light source. The theoretical values of

Card 3/5

SOV/51-5-5-2/23

On Measurement of Flame Temperatures by the Method of Relative Intensities of Spectral Lines

Ref 6-8 agree satisfactorily with the results given in the present paper. The authors attempted also to determine transition probabilities of K, Rb and Cs lines. This attempt has failed because of the strong continuous background produced near these lines when higher concentrations of the appropriate salts are used in acetylene-air and hydrogen-oxygen flames. The authors used the transition probabilities of Na lines given in Table 3, to determine the temperature of a carbon arc, loaded with 50% NaCl + 50% C powder. Simultaneously the arc temperature was measured from the relative intensities of cyanogen lines and by the method of line reversal (5388 Å Na line). The cyanogen temperature was 4650°K, the reversal temperature was 3900°K and the temperature obtained from the relative intensities of various Na line pairs varied from 3000-5000°K. This scatter is ascribed to non-uniformity of the arc. It is suggested that, in contrast to arcs, the flame temperatures may be reliably measured using the method of relative intensities of

Card 4/5

SOV/51-5-5-2/23

On Measurements of Flame Temperatures by the Method of Relative Intensities of Spectral Lines

spectral lines described in the present paper. There are 3 figures, 4 tables and 14 references, 7 of which are Soviet, 2 Dutch, 1 German, 1 English, 1 translation and 2 American.

SUBMITTED: December 3, 1957

Card 5/5 1. Flames--Temperature 2. Temperature--Measurement 3. Flames
--Spectra

20770

S/051/61/010/003/002/010
E052/E514

26.2011

AUTHORS: Dronov, A. P., Sviridov, A. G. and Sobolev, N.N.
TITLE: An Investigation of the State of Krypton Behind a Shock-wave

PERIODICAL: Optika i spektroskopiya, 1961, Vol.10, No.3, pp.312-321

TEXT: The present work is concerned with the spectroscopic study of krypton behind a shock-wave ($M = 10-15$) and represents an extension of the work reported by V. N. Alyamovskiy and V. F. Kitayeva (Ref.10) and F. S. Payzullof, N. N. Sobolev and Ye. M. Kudryavtsev (Ref.11). An attempt has been made to investigate the state of krypton from measurements on hydrogen line emission. The hydrogen was present in the gas under investigation either in the form of the natural impurity or was specially added in small quantities so as not to affect the thermodynamic properties of the gas. The paper begins with a brief calculation of the state of krypton behind a shock-wave. The analysis is based on the laws of conservation of mass, momentum and energy and these are written down in the form

X

Card 1/9

00170

An Investigation of the State of ... S/051/61/010/003/002/010
EO52/E514

$$p_1 U_3 = p_2 (U_3 - u_2), \quad (1)$$

$$p_1 + p_1 U_3^2 = p_2 + p_2 (U_3 - u_2)^2, \quad (2)$$

$$H_1 + \frac{1}{2} U_3^2 = H_2 + \frac{1}{2} (U_3 - u_2)^2, \quad (3)$$

The further two equations which are necessary are the equation of state of the gas

$$\frac{p_2}{p_1} = (1 + a_2) \frac{RT_2}{\mu} \quad (4)$$

and the Saha equation

$$\frac{a_2^2}{1 - a_2^2} p_2 = K(T_2). \quad (5)$$

Card 2/9

20770

An Investigation of the State of ... S/O51/61/010/003/002/010
EO32/E514

In the above system of equations

$$H = \frac{5}{2}(1 + \alpha) \frac{R}{\mu} T + \alpha \frac{N\chi_0}{\mu} \quad \text{A.}$$

is the enthalpy per unit mass and

$$K(T_2) = \frac{2g^+}{g_0} k \left(\frac{2\pi m_e k}{h^2} \right)^{\frac{3}{2}} T_2^{\frac{5}{2}} e^{-\frac{I_0}{kT_2}} \quad \text{B.}$$

The symbols are defined as follows: subscript 1 refers to the gas prior to the passage of the shock-wave, subscript 2 refers to the gas behind the shock-wave, p is the pressure, ρ the density, U_S is the velocity of the shock-wave, u_2 is the velocity of the gas particles, α is the degree of ionization, χ_0 is the ionization potential, g_0 is the statistical weight for a neutral atom and g^+ is the statistical weight of an ion. Eqs. (1) to (5) are then reduced to the single equation relating the degree of

Card 3/9

20770

An Investigation of the State of ...

S/051/61/010/003/002/010
E032/E514

ionization α_2 to the temperature T:

$$\frac{1-\alpha_2^2}{\alpha_2^2} \cdot \frac{1}{p} K - \frac{p_1}{p_2} - 4(1+\alpha_2) \frac{R}{\mu} T_2 - \frac{\alpha_2^2}{1-\alpha_2} \frac{R}{\mu} T_2 \frac{p_1}{K} - 2\alpha_2 \frac{N\chi_0}{\mu} + \frac{5RT_1}{\mu} = 0, \quad (6)$$

where N is the Avogadro number and μ is the molecular weight. The degree of ionization α_0 can thus be computed for various assumed values of T_0 . Knowing T_2 and α_2 it is then possible to calculate p_2 , ρ_2 and U_S from the formulae

$$p_2 = \frac{1-\alpha_2^2}{\alpha_2^2} K, \quad (7)$$

$$p_2 = \frac{R}{\mu} T_2 (1+\alpha_2), \quad (8)$$

$$U_S = \left(\frac{p_2}{p_1} \frac{p_2 - p_1}{p_2 - p_1} \right)^{\frac{1}{2}}, \quad (9)$$

Card 4/9

20770

An Investigation of the State of ... S/051/61/010/003/002/010
E032/E514

Having determined α_2 , p_2 , ρ_2 and U_S as functions of T_2 , one can plot graphs of T_2 , α_2 , p_2 and ρ_2 as functions of U_S or $M = U_S/c_1$, where c_1 is the velocity of sound in krypton (218 m/sec). The present authors have carried out such calculations using the "Ural" computer and some of the results are shown in Figs. 1 and 2. Fig. 1 gives the temperature of the plasma T_0 behind the front of the shock-wave as a function of M for various values of the initial pressure p_1 . Curves 1 to 6 correspond to the following values of p_1 , respectively: 1.0, 2.0, 5.2, 7.0, 10.0 and 15.0 mm Hg. Fig. 2 shows the degree of ionization, the density and the pressure behind the shock-wave front as functions of M for different values of p_1 . The curves marked 1 to 6 correspond to the same values of p_1 as quoted for Fig. 1. In the second part of this work a description is given of the apparatus employed to verify this theory. The apparatus is shown schematically in Fig. 3. The temperature was determined from the relative intensity of the H_α and H_β lines, and the concentration of charged particles was determined from the broadening of these lines. The

Card 5/9

20770

An Investigation of the State of ... S/051/61/010/003/002/010
E032/E514

X

concentration was calculated from the formula

$$N_1 = 3.4 \cdot 10^{14} (\Delta\lambda)^{\frac{3}{2}} \quad (11)$$

where $\Delta\lambda$ is the half-width in angstroms. The experiments showed that the determination of the temperature from the relative width of H_α and H_β in krypton behind a shock-wave is difficult because of the large width of the H_β line and the presence of a continuous spectrum surrounding this line. Fig.8 shows the experimental points obtained for $\lg N_1$ as a function of M (1 - H_α , 2 - H_β , 3 - H_γ with addition of H_2 , 4 - H_δ with addition of H_2 ; continuous curve^a - theoretical). As can be seen from Fig.8, the agreement between experiment and theory is satisfactory. The experimental data do not differ from the theoretical values by a factor greater than 1.5 to 2. However, most of the experimental points lie below the theoretical curve. This may be due to: a) reduced gas temperature due to the presence of hydrogen and other impurities in krypton and b) neglect of losses by radiation. Acknowledgments

Card 6/9

20770


An Investigation of the State of ...

S/O51/61/010/003/002/010
EO32/E514

are expressed to G. V. Kazakova for assistance. There are 3 tables,
8 figures and 14 references: 5 Soviet and 9 non-Soviet..

SUBMITTED: May 13, 1960

Fig.1



Card 7/9

4
Figs 1 and 2 are being 314
attached to the Plot 4

L 15727-63 EPR/EPA(b)/EPF(c)/EWT(1)/EWP(q)/EWT(m)/BDS AFPTC/ASD/
ESD-3/AFWL Ps-4/Pd-4/Pr-4 WW/JD
ACCESSION NR: AR3002666 S/0124/63/000/005/B024/B025

SOURCE: Rzh. Mekhanika, Abs. 5B121 80

AUTHOR: Alyamovskiy, V. N.; Dronov, A. P.; Kitayeva, V. F.; Sviridov, A. G.;
Sobolev, N. N.

TITLE: Experimental determination of the concentration of charged particles
in argon and krypton behind a shock wave

CITED SOURCE: ²¹Sb. Vopr. magnitn. gidrodinamiki i dinamiki plazmy. v. 2. Riga,
AN LatvSSR, 1962, 379-386

TOPIC TAGS: argon, krypton, shock wave, spectroscopy, contour line, electron
temperature

TRANSLATION: Spectroscopic studies of the states of the inert gases argon and
krypton behind shock waves were made. The contour lines of hydrogen in
krypton were studied behind the incident wave; in argon, behind the reflected.
The hydrogen admixture was about 1-5%. The initial pressure was of the order
of 0.2-1 mm of mercury. In the argon behind the reflected wave, the calculated

Card 1/2

L 15727-63

ACCESSION NR: AR3002666

temperature was of the order of $12000-13000^{\circ}$ K. The concentration of electrons was determined by the method of comparison of the experimental contour lines with the theoretical ones, and the temperature was determined using the assumption of thermodynamic equilibrium. Yu.R.

DATE ACQ: 14Jun63

SUB CODE: PH

ENCL: 00

Card 2/2

SVIRIDOV, A.O.

L 46301-65 EWT(1) IJP(c)

6c

ACCESSION NR: AR5012225

UR/0058/65/000/003/D013/D013

SOURCE: Ref. zh. Fizika, Abs. 3D81

37
B

AUTHOR: Sobolev, N.N.; Antronov, Ye.T.; Gippius, Ye.F.; Dronov, A. P.; Krindich, N. I.; Kudryavtsev, Ye.M.;
Pechonov, A.M.; Sviridov, A.O.; Iunitskiy, L.N.; Fayzulloev, F.S.; Cheresisirov, V. P.

TITLE: Experimental determination of electronic oscillator strengths of diatomic molecules

CITED SOURCE: Tr. Komis. po spektroskopii. AN SSSR, vyp. 1, 1964, 64-81

TOPIC TAGS: oscillator strength, electron oscillator, diatomic molecule, shock wave, oxygen, nitric oxide, cyan, electronic spectrum

TRANSLATION: To determine the oscillator strengths of electronic transitions of diatomic molecules, an experimental method was developed, based on the measurement of the absorption of gas behind a shock wave reflected from the end of a shock tube. By varying the velocity of the incident shock wave and by calculating the state of the gas behind the shock wave, it is possible to determine the temperature and the concentration that the molecules behind the reflected

Card 1/2

L 46301-65

ACCESSION NR: AR5012225

Shock wave must have to permit determination of the oscillator strengths from the measured absorption. The theoretically obtained temperature was monitored by two experimental methods. A method was also developed for determining the oscillator strengths from the study of the gas behind the shock wave; these strengths were determined for the Schumann-Runge bands of oxygen, the beta and gamma systems of nitric oxide, the violet band system of OH, and the C₂ Swan bands.

SUB CODE: NP, ME

ENCL: 00

Card 2/2

SVIRIDOV, A.I.

21-4-20/24

AUTHOR: Svyrydov, O.I. (Russian Equivalent - Sviridov, A.I.)

TITLE: Distribution and Architectonics of the Lymphatic Networks of Diaphragmatic Pleura in Man and Mammals (Rozpodil i arkhitektonika limfatychnykh sitok diafrahmal'noi plevry u lyudyny ta u ssavtsiv)

PERIODICAL: Dopovidi Akademii Nauk Ukrain's'koi RSR, 1957, #4, pp 394-397 (USSR)

ABSTRACT: The lymphatic vessels of diaphragmatic pleura in man and in mammals are distributed unevenly. Within the limits of the muscular part, they are developed more considerably than in the sphere of the tendon center.

The architectonics of the lymphatic networks of the diaphragmatic pleura varies, and is determined by a number of factors:

1. The degree of pleura inosculation with the muscle and tendon bundles,
2. The development and direction of the fibrous structures (elastic and collagenic fibres) of the tunicae propriae.

Card 1/2

TITLE:

21-4-20/24

Distribution and Architectonics of the Lymphatic Networks of Diaphragmatic Pleura in Man and Mamals (Rozpodil i arkhitektonika limfatychnykh sitok diafrahmal'noi plevry u lyudyny ta u ssavtsiv)

3. The disposition of the pleural blood vessels.

The lymphatic vessels which are remote from the dynamic structures determining the normal current of the lymph show signs of destruction, which indicates the slow movement of the lymph in these vessels.

There are 7 references, 5 of which are Slavic.

INSTITUTION: Kiyev Medical Institute

PRESENTED BY: Kas'yanenko, V.H., Member of the Ukrainian Academy of Sciences

SUBMITTED: 14 November 1956

AVAILABLE: At the Library of Congress

Card 2/2

SVIRIDOV, A.I., kandidat meditsinskikh nauk

Initial lymphatic vessels of the diaphragmal section of the human pericardium. Vrach.delo no.5:509-511 My '57. (MLRA 10:8)

1. Kafedra normal'noy anatomii (zav. - zasl. deyatel' nauki, prof. M.S.Spirov) Kiyevskogo meditsinskogo instituta
(LYMPHATICS) (PERICARDIUM)

SVIRIDOV, A.I., kand.med.nauk

New data from a study of the lymphatics of the human diaphragm.
Vrach.delo no.10:1055-1056 0 '57. (MIRA 10:12)

1. Kafedra normal'noy anatomii (zav. - zasl. deyat.nauk, prof.
M.S.Spirov)
(DIAPHRAGM) (LYMPHATICS)

21-1-24/26

AUTHOR: Sviridov, A.I. (Svirydov, O. I.)

TITLE: On the Lymph Ducts of the Muscular Layer of the Diaphragm
(O limfaticeskikh sosudakh myshechnogo sloya diafragmy)

PERIODICAL: Dopovidi Akademii Nauk Ukrain's'koi RSR, 1958, # 1, pp 105-107
(USSR)

ABSTRACT: The problem of the lymph ducts of the muscular tissues, and in particular the muscular layer of the diaphragm, has not been studied sufficiently. The author carried out a morphological investigation on 362 human corpses of the intrauterine and extrauterine periods. This investigation, conducted by the injection method, established the existence of the following lymph ducts in the muscular layer of the diaphragm: 1. interfascicular, which follow the course of the muscle bundles; 2. perivascular, which are contained in the connective tissue surrounding the blood vessels, and 3. perforating, which connect the peritoneal and pleural lymph networks.

These ducts are subject to considerable changes with age. The interfascicular ducts are fairly well developed during the first half of the intrauterine period, but vanish in later life. The perivascular ducts, on the contrary, are most pronounced in ex-

Card 1/2

On the Lymph Ducts of the Muscular Layer of the Diaphragm 21-1-24/26

trauterine life, especially in children. The quantity of the perforating ducts per unit of diaphragm area decreases with age.

The article contains 3 Russian and 1 German references.

ASSOCIATION: Kiyev Medical Institute (Kyivs'kyy medychnyy instytut)

PRESENTED: By Academician of the Ukrainian Academy of Sciences V.G. (V.H.) Kas'yanenko

SUBMITTED: 5 April 1957

AVAILABLE: Library of Congress

Card 2/2 1. Man 2. Medical research 3. Lymph ducts 4. Muscle-Tissue culture

SVIRIDOV, A.I., kand.med.nauk (Kiyev, ul. Malo-Zhitomirskaya, d.16, kv.4)

Intraorganic lymphatic vessels of the human gall bladder. Nov.khir.
arkh. no.3:54-59 My-Je '58. (MIRA 11:9)

1. Kafedra normal'noy anatomii (zav. - zasl. deyatel' nauki
prof. M.S. Spirov) Kiyevskogo meditsinskogo instituta.
(LYMPHATICS)
(GALL BLADDER)

SVIRIDOV, A. I. Doc Med Sci -- (diss) "Lymphatic vessels of the human diaphragm." Kiev, 1959. 35 pp (Kiev Order of Labor Red Banner Med Inst in Academician A. A. Bogomolets), 250 copies (KL, 47-59, 116)

SVIRIDOV, A.I.

Lymphatic vessels in the wall of the inferior vena cava in man
and animals. Dokl.AN SSSR 132 no.6:1452-1453 Je '60.
(MIRA 13:6)

1. Kiyevskiy meditsinskiy institut im. akad. A.A. Bogomol'tsa.
Predstavleno akademikom I.I.Shmal'gauzenom.
(VENA CAVA) (LYMPHATICS)

SPIROV, Mikhail Sergeevich, prof.; SVIRIDOV, Aleksandr Ivanovich, doktor med. nauk; ANDRIYEVSKIY, Boris Stepanovich, assistent; BESPALOVA, L.S., red.; BYKOV, N.M., tekhn. red.

[Lymphatic vessels of the respiratory organs] Limfaticheskie sosudy organov dykhaniiia. Kiev, Gos. med.izd-vo USSR, 1961. 161 p.
(MIRA 14:11)

(LYMPHATICS)

(RESPIRATORY ORGANS)

SVIRIDOV, A.I. (Kiyev, 1. Mal.Zhitomirskaya ul., 16, kv.4)

Functional morphology of the perivascular lymphatic
vessels in vertebrates. Arkh. anat., gist. i embr.
42 no.5:83-88 My '62. (MIRA 15:6)

1. Kafedra normal'noy anatomii (zav. - zasluzhennyy deyatel'
nauki prof. M.S. Spirov) Kiyevskogo meditsinskogo instituta.
(LYMPHATICS)
(VERTEBRATES--ANATOMY)

SVIRIDOV, A.I. [Svyrydov, O.I.]

Initial networks of lymphatic capillaries of the mucous membrane
and of the submucous layer of the stomach in vertebrates. Dop.
AN URSR no.2:264-266 '64. (MIRA 17:5)

1. Kiyevskiy meditsinskiy institut . Predstavleno akademikom AN
UkrSSR V.G.Kas'yanenko [Kas'ianenko, V.H.].

KABANOV, A.N.; MIKHAYLOVSKIY, G.A.; SVIRIDOV, A.M.

Features of using electron guns of electron microscopes at high currents.
Radiotekh. i elektron. 9 no.8:1470-1475 Ag '64. (MIRA 17:10)

KORZINKIN, V.I.; SVIRIDOV, A.N.; TARASYKIN, Ya.F.

Attachments for honing gear teeth. Stan. i instr. 36 no.8:9-12
Ag '65. (MIRA 18:9)

SVIRIDOV, A.P.

Eradication of hog cholera in the district. Veterinariia 38
no.9:20 S '61. (MIRA 16:8)

1. Glavnyy veterinarnyy vrach Kolkhoznogo rayona,
Chelyabinskoy oblasti.

SVIRIDOV, A. P.

Dredges and dredging. Moskva, Gos nauchno-tekhn. izd-vo lit-ry, po chernoi i tsvetnoi metallurgii, 1952. 47 p. (54-16948)

TC187.S89

SVIRIDOV, A.P., inzh.

Semiantomatic ultrasonic machine. Izv. vys. ucheb.zav.; prib. (MIRA 11:7)
no.2:159-163 '58.

1. Tsentral'naya nauchno-issledovatel'skaya laboratoriya.
(Ultrasonic waves--Industrial applications)