

TOROPOV, N. ; SKVORTSOV, A.

All-out participation in fire prevention. Pozh.delo  
6 no.8:11 Ag '60. (MIRA 13:8)

1. Zamestitel' nachal'nika pozharnoy okhrany kombinata  
"Krasnyy Perekop (for Toropov). 2. Starshiy inspektor  
Upravleniya pozharnoy okhrany, Yaroslavl' (for Skvortsov).  
(Yaroslavl--Factories--Fires and fire prevention)

ACCESSION NR: AR4035562

S/0271/64/000/003/B010/B010

SOURCE: Ref. zh. Avtomat., telemekh. i vy\*chisl. tekhn. Av. t., Abs. 3B48

AUTHOR: Butakov, Ye. A.; Toropov, N. R.

TITLE: Synthesis of the schemes realizing combinatorial operators

CITED SOURCE: Tr. Sibirsk. fiz.-tekhn. in-ta, vy\*p. 42, 1963, 44-55

TOPIC TAGS: Gray code counter, shift register, Gray code counter synthesizing, combinatorial operator

TRANSLATION: Based on the Boolean algebra, a synthesis of a Gray-code counter with a digit blocking and a synthesis of a generator of combinations of n things, k at a time, are presented. These devices can be used in a control system of a specialized computer for investigating communication and control systems. Two methods are analyzed in synthesizing the Gray-code counter. In the first method, the conventional binary positional counter is used for obtaining Gray-code numbers (by a definite algorithm). Owing to the drawbacks of the first method (lower counting rate and need for additional equipment when symmetrical outputs in each counter digit are realized), the second method is used in the synthesizing in

Card 1/2

ACCESSION NR: AR4035562

which the Gray-code natural numbers appear directly in the counter. A Gray-code counter synthesis with blocking any  $k$  digits is presented. A functional scheme of odd and even cells is given. An algorithm underlying the generator of combinations of  $n$  things,  $k$  at a time, is described. This algorithm is also illustrated by a table presenting all combinations of 6, three at a time. An optimum scheme for realizing the algorithm consisting of  $k$  shift registers is presented. A scheme of 2-cycle magnetic-core shift register is analyzed. Six illustrations, two tables. Bibliography: 5 titles.

DATE ACQ: 14Apr64

SUB CODE: DP

ENCL: 00

Card 2/2

KASHIROV, V. I.; BUTAKOV, Ye. A.; POTTOSIN, Yu. V.; TOROPOV, N. R.; TSVEINITSKAYA, S. A.

"Problems in Realizing the L-Machine."

r report presented at the Symp on Relay Systems Theory & Finite Automata, Moscow,  
24 Sep-2 Oct 62.

TOROPOV, P.I.

Complete filling for the preservation of industrial buildings and structures in the Donets Basin. Ugol' 38 no.12: 13-14 '63. (MIRA 17:5)

1. Nachal'nik tekhnicheskogo otdela Gosudarstvennogo komiteta pri Sovete Ministrov UkrSSR po nadzoru za bezopasnym vedeniyem rabot v promyshlennosti i gornomu nadzoru.

ТОРОПОВ, П.И., инж.; НОВИКОВ, Н.В.

Boring and blasting in mines under construction. Bezop.truda v prom.  
2 no.9:10-11 S '58. (MIRA 11:9)

1.Kombinat Luganskshakhtostroy (for Toropov). 2.Trest Kadiyevshakhto-  
stroy (for Novikov).

(Mining engineering)

1000000, T.V.

21/00  
5/05/60/039/03/02/033  
06/8014

Author: Kollman, W. A., Zepstein, W. S., 11/14/54, W. S.  
Kollman, W. A., Zepstein, W. S., 11/14/54, W. S.  
Title: Measurement of Spectra and the Average Fission Number in the  
Fission of <sup>235</sup>U and <sup>238</sup>U by 14.3-Mev Neutrons

Periodical: Journal Experimental Topical Neutron Physics, 1960,  
Vol. 30, No. 3, pp. 671-684

NOTE: The present article deals in detail with the experimental investi-  
gations made in the energy range 0.4 - 5 Mev by means of the time-of-flight  
technique and a pulsed neutron source. The experimental arrangement is  
essentially shown in Fig. 1. The reaction <sup>235</sup>U(n,f) served as primary neutron  
source in the target of an accelerator. The target was bombarded with 150-keV  
deuterons. The time-of-flight determination was carried out electronically  
by measuring the time intervals between the pulses in the detector. The  
detection impulses were obtained by modulation, i.e., by means of a sinusoidal  
Card 1/4

Abstract: Elastic fission ( $\sigma = 260/\text{mev}$ ) and fission of the 14.3-Mev neutron induced  
fission and had fission cross sections of the average 4 neutrons were ob-  
tained for pulses. The fission chambers were used (with <sup>235</sup>U 90 per cent) and  
<sup>238</sup>U (natural isotope composition) the chambers were filled with a mixture  
of argon and CO<sub>2</sub> gas (10 per cent) at 160 torr. A total crystal diameter  
80 cm, thickness 2.5 cm with a photomultiplier of the type FD-35 served as  
neutron detector. The efficiency of the detector as determined according to  
Breit-Wigner formulae as a function of the energy of the neutrons was  
threshold energies 0.2, 0.25 and 0.3 Mev. The electronic apparatus used to  
measure the pulse distribution in the detector with respect to time is de-  
scribed in detail. Fig. 3 illustrates a block scheme, Fig. 4 a recorded pulse  
verruis also diagram, Fig. 5 shows the time distribution of the pulses re-  
corded with the measurement of the neutron spectrum of the pulsed fission.  
Fast-neutron and  $\gamma$ -rays of the fission the following were also recorded:  
14-Mev primary neutrons, neutrons, and  $\gamma$ -quanta due to interaction between  
primary neutrons and parts of the apparatus, radiation of the activated  
Card 2/4

substances, neutrons, and  $\gamma$ -quanta due to primary neutron scattering, and  
2.5-Mev neutrons from the accelerator. Details and accuracy of the operation  
of the measured values from the background are discussed. The neutron spectra  
of <sup>235</sup>U and <sup>238</sup>U fission are shown in Figs. 7a and 7b. All curves show a  
similar course: a steep ascent, a peak, and an even descent. Figs. 8a and 8b  
show the diagrams made for the analysis of the spectra in the coordinate  
in  $(E(E)/E) \ln E$ . The spectra may be satisfactorily represented by  
$$N(E) = \alpha \frac{E}{E_0} \exp(-E/E_0) + (1 - \alpha) \frac{1}{E} \exp(-E/E_0) \ln \frac{E}{E_0}$$
  
The analytical results are listed in Table 1. The following parameter values  
are indicated for <sup>235</sup>U:  $\tau = (1.06 \pm 0.03) \text{ Mev}$ ;  $\tau = (0.37 \pm 0.04) \text{ Mev}$   
 $\sigma_f = (0.16 \pm 0.02) \%$  for <sup>235</sup>U  
 $\sigma_f = (1.16 \pm 0.05) \text{ Mev}$ ;  $\tau = (0.40 \pm 0.02) \text{ Mev}$ ;  $\sigma_f = (0.21 \pm 0.02) \%$ . The average  
number of neutrons emitted in the fission:  $\nu = 4.17 \pm 0.30$  (<sup>235</sup>U) and  
Card 3/4

4.78 ± 0.30 (<sup>238</sup>U), the ratio  $\nu(\text{<sup>238</sup>U}/\text{<sup>235</sup>U}) = 1.03 \pm 0.03$ . The following  
data were obtained:  $\nu_{235}^{\text{avg}}$ ,  $d\nu/dE = 0.112 \pm 0.011$  and  $\nu_{238}^{\text{avg}}$ ,  $d\nu/dE =$   
 $-0.115 \pm 0.011$  ( $E_n$  - neutron energy). In conclusion, the authors thank  
Yu. Ia. Olshansky, A. M. Maloy, S. I. Kuznetsov, V. A. Farshin, A. I. Re-  
bator, V. S. Khoroshikhin, and V. P. Zhukin for their participation in the  
measurements and for their assistance. V. A. Kozlov for computer calcula-  
tions. Kanton is also made of the group of V. A. Izrael, Yu. S. Zengulidze,  
G. A. Dav' and L. P. Kudrin. There are 9 figures, 2 tables, and 21 ref-  
erences, 12 of which are Soviet.  
SUBMITTED August 5, 1959

AUTHORS: Vasil'yev, Yu. A. , Zamyatnin, Yu. S., Toropov, P. V., 89-12-9/29  
Fomushkin, E. F.

TITLE: Measurement of the Neutron Spectrum in the Area below 0,5 MeV by Means of the Time of Flight Method (Izmereniye spektrov neytronov v oblasti energii nizhe 0,5 MeV metodom vremeni proleta)

PERIODICAL: Atomnaya Energiya, 1957, Vol. 3 , Nr 12, pp. 542-544 (USSR)

ABSTRACT: By applying an impulse source of neutrons the secondary neutron spectrum is measured, which develops, if 14 MeV neutrons pass through layers of uranium. A fission chamber, which was connected with a 30 channel analyzer, was used as a neutron detector. The distance between source and detector was 6 m.  
The energy spectra for the following samples were shown by a graph:  
a) U235 : 2,7 cm thick ( $\sim 1/3 \lambda$  in)  
b) U238 : 2,5 cm thick ( $\sim 1/3 \lambda$  in)  
c) U238 : 8 cm thick ( $\sim \lambda$  in)  
The spectra obtained from a) and b) originate from a simple interaction between 14 MeV neutrons and the uranium nuclei: It can be assumed that in the measured area of energy the development of the secondary neutrons originate from evaporation from

Card 1/2



Measurement of the Neutron Spectrum in the Area 0,5 MeV by Means of the Time of Flight Method. 89-12-9/29

the stimulated conditions of the compound core. For the case c) the development of a higher number of slow neutrons was ascertained. These are the consequence of a multiple-inelastic interaction which confirms the existence of low situated levels in the  $U^{238}$  nucleus. There are 3 figures and 3 references, 2 of which are Slavic.

SUBMITTED: July 20, 1957

AVAILABLE: Library of Congress

Card 2/2

VASIL'YEV, Yu.A.; ZAMYATNIN, Yu.S.; IL'IN, Yu.I.; SIROTININ, Ye.I.;  
TOROPOV, P.V.; FOMUSHKIN, E.F.

Measuring the spectra and average number of neutrons in the  
fission of  $U^{235}$  and  $U^{238}$  induced by 14.3 Mev neutrons.  
Zhur.eksp.i teor.fiz. 38 no.3:670-684 Mr '60.

(MIRA 13:7)

(Neutrons) (Nuclear fission) (Uranium--Isotopes)

I. 24351-66 SWP(e)/SWT(m) WH

ACC NR: AP6007259

SOURCE CODE: UR/0363/66/002/002/0357/0362

AUTHOR: Toropov, N.A.; Zhukauskas, R.-S.M.; Aleynikov, P.K. B  
BORG: Institute for Chemistry and Chemical Technology AN LitSSR  
(Institut khimii i khimicheskoy tekhnologii AN LitSSR)TITLE: The structural transformations of synthetic cordierite 15SOURCE: AN SSSR. Izvestiya. Neorganicheskkiye materialy, v. 2, no. 2,  
1966, 357-362

TOPIC TAGS: cordierite, crystal structure, silicate

ABSTRACT: The test samples were of cordierite synthesized from glass in a heat treatment of from 0.5 to 120 hours, at temperatures from 1100 to 1460°C. The heat treatment was done in a Silit furnace in platinum crucibles, with subsequent air cooling. Glasses of three composition were investigated: a stoichiometric cordierite composition, a composition with 10 weight % more silicon dioxide, and a composition with 10 weight % less silicon dioxide. X-ray investigations were carried out on a URS-50I unit. Results are shown in graphic and tabular form. As the result of prolonged heat treatment at 1400°C a lower rhombic form was obtained from the higher hexagonal cordierite. On raising the temperature up to 1460°C, the reverse transition was

Card 1/2

UDC:548.19

L 24354-66

ACC NR: AP6007259

obtained with ordering of the structure of the cordierite. The process of transition from the high to the lower cordierite was observed electromicroscopically. It was established that the polymorphous transition with formation of rhombic cordierite is accompanied by partial amorphization of the crystal structure which proceeds at a high rate in a narrow temperature interval. The rhombic modification of cordierite is stable in the temperature range up to 1440°C. Orig. art. has: 4 figures and 2 tables. ○

SUB CODE: 07,11/ SUBM DATE: 29Jun65/ ORIG REF: 008/ OTH REF: 005

Card

*2/2 pla*

L 24279-66 EWP(e)/EWT(m)/EWP(j)/T/EWP(t)/ETC(m)-6 IJP(c) DS/JD/WW/JG/RM/WE

ACC NR: AP6009792

SOURCE CODE: UR/0062/66/000/002/0212/0217

AUTHOR: Bondar', I. A.; Toropov, N. A.

70

B

ORG: Institute of Silicate Chemistry im. I. V. Grebenshchikov, Academy of Sciences, SSSR (Institut khimii silikatov Akademii nauk SSSR)TITLE: Phase equilibria in the ytterbium oxide-alumina system and their comparison with equilibria in other  $\text{Ln}_2\text{O}_3\text{-Al}_2\text{O}_3$  systems

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 2, 1966, 212-217

TOPIC TAGS: phase diagram, phase equilibrium, alumina, aluminum oxide, aluminate, samarium compound, ytterbium compound, hardness, density, melting point, chemical resistant material, rare earth compound

ABSTRACT: Phase diagrams were constructed for the  $\text{Yb}_2\text{O}_3\text{-Al}_2\text{O}_3$  and  $\text{Sm}_2\text{O}_3\text{-Al}_2\text{O}_3$  systems. X-ray studies confirmed the compounds  $2\text{Yb}_2\text{O}_3\cdot\text{Al}_2\text{O}_3$  and  $3\text{Yb}_2\text{O}_3\cdot 5\text{Al}_2\text{O}_3$ . The physical properties of the La, Er, Sm, Y, Tb and Yb aluminates were compared. The infusibility, hardness, density and chemical resistance of the rare earth aluminates helps make them suitable for high frequency ceramics, luminophores, materials for absorption of neutrons and protection against gamma radiation, and

Card 1/2

UDC: 539.26+546.65

2


L 24279-66


ACC NR: AP6009792

materials resistant to high temperature and aggressive media. Orig. art.  
has: 1 table and 5 figures.


SUB CODE: 11, 07/ SUBM DATE: 02Sep63/ ORIG REF: 003/ OTH REF: 001

Card 2/2 *K*














18

PROCESSES AND PROPERTIES INDEX

Effect of some mineralizers on the synthesis of aluminates and aluminates of calcium. N. A. Toropov and T. M. Dyuko. *Vysokom. Nauch. Tekhnol. Inst. Tsvetn. Byull.* No. 2, 3-9(1937).—The synthesis of (1) Ca monoaluminate,  $\text{CaO} \cdot \text{Al}_2\text{O}_3$ , (2) brownmillerite,  $4\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{Fe}_2\text{O}_3$  and (3)  $8\text{CaO} \cdot 3\text{Al}_2\text{O}_3$  were studied. The batches were composed of  $\text{CaO}$ ,  $\text{Al}_2\text{O}_3$  and iron oxide to which boric ore was added. The mixes. were heated to various temps. The results are tabulated. Curves show the speed of formation of these  $\beta$  mineral clinkers. M. V. Condit

ASIA-ISA METALLURGICAL LITERATURE CLASSIFICATION

E-2

PROCESSES AND PROPERTIES INDEX

20

ca

The composition of brownmillerite in portland cement clinker. N. A. Toropov, N. A. Shishakov and L. D. Merkov. *Tsiement* 3, No. 1, 28-34(1937).—Crystal-optical and x-ray investigations of the binary system brownmillerite-pentacalcium trialuminate showed that in the clinker celite can be obtained brownmillerite contg. in the form of a solid soln. a considerable amount (up to 35%) of  $3CaO \cdot 3Al_2O_3$ . The presence of solid solns. was observed in brownmillerite contg. different amounts of  $3CaO \cdot 3Al_2O_3$ . It is concluded that brownmillerite has a variable compn. and that considerable alumina over that equiv. to the  $Fe_2O_3$  of brownmillerite can also be absorbed by its crystals in portland cement clinker. E. E. S.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

MATERIALS INDEX

COMMON ELEMENTS

COMMON SYMBOLS INDEX

10

177

PROCESSES AND PROPERTIES GROUP

Determination of free lime [in portland cement] by the Emley method. P. D. Katschenbogen and N. A. Toropov. *Vsesoyuz. Nauch.-Issledovatel. Inst. Tsvetmet. Sbornik Rabot* No. 17, 52-5(1937).—Clinkers giving on analysis by the Emley method not more than 1.0% of free CaO, i. e., a harmless quantity of CaO, were nevertheless found to be unsatisfactory. Microscopical investigation showed that they contained a considerable no. of free CaO crystals and attention is therefore drawn to the inaccuracy of this method. Modifications are suggested. B. C. P. A.

Solid solutions of calcium ferrite in monoaluminate of calcium produced by means of sintering. D. S. Belyanin, N. A. Toropov and T. M. Dukov. *Vsesoyuz. Nauch.-Issledovatel. Inst. Tsvetmet.* No. 18, 57-74(1937).—A partial replacement of  $Al_2O_3$  in a monoaluminous mix by  $Fe_2O_3$  will tend to form solid solns. of  $CaO.Fe_2O_3$  and  $CaO.Al_2O_3$  of varied concn. depending upon the  $Fe_2O_3$  content of the mix, the temp. and the duration of firing. M. V. Condule

METALLURGICAL LITERATURE CLASSIFICATION

LITERATURE NUMBER

20

*ca*

Determination of free magnesia in raw materials for cement. N. A. Toropov and P. D. Katsenelenbogen. *Tsment* 5, No. 7, 41-3(1938).— Finely ground material (0.2 g. is mixed with 1-3 g.  $\text{NH}_4\text{Cl}$  and treated with 50 ml. of a mixt. of 5% of glacial  $\text{AcOH}$  and 95% anhyd.  $\text{MeOH}$ . The mixt. is heated below the b. p., filtered, the residue washed 5-7 times with anhyd.  $\text{MeOH}$  or  $\text{EtOH}$  and evapd. to dryness in a porcelain cup in presence of  $\text{HCl}$ . The residue is burned to remove  $\text{NH}_4\text{Cl}$ , treated with  $\text{HCl}$  and analyzed by the usual method for silicates. E. E. S.

ASSOCIATED METALLURGICAL LITERATURE CLASSIFICATION

GROUPS

GROUPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
--------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

BC A-1

1st AND 2nd ORDERS  
PROCESSES AND PROPERTIES INDEX  
2nd AND 1st ORDERS

Common ELEMENTS  
Common SYMBOLS INDEX

**Solid solutions of calcium and barium orthosilicates. N. A. TOROPOV and P. F. KONOVALOV (Compt. rend. Acad. Sci. U.R.S.S., 1938, 21, 603-604).—Microscopic examination of the binary system  $2CaO \cdot SiO_2 - 2BaO \cdot SiO_2$ , prepared by fusion of the requisite amounts of  $CaCO_3$ ,  $BaCO_3$ , and  $SiO_2$ , indicates a single homogeneous phase. The  $n_x$  and the  $n_y$  of the mixed crystals increase with increase in  $[2BaO \cdot SiO_2]$ .**  
W. R. A.

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

GROUPS / 1st AND 2nd ORDERS / 1st AND 2nd ORDERS

OPEN MATERIALS INDEX

GROUPS / 1st AND 2nd ORDERS / 1st AND 2nd ORDERS



1ST AND 7TH ORDERS      2ND AND 8TH ORDERS

PROCESSES AND PROPERTIES INDEX

18

*CF*

$\beta$ -Alumina. N. A. Toropov, Russ. 54,181, Jan. 31, 1939.  $\beta$ -Al<sub>2</sub>O<sub>3</sub> obtained in the usual way is treated with molten salt of a univalent or a bivalent metal whose cation can replace Na, K or Ba already present. The product is exhd. with H<sub>2</sub>O.

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

NON-METALS INDEX      ALUMINA INDEX

OPEN COMMON ELEMENTS

COMMON ELEMENTS

1ST AND 7TH ORDERS      2ND AND 8TH ORDERS

1ST AND 7TH ORDERS      2ND AND 8TH ORDERS

1ST AND 2ND ORDERS      PROCESSES AND PROPERTIES INDEX      3RD AND 4TH ORDERS

CA 20

The composition of the liquid phase in the formation of portland cement clinker. N. A. Tokopov. *Tsvetmet* 6, No. 1, 24-7(1939); cf. C. A. 31, 44719. --A discussion of literature with a reply to critics. E. E. Stefanowsky

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS      3RD AND 4TH ORDERS

PROCESSES AND PROPERTIES INDEX

2

*CA*

**Binary system sodium ferrite-sodium aluminate.** N. A. Tarasov and N. A. Shishakov. *Acta Physicochim. U. R. S. S.* 11, 377-80 (1938) (in English).—Microscopic detns. of the  $\alpha$  and Debye x-ray photographs show that the system  $\text{Na}_2\text{O}\cdot\text{Al}_2\text{O}_3\text{-Na}_2\text{O}\cdot\text{Fe}_2\text{O}_3$  forms a continuous series of solid solns. The sep. components have very similar patterns, and both are thermally stable at 1500°. Data obtained for  $\text{Na}_2\text{O}\cdot\text{Al}_2\text{O}_3$  agree with those of Brown Miller and Bogue (*C. A.* 26, 4233) but those for  $\text{Na}_2\text{O}\cdot\text{Fe}_2\text{O}_3$  do not agree with those of Goldstaub (*C. A.* 27, 2860).  
F. H. Rathmann

ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM SOURCE

1ST AND 2ND LETTERS

3RD AND 4TH LETTERS

5TH AND 6TH LETTERS

7TH AND 8TH LETTERS

9TH AND 10TH LETTERS

11TH AND 12TH LETTERS

13TH AND 14TH LETTERS

15TH AND 16TH LETTERS

17TH AND 18TH LETTERS

19TH AND 20TH LETTERS

21ST AND 22ND LETTERS

23RD AND 24TH LETTERS

25TH AND 26TH LETTERS

27TH AND 28TH LETTERS

29TH AND 30TH LETTERS

31ST AND 32ND LETTERS

33RD AND 34TH LETTERS

35TH AND 36TH LETTERS

37TH AND 38TH LETTERS

39TH AND 40TH LETTERS

41ST AND 42ND LETTERS

43RD AND 44TH LETTERS

45TH AND 46TH LETTERS

47TH AND 48TH LETTERS

49TH AND 50TH LETTERS

51ST AND 52ND LETTERS

53RD AND 54TH LETTERS

55TH AND 56TH LETTERS

57TH AND 58TH LETTERS

59TH AND 60TH LETTERS

61ST AND 62ND LETTERS

63RD AND 64TH LETTERS

65TH AND 66TH LETTERS

67TH AND 68TH LETTERS

69TH AND 70TH LETTERS

71ST AND 72ND LETTERS

73RD AND 74TH LETTERS

75TH AND 76TH LETTERS

77TH AND 78TH LETTERS

79TH AND 80TH LETTERS

81ST AND 82ND LETTERS

83RD AND 84TH LETTERS

85TH AND 86TH LETTERS

87TH AND 88TH LETTERS

89TH AND 90TH LETTERS

91ST AND 92ND LETTERS

93RD AND 94TH LETTERS

95TH AND 96TH LETTERS

97TH AND 98TH LETTERS

99TH AND 100TH LETTERS

PROCESSING AND PROPERTIES INDEX

CRYSTALLOGRAPHICAL ANALYSIS OF STRONTIUM ALUMINATES. N.

A. Toropov. *Compt. rend. acad. sci. U. R. S. S.* 23, 74-8(1930) (in English).—Comps. of SrO and Al<sub>2</sub>O<sub>3</sub> were prep. by the method used (C. A. 29, 3260) for BaO·Al<sub>2</sub>O<sub>3</sub> and subjected to microscopic examn. 3SrO·Al<sub>2</sub>O<sub>3</sub> is isolated from the melts in the form of perfectly crystd. trapezohedrons of the cubic system; it is optically isotropic. There is a perfect cleavage;  $n = 1.728 \pm 0.003$ . SrO·Al<sub>2</sub>O<sub>3</sub> closely approaches CaO·Al<sub>2</sub>O<sub>3</sub>, while SrO·2Al<sub>2</sub>O<sub>3</sub> approaches CaO·2Al<sub>2</sub>O<sub>3</sub>. 11 references. A. H. K.

ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION

E-2

1ST AND 2ND LETTERS

3RD AND 4TH LETTERS

5TH AND 6TH LETTERS

7TH AND 8TH LETTERS

9TH AND 10TH LETTERS

11TH AND 12TH LETTERS

13TH AND 14TH LETTERS

15TH AND 16TH LETTERS

17TH AND 18TH LETTERS

19TH AND 20TH LETTERS

21ST AND 22ND LETTERS

23RD AND 24TH LETTERS

25TH AND 26TH LETTERS

27TH AND 28TH LETTERS

29TH AND 30TH LETTERS

31ST AND 32ND LETTERS

33RD AND 34TH LETTERS

35TH AND 36TH LETTERS

37TH AND 38TH LETTERS

39TH AND 40TH LETTERS

41ST AND 42ND LETTERS

43RD AND 44TH LETTERS

45TH AND 46TH LETTERS

47TH AND 48TH LETTERS

49TH AND 50TH LETTERS

51ST AND 52ND LETTERS

53RD AND 54TH LETTERS

55TH AND 56TH LETTERS

57TH AND 58TH LETTERS

59TH AND 60TH LETTERS

61ST AND 62ND LETTERS

63RD AND 64TH LETTERS

65TH AND 66TH LETTERS

67TH AND 68TH LETTERS

69TH AND 70TH LETTERS

71ST AND 72ND LETTERS

73RD AND 74TH LETTERS

75TH AND 76TH LETTERS

77TH AND 78TH LETTERS

79TH AND 80TH LETTERS

81ST AND 82ND LETTERS

83RD AND 84TH LETTERS

85TH AND 86TH LETTERS

87TH AND 88TH LETTERS

89TH AND 90TH LETTERS

91ST AND 92ND LETTERS

93RD AND 94TH LETTERS

95TH AND 96TH LETTERS

97TH AND 98TH LETTERS

99TH AND 100TH LETTERS

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

BC

A-1

**Interchange of bases in crystals of  $\beta$ -alumina.**  
 N. A. TOROROV and M. M. STUKALOVA (Compt. rend.  
 Acad. Sci. U.R.S.S., 1939, **26**, 459-461).—Base  
 exchange was observed on fusing  $\text{Be } \beta\text{-Al}_2\text{O}_3$  with  
 $\text{Na}_2\text{CO}_3$ ,  $\text{K}_2\text{CO}_3$ , or  $\text{Rb}_2\text{O}$ , and extracting the product  
 with 1:1 HCl. The products contained  $\text{Na}_2\text{O}$   
 6-82—6-70,  $\text{BaO}$  0-30—0-70;  $\text{K}_2\text{O}$  10-16,  $\text{BaO}$  4-18;  
 $\text{Rb}_2\text{O}$  6-33,  $\text{BaO}$  11-63%, respectively. The alkali  
 content was in each case > that found by other  
 observers. Optical and physical data are given.  
 H. J. E.

ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION

GROUPS		LETTERS																											
1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	

*A. C. S.*

*Hydraulic*

Hydraulic cement of high density. N. A. TOMUROV AND  
P. P. KONOVALOV. Russ. 58,566, Dec. 31, 1946. Chem.  
Abs., 39, 1033 (1945).—To the usual cement ingredients,  
are added Ba compounds, e.g., BaO.

Microfilm frame containing a document page. The page is titled "A.S.B. - L.L.A. METALLURGICAL LITERATURE CLASSIFICATION" and contains a handwritten "R" in the top left corner. The text on the page is:

Toropov, N. A. CHEMICAL-MINERALOGICAL CHANGE IN THE TALL-MAGNESITE LINING OF A ROTARY CEMENT KILN. *Trudy Sveshchaniya Osnovnykh Materialov*, 1940, 212-17. --After 22 days in the firing zone of the rotary kiln of the Shurov cement plant, the lining showed three zones: (1) a light red zone, of the same composition as well-fired talc-magnesite brick, (2) a zone fused to a considerable extent, brownish black, and differing in composition from the first zone by a considerable amount of added oxides (mainly CaO and Al<sub>2</sub>O<sub>3</sub> with some TiO<sub>2</sub>), and (3) in contact with the burned clinker, a zone similar to the second zone in physical properties but of a chemical composition similar to that of Mg Portland cement clinker.

The form includes various indices and classification labels:

- Top: 1ST AND 2ND LETTER, 3RD LETTER, 4TH AND 5TH LETTERS, MATERIALS GROUP
- Left: COMMON VARIABLE INDEX
- Right: COMMON ELEMENTS
- Bottom: 1ST AND 2ND LETTER, 3RD LETTER, 4TH AND 5TH LETTERS

BC

A-1

Binary system magnesium oxide-boric anhydride. \*N. A. Troppov and P. F. Kononov (*J. Phys. Chem. Russ.*, 1940, 14, 1103-1110).—Mixtures containing <1 MgO per 1 B<sub>2</sub>O<sub>3</sub> form two layers below 1103°, and their cooling curves show an endothermic transformation at 1080° and an exothermic one at 780°. MgO·B<sub>2</sub>O<sub>3</sub> melts at 1191° and 2MgO·B<sub>2</sub>O<sub>3</sub> at 1381±5°; cooling curves of these mixtures indicate transformations at 1191° and 1080°. 2MgO·B<sub>2</sub>O<sub>3</sub> melts at 1400±5° and forms eutectics at 1390±5° (B<sub>2</sub>O<sub>3</sub>, 49.1 wt.-%) and 1365±



20

*Ca*

The accuracy of the determination of free lime by the method of Emley. P. D. Katschenbogen and N. A. Toropov. *Yassovs. Nauch.-Issledovatel. Inst. Tsiment. VNIIT. Shornik Rabot No. 17, 52-5; Chem. Zentr. 1940, I, 2309; cf. C. A. 33, 4755.*—The method of Emley for the detn. of free lime in portland cement clinker depends upon titration with dil. HAc. Checks on the method revealed gross inaccuracies. However, sufficiently accurate results are obtained if the test is repeated 2-3 times with the sample being finely ground again each time. Control tests were run in which the completeness of soln. of the lime was detd. by examn. in a glycerol-alc. mixt. W. A. Moore

A 38-51A METALLURGICAL LITERATURE CLASSIFICATION

GROUP # 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

SECTION 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

CLASSIFICATION 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

2

**REPLACEMENT OF SODIUM IN CRYSTALS OF "β-ALUMINA" WITH CALCIUM, STRONTIUM AND BARIUM.** N. A. Toropov and M. M. Seubalova. *Compt. rend. acad. sci. U. R. S. S.* **27**, 974-7(1940)(in English); *C. C. A.* **33**, 48331.—"β-Alumina" serves to denote a rather extensive group of aluminates characterized by relatively large Al<sub>2</sub>O<sub>3</sub> contents. One g. of Na β-aluminate powder (200-mesh) was fused with a 6-fold quantity of alk. earth chloride for 1 hr. The resulting crystals were not homogeneous, but after a 2nd 1-hr. fusion period the crystals became optically homogeneous. The prepd. CaO.βAl<sub>2</sub>O<sub>3</sub> possessed a d. of 3.36, *n* of 1.702, and a birefringence of 0.035 with a neg. optic sign. The BaO- and SrO-β-aluminates were similar in properties to the CaO compd. These crystals are of the holohedral class of the hexagonal system and

have parameters in A. units for the CaO-, SrO- and BaO-aluminates, resp., of *a* = 5.536, 5.557 and 5.577, and *c* = 21.325, 21.945 and 23.67. ✓

H. E. Mesmore

**AISI-64 METALLURGICAL LITERATURE CLASSIFICATION**

137 AND 138 COPIES      PROCESSES AND PROPERTIES INDEX      340 AND 4TH COPIES

Ca

2

Solid solutions of Ca and Sr orthosilicates. N. A. ~~Evropov~~ and P. P. Kononov. *Compt. rend. acad. sci. U. R. S. S.* **26**, 155-7(1943)(in English).—Solid solns. contg. varying proportions of SrSiO<sub>4</sub> and CaSiO<sub>4</sub> were prepd. by fusing together CaCO<sub>3</sub>, SrCO<sub>3</sub>, and SiO<sub>2</sub> in proper proportions in the elec. arc. On passing from 100% CaSiO<sub>4</sub> to 100% SrSiO<sub>4</sub>,  $n_D$  changed from 1.735 to 1.756,  $n_p$  from 1.717 to 1.727,  $d_{20}^{25}$  from 3.38 to 3.84 as straight-line functions of the mol. % of the solid solns.  
J. W. P.

ASA-SLA METALLURGICAL LITERATURE CLASSIFICATION

MATERIALS INDEX      COMMON ELEMENTS      COMMON VARIABLES INDEX

MATERIALS INDEX												COMMON ELEMENTS												COMMON VARIABLES INDEX											
C O L U M N S												C O L U M N S												C O L U M N S											
R O W S												R O W S												R O W S											

111 AND 120 ORDERS

PROCESSES AND PROPERTIES INDEX

140 AND 4TH CROSS

ca

20

Phase composition and binding properties of aluminosilicate cement. N. A. Teropov and V. V. Serov. *J. Applied Chem. (U. S. S. R.)* 17, 170-7(1944)(English summary).—In chem. comp., aluminosilicate cement. Its cryst. phases are gehlenite ( $2\text{CaO}\cdot\text{Al}_2\text{O}_3\cdot\text{SiO}_2$ ),  $\beta$ - and  $\gamma$ - $2\text{CaO}\cdot\text{SiO}_2$ ,  $5\text{CaO}\cdot 3\text{Al}_2\text{O}_3$ ,  $\text{CaO}\cdot\text{Al}_2\text{O}_3$ , and  $\text{MgO}\cdot\text{Al}_2\text{O}_3$ . The greater the gehlenite content the less is the structural strength.  
G. M. Kosolapoff

COMMON ELEMENTS

COMMON VARIABLE ELEMENTS

A.S.T.M. METALLURGICAL LITERATURE CLASSIFICATION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

ТОПОРОВ, Н. А.

C  
Review of research on the forming and constitution of clinker and of the structures of hydrated cements. N. A. TOPOROV. Trudy Vsesoyuznogo Spetsializirovannogo Zavoda. Lab. Tsement. Prom., 3, 45-61 (1945). The following topics are reviewed: (1) liquid phase of Portland cement clinker, (2) constitution of clinker, and (3) microstructure of hydrated cements. No references. B.Z.K.

ТОРОПОВ, М. А.

Toropov, M. A. - "A survey of the newest achievements in the area of the chemistry and petrography of cements," Trudy 4-go Vsesoyuz. sovetskaniya zavodskikh laboratoriy tsement, prom-stil, Leningrad, 1948, p. 43-69.

SO: U-3850, 16 June 53, (Letopis 'Zhurnal 'nykh Statey, No. 5, 1949).

ТОРОПОВ, Н.А., доктор технических наук, профессор.

Academician D.S. Beliankin's work. TSement 14 no.6:3-4 H-D '48.  
(Building materials) (MLBA 9:5)

TOROPOV, N. A.

PA 35/49T66

USSR/Metals  
Nickel Oxide  
Ferric Oxide

Dec 48

"Solid Solutions in the System NiO-Fe<sub>2</sub>O<sub>3</sub>," N. A. Toropov, A. I. Borisenko, All-Union Sci Res Inst Giprotemst, 4 pp

"Dok Ak Nauk SSSR" Vol LXIII, No 6-pp. 703-8

Conducted chemical, crystal-optic, and X-ray analysis of mixtures of NiO and Fe<sub>2</sub>O<sub>3</sub> for various temperatures to determine temperature interval in which ferrites form. Table shows content of FeO (in %) during the heating of various mixtures in a platinum furnace for 3½ hours, and relative

35/49T66

USSR/Metals (Contd)

Dec 48

Intensity (angstroms) of Debye crystallogram lines for samples, obtained by sintering at 1,100°. Another table shows composition of the mixture, content of NiO and Fe<sub>2</sub>O<sub>3</sub> in weight, and characteristics of the mixture. Submitted by Acad D. S. Belyankin 27 Oct 48.

35/49T66



CA

//  
Belyankin, D. S., Toropov, N. A., and Lapin, V. V.:  
Fiziko-khimiicheskie sistemy silikatnoy tekhnologii (Physico-  
chemical Systems of Silicate Technology). Moscow:  
Promstroiizdat, 1949, 251 pp. R. IN.75. Reviewed  
in J. Am. Ceram. Soc., 34, No. 4, Ceram. Abstracts 75(1951).

1957

TOROPOV, N. A.

SOLID SOLUTIONS IN THE SYSTEM  $\text{CoO-Fe}_2\text{O}_3$ . N. A. TOROPOV, E. A. PORAI-KOSHITS, AND A. I. BORISENKO. Doklady Akad. Nauk S.S.S.R. v. 66, 905-8 (1949); cf. C. A. 43, 4552b. In an equimol. mixt. of the pptd. hydroxides, ferritization is complete on 40 hrs. heating at  $1100^\circ$  of pellets dried at  $120^\circ$  and pressed under 3000 kg./sq. cm. The thermal dissocn.  $6\text{Fe}_2\text{O}_3 \rightarrow 4\text{Fe}_3\text{O}_4 + \text{O}_2$ , in mixts. with CoO, is less intense than in mixts. with NiO. In the presence of excess CoO, the product obtained is porous, and contains, on microscopic exam., 2 phases, one dark-gray, the other dark-yellow. The amt. of the former decreases with decreasing CoO. With increasing  $\text{Fe}_2\text{O}_3$  content, the color of the crystals seen in specimens etched with  $\text{HNO}_3$  changes from dark-yellow in the equimol. com.n., to yellow for  $2\text{CoO} + 5\text{Fe}_2\text{O}_3$ . With further increasing excess of  $\text{Fe}_2\text{O}_3$ , a new light phase appears along with the yellow crystals, attaining 45-50% in  $\text{CoO} + 6\text{Fe}_2\text{O}_3$ . By x-ray examn., free  $\text{Fe}_2\text{O}_3$  is CONTINUED

CA

6

Zinc borates. N. A. Toropov and P. P. Kononov. *Doklady Akad. Nauk S.S.S.R.* 66, 1105-8(1949); cf. *C.A.* 33, 3386<sup>2</sup>.—The system ZnO-B<sub>2</sub>O<sub>3</sub> was investigated by means of heating curves, and the solid phases were identified by x-ray diffraction studies. Three compds. were found: 3ZnO.B<sub>2</sub>O<sub>3</sub>, m. 1125°; ZnO.B<sub>2</sub>O<sub>3</sub>, m. 1000°; ZnO.3B<sub>2</sub>O<sub>3</sub>, decomp. at 900° into ZnO.B<sub>2</sub>O<sub>3</sub> and a liquid contg. 3% ZnO. The system is characterized by having a 2-liquid-phase region extending from 3 to 48% ZnO and with a lower limit of 990°. The upper limit was not detd. but was above 2000°. There are 3 eutectics: 990°, 48% ZnO; 1010°, 68% ZnO; 1080°, 82% ZnO.  $n_D$  and  $n_F$  are, resp.: ZnO.B<sub>2</sub>O<sub>3</sub>, 1.643, 1.676; 3ZnO.B<sub>2</sub>O<sub>3</sub>, 1.669, 1.720; ZnO.3B<sub>2</sub>O<sub>3</sub>, 2.004, 2.020. Arild J. Miller

878

26

11010 *Khimiya Kremnia i Fizicheskaya Khimiya Silikatov.*  
(The Chemistry of Silicon and the Physical Chemistry of  
Silicates.) (Russian.) K. S. Evstrop'ev and N. A. Toropov.  
304 pages, 1950, State Publishing House of Construction Mate-  
rial Literature, Moscow, U.S.S.R. (QD181.56 Ev79k)  
A textbook, subjects covered include the structure of silicates in  
crystalline, vitreous and fused states; bases of the theory of con-  
structing constitution diagrams for silicate systems and their ap-  
plication; and description of high-Si compounds.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1ST AND 2ND DEGREES										PROCESSES AND PROPERTIES INDEX										3RD AND 4TH DEGREES																																																																															
26																																																																																																			
<b>B</b>																																																																																																			
<p>3025* Investigation of Copper Ferrites. (In Russian.) N. A. Toropov and A. I. Borisenko. <i>Zhurnal Prikladnoi Khimii</i> (Journal of Applied Chemistry), v. 23, Nov. 1950, p. 1165-1175. Phase relations of the system <math>\text{CuO}\cdot\text{Fe}_2\text{O}_3</math> were investigated by chemical, thermal, microscopic, and X-ray analysis of 11 mixtures of different compositions. Effects of heat treating at temperatures up to 1200°C. for different times (up to 40 hrs.) and of quenching in oil or other liquid were determined. Influence of concentration of <math>\text{Fe}_2\text{O}_3</math> was studied. Experimental results are charted and tabulated. Data obtained by different methods show good agreement.</p>																																																																																																			
<small>ASB-15A METALLURGICAL LITERATURE CLASSIFICATION</small>																																																																																																			
<small>RECORD #</small>																																																																																																			
<small>RECORD #</small>																																																																																																			

PROCESSES AND PROPERTIES INDEX

25

**B**

**Investigation of the System CuO-Fe<sub>2</sub>O<sub>3</sub>. (In Russian.)**  
 N. A. Tsuypov and A. I. Borisenko. *Doklady Akademii Nauk SSSR* (Reports of the Academy of Sciences of the USSR), new ser., v. 71, Mar. 1, 1950, p. 60-71.

The above was investigated in order to determine the presence of ferrite phases. Methods of synthesis, thermal analysis, chemical investigation, microscopic and X-ray analysis were used. Tabulated and charted data indicate that a series of solid solutions are formed between 60.74 and 83.38% Fe<sub>2</sub>O<sub>3</sub>. Compounds located on the boundaries of this range have a spinel structure. Evans assumption concerning unlimited solubility of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> in ferrite was not confirmed.

ASB-35A METALLURGICAL LITERATURE CLASSIFICATION

ISSN 0013-788X

CROSS REFERENCE INDEX

TOROPOV, N. A.

PA 160T80

USSR/Minerals - Bauxite  
Silicates

11 May 50

"New Orthosilicates of Potassium and Sodium," N. A. Toropov, O. I. Arakelyan, All-Union Aluminum-Magnesium Inst, 4 pp

"Dok Ak Nauk SSSR" Vol LXXII, No 2 - p. 365

During systematic investigations of reactions in process of roasting bauxite with limestone and soda, authors observed two new crystal phases in binary system  $2\text{CaO}\cdot\text{SiO}_2\text{-Na}_2\text{O}\cdot\text{CaO}\cdot\text{SiO}_2$ . Gives characteristics of these phases, and formulas of formation of new silicates and X-ray measurements of interplanar distances.

160T80

178r85

TOROPOV, N. A.

USSR/Metals - Oxides, Structure

1 Jan 51

"Solid Solutions in the Systems NiO-ZnO-Fe<sub>2</sub>O<sub>3</sub> and CuO-ZnO-Fe<sub>2</sub>O<sub>3</sub>," N. A. Toropov, A. I. Boris-enko, Leningrad Tech Inst imeni Lensoviet'

"Dok Ak Nauk SSSR" Vol LXXVI, No 1, pp 85-88

Studies 2 ternary systems. Concludes solid solns of limited concn are being realized in these systems. Mixed ferrites and ferric oxides are components of solid soln in one part of systems, and mixed ferrites and oxides of bivalent metals in the other part. Presents and discusses diagrams of both systems. Submitted 27 Oct 50 by Acad D. S. Belyankin.

178r85



**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

TOROPOV, N. A., GALAKHOV, F. YA.

Mulite

"New data on the system  $AL_2O_3-SiO_2$ ." N. A. Toropov, F. Ya. Galakhov. Reviewed by Prof. S. V. Glebov, Ogneupory, 17, No. 7, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1952 ~~1953~~, Uncl.

CP

State diagram of the system barium oxide-alumina.  
N. A. Turpov and F. Ya. Galakhov. *Doklady Akad. Nauk*  
*S.S.S.R.* 82, 60-70 (1952).--The complete m. diagram was  
detd. with samples contg. no BaCO<sub>3</sub>. The system has 4  
eutectic points (compos. in wt. %): 100%, BaO 83, Al<sub>2</sub>O<sub>3</sub>  
15%; 1710°, 77.5, 22.5; 1700°, 45, 55; 1890°, 17, 83.  
There are 3 maxima, corresponding to the compds.: 3BaO.  
Al<sub>2</sub>O<sub>3</sub> m. 1760°; BaO.Al<sub>2</sub>O<sub>3</sub> m. 1830°; BaO.6Al<sub>2</sub>O<sub>3</sub> m.  
1900°.  
N. Thom

USSR/Chemistry - Abrasives, Oxide Magnets 1 Feb 52

"Solid Solutions in the System ZnO - Fe<sub>2</sub>O<sub>3</sub>." N. A. Toropov, A. I. Borisinco

"Dok Ak Nauk SSSR" Vol LXXXII, No 4, pp 607-609

The crystal phases in the system ZnO - Fe<sub>2</sub>O<sub>3</sub> are examined microscopically and by X-ray diffraction. The compounds studied were ZnO-Fe<sub>2</sub>O<sub>3</sub>, ZnO-3Fe<sub>2</sub>O<sub>3</sub>, ZnO-5Fe<sub>2</sub>O<sub>3</sub>, and others. Comparison of results of X-ray study of the synthesized zinc ferrite with those of New Jersey franklinite shows the 2 substances to be analogous. Compns contg 66, 24 - 83.07% Fe<sub>2</sub>O<sub>3</sub> by wt form homogeneous solid solns on being heated to 2137°K

1,100°. Compns lying within the limits of a homogeneous ferrite phase exhibit spinel structure, ZnFe<sub>2</sub>O<sub>4</sub> (zinc ferrite) is an important ingredient of oxide magnets.

TOROFOV, N. A.

213719

CA

**Kinetics of formation of dicalcium silicate.** N. A. Tugolov, A. M. Givstling, and I. G. Luginina. *Doklady Akad. Nauk S.S.S.R.* **84**, 203-5 (1952).—A mixt. (500 g.) of 2 moles  $\text{CaCO}_3$  + 1 mole  $\text{SiO}_2$ , grain size of both reagents 70-80  $\mu$ , pressed under 230 kg/cm<sup>2</sup>, was heated at 1450°, and free  $\text{CaO}$  and unbound  $\text{SiO}_2$  were detd. every 20 min., up to 320 min. The results were evaluated with the aid of the equation of diffusional kinetics in spherical particles,  $f = 1 - \frac{3}{2} \sqrt{\frac{Kt}{r^2}} + (1 - \frac{3}{2} \sqrt{\frac{Kt}{r^2}})^3 = Kr$ , where  $f$  = fraction reacted, and  $t$  = time in min. From  $G \geq 0.30$  up,  $K$  has a practically const. value of  $\sim 1.3 \times 10^{-4}$ .  $f$  increases linearly with  $t$  from 140 to 320 min. The silicate formation rate is detd. by the diffusion of  $\text{CaO}$  to the  $\text{SiO}_2$  across a layer of the product. Jander's equation (C.A. 21, 3798) is inapplicable to these exptl. results, as  $J$ 's const. varies with the degree of conversion. S. Thom

**Independent reactions.** A. Skrabal (Osterr. Akad. Wissenschaft, Graz, Austria). *Monatsh.* **83**, 530-40 (1952).—The concept of *independent reactions*, i.e. reactions between which no math. relations exist, is explained and illustrated in terms of the system of 9 possible reactions among the compds.  $\text{A}_2\text{O}$ ,  $\text{R}_2\text{O}$ ,  $\text{AOH}$ ,  $\text{ROH}$ ,  $\text{AOR}$ , and  $\text{H}_2\text{O}$ , where A is a univalent acyl and R a univalent alkyl group. Both the math. method, which involves setting up a matrix of reactions, and the "chem." method which makes a more direct use of the chem. equations, indicate that in this system the no. of independent reactions is 3 and the no. of independent relations among the reactions is 6. In a given system there are in general several possible sets of independent reactions. The no. of independent reactions corresponds to the no. of independent analyses necessary to det. the progress of the reactions at a given time and also to the max. no. of stages to which the system may react. E. R. F.

TOROPOV, N.A. ; BORISENKO, A.I.

Physicochemical study of solid solutions formed by orthosilicates of calcium and barium. (In: Soveshchanie po eksperimental'noi mineralogii i petrografii. 4th, Moscow, 1952. Trudy, Moskva, 1953. No.2, p.214-229).  
(MIRA 7:3)


1. Fiziko-khimicheskaya laboratoriya Instituta khimii silikatov Akademii nauk SSSR. (Silicates) (Systems (Chemistry))  
(Solutions, Solid)

TOROPOV, Nikita Aleksandrovich, 1908-

BULAK, L.N.; CHETVERIKOV, S.D., redaktor.

[Course in mineralogy and petrography and the principles of geology]  
Kurs mineralogii i petrografii s osnovami geologii. Pod red. S.D.Chet-  
verikova. Moskva, Gos. izd-vo lit-ry po stroit. materialam, 1953. 486 p.  
(MLBA 7:1)

(Mineralogy) (Petrology) (Geology, Stratigraphic)





180-185° until clear, cooling, diluting with water and washing  
ppt. by decantation, followed by drying at 100° for 4 hr. Chemical  
analysis and X-ray data fully support its purity. The reaction  
proceeds through the formation of Ca glycerate which reacts with  
the amorphous  $\text{SiO}_2$ . This product is hydrated on addition and  
washing with water. When the silicate is heated for 2 hr. at 900°  
it loses fine grained aggregates with refractive index  $n_D = 1.74$  and  
W. M. S. 1

USSR

PM

The nitric problem. N. A. Toropov and F. Ya. Gal-  
 skhov. *Yepi. of Pure. Chem. Akad. Nauk S.S.S.R.*  
 2: 246-55(1971); cf. Belyankin and Lapin, *C.A.* 45:  
 6897a. A vacuum microbalance is described for temps. up  
 to 2000°, with a W coil as the heating element, and for  
 cylindrical samples of about 3-4 mm. in diam. and height.  
 The temps. were measured by an optical pyrometer, and  
 the vacuum is brought to 10<sup>-4</sup> mm. Hg. The formation  
 of thin layers of W metal deposited on the surface of the  
 samples was reported because it impeded the volatilization

discussed in the literature. The results of the  
 investigation of the high-temperature behavior of this system

tests were reproduced: WSA volatilization was controlled by

manuf. electrocast molite glass-tank blocks. The com 2/  
direction of the

TOROPOV, N.A., professor; VOL'FSON, S.L., dotsent.

Intensification process of clinker firing. TSement no.4:12-16 JI-Ag '53.  
(MLBA 6:8)  
(Cement kilns)

ТУРОПОВ, А.А.

Chemical Abstracts  
May 25, 1954  
Cement, Concrete and  
other Building Materials

5 4  
The binding of calcium oxide in burning portland cement raw mixes, as a function of the size of granules. A. A. Turonov and T. C. Lushina. *Silikattech.* 4, 470-1(1953); cf. C.A. 48, 972h. For a special study of the optimum conditions for accelerated burning of portland cement, the authors detd. the functional relations between the size of granules from the raw mix and the temp. distribution in a kiln, the time of exposure to the firing temps. in the sintering zone, finally the effects of addns. of  $\text{NaF}$  or  $\text{CaF}_2$ . The degree of reaction of free  $\text{CaO}$  with the ingredients of the raw mix is measured by analytical methods and controlled under the microscope. The firing process is distinctly accelerated by reducing the diam. of the raw mix granules from 5 to 1.25 mm. The mineralizing effects of the fluorides are better for relatively lower firing temps., while at higher temps. their volatilization is marked. The time for a complete clinkerization is for granules of 1.25 mm. diam. at  $1600^\circ$  only 3.5 min., and in the presence of fluorides (for a clinker rich in  $2\text{CaO}\cdot\text{SiO}_2$ ) even only 10-15 sec. Industrial kilns, with granules of more than 5 mm. in diam., require in general a sintering time at  $1500^\circ$  of 5 to 7 min., and if  $\text{CaF}_2$  was added, only of 1.5 to 3 min. In the last sintering period, the rate of  $\text{CaO}$  binding in the clinker minerals is distinctly decreased. It is important to know that granules of less than 5 mm. in diam. in most industrial kilns are unnecessarily retained in the sintering zone.  
W. Littel

TOROPOV, N. A., Prof.; LUGINAN, I. G.

Cement

Effect of quick heating on the formation of cement clinker. *T*Sement 19, No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

TOROPOV, N.A.

chem  
②

✓ Effect of the grain size of raw materials on assimilation of CaO during burning of portland cement. N. A. Toropov and I. G. Lukhina. Cement 19, No. 2, 17-22 (1933).  
- With decreasing grain size, assimilation of CaO increases considerably. Mineralizers (NaF and CaF<sub>2</sub>) exert an accelerating influence; however, the effect is less the higher the temp. and the smaller the grain size. By decreasing grain size to 1.25 mm., burning at 1600° is reduced to 3.5 min. for av. clinker and to 10-15 sec. for belite clinker with addn. of mineralizers. However, rise in temp. to 1600° is not always possible. The grain size of the product from the rotary kiln is diverse. Of the total clinker, 52% by wt. were grains < 5.00 mm. In 50% of the mixt., clinker

formation is completed in 5-7 min. after entrance into the burning zone. However, the presence of large grains favors the increase of CaO in the total mass of clinker. When burning av. clinker with CaF<sub>2</sub>, assimilation of CaO in small grains is completed in 1.5-3.0 min. in the burning zone; for large grains, the burning time is increased 4-5 times.

B. Z. Kamich

TOROPOV, N. A.

2


Chemical Abstracts  
Vol. 48 No. 5  
Mar. 10, 1954  
Cement, Concrete, and Other Building  
Materials

Intensifying the firing of clinker. N. A. Toropov and  
S. L. Vol'son. *Cement* 19, No. 4, 12-16 (1953).—Two  
portland-cement mixts. differing only in the content of  
di- and tri-Ca silicates were fired at 1200 and 1300° with  
0.06, 0.025, and 0.012 g.-equivs. of fluorides and fluosil-  
icates (superphosphate by-products) per 100 g. of the ce-  
ment mixt. The fluosilicates and fluorides proved more  
beneficial than fluorspar. The fluosilicates were, in turn,  
more effective than the fluorides of the corresponding cations.  
Optimum dosage of fluosilicate was 0.012 g.-equiv. Strength  
of the cement specimens was not lowered by these admixts.  
B. Z. Kamich /



**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**



**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

TOROPOV, N.A.

5  
(4)

QAP

5656\* Phase Composition and Certain Ferromagnetic Properties of Manganese-Zinc Ferrites. (Russian.) N. A. Toropov, L. I. Rabkin, E. Zhitovitskiy, and B. Sh. Epstein. Zhurnal Prikladnoi Khimii, v. 26, no. 9, Sept. 1953, p. 882-890. Describes chemical, microscopic, X-ray, and magnetic studies of synthesized ferrites. Tables, diagrams, graphs. 9 ref.

11/19/54

1. TOROPOV, N. A., GALAKHOV, F. YA., BONDAR, Y. A.

2. USSR ( 600)

4. Aluminum Silicates

7. Structural diagram of the ternary system BaO-Al<sub>2</sub>O<sub>3</sub>- SiO<sub>2</sub>. Dokl. AN SSSR 89, no. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Uncl.

TOROPOV, N. A. USSR.

Investigation of the system tricalcium silicate-tricalcium phosphate. N. A. TOROPOV, A. I. HORISBENKO, AND E. V. SUTTOROVA. ~~Trudy Akad. Nauk S.S.S.R.~~ 92 (5) 1015-18 (1953).

—Disks made from mixtures of  $3\text{CaO}\cdot\text{SiO}_2$  (I) and  $3\text{CaO}\cdot\text{P}_2\text{O}_5$  (II) were heated at  $1450^\circ\text{C}$ , and every 10 min. a different disk was removed and subjected to microscopic and chemical analysis. Disks prepared of 98 to 50 mole % I and 2 to 50 mole % II were found to consist of tricalcium silicate, free CaO, solid solutions of silicophosphates, and tetracalcium phosphate (III), in amounts depending on the original proportions of I and II. Free CaO increased with time, reaching a maximum in 60 min. At this point, tricalcium silicate, dicalcium silicate, CaO, tricalcium phosphate, and traces of tetracalcium phosphate were observed. After 70 min. at  $1450^\circ\text{C}$ , free CaO dropped to a minimum. Free CaO is formed in accordance with  $3\text{CaO}\cdot\text{SiO}_2 \rightarrow \text{CaO} + 2\text{CaO}\cdot\text{SiO}_2$  and only in the presence of II. Detection of III is indicative of the reaction  $3\text{CaO}\cdot\text{P}_2\text{O}_5 +$

$\text{CaO} \rightarrow 4\text{CaO}\cdot\text{P}_2\text{O}_5$ . After 80 min., silicoearnite was also detected and there was a further increase in the amount of free CaO, reaching a constant limit at 100 to 140 min. The final content of free CaO depended on the composition of the disks, increasing to 11.47 wt. % for 0 to 20 mole % II and dropping to 0 for 60 mole % and more II. In all cases, free CaO was less than that expected from decomposed I. This was traced to solution of CaO in silicoearnite and nagelschmittite with the formation of more basic silicophosphates. H.Z.K.

TOROPOV, N. A.

614.883  
.B4

Fiziko-khimicheskiye sistemy silikatnoy tekhnologii (Physico-chemical systems of silicate technology, by) D. S. Belyankin, V. V. Lapin, N. A. Toropov. Moskva, Promstroyizdat, 1954.  
370 p. diags., graphs, tables.  
Includes bibliographies.

Торопов, Н. А.

Diagram of state for the ternary system  $\text{BaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ .  
N. A. Toropov, P. Ya. Galakhov, and I. A. Bondar. *Bull. Acad. Sci. U.S.S.R., Div. Chem. Sci.* 1954, 047-55 (Engl. translation).—See C.A. 49, 6711k. **CH**

R.M. Bondar

②

*TOROPOV, N.A.*

TOROPOV, N.A.; GALAKHOV, F.Ya.; BONDAR', I.A.

Equilibrium diagram of the ternary system:  $BaO - Al_2O_3 - SiO_2$ .  
Izv. AN SSSR Otd. khim. nauk no. 5:753-764 S-O '54. (MLRA 8:3)

1. Institut khimii silikatov Akademii nauk SSSR.  
(Phase rule and equilibrium)(Aluminum silicates)  
(Barium salts)

TOROPOV, N. A.

Investigation of cements with ionization x-ray analysis.  
N. A. Toropov, P. F. Korovaiov, A. I. Efremov, and G. V. Anan'eva. *Tsiment* 20, No. 3, 17-20(1954).—Processes of dissoen. of limestone, transformations of kaolinite, and formation of dicalcium silicate were investigated with an ionization x-ray installation comprising source of x-rays (x-ray tube), goniometer, high-temp. furnace, receiver of x-ray radiation (gas amplifier), electrometric amplifier of d.c., and recorder of ionization curves. Dissoen. of carbonate occurs somewhat above 500° and is complete at 700°. At 900°, dicalcium silicate changes from the  $\gamma$ -modification into a new  $\alpha'$ -modification. At 500°, kaolinite undergoes structural changes and becomes amorphous; it remains amorphous to 900-1000°, after which mullite starts to form slowly and then speeds up at 1200°. At 1200°,  $\alpha$ -cristobalite forms from excess amorphous silica. B. Z. Kamicki

3



Торупов Н.А.

Interaction of calcium phosphates with clinker materials.  
N. A. TORUPOV AND A. I. BORISENKO *Tsvetmet*, 20 [6] 10-14  
 (1954) The study dealt with the high-temperature reactions of  
 tricalcium phosphate with the synthetic clinker materials  $2CaO \cdot SiO_2$ ,  $3CaO \cdot SiO_2$ ,  $4CaO \cdot Al_2O_3 \cdot Fe_2O_3$ ,  $CaO \cdot 2Al_2O_3 \cdot Fe_2O_3$ ,  $3CaO \cdot SiO_2 + 2CaO \cdot SiO_2$ , and  $2CaO \cdot SiO_2 + 3CaO \cdot SiO_2 + 4CaO \cdot Al_2O_3 \cdot Fe_2O_3$ . Incomplete linking of CaO during burning of raw cement mixtures containing  $P_2O_5$  is due to thermal decomposition of tricalcium silicate in the presence of  $P_2O_5$ , with the formation of dicalcium silicate and free CaO. The influence of tricalcium phosphate on a mixture of dicalcium and tricalcium silicates during burning is determined by the proportion of these silicates in the mixture. The permissible content of  $P_2O_5$  increases with decreasing content of tricalcium silicate in the clinker. The content of  $P_2O_5$  should be established on the basis of physical tests. The behavior of mixtures of tricalcium silicate with tetracalcium aluminoferrite in the presence of additions of tricalcium phosphate is analogous to the behavior of tricalcium silicate. Tricalcium phosphate does not react with Ca aluminoferrite although it dissolves therein during melting. The  $P_2O_5$  is in the clinker as a component of belite, which dissolves Ca silicophosphates, and in the ferruginous phase, which dissolves up to 24%  $3CaO \cdot P_2O_5$  at 1500°C. Change in the appearance of crystals of  $P_2O_5$  in mixtures is determined by nonuniformity of crystals, indicating the start of decomposition of  $3CaO \cdot SiO_2$ . Use of carbonates containing  $P_2O_5$  should be limited to the production of belite cements. B.Z.K.

① 22

TOROPOV, N.A.; ARAKELYAN, O.I.

Crystallization of  $\gamma$ -alumina from melts of the system:  $\text{NaF} - \text{AlF}_3 - \text{Al}_2\text{O}_3$ . Tsvet. met. 27 no.1:57-58 Ja-F '54. (MLRA 10:9)  
(Alumina) (Crystallisation)

ТОРОПОВ, Н. А.

ТОРОПОВ, Н.А.; КОНОВЛОВ, П.Ф.; ЯФРЕМОВ, А.И.; АНАН'ЯЕВА, Г.В.

Use of the high-temperature X-ray ionization method for studying processes that take place in alumina production. TSvet.met. 27  
no.2:37-42 Mr-Ap '54. (MIRA 10:10)

1. Giprotsement.

(Alumina)

(X rays)

**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

Toropov, N.A.

Alison

Investigation of  $\text{Cr}_2\text{O}_3$ -colored crystals of synthetic ruby. 2  
 N. A. Toropov and I. P. Andreyev. *Trudy Leningrad. Tekhnol. Inst. in. Leningra* 1954, No. 29, 60-5. The absorption spectrum of the ruby crystals is used for a photometric detn. of the amt. of the staining oxide. The transmittance ( $T$ ) curves which are related to the extinction curves are defined by the relation  $D = \log T$  ( $D$  is the optical d.), following the Lambert-Beer law. The measurements were made with crystal plates oriented parallel and perpendicular to the optical axis. The characteristic absorption peaks are at 410, and 550 to 560 m $\mu$  parallel to the optical axis, and 420 and 500 to 570 perpendicular to the optical axis. The optical d. and the extinction coeff. of samples perpendicular to the optical axis are considerably higher than those for the orientation parallel to the optical axis. They are linear functions of the concn. in  $\text{Cr}_2\text{O}_3$ . Also  $a_0$  and  $c_0$  of the unit cell increase proportionally to the  $\text{Cr}_2\text{O}_3$  content. X-ray powder data are given for leucosapphire and a ruby with 3.2%  $\text{Cr}_2\text{O}_3$ . W. Encl.

*Toropov N.A.*

*Classified*

Measurement of the contents of the staining oxide ( $\text{Cr}_2\text{O}_3$ )  
monocrystals of synthetic ruby. N. A. Toropov and I. F.  
Arcey. *Trudy Leningrad. Tekhn. Univ. Leningrad*  
1954, No. 29, 96-8. The  $n_s$  and  $n_o$  are detd. by the prism  
method for three rubies with 0.13, 0.23, and 2.02%  $\text{Cr}_2\text{O}_3$ .  
The indexes are functions of the concn. of  $\text{Cr}_2\text{O}_3$  in the syn-  
thetic rubies. They are tabulated for six wave lengths of  
the visible spectrum. W. Eitel

2



Toropov, N. A.

USSR/Chemistry - Silicates

Card 1/1 Pub. 22 - 24/48

Authors : Toropov, N. A., and Skue, E. R.

Title : Effect of fluoride compounds on solid calcium alumo-ferrite solutions

Periodical : Dok. AN SSSR 98/3, 415-418, Sep 21, 1954

Abstract : The effect of certain fluoride compounds on the stability of solid solutions of  $2\text{CaO} \cdot \text{Fe}_2\text{O}_3$ ,  $4\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{Fe}_2\text{O}_3$  and  $6\text{CaO} \cdot 2\text{Al}_2\text{O}_3 \cdot \text{Fe}_2\text{O}_3$ , was investigated at high temperatures. It was established that the crystals of the investigated solid calcium alumo-ferrite solutions form a so-called "celite" of Portland cement clinker and also make it possible to determine certain technical properties of the cement. Six references: 2-USA; 2-German; 1-Italian and USSR (1928-1951). Tables; illustrations.

Institution : Academy of Sciences USSR, Institute of Chemistry of Silicates

Presented by: Academician S. I. Vol'fkovich, April 28, 1954

BOTVINKIN, O.K.; YEVSTROP'YEV, K.S., doktor khimicheskikh nauk, professor, retsentsent; TOROPOV, N.A., doktor tekhn.nauk, professor, retsentsent; MAZURIN, O.V., kandidat khim. nauk, retsentsent; KUKOLEV, G.V., doktor tekhnicheskikh nauk, peofessor, retsentsent; ALKIND, I.Ya., kandidat tekhnicheskikh nauk, redaktor; DEMINA, G.A., redaktor; LYUDEKOVSKAYA, N.I., tekhnicheskii redaktor.

[Physical chemistry of silicates] Fizicheskaya khimiya silikatov. Izd. 2-oe, perer. i dop. Moskva, Gos.izd-vo lit-ry po stroit. materialam, 1955. 285 p. (MLRA (9:5))

1.Kafedra obshchey tekhnologii silikatov Leningradskego ordena Trudovogo Krasnogo Znameni Tekhnologicheskogo instituta imeni Lencoveta (for Yevstrop'yev, Toropov, Mazurin). (Silicates)

53

~~✓ Structure of Glass - Report of a Symposium on the Structure of Glass, Leningrad, November 23 to 27, 1933. Edited by A. A. Lebedev, N. A. Torozov, V. P. Bazzarovskii, and A. A. Appen. Akademiya Nauk S.S.S.R., Leningrad-Moscow, 1955. 308 pp.—Upon the invitation of the Institute of Silicate Chemistry of the Academy of Sciences U.S.S.R., the State Optical Institute, and the Leningrad Section, All-Union Society of Silicate Technological Research, a symposium on the structure of glass was organized, which was attended by more than 500 representatives from 90 institutions and 28 cities of the U.S.S.R. The introductory address by A. A. Lebedev emphasizes the importance of structural conversions in glass as the basis of many phenomena which cannot be explained otherwise, e.g., the annealing range of optical glass, the luminescence, and the diffraction of X rays, electrons, and neutrons. The crystallites, as assumed in some theories, in the order of magnitude of 10 to 15 a.u. should be detectable through more accomplished electron microscopic methods in the future. The chain structures assumed by others are still hypothetical; their confirmation would be an important approach toward the manufacture of unbreakable glass. The titles of the papers read in the symposium are as follows: K. S. Evstrop'ev: "Crystallite theory of glass structure" (pp. 9-13). P. F. Kobeko: "Structure and properties of organic glasses" (pp. 19-25). O. K. Botvinkin: "Glass structure" (pp. 26-29). E. A. Paraj-Koshits: "Possibilities and results of X-ray methods in the investigation of glassy materials" (pp. 30-43). O. A. Esin and P. V. Gel'd: "Structural~~

*mits*

M A. KOUTZ  
2 copies

1/4

**A. A. LEBEDEV**

nature of glassy and liquid silicates" (pp. 44-55). E. F. Gross and V. A. Kolesova: "Combination scattering of light and structure of glassy materials" (pp. 50-61). V. V. Taratov: "Quantum theory of heat conductance and structure of silicate glasses" (pp. 62-69). V. A. Flarinskaya and R. S. Pechenkina: "Spectra of simple glasses in the infrared and their relations to the structure of glass" (pp. 70-95). A. A. Appen: "Coordination principle in the distribution of ions in silicate glasses" (pp. 96-106). L. I. Demkina: "Ideas on the fine structure of silicate glasses resulting from investigations on the properties of glasses in simple systems" (pp. 107-19). A. I. Stozharov: "Measurement of the thermal expansion of glass as a method for the investigation of its structure" (pp. 120-25). L. G. Mel'nicenko: "Theoretical opinions of D. I. Mendeleev on the structure of silicates and glasses and their importance for the actual science" (pp. 126-35). V. P. Burzakovskii: "Ideas of D. I. Mendeleev on the chemical character of silicates" (pp. 136-40). O. S. Molchanova: "Properties of glasses in the ternary system  $\text{Na}_2\text{O}-\text{B}_2\text{O}_3-\text{SiO}_2$ " (pp. 141-44). E. A. Porai-Koshits: "Structure of Na borosilicate glasses" (pp. 145-81). S. P. Zhdanov: "Structure of glass as seen from the results of the investigation of the structure of porous glasses and films" (pp. 162-75). D. P. Dobychin: "State of  $\text{SiO}_2$  in microporous glass" (pp. 170-90). S. E. Dubrov: "Corrosion of glassy silicates and of Na aluminosilicates by aqueous solutions in its relation to the state of  $\text{SiO}_2$  in glass" (pp. 181-84). A. F. Zak: "Existence of distinct chemical compounds in the glass structure" (pp. 185-89). Yu. A. Gastev: "Chemical stability of glass" (pp. 187-89). N. A. Tudorovskaya: "Structural variabilities of the light refractive index of glass at temperatures below  $300^\circ\text{C}$ ." (pp. 190-97). D. I. Levin: "Rayleigh scattering in glasses and the glass structure" (pp. 198-201). M. M. Gurevich: "Spectral relation of

2/4

*A. A. LEBEDEV*

light scattering in Na borosilicate glasses" (pp. 202-206). A. N. Sechenko: "Application of the luminescence method for the investigation of the glassy state" (pp. 207-15). G. O. Bagdyk'yants: "The problem of an oriented structure of glass" (pp. 216-18). V. I. Shelubskii: "Application of the electron microscope to the investigation of glass" (pp. 219-23). L. A. Afanas'ev: "Experiments on the electrographic study of industrial glasses" (pp. 224-26). A. I. Avgustinik: "Some properties of highly aluminous glasses" (pp. 227-29). N. V. Salomin: "Chemical compounds in borate glasses" (pp. 230-33). G. A. Kolykov: "Selective volatility of components of the system  $Na_2O-B_2O_3-SiO_2$ , a method for the investigation of the nature of the glassy state" (pp. 234-44). A. G. Bergman: "Visual-polythermic method for the investigation of crystallization in glasses and silicate systems" (pp. 245-47). V. A. Kozheurov: "Phenomenon of limited miscibility in binary silicate melts" (pp. 248-50). Y. T. Slavvanski: "Temperature function of viscosity and structure in some glassy and liquid materials" (pp. 251-55). M. M. Skorniyakov: "Viscosities of glasses above and below the liquidus temperature" (pp. 256-57). V. A. Ioffe: "Dielectric losses in silicate glasses" (pp. 258-63). B. I. Markin: "Electric conductance of simple borate systems in the glassy state" (pp. 264-66). V. A. Praznov: "I, Electric

3/4

A. A. LEBEDEV

conductance of glasses in strong electric fields; II, The wetting of metals by glass" (pp. 207-09). V. P. Pryanishnikov: "Electric conductance of silica glass" (pp. 270-72). E. P. Azarov: "Structure of enamels and their properties" (pp. 273-75). A. G. Repa: "Oxygen potential of glass" (pp. 276-79). L. V. Sergeev: "The glassy state of organic polymers" (pp. 280-82). Yu. N. Andreev: "Problems of the methodological basis of the actual ideas on the structure of glass" (pp. 283-89). The ample discussions (pp. 293 to 302) include the following main items: general remarks on the nature of glass; physical chemistry of polycomponent systems and the glass structure; optical properties and glass structure; calorimetric and electrical properties and the structure of glass; crystallochemistry and glass structure; and problems of further development of glass science. The concluding address of A. A. Lebedev (pp. 300-02), and the official resolution of the Symposium Meeting (pp. 303-05) announce plans for another Symposium on the Structure of Liquids and, in 1966, the third Symposium on the Structure of Glass, under the auspices of the Academy of Sciences U.S.S.R. The present volume is excellently printed and illustrated; it is a real milestone in the evolution of modern investigations on glass structure.

W. Eitel

H  
H  
PM  
1964

**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

TOROPOV, N. A.

## USSR/ Chemistry - Silicates

Card 1/1            Pub. 40 - 1/27

Authors        :    Toropov, N. A.; Galakhov, F. Ya.; and Bondar', I. A.

Title            :    Solid solutions formed by celsian, dibarium trisilicate and barium disilicate (Sanbornite)

Periodical     :    Izv. AN SSSR. Otd. khim. nauk 1, 3-8, Jan-Feb 1955

Abstract        :    Experiments were conducted to establish the zone, boundaries and liquidus of a ternary solid solution formed by barium disilicate, dibarium trisilicate and celsian. It was found that the refraction index for this zone depends largely upon the barium disilicate and aluminum oxide contents of the solution. The refraction index decreases with the increase of barium disilicate and  $Al_2O_3$ . The equilibrium ratio of the investigated solution was established on the basis of several polythermal samples with constant  $Al_2O_3$  contents. Two USA references (1922 and 1950). Graphs; table; illustrations.

Institution    :    Acad. of Sc., USSR, Institute of Chem. of Silicates

Submitted      :    January 28, 1954



TOROPOV, N.A., professor; AVGUSTINIK, A.I., professor; BARZAKOVSKIY, V.P.,  
doktor khimicheskikh nauk.

Scientific research conducted in Czechoslovakia on the technology  
of silicates. Stek. i ker. 12 no.10:12-13 O '55. (MLRA 9:1)  
(Silicates) (Czechoslovakia--Research)

*Toropov, N. A.*

5

Influence of fluoride salts on tricalcium aluminate at high temperatures. N. A. TOROPOV, B. V. VOLKONSKII, AND V. I. SAPPOROV. Zhurnal Prikladnoi Khimii, 28:13 (1955).—Roentgen-ionization analysis was used to determine the effect of 5% K, Na, and Ca fluoride on tricalcium aluminate at temperatures up to 1800°C. Sodium and K fluorides begin to exert their influence and cause decomposition of tricalcium aluminate at 800° into pentacalcium aluminate and free CaO. Above 1300°, the influence of these salts ceases. The action of CaF<sub>2</sub> is similar to that of NaF and KF, but tricalcium aluminate decomposes at  $t \approx 1000^\circ$ .  
B.Z.K.

②

RM

Subject : USSR/Chemistry AID P - 1371  
Card 1/1 Pub. 119 - 4/6  
Authors : Toropov, N. A. and Bondar', I. A., (Leningrad)  
Title : Fluoberyllates and other crystallochemical analogs of silicates and like substances  
Periodical : Usp. khim., 23, no. 1, 52-68, 1955  
Abstract : A survey of the literature on fluoberyllates is given; most of the references are to non-Russian sources. A high degree of analogy is found between  $\text{BeF}_2$  and  $\text{SiO}_2$ . Many binary systems are reviewed. Twenty diagrams, 2 tables, 37 references (7 Russian: 1939-53).  
Institution : None  
Submitted : No date

**"APPROVED FOR RELEASE: 08/31/2001      CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001      CIA-RDP86-00513R001756330003-3"**

Торопов, Н. А.

Subject : USSR/Chemistry

AID P - 2290

Card 1/1 Pub. 152 - 15/21

Authors : Toropov, N. A. and M. M. Sychev

Title : Study of the temperature resistance of mineral wool fibers

Periodical: Zhur. prikl. khim., 28, no.3, 322-325, 1955

Abstract : A method for determination of devitrification with the use of Kurnakov's differential pyrometer is given. Increase in the  $Fe_2O_3$ - content lowers and increase in  $Al_2O_3$ -content increases the resistance of mineral wool fibers to high temperature. Two tables, 1 diagram, no references.

Institution: None

Submitted : S 6, 1953

**"APPROVED FOR RELEASE: 08/31/2001    CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001    CIA-RDP86-00513R001756330003-3"**

**"APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3**

**APPROVED FOR RELEASE: 08/31/2001**

**CIA-RDP86-00513R001756330003-3"**

Toropov, N.A.

BOYKOVA, A.I. [translator]; BONDAR', A.I. [translator]; VOANO, V.G. [translator]; YEGOROVA, Ye.N. [translator]; NIKOGOSYAN, Kh.S. [translator]; TOROPOV, N.A., professor, redaktor; ZAKHAR'YEVSKIY, V.A., redaktor; OUKHOZHANOVA, N.A., redaktor; DUMBRE, I.Ya., tekhnicheskiy redaktor

[Physical chemistry of silicates; a collection of articles. Translated from the English and German] Fizicheskaya khimiya silikatov; sbornik statei. Perevod s angliiskogo i nemetskogo A.I.Boikovoi i dr. Pod red. N.A.Toropova. Moskva, Izd-vo inostrannoi lit-ry, 1956. 302 p. (Silicates) (MIRA 9:7)



YEVSTROP'YEV, Konstantin Sergeyeovich, professor, doktor khimicheskikh nauk;  
TOROPOV, Nikita Aleksandrovich, professor, doktor tekhnicheskikh nauk;  
GURNEVICH, E.A., redaktor; GLADKIKH, N.H., tekhnicheskii redaktor

[The chemistry of silicon and the physical chemistry of silicates]  
Khimia kremnia i fizicheskaya khimiya silikator. Izd. 2-oe.  
Moskva, Gos. izd-vo lit-ry po stroit. materialam, 1956. 339 p.  
(Silicon) (Silicates) (MLRA 10:3)

TOROPOV, N. A.

Dr. Tech. Sci.

"Latest Data on the Phase Diagram of Aluminum Oxide -- Silicon Dioxide and on the Behavior of Aluminous Refractories in Glass-Making Furnaces," a paper given at the 4th International Congress on Glass, Paris, 2-7 Jul 1956

Sim. 1274

15-57-7-9444

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 7,  
pp 103-104 (USSR)

AUTHORS: Toropov, N. A., Bondar', I. A.

TITLE: Synthesis of a Fluoberyllate Type of the Double Calcium  
and Barium Metasilicate (Sintez ftoroberillatnoy modeli  
dvoynogo metasilikata kal'tsiya i bariya)

PERIODICAL: Sb. nauch. rabot po khimi i tekhnol. silikatov, Moscow,  
Promstroyizdat, 1956, pp 20-23.

ABSTRACT: The compound  $2\text{NaF}\cdot\text{KF}\cdot 3\text{BeF}_2$ , the fluoberyllate analogue  
of the double calcium and barium metasilicate  $2\text{CaO}\cdot\text{BaO}\cdot$   
 $3\text{SiO}_2$ , has been synthesized. The following were used  
in the synthesis: 1) sodium fluoride (98 percent NaF),  
2) potassium fluoride in the form of  $\text{KF}\cdot\text{H}_2\text{O}$  (77 percent  
KF), and 3) beryllium fluoride, obtained by treating  
beryllium oxide with hydrofluoric acid (97.5 percent  
 $\text{BeF}_2$ ). The fusion was made in a covered platinum cruci-  
ble in a crucible furnace and then quenched (the  
melt poured out into a pan). To compare the compound

Card 1/4