

10 LAYEV, A. I.

PLANE I BOOK REPERATING 85W/85R

Kompleksnaya mekhanizatsiya i avtomatizatsiya proizvodstva: iz opyta razvitiya Prensniyego sovmestitsiya (on all industrial Mechanization and Automation); From Experience of Factories Under the Presia Council of the National Economy; [Presia] Prensniyego Mashinostroyeniya, 1975. 230 p. Irina 812 inserted. 2,000 copies printed.

Ed.: V. Yezhov; Tech. Ed.: Ye. Yezhovskaya.

PURPOSE: This collection of articles is intended for the general reader interested in the mechanization and automation of machine-tool production.

CONTENT: The efforts of industrial workers of the Presia district to fulfill ahead of time the objectives set forth in the Seven Year Plan are discussed in these 11 articles. The need for complete automation in the production of machine tools and instruments is strongly emphasized. No specialities are mentioned. There are no references.

TABLE OF CONTENTS:

HIGH-EFFICIENCY PROCESS EQUIPMENT

Yezhovskiy, V.S. [Engineer]. Numerical Control of Metal-Cutting Machine Tools	90
Mozgov, A.I. [Candidate of Technical Sciences]. Pneumohydraulics and the Automation of Machine Tools in Small-Shop Production	110
Yezhovskiy, P.I. [Engineer] Pumps Conveyers - an Important Link in the Complete Mechanization and Automation in Machine Manufacturing	124
Yezhovskiy, Yu.A., [Engineer], V.K. Obyedkov [Engineer], and E.I. Prishvin [Engineer]. Mechanization of Work in the Cleaning Departments of Foundry Sections FOR OVERALL DEVELOPMENT IN PRODUCTION ENTERPRISES	132
Gerasimov, I.A. [Candidate of Technical Sciences], and E.A. Kuznetsov [Candidate of Technical Sciences]. Methods of Production of Stamped Acoustic in the Type of Operation Should be Used at Local Plants	159
Kuznetsov, I.Z., and V.P. Zhukovskiy On the Road of Technical Progress	200
Tolstov, A.G. [Candidate of Chemical Sciences]. Raise the Level of Electromechanical Processes, Reduce Metal Waste	217
Polyakov, A.A. [Promoted] Groups and Individual Shock Workers of Communist Labor Should Get Constant Professional Technical Assistance	221
AVAILABLE: Library of Congress	

W/rom/85R  
6-11-56

Card 3/3

11

ISHKOVA, A.G., (Moskva); TULAYKOV, A.N., (Moskva)

Problems on the bending of plates supported by an elastic  
semispace. Inzh. sbor. 23:47-62 '56. (MLRA 9:10)

(Flexure) (Soil mechanics)

TULAYEV, A., kand.tekhn.nauk; YAMPOL'SKAYA, T., kand.tekhn.nauk.

Make wider use of local materials in road construction. Zhil.-kom.  
khodz. 8 no.2:14-15 '58. (MIRA 11:2)  
(Road materials)

TULAYEV, I.I.; MASHANOV, A.Zh.

Bed position meter. Sbor. nauch. trud. Kaz GMI no.19:217 '60.  
(MIRA 15:3)

1. Chlen-korrespondent AN Kazakhskoy SSR (for Mashanov).  
(Mining geology) (Measuring instruments)

TULAYEVA, M.I.

Study of the viability of grape pollen. Izv. AN Arm. SSR.  
Biol. nauki 16 no.4:45-55'63. (MIRA 16:6)

1. Ukrainskiy nauchno-issledovatel'skiy institut vinogradarstva  
i vinodeliya imeni Tairova, Odessa.  
(GRAPES) (POLLEN)

LIDSKIY, Viktor Borisovich; OVSYANNIKOV, Lev Vasil'yevich; TULAYKOV,  
Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich. Prinimali  
uchastiye: ABRAMOV, A.A.; BOCHEK, I.A.; YEVGRAFOV, M.A.; ZYKOV,  
A.A.; KARABEGOV, V.I.; KARIMOVA, Kh.Kh.; KUDRYAVTSEV, L.D.;  
KUTASOV, A.D.; SHURA-BURA, M.R.; SHCHEGLOV, M.P. SOLODKOV,  
V.A., red.; KRYUCHKOVA, V.N., tekhn.red.

[Problems in elementary mathematics] Zadachi po elementarnoi  
matematike. Moskva, Gos.izd-vo fiziko-matem.lit-ry, 1960. 463 p.  
(MIRA 14:1)

(Mathematics--Problems, exercises, etc.)

LIDSKIY, Viktor Borisovich; OVSYANNIKOV, Lev Vasil'yevich; TULAYKOV,  
Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich; BAYEVA,  
A.P., red.; KRYUCHKOVA, V.N., tekhn. red.

[Problems in elementary mathematics] Zadachi po elementarnoi  
matematike. Izd.3., ispr. i dop. Moskva, Fizmatgiz, 1963.  
415 p. (MIRA 17:2)

LIDSKIY, Viktor Borisovich; OVSYANNIKOV, Lev Vasil'yevich; TULAYKOV,  
Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich; SOLODKOV,  
V.A., red.; KRYUCHEKOVA, V.N., tekhn. red.

[Problems in elementary mathematics] Zadachi po elementarnoi  
matematike. Izd.2., stereotipnoe. Moskva, Gos. izd-vo  
fiziko-matem. lit-ry, 1962. 463 p. (MIRA 15:3)  
(Mathematics--Problems, exercises, etc.)



**"APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2**

**APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2"**

TULAYKOV, A. N., and ISHKOVA, A. G.

"Some Problems on the Flexure of Plates Lying on an Elastic Semispace," by A. G. Ishkova and A. N. Tulaykov, Moscow, Inzhenernyy Sbornik, Vol 23, 1956, pp 47-62, submitted for publication 12 Jun 54

This work studies problems of the flexure of an infinite strip under the conditions of a plane problem and a circular plate with different loadings, lying on ground assumed to be an elastic, isotropic, homogeneous semispace. Nonsymmetric and concentrated loads are not considered. The problem in question was boiled down to the determination of the reaction of the ground to the plate with the plate being in equilibrium under the action of external loads and reactive pressures and with the plate being in solid contact with the ground at every point.

*Sum 1239*

TULAYKOV, A. N.

Zur Kompaktheit in Raum  $lp$  für  $p=1$ , Nachr. Gott. (1933), 187-170.

SO: Mathematics in the USSR, 1917-1947  
edited by Jurosh, A. G.,  
Markushevich, A. I.,  
Rashevskiy, P. K.  
Moscow-Leningard, 1948

TULAYKOV, Nikolay Maksimovich, akademik (1875-1937); SHUL'TS, D.O.,  
red.; SAYTANIDI, L.D., tekhn. red.

[For row crop cultivation and against grassland farming] Za  
propashnye kul'tury protiv travopol'ia; izbrannye stat'i.  
Moskva, Izd-vo MSKh RSFSR, 1962. 159 p. (MIRA 15:9)  
(Tillage)

VOLOVCHENKO, I.; METELEV, V.; BANNIKOV, N.; LAPIDUS, M.; MOROZOV, P.;  
KUBTSOV, M.; BATSANOV, N.; PRYANISHNIKOV, D.N., akademik;  
TULAYKOV, N.M., akademik; BEREZIN, I.A., red.; AVDEYEVA,  
V.A., tekhn. red.

[Strong crops] Moguchie kul'tury. Moskva, Sovetskaya Rossiya,  
1962. 222 p. (Truzhenikam sela - ob intensivnoi sisteme  
zemledel'ia, no.2) (MIRA 16:9)  
(Field crops)

~~TULAIKOV, Nikolay Maksimovich (1875-1938);~~ BLOKHINA, V.V., red.;  
TVERDOVSKIY, V.P., red.; SOKOLOVA, N.N., tekhn. red.

[Selected works; criticism of grassland farming] Izbrannye  
proizvedeniia; kritika travopol'noi sistemy zemledel'ia.  
Moskva, Sel'khozizdat, 1963. .311 p. (MIRA 16:8)  
(Tulaikov, Nikolai Maksimovich, 1875-1938)  
(Rotation of crops) (Soil science)

TULAYKOV, V. N.

BLUMENTAL', R.M.; GIRICH, A.I.; GONCHARIK, A.K.; GUSEVA, T.P.; ZHITKOVA,  
L.A.; IOFFE, A.M.; KULEMIN, P.D.; LEVINA, L.I.; OSHKIN, P.A.;  
PAPROTSKIY, T.V.; RYAKHINOV, A.N.; SAMSONOV, N.A.; TULAYKOV, V.N.;  
USTINOV, I.M.; FAYN, B.P.; SHIFRIN, D.L.; KOLOTILOV, Vasilii  
Ivanovich, red.; SVYATITSKAYA, K.P., vedushchiy red.; THOFIMOV,  
A.V., tekhn.red.

[Equipment for the petroleum industry] Neftianoe oborudovanie.  
Vol. 5 [Petroleum valves and fittings] Neftianaya armatura. Moskva,  
Gos. nauchno-tekhn. izd-vo neft. i gorno-toplivnoi lit-ry. 1958.  
247 p. (MIRA 12:1)

(Petroleum industry--Equipment and supplies)

ACC NR: AP6036989 (A,N) SOURCE CODE: UR/0181/66/008/011/3377/3379

AUTHOR: Tulaykova, A. A.; Monosov, Ya. A.

ORG: Institute of Radio Engineering and Electronics, AN SSSR, Moscow (Institut radio-tekhniki i elektroniki AN SSSR)

TITLE: Hysteresis of oscillations that accompany nonlinear ferromagnetic resonance

SOURCE: Fizika tverdogo tela, v. 8, no. 11, 1966, 3377-3379

TOPIC TAGS: magnetic hysteresis, ferromagnetic resonance, parametric resonance, yttrium iron garnet, nonlinear effect, magnetization, microwave oscillation

ABSTRACT: The authors discuss the hysteresis of the high frequency oscillations (~1 MHz) that accompany nonlinear processes in single-crystal yttrium garnet at a frequency equal to half the pump frequency. The hysteresis of these oscillations which are observed at pump powers greatly exceeding threshold was investigated under continuous pump operation at a frequency of 9350 MHz. The sample was placed in a homogeneous magnetic microwave field transverse to the magnetizing field. The tested yttrium garnet single crystal was irregular in shape, close to that of a plate measuring 2.8 x 1.7 x 0.7 mm. The high frequency oscillations were revealed by the reflected microwave power. The amplitude of the high frequency oscillations, plotted against the magnetizing field, exhibits a hysteresis on the low-frequency side, and a region of width of approximately 150 Oe. The hysteresis region goes through a maximum with increasing pump power, and then vanishes. Hysteresis is revealed also

Card 1/2



ACC NR: AP6036989

in the plot of the threshold pump level against the magnetizing field. No explanation can be offered as yet for this hysteresis, which is shown to be insensitive to changes in the plate dimensions. This hysteresis is different from the hysteresis of the nonlinear spin-wave resonance, whose width in yttrium garnets amounts to several tenths of an oersted, whereas the width of the hysteresis described here reaches 200 Oe. The authors thank G. F. Filat'yev for help with the experiment. Orig. art. has: 2 figures.

SUB CODE: 20/      SUBM DATE: 06May66

Card 2/2

L 21568-66 EWT(1)/EWT(n)/T/EMP(t) ~~SECRET~~ JD  
ACC NR: AP6008750 SOURCE CODE: UR/0386/66/003/006/0250/0252

AUTHOR: Monosov, YA. A.; Surin, V. V.; Tulaykova, A. A.

ORG: Institute of Radio Engineering and Electronics, Academy of Sciences, SSSR (Institute radiotekhniki i elektroniki Akademii nauk SSSR)

TITLE: Investigation of high-frequency oscillations in single-crystal magnesium manganese ferrite

SOURCE: Zhurnal eksperimental'noy i teoreticheskoy fiziki. Pis'ma v redaktsiyu. Prilozheniye, v. 3, no. 6, 1966, 250-252

TOPIC TAGS: ferrite, magnesium compound, nonlinear effect, single crystal, ferromagnetic resonance, spin wave spectrum

ABSTRACT: To show that the oscillations accompanying nonlinear ferromagnetic-resonance processes in yttrium iron garnets (YIG), previously reported by one of the authors (Monosov, with A. V. Vasbkovskiy, IEE Conf. Publ. no. 13, 63, 1965), should be observed in all ferrites, the authors have experimentally investigated the high-frequency oscillations in single-crystal MgMn ferrite at 9300 Mc, with the microwave field transversely polarized and the constant magnetic field ranging from 700 to 3000 oe. The sample was placed in a resonator, and was close in shape to a plate 0.5 mm thick. The high-frequency oscillations were detected with a spectrum analyzer using the reflected microwave power. The tests show that: (1) The oscillations have a threshold, at which the pump power is double that of YIG. The dependence of the amplitude on the

Card 1/2

L 21568-66

ACC NR: AF6008750

constant magnetic field is reminiscent of the dependence of the additional-absorption curve. The observation of the oscillations can be used to determine certain characteristics of the nonlinear resonance, such as the width of the spin-wave resonance curve. (2) The amplitude of the oscillations saturates with increasing pump power, and its value is 20--30 dB lower than in YIG. (3) The oscillation spectrum extends over a certain frequency region. As the pump threshold increases the frequency region shifts from 0.5--0.9 to 1.8--2.2 Mc. The threshold pump power increases with increasing sample dimensions, owing to the deterioration of the thermal conditions in the sample. The pump threshold for different samples may therefore differ from those obtained by a factor 1.5--2. It is also observed that the intensity of the hf oscillations depends markedly on the sample orientation. Orig. art. has: 3 figures.

SUB CODE: 20/

SUBM DATE: 03Feb66/

ORIG REF: 001/

OTH REF: 002

Card

2/2 JLR

TULAIKOVA, K.P.

The separation of calcium carbonate crystals by bacteria of the rhizo-  
sphere. Agrobiologiya '52, No.4, 43-51. (MLRA 5:8)  
(CA 47 no.13:6589 '53)

TULAYKOVA, K.P.

Root microflora of hemp. Zhur. ob. biol. 15 no.4:288-302 J1-Ag '54.  
(MYCORHIZA) (HEMP) (MLRA 7:9)

TULAYKOVA, K. P.

TULAYKOVA, K. P. -- "Directed Regulation of the Composition of the Microflora of Hemp Roots in Order to Improve Root Nutrition and Increase the Harvest of This Crop." Min Higher Education USSR, Leningrad Agricultural Inst. Leningrad, 1955. (Dissertation for the Degree of Doctor of Agricultural Sciences.)

SO: Knizhnaya letopis', No. 4, Moscow, 1956

Name: TULAYKOVA, Klavdiya Petrovna

Dissertation: Directed regulation of the composition of microflora of hemp roots for the purpose of improving fodder diet and increasing the yield of this crop

Degree: Doc Agr Sci

Affiliation: Ul'yanov Agr Inst

Defense Date, Place: 22 May 56, Council of Leningrad Agr Inst

Certification Date: 5 Oct 57

Source: BMVO 23/57

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"



*TULAYKOVA, K.P.*  
TULAYKOVA, K.P., doktor sel'skokhozyaystvennykh nauk.

Role of bacteria of the radiobacter type in root nutrition of plants,  
Agrobiologiya no.1:93-101 Ja-F '58. (MIRA 11:2)

1. Ul'yanovskiy sel'skokhozyaystvennyy institut.  
(Rhizosphere microbiology) (Plants--Nutrition) (Hemp)

TULAYKOVA, K.P., prof.

Microbiological processes in soil under healthy and chlorosis-  
infected apple trees. Agrobiologiya no.2:246-253 Mr-Ap '62.  
(MIRA 15:4)

1. Ul'novskiy sel'skokhozyaystvennykh institut.  
(Rhizosphere microbiology) (Apple--Diseases and pests)

17(1)

AUTHOR:

Tulbayev, P.

SOV/20-123-2-48/50

TITLE:

On the Factors Causing the Rumination in Ontogenesis (O  
puskovykh faktorakh zhvachki v ontogeneze)

PERIODICAL:

Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 2, pp 377-380  
(USSR)

ABSTRACT:

The author proved in earlier papers (Refs 4,5) that in goats the characteristics of mechanical reception of the multilocular stomach changes in various stages of the early ontogenesis in strict correlation to the alteration of food stimuli. The change of nutrition (from milk type to compact fodder) leads to a gradual and at the same time differential transformation of all parts of the stomach. It is, however, possible to maintain the mechanical reception with a high excitability, which is inadequate to the age of the animal, by feeding milk for 40-50 days (from the day of birth). Following a proposal by E. Sh. Ayrapet'yants the author studied the relation between the activation of the rumination and the type of fodder. At first the process in normal animals is recalled (calves, cows) (Refs 2,3). For the experiments 13 kids were used, the diet of 5 of which was changed to concentrated and compact fodder at an age of

Card 1/4

On the Factors Causing the Rumination in Ontogenesis SOV/20-123-2-48/50

12-18 days. The other 8 were fed with milk for 2-3 months from the day of birth (with vitamins, mineral substances etc.). The experimental results are shown in figures 1-4. In the case of the 5 kids (compact food) rumination began to assume a rhythmical and periodical character (as in the case of adult animals) 5-8 days after the change of fodder (weaning) (Fig 1). In the 8 animals fed with milk only, eructation and short lasting masticatory movements were only seldom observed (Fig 2). On account of his experiments the author arrives at the conclusion that the reflex of complexes which is called "rumination" is formed at a certain age and is about to become evident on the occasion of changing the animal to compact food. If the animal, however, is not weaned during the early ontogenesis but is fed further on in a way that does not require repeated systematical chewing, the innate mechanism of rumination either does not come into effect at all, or only partially. The disturbance of the eructation reflex owing to the lacking permanent mechanical stimulation of the walls of the antestomach may be considered one of the reasons why the balanced reactions of rumination do not take place. This was proved by the author by means of experiments with a rubber bulb insinu-

Card 2/4

On the Factors Causing the Rumination in Ontogenesis SOV/20-123-2-48/50

ated into the rumen, the distention of which caused rumination in the case of the kids of the first group (compact food). In the case of the kids fed with milk this method did not bear any results. Thus, rumination as an innate reflex occurs in ontogenesis only in the case of interaction with a certain type of feeding. One of the factors causing rumination is the chain of stimuli acting permanently upon the interceptors of the antestomachs. There are 4 figures and 6 references, 5 of which are Soviet.

ASSOCIATION: Laboratoriya interotseptivnykh uslovnykh refleksov (Laboratory for Reflexes Dependent Upon Interceptors) Nauchno-opytnaya stantsiya Instituta fiziologii im. I. P. Pavlova Akademii nauk SSSR (Scientific Experimental Station of the Institute of Physiology imeni I. P. Pavlov of the Academy of Sciences, USSR)

PRESENTED: July 3, 1958, by K. M. Bykov, Academician

Card 3/4

TULBAYEV, Peysen, Candidate of Biol Sci (diss) -- "On the reflex activity of the multiple stomach of goats in ontogeny and in connection with the type of nutrition". Leningrad, 1959. 16 pp (Acad Sci USSR, Inst of Physiology im I. P. Pavlov, Laboratory of Interoceptive Conditioned Reflexes), 150 copies (KL, No 20, 1959, 111)

TULBAYEV, Peysen

~~Relation~~ of the type of feeding to interoceptive reflex properties  
in goats in ontogenesis. Fiziol. zhur. 45 no.5:549-555 My '59.  
(MIRA 12:7)


1. Laboratoriya interotseptivnykh usloynykh reflektsov Instituta  
fiziologii im. I.P. Pavlova AN SSSR, Leningrad.

(GASTROINTESTINAL SYSTEM, physiol.

eff. of type of fodder on interoceptive gastrointestinal  
reflexes in young goats (Rus))

(FOOD, eff.

on gastrointestinal interoceptive reactions in young  
goats (Rus))





NOWICKI, Stanislaw; TUKALLO, Konstanty

Vascularization of the muscles of the extremities in arterial diseases. Poznan. tow. przyjaciel nauk, wydz. lek. 18 no. 4:5-24 '60.  
(VASCULAR DISEASES PERIPHERAL)  
(LEG blood supply)

TUKALLO, Konstanty; SPOBRY, Bogdan

Measurement of surface temperature immediately after lumbar  
sympathectomy and partial adrenalectomy in arteritis obliterans.  
Poznan.tow.przyjaciol nauk,wydz.lek. 18 no.4:105-110 '60.

(ARTERITIS surg.) .

(SYMPATHECTOMY)

(ADRENALECTOMY)

(BODY TEMPERATURE)

TULBAYEV, Peysen

Conditioned vestibulomotor reflexes in normal rabbits and those  
with the labyrinth removed. Trudy Inst.fiziol. 8:207-213 '59.  
(MIRA 13:5)

1. Laboratoriya interotseptivnykh uslovnykh reflektsov (zaveduyu-  
shchiy - E.Sh. Ayrapet'yants) Instituta fiziologii im. I.P.  
Pavlova AN SSSR.

(CONDITIONED RESPONSE)

AYRAPET'YANTS, Ervand Shamirovich; GRACHEV, Iosif Ivanovich;  
TULBAYEV, Peysen Tulbayevich; VASIL'YEVA, Z.A., red.  
izd-va; KRUGLIKOVA, N.A., tekhn. red.

[New studies on the physiology of farm animals] Novye is-  
sledovaniia po fiziologii sel'skokhoziaistvennykh zhivot-  
nykh. Moskva, Izd-vo AN SSSR, 1963. 94 p. (MIRA 17:1)

(Conditioned response) (Veterinary physiology)

BELOV, Ye.V.; DZHANGIR'YANTS, D.A.; TUL'BAYEVA, Z.N.

Results of studying the bitumen content and underground waters in Mesozoic and Paleozoic sediments in the southern part of the Emba region. Trudy Inst. geol. i geofiz. AN Kazakh. SSR 1:82-90 '63.  
(MIRA 16:7)

(Emba region--Water, Underground)  
(Emba region--Bitumen--Geology)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

*TULBURE, A.*

BORN IN

VELOVICI, D., MD; SELINGER, C., MD; TULBURE, A., MD;  
DINESCU, GH., MD.

State Hospital No 12, Bucharest (Spitalul de Stat Nr. 12,  
Bucuresti) - (for all)

Bucharest, Viata Medicala, No 9, 1 May 63, pp 612-616

"Observations on a Case of Hypertrophic Stenosis of the Pylorus  
in a Premature Infant."

(Paper given at the meeting held on 27 September 1961  
of the Pediatrics Section, Bucharest Branch, U.S.S.R.)



Tulcea, C. T. Ionescu

"Integrarea Functiilor De Multime", by C. T. Ionescu Tulcea.  
(presented at the 9 November 1951 session of the Institute  
of Mathematics). BULETIN STIINTIFIC, Sectiunea De Stiinte  
Matematice Si Fizice, Tom. IV, nr. 1, 1952.

Tulcea, C. T. Ionescu

"Functii De Multime Si Integralele Lor", by C. T. Ionescu  
Tulcea. (Mathematics). STUDII SI CERCETARI MATEMATICE,  
Tomul V, nr. 1-2, 1954.

Tulcea, C. T. Ionescu.

"Integrale Aditive", by C. T. Ionescu Tulcea. (presented at  
the 11 December 1953 session to academician S. Stoilov).  
COMUNICARILE ACADEMIEI R. P. R., Tomul IV, nr. 9-10, 1954.

MIRER, G.V., inzh.; TUL'CHIN, I.K., inzh.

Determination of the voltage decrease in starting the short-circuited electric motor of an elevator. Prom. energ. 20  
no.1:38-41 Ja '65. (MIRA 18:4)

TUL'CHIN, I.K., inzh.

More on the pamphlet "Installation of replaceable concealed elec-  
trical wiring in 1-464A series large-panel apartment houses." Sveto-  
tekhnika 10 no.3:30 Mr '64. (MIRA 17:3)

MIRSK, G.V., inzh.; TUR'CHEN, I.K., inzh.

Calculation of four-wire lighting networks with gas discharge lamps. Prom. energ. 19 no.6830-32 Ja'64 (MJRA 1787)

TUL'CHINSKAYA, A.V.

Antibiotic substances in plant seeds. Nauch.dokl.vys.shkoly; biol.  
nauki no.2:162-166 '60. (MIRA 13:4)

1. Rekomendovana kafedroy mikrobiologii Odesskogo gosudarstvennogo  
universiteta im. I.I. Mechnikova.  
(PHYTONCIDES) (SEEDS)

5(2), 5(3)

**AUTHORS:**

Tolmachev, V. N., Tul'chinskaya, A. Ya. SOV/75-14-3-2/29

**TITLE:**

Spectrophotometric Investigation of Reactions Which Are Important in Analytical Chemistry (Spektrofotometricheskoye issledovaniye reaktsiy, imeyushchikh znacheniya v analiticheskoy khimii). Communication 2. Complex Compounds Formed by Copper Ions With Sodium Salt of 2-Nitroso-1-Naphthol-4-Sulfo Acid (Soobshcheniye 2. Kompleksnyye soyedineniya, obrazuyemye ionami medi s natriyevoy sol'yu 2-nitrozo-1-naftol-4-sul'fokisloty)

**PERIODICAL:**

Zhurnal analiticheskoy khimii, 1959, Vol 14, Nr 3, pp 272-277 (USSR)

**ABSTRACT:**

The light absorption curves of solutions containing  $\text{Cu}^{2+}$ -ions and the compounds mentioned in the title, in the following termed nitroso salt, were taken at different pH. According to the method devised by I. I. Ostromyslenskiy (Ref 14) and P. Job (Ref 15) the stoichiometric coefficients for the reaction copper ion - nitroso salt were determined and two copper complex ions were found to be formed:  $\text{CuR}^+$  and  $\text{CuR}_2^-$ .

Card 1/2

The molar extinction coefficients and the instability constants



Spectrophotometric Investigation of Reactions Which SOV/75-14-3-2/29  
Are Important in Analytical Chemistry. Communication 2.  
Complex Compounds Formed by Copper Ions With Sodium Salt  
of 2-Amino-1-Naphthol-4-Sulfo Acid

of these complexes were determined. The copper complexes investigated proved to be more stable than the corresponding nickel compounds. The optical density and the equilibrium constant are given in tables 1 and 2 for 510, 520, 530, 540 m $\mu$ . Table 3 indicates the equilibrium constants in dependence on pH. The high extinction coefficients of NiR $_3^-$  and CuR $_3^-$ , and the difference of their absorption curves are sufficient for a spectrophotometric determination of copper and nickel in common solution. The authors express their gratitude to N. P. Komar' for having supervised the investigation. There are 3 figures, 3 tables, and 22 references, 12 of which are Soviet.

ASSOCIATION: Khar'kovskiy gosudarstvennyy universitet im. A. M. Gor'kogo  
(Khar'kov State University imeni A. M. Gor'kiy)  
SUBMITTED: December 18, 1955  
Card. 2/2

COUNTRY : USSR  
CATEGORY : Microbiology  
REF. JOUR. : Ref Zhur-Biologiya, No.4, 1959, No. 14931  
AUTHOR : Tul'shinskaya, Gromyko, Fedotov  
INST. :  
TITLE : Differentiation of Immuno-Diagnostic Reactions  
in Vaccinated and Brucella-Stricken Animals.  
ORIG. PUB. : Sots. tvorinnitstvo, 1957, No.12, 52-55  
ABSTRACT : When large cattle were immunized against brucellosis, the agglutinin titer rose, and often retention of the titer masked recognition of really sick animals. With the immunization 425 young head with a vaccine of strain 19 it was found that the CFR was positive in 59, and the AR was positive in 412 animals. The highest number of CFR was found in the first months following immunization, and then they became negative. The author suggests

CARD: 1/2

VARLAMOV, M.L.; BELENAVICHYUS, K.K.; MANAKIN, G.A.; Prinimali uchastiye  
POLUKHINA, T.I.; KHODAKOVSKIY, V.V.; GORCHKOVA, L.V.;  
TUL'CHINGAYAY, K.V.; TSITKO, A.S.; SHELAMOV, V.A.

Removal of phthalic anhydride from the waste gases in the production  
of glyptal and pentaphthalic varnishes. Nauch. zap. Od. politekh.  
inst. 41:10-21 '62. (MIRA 17:4)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; POLYAKOVA, N.A.

Alloxazine and iscalloxazine series. Part 13: Synthesis of  
7 aminoalloxazine, 7-amino(demethyl)riboflavine and their  
derivatives. Zhur. ob. khim. 35 no.4:673-677 Ap '65.

(MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.

**"APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2**

**APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2"**

TUL'CHINSKIY.

"Put worker inventiveness to practical use in factory workshops." Leg.prom.  
7 no.10:3 of cover. 0 '47. (MIRA 5:11)  
(Industrial management)

TUL'CHINSKIY, B.G.

137-58-2-2899

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 99 (USSR)

AUTHORS: Tul'chinskiy, B.G., Polezhayev, V.M., Rozenberg, L.B.

TITLE: The Force Exerted in Heading Bolts in the Manufacture of Bolts on Cold-upsetting Machines (Eksperimental'noye issledovaniye sily vysadki golovki bolta pri izgotovlenii yego na kholodnoy-sadochnom avtomate)

PERIODICAL: Nauchn. zap. Dnepropetr. un-t, 1956, Vol 45, pp 177-181

ABSTRACT: An account is given of methods derived and results obtained from an experimental investigation made under production conditions at the Dnepropetrovsk Metal-goods Plant. The investigation consisted in recording on a loop oscillograph the force exerted by the first and second upsetting passes, the operation of the forming punch, and the readings of a timing device - with the aid of wire strain gages pasted to the surface of the forming punch. It was found that the maximum force exerted by the first and second upsetting pass differed from the maximum static-compression force by anywhere up to 5 percent. Attention is drawn to the great disparity in the magnitude of the force as computed with the formula given in the book "Vysadochnyye i otreznyye pressy-avtomaty"

Card 1/2

137-58-2-2899

The Force Exerted in Heading Bolts in the Manufacture of Bolts (cont.)

(Automatic Upsetting and Shearing Presses) by G.A.Navrotsky and its magnitude as determined in the present investigation.

G.F.

1. Bolts--Manufacture    2. Forge presses--Performance--Test results

Card 2/2



TUL'CHINSKIY, E. I.

PA 34/49T68

USSR/Medicine - Public Health,  
Education  
Medicine - Public Health, Training

Sep/Oct 48

"An Experiment in the Work of the School of Sanitation Education in a Large City," E. I. Tul'chinskiy, Odessa, 3 3/4 pp

"Sov Zdravookhran" No 5

Describes work of the Odessa School, 1946 - 1947.

34/49T68

FDB

BELOV, K.A.; VOLKOVA, O.B.; MAKSIMOVA, M.I.; OGLOBLIN, N.D.; LUK'YACHENKO,  
V.N.; TUL'CHINSKAYA, A.Ya.

Effect of the chemical composition of the reagents, used for coal  
flotation, on their activity. Koks i khim. no.8:8-12 '62.

(MIRA 17:2)

1. Khar'kovskiy politekhnicheskii institut (for Belov, Volkova,  
Maksimova). 2. Khar'kovskiy gornyy institut (for Ogloblin, Luk'-  
yanchenko, Tul'chinskaya).

L 6994-56 EWI(1/EWA(h))

ACC NR: AP5026619

SOURCE CODE: UR/0286/65/000/017/0095/0095

INVENTOR: Khil'chevskiy, G. L.; Voytsekhov, Yu. R.; Tul'chinskaya, K. V.; Lazarev, N. V.; Vodolagin, V. Yu.

ORG: none

58  
B

TITLE: An ultrasonic pickup.<sup>10</sup> Class 42, No. 174452 [announced by Experimental Research and Design Office of the Black Sea Council of National Economy (Eksperimental'no-issledovatel'skoye i konstruktorskoye byuro Chernomorskogo Sovnarkhoza)]

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 17, 1965, 95

TOPIC TAGS: piezoelectric transducer, ultrasonic inspection, waveguide

ABSTRACT: This Inventor's Certificate introduces an ultrasonic pickup designed for studying gaseous media. The device consists of a housing containing a piezoelectric transducer and a waveguide. Interference from the walls of the vessel being monitored is absorbed by making the housing in the form of a cylindrical labyrinth with rifling.

SUB CODE: EC,IE/ SUBM DATE: 05Oct64/ ORIG REF: 000/ OTH REF: 000

Card 1/2

UDC: 534.232-8

0901 1772

L 6994-66

ACC NR: AP5026819

0




Fig. 1. 1 - housing; 2 - rifling.

Card 2/2 *ada*





PROCESSES AND PROPERTIES INDEX

1ST AND 2ND ORDERS      3RD AND 4TH ORDERS

COMMON ELEMENTS	<p>Chemistry and biochemistry of flavins. Vitamins and vitaminization. V. V. Opiel. <i>Proc. Sci. Inst. Vitamin Research U. S. S. R.</i> 1, No. 2, 6-62(1936).—A review of literature with about 60 references. Antiscorbutic vitamin concentrates obtained from some products of no food value. II. K. Z. Tul'chinskaya. <i>Ibid.</i> 53-60(in English 50-1); cf. C. A. 30, 3481A<sup>2</sup>.—The antiscorbutic potency of concentrates from vegetable waste products of no food value was tested on guinea pigs. The curative doses are: red bilberry leaf (1.79 g.), black currant leaf (0.23 g.), red currant leaf (0.69 g.), semi-sugar beet leaf (1 g.). The latter is a suitable source for com. production of concentrates rich in vitamin C. Artificially fortifying dried <del>meat</del> <sup>meat</sup> with antiscorbutic concentrates. K. Z. Tul'chinskaya and V. V. Kalgorodova. <i>Ibid.</i> 62-76(in English 76).—From biochem. tests of the antiscorbutic potency of a stewed mixt. of dried vegetables enriched with vitamin C by addn. of cabbage concentrate, it was found that the added vitamin is rapidly and completely destroyed in cabbage, beet root and carrots, and slowly in onions and potatoes (1 month). Vitamin C added to soups prepd. from dried vegetables retains its activity for 30-60 min. Artificial vitamin enrichment of canned vegetables and nonalcoholic beverages. A. A. Schmidt and P. S. Nedalyov. <i>Ibid.</i> 77-85(in English 85); cf. C. A. 30, 3481<sup>2</sup>, 3482<sup>1</sup> and preceding abstr.—On addn. of fresh-cabbage concentrate to dried cabbage vitamin C was completely decompd. in the process of stewing. Carrot stew retained about 50% vitamin. Nonalc. beverages of lemon-</p>	<p>ade, cranberry cider and kvass (a kind of bread cider) retained fully the added vitamin C for the test period of 6-10 days. Conservation of antiscorbutic vitamins in lemons by means of cane sugar. K. Z. Tul'chinskaya and G. I. Yurtsev. <i>Ibid.</i> 86-92(in English 93-4).—Lemons kept in sugar sirup for 4 months at room temp. lost about 90% of the juice and pulp wt. and 78% of vitamin C. About 30% of vitamin C diffused into the sirup. The antiscorbutic potency of this soln. is fairly stable. Experiments on the conservation of vitamin C in concentrates. K. Z. Tul'chinskaya and A. A. Mikhailova. <i>Ibid.</i> 95-111 (in English 111).—Portions of pine-needle ext., with and without addns. of 25% cane sugar and 21% alc., when kept in flasks in CO<sub>2</sub> atm. at 10-16° for 6.5 months lost about 25% of vitamin C. The preliminary expts. have not revealed the effect of preservatives on the antiscorbutic action of the concentrate. Pouring the concentrate from one flask into another every 24 hrs. for 10 days showed some destructive action of atm. O<sub>2</sub> on vitamin C. Vitamin constant in certain products of no food value. S. N. Korsarov. <i>Ibid.</i> 112-17(in English 117).—Preliminary tests showed that some conifers and annual grasses of the Far East have considerable reducing power and can be used as sources of vitamin C. Of the various algae of Japanese Sea only <i>Ulva lactuca</i>, <i>Cystophyllum gemmatum</i> and <i>Sargassum confusum</i> especially possess fair reducing power (Tillmann). The latter was used in 1-g. doses of the dried plant in curative tests on guinea pigs with pos. results. Oysters and mollusks also contain a fair amt. of reducing substances. Characteristics of the biosynthesis of antiscorbutic vitamin. II. Z. P. Karmanova. <i>Ibid.</i> 118-26(in English 126); cf. C. A. 30, 3482<sup>1</sup>.—Titration</p>
-----------------	---	--

FROM SYMBIYTA      1ST AND 2ND ORDERS      3RD AND 4TH ORDERS

in the presence of 2,6-dichlorophenolindophenol and biol. tests on guinea pigs of exts. of peas growing in pots at 15-16° showed that the max. accumulation of vitamin C takes place within 66 hrs. of germination. According to the biol. tests, the reducing power of exts. of germinating peas depends chiefly, if not exclusively, on the content of ascorbic acid. Degerminated peas and germinating pea meal, with and without germs, showed increasing concn. of reducing substances in cultivation tests. The curative action of antiscorbutic pine-needle concentrate. S. N. Komarov. *Ibid.* 127-30 (in English 130).—The recovery of 63 cases of scurvy on application of pine-needle concentrate produced by the Leningrad Vitamin Works by the method of Shmidt and Tul'chinskaya (C. A. 30, 3481<sup>17</sup>) is reported. The cures were effected in 7-20 days with daily optimum doses of 20 biol. units with no harmful effect on the human organism even in cases of kidney disorder. Administering of vitamins in gynecological affections. G. N. Yaropol'skaya. *Ibid.* 131-3 (in English 132).—Concentrate of vitamin C in doses of 20 biol. units daily for 14-15 days produced healing of erosion of the cervix uteri in 3 cases, and abs. cure in 12 cases of uterine hemorrhages, of which 6 were of the preclimacteric nature, 1 juvenile and 5 cases of hemorrhage caused by persistent follicle. The blood coagulability as well as the relative no. of thrombocytes was increased. Histological changes in the teeth of experimentally scorbutic guinea pigs. A. A. Mikhailova. *Ibid.* 134-6 (in English 139); cf. C. A. 30, 3481<sup>18</sup>.—Histological examination of the teeth of test animals by Beishovskii Ag impregnation and Malow and Heidenhain staining methods re-

vealed certain changes in the dentine and peripheral layer of the pulp characteristic of the different stages of exptl. scurvy. M. was able to establish the genesis of the pathol. dentine and to trace the differentiation processes involving odontoblastic elements. Comparative estimation of certain vitamin C diets used in biological tests of the vitamin C concentrates. Z. B. Kusova. *Ibid.* 140-60 (in English 161).—Three groups of guinea pigs, each consisting of 3 males and 9 females, were fed on the 3 diets for 3 months and then crossed. The diets were: (a) oats, hay autoclaved at 120° for 2 hrs., rye bread (given on the 20th day of expt.), water, antiscorbutic concentrate (equal to 1.5 mg. ascorbic acid a day per guinea pig); (b) the same as a with carrots added; (c) oats, new hay, fresh vegetables, water. Diets a and b produced a marked delay in the wt. increase of the animals in the 1st month as compared with the diet c. The difference in the wt. increase of animals fed on a and b was most pronounced in the 1st month and definitely in favor of the diet b. Crossing of the 3 groups of animals resulted in a live litter for group 3, equal no. of still and live born for group 1, and greater no. of still-born than live-born young for the group 2. Except for the traces of an old hemorrhage in 1 animal of the 1st group and traces of recent hemorrhages in the group 2, the macroscopic examn. failed to reveal any scorbutic changes. Methods of obtaining an antiscorbutic preparation from the waste products of citric acid manufacture (from the mycelium of *Aspergillus niger*). S. N. Komarov. *Ibid.* 163-71 (in English 171-3).—Of the various methods of obtaining antiscorbutic prepn. from the mycelium of *Aspergillus niger*, a waste product in the manuf. of citric acid, the highest concns. of sterols resulted by extn. with Me<sub>2</sub>CO and alc. and the lowest with CCl<sub>4</sub>. The method of sapon. of undried mycelium with 3% NaOH for the sepn. of free sterols gave the best results. The content of sterols in the mycelia of various production cycles varies but slightly. It is considerably increased by increased addns. of N to the culture of the fungus (cf. Prill, *et al.*, C. A. 29, 3735<sup>19</sup>). Sterols obtained by



11E

CA

extn. with alc., m. 150-2°, [α]<sub>D</sub> 118.5-20.2, have higher m. ps. than those obtained with petr. ether. Irradiated purified preps. given in doses of 0.1-0.3 γ prevented rickets in rats. About 40 references. **Rosenheim's color reaction for ergosterol.** V. V. Opiel and E. A. Markar'yan. *Ibid.* 173-87 (in English 187).—In the Rosenheim color reaction for ergosterol with CCl<sub>4</sub>CO<sub>2</sub>H the cones of the sterol is not parallel to the intensity of color, which rises constantly for 2 hrs. without reaching the max. The color intensity is affected by the presence of CHCl<sub>3</sub> and varies with the acid concn. and temp. The method can be used for detn. in the absence of CHCl<sub>3</sub> at definite conditions of concn., time and temp. when speed and not accuracy is of primary importance. The effect of irradiation conditions on the process of ergosterol activation. E. A. Markar'yan. *Ibid.* 188-97 (in English 197); cf. C. A. 29, 3481<sup>1</sup>; 30, 5273<sup>3</sup>.—Incomplete expl. results of aerobic irradiation of solns. of 1, 5, 10 and 25 mg. sterols in 100 cc. alc. gave fairly active vitamin D preps. The biol. dosage of the preps. varied between 0.1 and 0.5 γ. Graphic interpolation of the results of biol. tests show that increasing the concn. of irradiated sterol solns. gave a greater yield of active preps. but of lower degree of potency. Twenty references. **Enrichment of foods with vitamin D concentrates.** II. E. A. Markar'yan. *Ibid.* 198-203 (in English 200); cf. C. A. 29, 3481<sup>1</sup>; 30, 5273<sup>3</sup>.—Biscuits of inadequate antirachitic potency, when irradiated with ultraviolet light for 30 min., or prepd. from a dough treated with vitamin D concentrate, attain considerable potency even after baking at 180-200°, since the activity of vitamin D concentrate persists after heating as high as 200° for 35-45 min. Rats fed with the vitamin-fortified biscuits gained in wt. considerably. Preserving the irradiated preps. in alc. caused some loss of the antirachitic potency. III. *Ibid.* 207-15 (in English 215).—After irradiation with ultraviolet light for 10 min., sunflower oil became very rich in vitamin D. Exposure to sunlight (Leningrad) for 30 min. produced increased antirachitic potency in the oil, though less so than by irradiation. Feeding rats on irradiated sunflower oil caused delayed growth (cf. Berzacy and Rupilius, C. A. 28, 3107<sup>2</sup>). Chas. Blanc

ASAC-55A METALLURGICAL LITERATURE CLASSIFICATION

ASAC-55A METALLURGICAL LITERATURE CLASSIFICATION







PROCESSES AND PROPERTIES INDEX

1ST AND 2ND CODES      3RD AND 4TH CODES

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987

1988

1989

1990

1991

1992

1993

1994

1995

1996

1997

1998

1999

2000

2001

2002

2003

2004

2005

2006

2007

2008

2009

2010

2011

2012

2013

2014

2015

2016

2017

2018

2019

2020

2021

2022

2023

2024

2025

2026

2027

2028

2029

2030

2031

2032

2033

2034

2035

2036

2037

2038

2039

2040

2041

2042

2043

2044

2045

2046

2047

2048

2049

2050

2051

2052

2053

2054

2055

2056

2057

2058

2059

2060

2061

2062

2063

2064

2065

2066

2067

2068

2069

2070

2071

2072

2073

2074

2075

2076

2077

2078

2079

2080

2081

2082

2083

2084

2085

2086

2087

2088

2089

2090

2091

2092

2093

2094

2095

2096

2097

2098

2099

2100

2101

2102

2103

2104

2105

2106

2107

2108

2109

2110

2111

2112

2113

2114

2115

2116

2117

2118

2119

2120

2121

2122

2123

2124

2125

2126

2127

2128

2129

2130

2131

2132

2133

2134

2135

2136

2137

2138

2139

2140

2141

2142

2143

2144

2145

2146

2147

2148

2149

2150

2151

2152

2153

2154

2155

2156

2157

2158

2159

2160

2161

2162

2163

2164

2165

2166

2167

2168

2169

2170

2171

2172

2173

2174

2175

2176

2177

2178

2179

2180

2181

2182

2183

2184

2185

2186

2187

2188

2189

2190

2191

2192

2193

2194

2195

2196

2197

2198

2199

2200

2201

2202

2203

2204

2205

2206

2207

2208

2209

2210

2211

2212

2213

2214

2215

2216

2217

2218

2219

2220

2221

2222

2223

2224

2225

2226

2227

2228

2229

2230

2231

2232

2233

2234

2235

2236

2237

2238

2239

2240

2241

2242

2243

2244

2245

2246

2247

2248

2249

2250

2251

2252

2253

2254

2255

2256

2257

2258

2259

2260

2261

2262

2263

2264

2265

2266

2267

2268

2269

2270

2271

2272

2273

2274

2275

2276

2277

2278

2279

2280

2281

2282

2283

2284

2285

2286

2287

2288

2289

2290

2291

2292

2293

2294

2295

2296

2297

2298

2299

2300

2301

2302

2303

2304

2305

2306

2307

2308

2309

2310

2311

2312

2313

2314

2315

2316

2317

2318

2319

2320

2321

2322

2323

2324

2325

2326

2327

2328

2329

2330

2331

2332

2333

2334

2335

2336

2337

2338

2339

2340

2341

2342

2343

2344

2345

2346

2347

2348

2349

2350

2351

2352

2353

2354

2355

2356

2357

2358

2359

2360

2361

2362

2363

2364

2365

2366

2367

2368

2369

2370

2371

2372

2373

2374

2375

2376

2377

2378

2379

2380

2381

2382

2383

2384

2385

2386

2387

2388

2389

2390

2391

2392

2393

2394

2395

2396

2397

2398

2399

2400

2401

2402

2403

2404

2405

2406

2407

2408

2409

2410

2411

2412

2413

2414

2415

2416

2417

2418

2419

2420

2421

2422

2423

2424

2425

2426

2427

2428

2429

2430

2431

2432

2433

2434

2435

2436

2437

2438

2439

2440

2441

2442

2443

2444

2445

2446

2447

2448

2449

2450

2451

2452

2453

2454

2455

2456

2457

2458

2459

2460

2461

2462

2463

2464

2465

2466

2467

2468

2469

2470

2471

2472

2473

2474

2475

2476

2477

2478

2479

2480

2481

2482

2483

2484

2485

2486

2487

2488

2489

2490

2491

2492

2493

2494

2495

2496

2497

2498

2499

2500

2501

2502

2503

2504

2505

2506

2507

2508

2509

2510

2511

2512

2513

2514

2515

2516

2517

2518

2519

2520

2521

2522

2523

2524

2525

2526

2527

2528

2529

2530

2531

2532

2533

2534

2535

2536

2537

2538

2539

2540

2541

2542

2543

2544

2545

2546

2547

2548

2549

2550

2551

2552

2553

2554

2555

2556

2557

2558

2559

2560

2561

2562

2563

2564

2565

2566

2567

2568

2569

2570

2571

2572

2573

2574

2575

2576

2577

2578

2579

2580

2581

2582

2583

2584

2585

2586

2587

2588

2589

2590

2591

2592

2593

2594

2595

2596

2597

2598

2599

2600

2601

2602

2603

2604

2605

2606

2607

2608

2609

2610

2611

2612

2613

2614

2615

2616

2617

2618

2619

2620

2621

2622

2623

2624

2625

2626

2627

2628

2629

2630

2631

2632

2633

2634

2635

2636

2637

2638

2639

2640

2641

2642

2643

2644

2645

2646

2647

2648

2649

2650

2651

2652

2653

2654

2655

2656

2657

2658

2659

2660

2661

2662

2663

2664

2665

2666

2667

2668

2669

2670

2671

2672

2673

2674

2675

2676

2677

2678

2679

2680

2681

2682

2683

2684

2685

2686

2687

2688

2689

2690

2691

2692

2693

2694

2695

2696

2697

2698

2699

2700

2701

2702

2703

2704

2705

2706

2707

2708

2709

2710

2711

2712

114

CA

**New protein-vitamin preparations: their biological and chemical evaluation.** K. L. Tulchinskaya. *Vitamin Research News* (U.S.S.R.) 1966, No. 1, 30. Yeast, combined with vegetable greens and carrots, was transformed into prepna. called protein-vitamin pastes (no further data). For max. preservation of ascorbic acid, the greens must be blanched in vegetable oil 6-10 min. at 110-20°. The pastes retain 45-50% ascorbic acid after 7-8 months. The pastes average 15.30-23.37 mg.% ascorbic acid, 0.2-0.3 mg.% aneurine, 0.16-14.23 mg.% carotene, 2.51-4.88% N, 10.6-30.2% carbohydrates, 0.48-0.85% P, 0.22-0.35% Ca and 33.1-67.6 mg.% Fe. The bakera yeast in these prepna. can replace casein in nutrition.  
G. M. Kowalynoff

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

01

114

Interaction between vitamins and hormones. K. Z. Tul'chinskaya. *Vitamin Research News* (U.S.S.R.) 1946, No. 1, 30. Daily injection of 0.1 g. thyroid ext. into rats gave an increase in ascorbic acid in all tissues, especially in the intestine (up to 80%). Injection of 0.2 cc. of 1:10,000 or 1:100,000 soln. of adrenaline every other day lowered ascorbic acid in suprarenals and raised it in all other tissues (as much as 94.2%). Injection of 0.5 cc. of 1:1000 adrenaline gave a progressive fall of ascorbic acid in suprarenals (40% drop in 2 hrs.) and a rise in the intestinal mucosa (24% in 2 hrs.). G. M. Kuzolapoff

ASS-56A METALLURGICAL LITERATURE CLASSIFICATION

GROUP	CLASS	SUBCLASS	SECTION	SECTION
1	2	3	4	5







**"APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2**

**APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2"**

TUL'CHINSKAYA, K.Z.; VADOVA, V.A.; YAKOVLEVA, Ye.V.

Study of the influence of increased doses of vitamins on the  
animal organism. Trudy VNIIV 6:192-203 '59. (MIRA 13:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
Biologicheskaya laboratoriya.  
(VITAMINS)

*Tul'chinskaya, L.S.*

GOBACHEVA, I.N.; VARNAKOVA, I.P.; MONICH, N.V.; POLYACHENKO, V.M.; ROMANOVA,  
A.S.; TUL'CHINSKAYA, L.S.; SHVARTSBERG, M.S.

Synthesis of substituted 1-benzyl-3,4-dihydroisoquinolines. Zhur.  
ob. khim. 27 no.8:2276-2282 Ag '57. (MLRA 10:9)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii.  
(Quinoline)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangement of triazenes. Part 2: Synthesis of aromatic o-aminoazo  
compounds not corresponding in structure to the components of  
initial triazenes. Zhur. ob. khim. 31 no. 11:3614-3621 N '61.  
(MIRA 14:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Triazene) (Azo compounds)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; VOLIKOVA, N.G.

New synthesis of 5,6-dimethylbenzimidazole. Zhur.ob.khim. 30  
no.10:3434-3437 0 '61. (MIRA 14:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Benzimidazole)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; YEREMENKO, T.V.; RODIONOVA, Ye.P.  
BARSKAYA, M.A.

Series of alloxazine and iscalloxazine. Part 5: Catalysts of the  
reaction of secondary aromatic orthoaminoazo compounds with  
trihydroxypyrimidines. Zhur. ob. khim. 31 no. 11:3689-3694 N '61.  
(MIRA 14:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Alloxazine) (Isocalloxazine) (Catalysts)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangements of triazenes. Part 3: Rearrangement of aromatic  
compounds with a fixed triazene system. Zhur.ob.khim. 32  
no.3:853-857 Mr '62. (MIRA 15:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Triazene)



BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangement of triazenes. Part 1: Rearrangement of  
asymmetric triazenes in aminoazo compounds. Zhur.ob.khim.  
31 no.8:2774-2779 Ag '61. (MIRA 14:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Triazene) (Azo compounds)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Series of alloxazine and iscalloxazine. Part 2: New synthesis  
of the compounds of the alloxazine series. Zhur.ob.khim.  
31 no.8:2779-2782 Ag '61. (MIRA 14:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.  
(Alloxazine)

TUL'CHINSKAIA, V. P., Prof.

TUL'CHINSKAIA, V. P.: (Professor, Kirgiz Agricultural Institute) and  
IVANOVA, V. I.: (Scientific Coworker, Kirgiz Veterinary Experimental Station).

"Experiment at isolating and preparing coliparatyphous pnages and using them in  
veterinary practice.

SO: BACTERIOPHAGIA IN VETERINARY PRACTICE, Proceedings of the Veterinary Section  
of the Academy, p. 55, Moscow, 1947. Trans. 191, by L. Lulich, Uncl.

TUL'CHINSKAYA, V. P.

Brucellosis of Farm Animals, and Measures for its Prevention, Kiev, 1950,  
36 pages, (Academy of Sciences Ukrainian SSR Council of Scientific and  
Technical Propaganda), 80 Kopeks, Copies -- 5,000.

SO: , Report, U-4724, Sept. 30, 1953, . (Veterinaryiya,  
No. 4, Apr. 1951, pp. 60-61, Moscow.)

TUL'CHINSKAYA, V.P., professor; DEMCHENKO, A.V.

Antibacterial properties of polyanol, a synthetic estrogenic substance.  
Mikrobiol.zhur. 13 no.2:107-110 '51. (MIRA 9:9)

1. Iz Odesskogo sel'skokhozyaystvennogo inatituta.  
(POLYANOL) (BACTERICIDES)

TULCHINSKAYA, V. P.

228T39

The results of the test were controversial. Authors recommend that more care should be exercised in the checking and standardization of various series of Brucellohydrolysate VIEV before their release to the veterinary profession.

PA 228T39

"Veterinariya" No 5, pp 22-24

Submits charts showing the results of exptl injection of diseased and suspected sheep with Brucellohydrolysate VIEV (extract of specific protein components of brucellae) and with a Brucellohydrolysate VIEV (an allergen which has been purified still further)

228T39

USSR/Medicine - Brucellosis

May 52

"Comparative Data on Allergy Reaction of Sheep Affected With Brucellosis to Brucellolysate and Brucellohydrolysate VIEV," Prof V. P. Tulchinskaya, A. V. Demchenko

TUL'CHINS'KAYA, V.P.; BILOSTOTS'KA, O.N.

Precipitation reaction in experimental brucellosis. Mikrobiol. zhurn. 14 no. 2:  
40-46 '52. (MLRA 6:11)  
(Brucellosis)

(says pp 41-46)  
/also -W-27098, 25 Jul 1953, p 3 (bibliog).

1. TUL'CHINSKAYA, V. P.; VOL'FKOVICH, S. I.
2. USSR ( 600)
4. Chemists
7. In memory of Professor Eduard Ksaver'yevich Lopatto (1893-1951).  
Zhur. prikl. khim. 25 no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.



TULICHINSKAYA, V. P., TRACHENKO, A. F., DEMCHENKO, A. V.

Sheep - Diseases      Bang's Disease

Use of Dorogov's ASD preparations (antiseptic stimulants) in brucellosis of sheep.  
Veterinariia, 29, no. 2, 1952. P17

9. Monthly List of Russian Accessions, Library of Congress, April 195~~8~~<sup>2</sup>, Unclassified.  
also R. U-4803, 13 Oct 1953 - Tr.

TUL'CHINS'KA, V.P.; EROBOT'KO, V.G., redaktor; MAKSIMEYKO, O.I., redaktor; HAKHLINA, N.P., tekhnichnyy redaktor.

[Antibiotics] Antybiotyky. Kyiv, Vyd-vo Akademii nauk Ukrain's'koi  
RSR, 1953. 49 p. (MIRA 8:2)  
(Antibiotics)

USSR/Medicine - Brucellosis; Immunity

Mar 53

"Dynamics of Immunobiological Reactions in Guinea Pigs Immunized with Live Antibrucellosis Vaccine Under Different Conditions of the Nervous System," V. P. Tul'chyns'kaya, R. O. Faytelberg, I. V. Aplyak

Mikrobiol Zhur, Vol 15, No 1, pp 5-10

(CA 47 no. 15:7636 '53)

Simultaneous injection of attenuated living antibrucellosis vaccine and caffeine effected in guinea pigs a more rapid appearance and subsequent rapid fall of the opsonophagocytic and macrophagocytic reactions as well as agglutinin and precipitin titers than the injection of vaccine alone. Since bromine has an inhibitory effect on the cortex of the brain, the attendant immunobiological reaction appears ~~relatedly~~ and lasts longer. The opsonophagocytic and macrophagocytic reactions reflect more clearly the reactions of the organism of guinea pigs to the ~~living~~ attenuated antibrucellosis vaccine than either the agglutinin or precipitin reactions.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

**"APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2**

**APPROVED FOR RELEASE: 03/14/2001**

**CIA-RDP86-00513R001757410013-2"**

TUL'CHINSKAYA, V.P.; APLYAK, I.V.

Immunobiological reactions in laboratory animals inoculated with living brucellosis vaccine under various conditions of the nervous system. Zhur.mikrobiol.epid.i immun. no.5:56-61 My '55. (MLRA 8:7)

(BRUCELLOSIS, immunology,  
vacc., eff. of bromides & caffeine on response to living  
vacc.)

(VACCINES AND VACCINATION,  
brucellosis, eff. of bromides & caffeine on response  
to living vacc.)

(BROMIDES, effects,  
on immun. responses to living brucellosis vacc.)

(CAFFEINE, effects,  
on immun. responses to living brucellosis vacc.)

Head,

Chair Microbiology, Odessa State U. (Tul'chinskaya)

and

Sci. Dir., Odessa Agric. Inst, Min. Agric. USSR (Tul'chinskaya)

USSR/Diseases of Farm Animals. Diseases Caused by Bacteria  
and Fungi.

Abs Jour: Ref Zhur-Biol., No 3, 1958, 12255.

Author : Tul'chinskaya V. P.

Inst :

Title : Prophylactic Vaccination of Farm Animals with Live  
Brucella Vaccine

Orig Pub: V pomoshch' s.-kh. i rybovodstvu. Vyp. 1, Odessa,  
1956, 23-24.

Abstract: Based on experimental application of the 19-strain  
vaccine the author recommends that only young animals  
of the age group from 4 to 6 months should be inocu-  
lated with this vaccine. For purposes of differentia-  
tion between vaccinated animals and those with natural

Card : 1/2

USSR/Diseases of Farm Animals. Diseases Caused by Bacteria  
and Fungi.

Abs Jour: Ref Zhur-Biol., No 3, 1958, 12255.

infections the use of the blood serum reaction (BSR)  
and the allergic eye test (Lokteva's allergen) is  
recommended.

Card : 2/2



USSR/Diseases of Farm Animals. Diseases Caused by  
Bacteria and Fungi.

R-1

Abs Jour: Ref Zhur-Biol., No 18, 1958, 83550

Author : Tul'chinskaya, V. P.

Institute: Odessa University

Title : Immunizing with an Avirulent Brucella Culture Combined  
with a Killed Vaccine Culture.

Orig Pub: Nauchn. yezhegodnik Odessk. un-t, Odessa, 1957,  
214-216

Abstract: Tests performed on 80 rabbits showed that when they  
were immunized against brucellosis with the  
strain No 19 vaccine combined with a Brucella  
melitensis anaculture, a larger agglutinin pro-  
duction and a higher phagocytal index were  
achieved than when only strain No 19 vaccine was  
used for immunization.--L. S. Goberman

TUL'CHINSKAYA, V.P. [Tul'chyns'ka, V.P.], prof.; FEDOTOV, M.I.;  
ISHCHENKO, N.I.; TURCHIN, I.P. [Turchyn, I.P.]

Methods of differentiating immunodiagnostic reactions in  
animals vaccinated against and in animals suffering from  
brucellosis. Na dopom.sil'.hrsp.ta vyr. no.5:15-18 '58.  
(MIRA 13:3)

1. Kafedra mikrobiologii Odesskogo gosuniversiteta. 2. Chlen-  
korrespondent AN USSR (for Tul'chinskaya).  
(Brucellosis in cattle) (Vaccination)

SHCHERBA, S.A., student biolog.fakul'teta; TUL'CHINSKAYA, V.P.  
[Tul'chyns'ka, V.P.], nauchnyy rukovoditel', prof.

Effect of antibiotics and chemicals on the germination and  
growth of wheat seed. Pratsi Od.un. Zbir.stud.rob. 149 no.5:  
167-168 '59. (MIRA 13:4)

1. Chlen-korrespondent AN USSR (for Tul'chinskaya). 2. Odesskiy  
gosudarstvennyy universitet.  
(WHEAT) (PLANTS, EFFECT OF ANTIBIOTICS ON)  
(PLANTS, EFFECT OF CHEMICALS ON)

MIGAL', O.K. [Myhal', O.K.], student biolog.fakul'teta; TUL'CHINSKAYA,  
V.P. [Tul'chyns'ka, V.P.], nauchnyy rukovoditel', prof.

Effect of plant extracts on the growth of bacterial cultures.  
Pratsi Od.un. Zbir.stud.rob. 149 no.5:169-172 '59.  
(MIRA 13:4)

1. Chlen-korrespondent AN USSR (for Tul'chinskaya). 2. Odesskiy  
gosudarstvennyy universitet.  
(EXTRACTS) (BACTERIA)