

TYABIN, N. V.

"The Movement of a Sphere in a Viscous-Plastic Liquid Disperse System"
Tr. Kazansk. Khim.-Tekhnol. In-ta, No 17, 1953, 84-93

The movement of a sphere in a viscous -plastic disperse system does not follow stoke's law. By using the approximation method of integrating general equations for the flow of viscous-plastic mediums, a sufficiently accurate equation for a falling sphere was a derived. This equation makes it possible to determine the rheological constants of viscous-plastic disperse systems from observation of a falling sphere. A rule governing the movement of a sphere in a viscous liquid can be derived from this equation as a special case. (RZhKhim, No 3, 1955)

SO. Sum No 845, 7 Mar 56

1 Jan 53

TYABIN, N. V.

USSR/Physics - Liquid Flow

"Motion of Ball in Viscous Plastic Liquid Dispersion System," N. V. Tyabin

DAN SSSR, Vol 88, No 1, pp 57-60

It follows from numerous investigations that Stokes law does not hold for motion of ball in liquid dispersive medium. Author attempts to derive law of falling of ball in a viscous, plastic medium by integrating general eqs of flow of viscous plastic medium. Received 23 Oct 52.

262T77

TYABIN, N. V.

Mathematical Reviews
May 1954
Mechanics

Tyabin, N. V., and Pudovkin, M. A. The flow of a visco-plastic dispersive system in a conical diffusor. Doklady Akad. Nauk SSSR (N.S.) 92, 53-56 (1953). (Russian)

Les auteurs étudient l'écoulement d'un milieu dispersif, doué de viscosité plastique, dans un diffuseur conique. Le phénomène est régi par les équations écrites par Tyabin; celles-ci sont simplifiées, dans le cas particulier considéré, en utilisant les conclusions expérimentales de la thèse de Mme Lazovsky; en particulier les déplacements peuvent être considérés comme radiaux. Les auteurs tiennent compte

de ces faits pour former les expressions approchées des solutions des équations de Tyabin; les formes résolutive sont assez simples pour permettre une discussion détaillée de toutes les particularités du phénomène. Entre autres résultats,

les auteurs donnent la loi du débit total en fonction de la pression; la relation qu'ils obtiennent est linéaire et paraît en bon accord avec l'expérience pour de grandes pressions.

J. Kravtchenko (Grenoble).

14410, N. V. [Illegible text]
[Illegible text] 2-18-87

[Illegible text]
[Illegible text]
[Illegible text]

14410, N. V. [Illegible]

TYABIN, N.V.

Radial flow of viscous-plastic dispersion systems in a flat capillary.
Dokl. AN SSSR 96 no.1:29-32 My '54. (MLRA 7:5)

1. Predstavleno akademikom A.I.Nekrasovym. (Capillarity)

TYABIN, N.V.

Flow of an anomalously viscous fluid between two plane plates
and two coaxial cylinders. Zhur. tekhn. fiz. 26 no.9:1994-2001
S '56. (MLRA 9:11)

1. Khimiko-tekhnologicheskii institut, Kasan'.
(Fluid mechanics)

TYABIN, N. V.

"Irregular Flow of a Viscous-Plastic Dispersed System in the Layer Between Two Coaxial Cylinders and That in a Cylindrical Tube," by N. V. Tyabin, Tr Kazansk. s.-kh. in-ta, 1957, Issue 35, pp 213-225 (from Referativnyy Zhurnal -- Mekhanika, No 2, Mar 57, Abstract No 3120, by N. A. Slezkin)

"In the first part, the problems of the circular flow of a viscous-plastic medium (taking into account the limiting shear stresses) and its rectilinear motion between the two coaxial cylinders are studied. In both cases the differential equations of motion of the inner cylinder and of the medium are calculated jointly, taking into consideration the local derivative of time in respect to the average velocity (N. A. Slezkin, S. M. Targ, Dokl. AN SSSR, 1946, 54, No 3). The third part considers the problem of the irregular flow of a viscous-plastic medium in a circular cylindrical tube with the assistance of an average calculation of acceleration ('Approximate Solution of the Problem of the Irregular Motion of a Viscous-Plastic Fluid in a Circular Cylindrical Tube,' by A. Kh. Mirzadzhanzade and A. A. Abbasov, Dokl. An SSSR, Vol 107, No 2, 1956, pp 249-251). A comparison is made between the computed curve of the changing moments of friction forces and the experimental curve. In the 'starting period' there is a considerable divergence of the curves." (U)

Sum in 1467

Tyabin

FD-3050

USSR/Physics - Viscosity

Card 1/1 Pub. 153 - 19/23

Author : Tyabin, N. V.

Title : Theory of anomalous viscosity of dispersive systems

Periodical : Zhur. tekhn. fiz., 25, February 1955, 339-350

Abstract : One of the central problems concerning the flow of dispersive systems is the problem of anomalous viscosity, first discovered in connection with the anomalous rheological properties of sols and gels by the Russian scientist F. Schwedoff (J. de Phys. theor. et appl., 1889) and fully discussed by the present writer (Kolloidn. zhurn., 11, 6, 438, 1949). In the present work he attempts to create a phenomenological theory of flow of nonelastic anomalously viscous dispersive systems by proceeding from an analysis of the experimental dependence of velocity gradient upon tangential displacement stress, and does not touch on the nature of the anomaly of viscosity of dispersive systems. The author thanks Professor G. V. Vinogradov, early investigator of anomalous viscous properties of consistent lubricants in a wide range of velocity gradients (Trudy vt. konf. po treniyu i iznosu v mashinakh [Works on 2nd Conference on Friction and Wear in Machines], 3, 311, 1949). Twenty ref.

Submitted : September 8, 1954

TYABIN, N.V.

Flow of two immiscible layers of viscoplastic liquids in a pipe.
Koll. zhur.18 no.3:379-381 Ky-Je '56. (MIRA 9:9)
(Rheology)

TYABIN, N.V.; TSENTOVSKIY, Ye.M.; VACHAGIN, E.D.

Flow of a non-Newtonian liquid in a short plane channel.

Izv.vys.ucheb.zav.; khim.i khim.tekh. B no.4:580-584 '65.

(MIRA 18:11)

1. Volgogradskiy politekhnicheskii institut i Kazanskiy
khimiko-tekhnologicheskii institut imeni Kirova.

KRYUCHKOV, A.V., starshiy prepodavatel'; TYABIN, N.V., doktor
tekh. nauk

Laws of speed and pressure distribution in a viscoplastic
lubricant layer of a journal sliding bearing. Izv. vys.
ucheb. zav.; mashinotr. no.9:53-59 '65. (MIRA 18:11)

29453
S/081, 51/000/017/156/166
B117/B110

26.2/P2

AUTHORS: Shklyar, L. A., Tyabin, N. V.

TITLE: Lubricant outflow through labyrinth packings

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 17, 1961, 475, abstract
17M238 (Tr. 3-y Vses. konferentsii po treniyu i iznosu v
mashinakh. M., AN SSSR, v. 3, 1960, 154-163)

TEXT: A theoretical and experimental study was made of the outflow of oils and plastic lubricants through labyrinth packings forming different combinations of cylindrical coaxial slits and spaces between plane disks. It was shown that the resistance against axial flow in a cylindrical slit, under equal hydrodynamic conditions, is twice as large as in a radial flow in a plane clearance. The experimental arrangement constituted the model of a caterpillar drum. The lubricant outflow in the drum took place at a given temperature and pressure, both with fixed and with rotating bearing: 100 - 800 rpm. The area of the labyrinth packing inlet cross section exerts a decisive effect upon the properties of hermetically sealing. The outflow of liquid oils and kerosene is independent of the labyrinth packing

Card 1/2

29453

S/C 11/61/000/017/156/166
B117/B110

Lubricant outflow through...

rotation. The outflow of plastic lubricants is significantly increased as the drum bushing is set in rotation. The lubricant outflow grows on a diminution of viscosity (η), and in case of plastic lubricants also on a diminution of the ultimate strength (θ). Theoretically, consumption is determined from the following formula:

$$q_{\text{theor.}} = 0.5 \cdot \pi (R_2 - R_1)^2 \cdot R_1 \cdot \eta^{-1} [0.33 (R_2 - R_1) l^{-1} \Delta P - \theta]$$

R_1 = inner radius, R_2 = outer radius, l = length of ring slot; P = pressure drop in the labyrinth packing. [Abstracter's note: Complete translation.]

Т. Я. БИВ, Н. В.

PHASE I BOOK EXCERPTION SOW/5955

Vesoyurnaya konferentsiya po treniyu i iznosu v mashinach. 3d, 1958.

Gidrodinamicheskiye teoriya shazki. Opory skol'zheniya. Shazka smazochnyye materialy (Hydrodynamic Theory of Lubrication, Slip Bearings, Lubrication and Lubricant Materials) Moscow, 1958. AM SSSR. 522 p. Krata slup inserted. 3,800 copies printed. (Series: Ita: Trudy, v. 3)

Sponsoring Agency: Akademiya nauk SSSR. Institut mashinovedeniya. Resp. Eds. for the Section "Hydrodynamic Theory of Lubrication and Slip Bearings": Ye. M. Gut'yar, Professor, Doctor of Technical Sciences, and A. K. Dyachkov, Professor, Doctor of Technical Sciences; Resp. Ed. for the Section "Lubrication and Lubricant Materials": G. V. Vinogradov, Professor, Doctor of Chemical Sciences; Ed. of Publishing House: M. Ya. Klebanov; Tech. Ed.: O. M. Gus'kov.

PURPOSE: This collection of articles is intended for practicing engineers and research scientists.

COVERAGE: The collection, published by the Institute Mashinovedeniya AM SSSR (Institute of Science and Machine Building of Sciences USSR) contains papers presented at the III Vsesoyuznaya konferentsiya po treniyu i iznosu v mashinakh (Third All-Union Conference on Friction and Wear in Machines) which was held April 9-15, 1958. Problems discussed were in hydrodynamic theory (Cont.) SOW/5955

Trofimov, Ye. V. Increase of the Load-Carrying Capacity of Thrust Bearings Operating at High Sliding Speeds 128

~~Trubin, M. V.~~ Rheodynamic Theory of Viscous-Plastic Lubrication 134

Rhankovich, M. O. On the Problem of the Design of Sliding Thrust Bearings 146

Shklyar, I. A. and M. V. Tyabin. Outflow of Lubricant Material Through Labyrinth Seals 154

Reports Printed in Other Publications

Kozlov, G. P. On the Problem of Using Fluid-Friction Bearings in Rolling Mills Operating with Frequent Reverses and Shock Loads (Published under the title: "Investigation of the State of the Journal in a 120-Degree Fluid-Friction Bearing for Constant Loads and Loads with Reverses") (St. Treniye i iznos v mashinakh, T. XIII, Izd-vo AN SSSR, 1959) 164

Krasov, Y. P. New Approximate Method for Calculating Thrust Bearings (Published under the title: "Vertical-Axis Bearings for Hydrogenerators. Theory and Calculation") (Izd. Tsentral'nogo byuro tekhnicheskoy informatsii elektropromyshlennosti) 164

Maplan, M. Ya. Thrust Bearing for Supersonic Turbines ("Vestn. mashinostroyeniya", No. 7, 1959) 164

Klegman, I. Y. Use of Segmented Bearings for Horizontal Electric Machines at the "Elektrosila" Plant (Izvestiya S. M. Kirov. [Published at the "Elektrosila" Plant]) 164

Kunin, I. A. Development of the Hydrodynamic Theory of Lubrication of Thrust Bearings (Published in 1957 under the title: "On the Hydrodynamic Theory of Lubrication of a Bearing" ("Izv. Vost. fil. AN SSSR", No. 4-5, 1957), and in 1959 under the title: "Two-Dimensional Problem of the Hydrodynamic Theory of Lubrication Taking into Account the Dependence of the Viscosity on the Temperature") ("Izv. AN SSSR", No. 2, 1959) 164

over-8/47

YEROFEYEV, A.A.; SHKLYAR, L.A.; TYABIN, N.V. D

Rotating viscosimeter of high sensitivity. Zav.lab. 26 no.3:
356-358 '60. (MIRA 13:6)

1. Khimiko-tekhnologicheskij institut, Kazan'.
(Viscosimetry)

Tyabin, N. V.

S/179/60/000/02/009/032
E081/E241

AUTHORS: Vinogradov, G. V., Mamakov, A. A., and Tyabin, N. V.
(Moscow)

TITLE: Flow of Anomalously Viscous Bodies Under Complex Stress
Conditions

PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye tekhnicheskikh
nauk Mekhanika i mashinostroyeniye, 1960, Nr 2,
pp 65-69 (USSR)

ABSTRACT: A continuation of previous work (Refs 5, 6, and 7). Data
are given of experimental investigations into the flow
of a residual extract (highly viscous Newtonian fluid)
and a lubricant grease (anomalously viscous body) to
verify the generalized flow law under the combined action
of two simple shears. The data were obtained by simul-
taneous measurements with a double rotation viscometer
(Ref 6) and a capillary viscometer with constant outflow
(Ref 7). The methods and basic experimental results
are given in Ref 5. Complex shear conditions were
realised by the combined action on the body contained
in the space between two cylinders, of an external
pressure and a twisting moment, the latter being obtained
by rotation of the outer cylinder. In this way, axial

Card 1/5

S/179/60/000/02/009/032
E081/E241

Flow of Anomously Viscous Bodies Under Complex Stress Conditions

and circumferential flow are superimposed and the particles of the anomalously viscous body move in screw trajectories ab (Fig 1: Scheme of screw flow of grease in a narrow annular space). The generalized equation of flow is written in the form (1) (Ref 8), and in cylindrical co-ordinates r, ϕ, z , the quantities p_i and \dot{e}_i are written in the forms (2) and (3). (The dot over e_i denotes differentiation with respect to time). p_i is the intensity of shear stress, \dot{e}_i the intensity of deformation velocity, η_i the effective viscosity coefficient, $p_{rr}, p_{\phi\phi}, p_{zz}$ are normal stresses, $\dot{e}_{rr}, \dot{e}_{\phi\phi}, \dot{e}_{zz}$ are volume deformation velocities, $\dot{e}_{r\phi}, \dot{e}_{\phi z}, \dot{e}_{zr}$ are shear deformation velocities. For the present conditions, (2) and (3) reduce to (4) and (5) with the effective viscosity in complex shear, axial shear and circumferential shear given by (6), (7) and (8), respectively. The shear stresses for pure-axial shear τ_1 and pure circumferential shear τ_2 are given by the first equations, p 67, where Δp is the difference in pressure between the ends of the annular space,

Card 2/5



S/179/60/000/02/009/032
E081/E241

Flow of Anomalously Viscous Bodies Under Complex Stress Conditions

H and L are the width and length of the space, M is the twisting moment, R_1 and R_2 are respectively the external and internal radii of the cylinders ($H = R_1 - R_2$). The mean deformation velocities in axial shear D_{10} and circumferential shear D_2 are found from the second equation, p 67, and the axial deformation velocity at the wall from the third equation, where Q is the outflow per second, ω the angular velocity of the rotor. Figs 2 and 3 show $\log \eta_1$ $\log \eta_2$ and $\log \eta_i$ plotted against $\log D_1$, $\log D_2$ and $\log D_i$ for the extract. [Fig 2. Dependence of effective viscosity (axial, circumferential and spiral flow) on velocity gradient and intensity of deformation velocity for the extract] and for the grease [Fig 3. Dependence of effective viscosity (axial, circumferential and spiral flow) on velocity gradient and intensity of deformation velocity for lubricant grease]. The key to the figures on the diagrams is at the foot of p 67. In Fig 3 $\eta_1(D_1)$ is represented by the dashed-dotted line, $\eta_2(D_2)$ by the continuous line and $\eta_i(D_i)$ by the dotted line. The lines in Fig 2 are all parallel to the $\log D$

Card 3/5

S/179/60/000/02/009/032
EO81/E241

Flow of Anomalously Viscous Bodies Under Complex Stress Conditions

axis, and, for a given temperature, the points corresponding to different conditions all lie on the same line. Thus the effective viscosity of the residual extract is constant, and the superposition principle applies. Fig 3 shows that the effective viscosity of the lubricant grease falls with increasing deformation velocity. At 20° and 50° the effective viscosity for axial shear is rather greater than for circumferential shear. The differences may be interpreted as a breaking down of the structure of the grease and the orientation of the soap micro-filaments. The motion of the particles in spiral flow is determined by the equations at the foot of p 68 and the top of p 69, and Fig 4 shows the dimensionless viscosity η_i/η_2 plotted against the dimensionless length of the trajectory. [Fig 4 Dependence of the dimensionless viscosity η_i/η_2 on S/L for grease at 20° and 50°] Within the limits of experimental accuracy (5 to 10%) the points lie on the same line for both temperatures, and the effective viscosity is a function not only of the intensity of


Card 4/5

S/179/60/000/02/009/032
E081/E241

Flow of Anomalously Viscous Bodies Under Complex Stress Conditions
deformation velocity, but also of the dimensionless
quantity characterising the trajectories of the
particles. Thanks are expressed to V. P. Pavlov for
participating in the discussion of results, and for
valuable advice. There are 4 figures and 10 references,
8 of which are Soviet, 1 English and 1 German.

SUBMITTED: June 4, 1959

Card 5/5



MAMAKOV, A.A.; TYABIN, N.V.; VINOGRADOV, G.V.

Graphical method for determining the distribution of flow velocities
of elastic petroleum products. Izv. vys. ucheb. zav.; neft' i gaz 2
no.7:81-86 '59. (MIRA 12:12)

1. Kazanskiy khimiko-tekhnologicheskii institut im. S.M. Kirova.
(Hydraulics)

TYABIN, N.V.; SHKLYAR, L.A.; MOSIKHIN, Ye.P.; VINOGRADOV, G.V.

Rheologic investigation of grease by the centrifuge method.
Trudy EKHTI no.16:133-150 '51 [Publ. '52]. (MIRA 12:12)
(Lubrication and lubricants)

TYABIN, N.

Theory of similitude applied to a viscoplastic fluid. Trudy **KKFTI**
no.16:151-156 '51 [Publ. '52]. (MIRA 12:12)
(Rheology)

14 A B N.V.

Report presented at the 1st All-Union Congress of Theoretical and Applied Mechanics, Moscow, 27 Jun - 3 Feb '60.

- 265. L. E. Stepanov (Makhov): Strain design and general stability of structures.
- 266. L. E. Stepanov (Makhov): A general method of solving non-linear problems of structural mechanics.
- 270. S. D. Stepanov (Makhov): A contribution to the non-linear problem of plate theory.
- 271. L. O. Stepanov (Makhov): On the use of variational principles in the approximate solution of some problems of plastic equilibrium.
- 272. I. K. Stepanov (Makhov): Experimental investigation of the oblique bending of steel beams beyond the elastic limit.
- 273. L. E. Stepanov (Makhov): Strength and visco-plastic flow of soils.
- 274. S. I. Stepanov (Makhov): The relation between pore pressure and rate of creep of clays.
- 275. L. A. Polozovskiy (Makhov): Plastic strains of non-linearly deformed bodies.
- 276. A. D. Polozovskiy (Makhov): Friction of metal by a spherical punch considering contact friction.
- 277. I. M. Polozovskiy (Makhov): An explicit method of analyzing flexible sheets of variable pitch at high speeds of rotation.
- 278. I. M. Polozovskiy (Makhov): Application of similarity methods to the analysis of the flow of rubber compounds.
- 279. A. D. Polozovskiy (Makhov): Some problems of soil dynamics.
- 280. A. D. Polozovskiy (Makhov): The flow in the boundary layer of an elastic wedge.
- 281. A. D. Polozovskiy (Makhov): Some problems concerning the stability of structures in elastic flow.
- 282. A. D. Polozovskiy (Makhov): On the stability of structures in elastic flow.
- 283. I. K. Stepanov (Makhov): Some problems of non-linear theory.
- 284. A. D. Polozovskiy (Makhov): Analytical and numerical methods for the analysis of structures.
- 285. S. I. Stepanov (Makhov): The problem of seismic strength of thin supports-structures.
- 286. S. I. Stepanov (Makhov): Application of integral transformations to the solution of some problems concerning an elastic wedge.
- 287. L. E. Stepanov (Makhov): Determinations of plastic slaps in welding.
- 288. I. K. Stepanov (Makhov): Elastic-plastic equilibrium of an elastic granular wedge.
- 289. L. E. Stepanov (Makhov): Stability and vibrations of anisotropic plates of variable thickness.
- 290. A. D. Polozovskiy (Makhov): Extensional vibrations of curved plates.
- 291. A. D. Polozovskiy (Makhov): On the possibility of determining the shear and shear-stress theory of rupture.
- 292. S. I. Stepanov (Makhov): Some problems concerning the bending of plates and shells with stiffeners.
- 293. L. E. Stepanov (Makhov): On the impact of a wave on a heavy rigid sphere embedded in an elastic medium.
- 294. V. A. Florin (Makhov): Some problems concerning rock formations of hydraulic structures.
- 295. V. A. Florin (Makhov): Present state and problems of rock formations.
- 296. V. A. Florin (Makhov): Flow conditions for saturated sands.
- 297. S. I. Stepanov (Makhov): Experimental study of soil and apparent friction in vibrating soils.
- 298. S. I. Stepanov (Makhov): On the construction of Green's functions for the equilibrium problem of elastic shells.
- 299. S. I. Stepanov (Makhov): Further development of the initial boundary value problem.
- 300. S. I. Stepanov (Makhov): Temperature stresses in multilayer plates and their effect on stiffness.

TYABIN, N.V.

Basic equations of the rheology of viscoplastic media. Trudy
KKHPI no.14:38-51 '49. (MIRA 12:11)

1. Kafedra "Protsessy i apparaty, gidravlika i obshchaya
khimicheskaya tekhnologiya" Kazanskogo khimiko-tekhnolo-
gicheskogo instituta im. S.M. Kirova.
(Rheology)

TYABIN, N.Y.

Slow motion of a sphere in a viscoelastic fluid. Trudy KKH
no.14:52-55 '49. (Rheology) (MIRA 12:11)

TYABIN, H.V.

Archimedes' principle and Bernoulli equation for viscoelastic fluids. Trudy KKHTI no.15:119-121 '50. [publ. '51]

(Fluids)

(MIRA 12:12)

TYABIN, N.V.

Flow of a viscoplastic medium on an inclined surface and in
a conduit with a semicircular section. Trudy KKHTI no.15:
122-124 '50. [publ. '51] (MIRA 12:12)
(Fluids)

TYABIN, N.V.

Movement of a sphere in a viscoplastic disperse fluid system. Trudy
KKhTI no.17:84-93 '52 [publ. '53]. (MIRA 12:11)
(Fluid dynamics) (Viscosity)

TYABIN, N.V.; FUDOVKIN, M.A.

Flow of viscoplastic fluid disperse systems in conical packing and
the immersion of the cone in disperse systems. Trudy KKHTI no.17:
94-108 '52 [publ. '53]. (Fluid dynamics) (MIRA 12:11)

TYARIN, H.V.

Dimensional analysis of flows of viscoplastic fluid discharge systems.
Trudy KNTI no.12:88-89 '53 [publ. '54]. (SIA 12:11)
(Fluid dynamics) (Dimensional analysis)

BYABIN, N.V.; SHELYAR, L.A.; MOSIKIN, Ya.P.; VINOGRADOV, G.V.

Flow of lubricating grease on rotating disks under the effect of centrifugal forces. Trudy IGMEI no.18:123-141 '53 [publ. '53].

(Lubrication and Lubricants--Fluid dynamics)

(MIRA 10:11)

TYABIN, N.V.; VINOGRADOV, G.V.

Immersion of a flat cone in lubricating grease. Trudy KGTI no. 18:
222-229 '53 [publ. '54]. (WIRA 12:11)
(Lubrication and lubricants--Testing)

MOSIKHIN, Ye.P.; SEMIKAR, L.A.; TELMI, I.V.; VIPOGRADOV, G.V.

Testing lubricating process under conditions of uniaxial traction.
Trudy KHIMI no.18:230-240 '63 [publ. '54]. (MIRA 12:11)
(Lubrication and Lubricants--Testing)

10(2)

SOV/64-59-5-18/28

AUTHORS:

Yerofeyev, A. A., Tyabin, N. V.

TITLE:

Intermixture of Viscous-plastic Disperse Systems by the Aid of Agitators

PERIODICAL:

Khimicheskaya promyshlennost', 1959, Nr 5, pp 436-441 (USSR)

ABSTRACT:

The process of intermixture of viscous-plastic fluids is illustrated according to the theory of resemblance (Refs 5,6). The calculations for the purpose of generalizing experimental data and calculating the necessary capacity for intermixture of viscous-plastic fluids, base on the equation $Eu_M = KRe_M^m$ (14) (Eu_M = Euler-criterion, Re_M = Reynolds criterion, K = coefficient, m = experimental value, the index M means the generalization of resemblance criterions for viscous and viscous-plastic fluids). The criterion of boundaries was laid down (being characteristic in the region, in which the fluid starts to flow with increasing velocity), and measurements were made by a testing arrangement (Fig 1) with 6 different agitators of the frame type and with 3 agitators of the turbine type (Fig 2). One of the agitator types is used in Kazanskiy neftemaslozavod

Card 1/2

SOV/64-59-5-18/28

Intermixture of Viscous-plastic Disperse Systems by the Aid of Agitators

(Kazan' Oil Plant). The single agitators exhibit different sizes in relation to each other (Table 1). The intimate mixture of synthetic (lubricating) greases US_s-2 and of petroleum mixtures was investigated by means of a rotation-viscosimeter RV-8. The functions between the Euler and Reynolds criterions were obtained for every used agitator by generalizing the experimental data according to methods of the theory of similarity (Fig 6, Table 2). The method of calculating the capacity, that is necessary for intermixture of viscous-plastic fluids, is suggested on the strength of results obtained. The shape of the free surface in the agitator vessel as well as the criterion of the boundaries are of no special importance to the agitator capacity required. There are 2 figures, 6 tables, and 7 references, 5 of which are Soviet.

Card 2/2

SOV/124-57-3-3120

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 3, p 68 (USSR)

AUTHOR: Tyabin, N. V.

TITLE: Unsteady Flows of a Visco-plastic Disperse System in a Layer Contained Between Two Coaxial Cylinders and in a Cylindrical Pipe (Neustanovivshiyesya techeniya vyazko-plasticheskoy dispersnoy sistemy v sloye mezhdv dvumya soosnymi tsilindrami i v tsilindricheskoy trube)

PERIODICAL: Tr. Kazansk. s.-kh. in-ta, 1956, Nr 35, pp 213-225

ABSTRACT: In the first problem the author analyzes the circular motion of a visco-plastic medium (with the yield stress in shear taken into consideration); in the second problem, its rectilinear motion between two coaxial cylinders. In either case the author solves simultaneously the differential equation of motion of the inner cylinder and the differential equation of motion of the medium with the local time derivative of the velocity taken in an averaged form (Slezkin, N. A., Targ, S. M., Dokl. AN SSSR, 1946, Vol 54, Nr 3). In the third problem the unsteady flow of a visco-plastic medium in a round cylindrical pipe is likewise studied with an averaged value

Card 1/2

SOV/124-57-3-3120

Unsteady Flows of a Visco-plastic Disperse System in a Layer (cont.)

taken for the acceleration (see RZhMekh, 1957, Nr 3, abstract 3119. A comparison is adduced between the design graph of the variation with time of the friction-force moment and experimental measurements. A considerable divergence between the above-mentioned graphs occurs in the "starting-up-period" sector.

N. A. Slezkin

Card 2/2

SOV/69-21-2-14/22

5(

4 AUTHORS: Mamakov, A.A.; Tyabin, N.V.; Vinogradov, G.V.

TITLE: The Application of the Similarity Theory in Calculating the Flowing Processes of Plastic Lubricants in Tubes (Primeneniye teorii podobiya k raschetu protsessov techeniya plastichnykh smazok v trubakh)

PERIODICAL: Kolloidnyy zhurnal, 1959, Nr 2, pp 208-215 (USSR)

ABSTRACT: The authors propose two methods of generalizing experimental data, and the calculation of the flow of plastic lubricants in tubes in the form of a dependency of the tube resistance coefficient on the generalized Reynolds criterium. The variable effective viscosity method consists in the determination of the generalized Reynolds criterium according to the value of the local effective viscosity for the layer contiguous to the tube wall. The constant parameter method consists in the approximation of the flow curve in the form of straight lines corresponding to the equations Shvedov-Bingham and in the determination of the generalized Reynolds criterium according to the parameters of the viscous-plastic

Card 1/2

SOV/69-21-2-14/22


The Application of the Similarity Theory in Calculating the Flowing Processes of Plastic Lubricants in Tubes

flow. The application of these methods permitted a generalization of experimental data concerning the flow of plastic lubricants in tubes at a change of the speed gradient from 0.03 to 35,400 sec.⁻¹, the length of the tubes by 250 times and their diameters by 36 times. The authors have found an expression of the tube resistance coefficient from the generalized Reynolds formula at the flow of plastic lubricants, and have shown that for the calculation of loss of pressure, the usual hydraulic calculation methods can be used. These are based on the method of approximating curves of the flow of plastic lubricants in rotary viscosimeters. The authors mention the following Soviet scientists: G.V. Vinogradov, V.P. Pavlov, V.G. Petrovskiy, N.V. Tyabin. There are 5 graphs and 21 references, 12 of which are Soviet and 9 English. (Chemical-Technological Institute imeni S.M. Kirova, Kazan')

ASSOCIATION:

SUBMITTED:
Card 2/2

May 6, 1958



TYABIN, N.V.

USSR/Physical Chemistry - Colloid Chemistry, Dispersion Systems.

B-14

Abs Jour: Referat. Zhurnal Khimiya, No 3, 1958, 7349.

Author : N.V. Tyabin, G.V. Vinogradov.

Inst :

Title : Application of Approximation Method to Computation of Dispersion System Flows.

Orig Pub: Kolloidn. zh., 1957, 19, No 4, 505-510.

Abstract: The necessity to evaluate concrete values of maximum tangential stresses and velocity gradients at the approximation of flow curves of dispersion systems was shown on the example of flows of plastic lubricants in plain bearings and of bitumina along inclined planes. An expression was obtained for the rotation moment depending on the angular velocity of rotation at the flow of a plastic dispersion system in the ring-shaped clearance between coaxial cylinders, if the flow curve could be approximated with n equations of Shvedov-

Card : 1/2

-1-

TYABIN, N.Y.; VINOGRADOV, G.V.

The theory of flow of plastic dispersed systems [with summary
in English]. Koll. zhur. 19 no.3:352-360 My-Je '57. (MLRA 10:8)

1. Institut nefi Akademii nauk SSSR, Moskva.
(Colloids) (Fluid dynamics)

TYABER, H. V.

Handwritten text, likely a list or report, with several lines of illegible script.

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9"

SECRET
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

TYABIN, N. V.

USSR/Chemical Technology - Chemical Products and Their Application. Treatment of
Natural Gases and Petroleum. Motor Fuels. Lubricants,
I-13

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 62634

Author: Tyabin, N. V., Vinogradov, G. V.

Institution: None

Title: Sinking of a Flat Wedge in Lubricant Grease

Original

Periodical: Tr. Kazan. khim.-tehnol. in-ta, 1954, No 18, 222-229

Abstract: Results of investigations of kinematics and dynamics of sinking of
a wedge in lubricant greases. Derived is the law of velocity dis-
tribution during sinking of the wedge and an equation that corre-
lates kinematic and dynamic quantities on stationary sinking of
immersed wedge into the lubricant.

Card 1/1

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9"

721 Lyabla, N. V. Radial flow of viscous-plastic dis-
systems in a flat capillary

TYABIN, E. V., ROSIKHIN, Ye. P., GOLYAN, L. A., and VILKURALOV, G. V.

"Behavior of Structure Dispersed Systems in the Field of Movement of Centrifugal Forces" (Povedeniye strukturirovannykh dispersnykh sistem v pole deystviya tsentrobegnykh sil) from the book Trudy of the Third All-Union Conference on Colloid Chemistry, pp. 92-112, Iz. AN SSSR, Moscow, 1956

(Report given at above Conference, Minsk, 21-4 Dec 53)


"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9

IVOL 1, 1, 1

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9"



TYABIN, V. Ye.

REZNIK, A.M. (brigadir), ARREST, V.I., BLOKH, I.M., KIKGOF, Yu.A.,
ZAGARMISTR, A.M., KUPALOV-YAROPOLK, I.K., PETROV, L.V., TYABIN, V.Ye.,
FEDORENKO, A.N., sostaviteli; DYUKOV, A.I., KLESHCHEV, A.I., redaktory.

[All-Union unified norms for geophysical field work] Vsesoiuznye
edinye normy vyrabotki na polevye geofrafisheskie raboty. [Sostavi-
teli: Reznik A.M. i dr. Redaktory: A.I.Diukov, A.I.Kleshchev] Mo-
skva, Gos. nauchno-tekhn. izd-vo neftianoi i gorno-toplivnoi lit-ry,
1951. 146 p.
(MLRA 7:4)
(Geophysics)

YERMAKOV, L.K.; TYABIN, V.Ye.; MIKHAYLOV, A.K. [deceased]; KOMISSAROV, B.M.;
PYLEVA, V.N.; SVIRIDOV, A.Ye.; NIKITINA, V.N., redaktor izdatel'stva;
KRYNOCHKINA, K.V., tekhnicheskiy redaktor

[Production norms for geodetic and topographical work in geological prospecting and geophysical organizations. Supplement to the unified production norms for geodetic and topographical work in the Chief Administration of Geodesy and Cartography of the Ministry of Interior of the U.S.S.R.] Normy vyrabotki na geodezicheskie i topograficheskie raboty geologo-razvedochnykh i geofizicheskikh organizatsii. Dopolnenie k edinyim normam vyrabotki na geodezicheskie i topograficheskie raboty GUGK MVD SSSR 1954 g. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po geol. i okhrane neдр, 1956. 51 p. (MLRA 10:1)

1. Russia (1923- U.S.S.R.) Ministerstvo geologii i okhrany neдр.
2. Ministerstvo geologii i okhrany neдр SSSR (for Yermakov) 3.
Ministerstvo neftyanoy promyshlennosti SSSR (for Pyleva) 4. Minister-
stvo ugol'noy promyshlennosti SSSR (for Sviridov)
(Geodesy) (Cartography)

TYABINA, Z.A.,
1932, No Journal reference.

TYABIN, V.Ye., redaktor; TROFIMOV, A.V., tekhnicheskiy redaktor.

[Valuation of field and office geodetic and cartographic work for geophysical prospecting in the petroleum industry] Rastsenki na polevye i kameral'nye geodezicheskie i kartograficheskie raboty pri geofizicheskikh razvedkakh v neftianoi promyshlennosti. Razrabotany Normativno-issledovatel'skoi stantsiei pri treste Mosneftegeofizika. Utverzhdeny prikazom Glavneftegeofiziki no.89 ot 14 iulia 1952 g. Moskva, Gos. nauchno-tekhn. izd-vo neftianoi i gorno-toplivnoi lit-ry. 1952. 178 p. (MIRA 8:5)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye geofizicheskoy i geokhimicheskoy razvedki.

(Prospecting—Geophysical methods)

VOL'TER, F.I.; TYABINA, L.S. (Kazan')

Hamangiomas of the spine. Kaz.med.zhur. 40 no.1:84-85 Ja-Y
'59. (MIRA 12:10)

(SPINE--TUMORS)

1110.111, R.A.

AUTHORS: Kreymer, S.Ye., Tuzhilina, N.V., Golovina, V.A., 32-3-2/52
Tyabina, R.A.

TITLE: The Determination of Cobalt and Cadmium in Nickel of High Purity
(Opredeleniye kobal'ta i kadmiya v nikelе vysokoy chistoty)

PERIODICAL: Zavodskaya Laboratoriya, 1958, Vol 24, Nr 3, pp. 262-264 (USSR)

ABSTRACT: This method of determining cobalt is based upon a suggestion made by V. P. Zhivopistsev [Refs. 1,2], according to which cobalt together with diantipyryl-methane and ammonium thiocyanate gives a light blue precipitation which is soluble in concentrated ammonia. From the precipitation the cobalt is colorimetricized with nitroso R-salt. Precipitation is carried out in the medium of sulfuric acid, the deposit is distinctly soluble in hot water, and must be washed with 1% ammonium thiocyanate solution. The process of analysis and the results obtained when determining cobalt (0.0002% Co) are given. Determination of cadmium is carried out by a modified method, also developed by Zhivopistsev [Ref. 1] by precipitation with diantipyryl-methane in the presence of bromide- or iodide ions. In this way it is possible to determine

Card 1/2

The Determination of Cobalt and Cadmium in Nickel of High Purity 32-3-2/52

0.0001 - 0.1% cadmium in nickel, potassium iodide being used in the case of low percentages, because it forms complexes which are not so easily soluble. If copper is present, it must be removed by precipitation with thiosulfate; after combustion of organic substances cadmium is determined polarographically. An exact process of analysis as well as a table of results obtained by the suggested and by two other methods is given. There are 2 tables and 5 references, 4 of which are Slavic.

ASSOCIATION: "Severonikel" Combine (Kombinat "Severonikel")

AVAILABLE: Library of Congress

1. Nickel-Cobalt-Determination 2. Nickel-Cadmium-Determination

Card 2/2

9) Y ABINII, R. H.

KREYMER, S.Ye.; TUZHILINA, N.V.; GOLOVINA, V.A.; TYABINA, R.A.

Determination of cobalt and cadmium in high-purity nickel.

Zav. lab. 24 no.3:262-264 '58.

(MIRA 11:3)

1. Kombinat "Severonikel".


(Cobalt--Analysis) (Cadmium--Analysis) (Nickel--Analysis)

KASATOCHKIN, V.I.; TAYTS, Ye.M.; DAVYDOVA, M.A.; TYABINA, Z.S.

Changes in the structure and physicochemical properties of coals
under thermal processing. Trudy IGI 8:89-95 '59.

(MIRA 13:1)

(Coal)



DSSR

Strengthening of steel under heat treatment
and of its strength. Also, the study of the
is given on the study of the strength of steel
ment of its strength, and formation of defects
quent heating, which are assumed to predict the quality of
metallurgical coke. A further study may assist in widening
the choice of blends without reduction in the quality of coke.

TYASINA, E. S.

E. M. LALIB, Zavod Lab, 1948, 14, 1229-1232

TYABINA, Z. S.

42304: TYABINA, Z. S., TAYTS, YE. M., KOYFMAN, B. YE. - Issledovaniye mekhanicheskoy
stoykosti kazennykh ugley kuznetskogo basseyna. Trudy Geol-issled. Eyuro
(M-vo ugol'noy prom-sti Zap. r-nov SSSR, Geol.-razvedch. upr.). VYP. 4,
1948, s. 58-63.- Bibliogr: 8 nazv.

SO: Letopis' Zhurnal'nykh Statey , Vol. 47. 1948.

TYABINA, Z. S.

P. S. TAITTS, Zvezd Izh, v. 14, Oct. 1948, p. 1220-1232

TYABINA, Z. S.

E. M. FAITS, Zavod Lab, Oct., 1948, v. 14, 1249-1232

TYABLIKOV, S. V. Cand. Physicomath. Sci.

Dissertation: "Certain New Methods in the Theory of the Crystalline State."
Moscow Order of Lenin State U. imeni M. V. Lomonosov. 4 Jun. 1947.

SO: Vechernyaya Moskva, Jun. 1947 (Project #17836)

PA 9T2

TYABLIKOV, S.

USSR/Crystallization
Crystals - Growth

May 1947

"On the Problem of Crystallization," S. Tyablikov,
4 pp - *Physics Faculty, Moscow State U.*

"Zhur Eksp Teor Fiziki" Vol XVII, No 5

p. 386-89

Crystallization is treated as the result of in-
stability of density distribution. Theoretically
computed values of temperature of crystallization
for argon and mercury are found to agree with
known values.

9T2

TYABLIKOV, S. V.

42034: TYABLIKOV, S. V. - Povedeniye primesey v slabo-naideal'nom vyrozhdennom gaze, podchinyayushehemsya statistike boze. Zhurnal eksperim. I teoret. Fiziki, 1948, Vyp. 11. S. 1023-29. - Bibliogr: 5 nazv.

SO: Letopis' Zhurnal'nykh Statey, Vol. 47, 1948.

Journal of Experimental and Theoretical
Physics, USSR, Vol. 18, No. 4, 1948

Тыблехов, С.В. (Moscow State University), Quantum-mechanical consideration of the
dynamics of crystalline lattice, 368-73

"Starting with quantum equations of motion of the problem of N bodies, an investi-
gation is made of the dynamics of a crystalline lattice. The first approximation
leads to the results of the Born theory of the lattice. The results of the second
approximation probably show some peculiarities of the spectra."

Source: GTRSPL, Vol. 1, No. 5

TYABLIKOV, S. V.

PA 51/49161

USSR/Physics
Gases
Statistical Mechanics

Nov 48

"Behavior of Impurities in a Slightly Nonideal-
Degenerate Gas Obeying Bose Statistics," S. V.
Tyablikov, Math Inst, Acad Sci USSR, 7 pp

"Zhur Ekspier i Teoret Fiz" Vol XVIII, No 11

Discusses problem of power distribution of parti-
cles interacting with a system with a great number
of degrees of freedom. Composes a kinetic equation
for particles of the impurity, assuming correct-
ness of usual theory of disturbances. From the
fixed solution, it follows that particles are in
thermal equilibrium with elementary excitations,
participating with the latter in movement together
with normal part of Bose gas. Submitted
18 Jun 48.

51/49161

TYABLIKOV, S. V., KOZYREV, B. M. and AL'TEHULER, S. A.

"K Horter, Paramagnetic Relaxation", Moscow Foreign Literature Publishing House, 1949.

BOGOLYUBOV, M.M.; TYABLIKOV, S.V.

Self-energy conservation in the nonrelativistic field theory.
Dop. AN URSS no.5:10-16 '49. (MIRA 9:9)

1. Diysniy chlen AN URSS (for Bogolyubov). 2. Institut matematiki
AN URSS.
(Field theory) (Force and energy)

TYABLIKOV, S. V.

USSR/ Mathematics -- Perturbation Method
Physics -- Atomic Structure

Mar 49

"One Application of the Theory of Perturbation to the Polar Model of a Metal," N. N. Bogolyubov, S. V. Tyablikov, Math Inst, Acad Sci USSR, 5 pp

"Zhur Eksper i Teoret Fiz" Vol XIX, No 3 pp. 251-55

Presents results of one form of the theory of perturbation for a degenerate level applied to the polar model of a metal. Develops simple method enabling results of theory of perturbation to be used without recourse to method of secular equations. Submitted 7 Oct 49.

PA 32/49T54

TYABLIKOV, S. V.

USSR/Physics
Quantum Mechanics
Mathematics - Applied

Mar 49

"The Approximation Method of Finding the Lowest Energy Levels of Electrons in Metal,"
N. N. Bogolyubov, S. V. Tyablikov, Math Inst, Acad Sic USSR, 12 $\frac{1}{4}$ pp

"Zhur Eksper i Teoret Fiz" Vol XIX, No 3 - pp. 256-68

Presents approximate method of secondary quanta for determining energy spectra of weakly excited states. Results are illustrated using theory of ferromagnetism as example. Establishes that definite electric current is connected with spin waves. Submitted 7 Oct 48.

FA32/49T90

TYABLIKOV, S. V.

155780

USSR/Physics - Particles

Statistical Mechanics

Jan 50

"Theory of Nonlocalized Particles," A. A. Vlasov,
3 pp

"Zhur Eksper i Teoret Fiz" Vol XX, No 1

Remarks in response to article by S. V. Tyablikov,
in same issue, "Some Comments on the Problem of Many
Bodies as Set Up by A. A. Vlasov." Vlasov reaffirms
two statements: (a) rejection of the spatial and
velocity localization of particles as factor preced-
ing the interaction of forces; (b) consideration of
the finite bond of individual properties of particles

155780

USSR/Physics - Particles (Contd)

Jan 50

and the laws of their motion and the total collectiv-
ity (collective interaction for arbitrary forces).
Comments on Gibbsian statistics. Submitted 20 Oct 49

155780

TYABLIKOV, S. V.

USSR/Physics - Plasma
Statistical Mechanics
Jan 50

"Some Comments on the Problem of Many Bodies as Set Up by A. A. Vlasov," S. V. Tyablikov, Math Inst, Acad Sci USSR, 7 pp

"Zhur Eksper i Teoret Fiz" Vol XX, No 1. 1949:16-22


Vlasov has made significant contributions to the plasma theory, including method of "self-congruent fields" and his mathematical treatment of "lagging and leading potentials" and their "half-sums." Recently, however, Vlasov has published a number of works relating to certain problems in the theory of

155R83

USSR/Physics - Plasma (Contd)
Jan 50

condensed media and the general problem of many bodies, in which he has extended his methods from plasma theory to a completely different type of problem. Author maintains this extension is not justified and criticizes the recently published works in detail. Submitted 13 May 49.

155R83



of the problem.


Source: Mathematical Reviews.

Vol. 12 No. 3

TYABLIKOV, S.V.; LASHKAR'OV, V.Ye., diyanny chlen.

Energy spectrum of electrons in ionized crystals (weak link theory). Dop. AN
URSR no.4:239-242 '51. (MLRA 6:9)

1. Akademiya nauk Ukrayins'koyi RSR (for Lashkar'ov). 2. Matematychnyy
instytut im. V.A.Steklova Akademiyi nauk SRSR (for Tyablikov).
(Crystallography)



Iyabukov, B. V. An article from "Kosmos" magazine
in the USSR about the use of portable with a quartz
tube field.

TYABLIKOV, S. V.

185T101

USSR/Physics - Electron Gas

21 Feb 51

"Theory of Elementary Excitations in Weakly Nonideal Electron Gas in a Crystal," V. L. Bonch-Bruyevich, S. V. Tyablikov, Inst Phys Chem, and Math Inst, Acad Sci USSR

"Dok Ak Nauk SSSR" Vol LXXVI, No 6, pp 817-819

Considers problem on energy spectrum of syst of electrons in crystallic lattice under assumption that interaction of electrons is small, i.e., density of electrons is considered small in comparison with number of atoms (or ions) per unit vol of the lattice. Authors were assisted by N. N. Bogolyubov and F. F. Vol'kenshteyn. Submitted 22 Dec 50 by Acad A. F. Ioffe.

185T101

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9"

TYABLIKOV, S. V.

USSR/Physics . Polaron Ionic Crystals Mar/Apr '52

"Some Peculiarities of the Interaction of Electron with Lattice in Ionic Crystals," S.V. Tyablikov

"Iz Ak Nauk SSSR, Ser Fiz" Vol XVI, No 2, p 232

Brief contents of a report. Eigenfunctions and eigenvalues of the energy of an electron interacting with polarizing waves are found in approximation of strong and weak bonds. In the case of weak bond the dependence of effective mass and fluctuating radius of polaron on temp is found.

The addn to mutual energy of 2 electrons, produced by their interaction with the phonon field, is computed. In the case of strong bond, results for energy and effective mass of polaron are obtained.

2207105

TYABLIKOV, S.V.

Electrons

Energy spectrum of electrons in ionic crystals (with strong bond). Zhur.tekh.fiz 22, no. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, AUGUST 1952 ~~1953~~, Uncl.

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001757710004-9"

TYABLIKOV, S. V.

IA 242T100

USSR/Physics - Semiconductors

Nov 52

"Review of S. I. Pekar's Investigations Into the Electron Theory of Crystals'," S. V. Tyablikov

"Uspekhi Fiz Nauk" Vol 48, No 3, pp 447-451

Subject monograph summarizes recent investigations conducted by S. I. Pekar, his students and associates, pertaining to theory of semiconductors and dielectrics with ionic crystalline lattice. Bibliographic data: "Issledovaniya po elektronnoy teorii kristallov," Moscow-Leningrad, Gostekhizdat, 1951, 256 pp.

242T100

TYABLKOV, S. V.

Mathematical Reviews.
May 1954
Mathematical Physics

10-7-54
LL

✓ Tyablkov, S. V. ^U Questions of invariance under translation
 in the theory of adiabatic approximation. Ukrain. Mat.
 Zhurnal 5, 152-158 (1953). (Russian) 3
 0
 0
 0
 A quantum-mechanical system with internal degrees of
 freedom is bound to a fixed centre by an external force. As
 the strength of the external force tends to zero, the system
 will in the limit become free and acquire the property of
 being invariant under translations. The quantum-mechan-
 ical description of this limiting process is worked out in
 detail. The purpose of the paper seems to be mainly
 pedagogical. F. J. Dyson (Princeton, N. J.)

... intermediate coupling.

Handwritten mark

TYABLIKOV, Sergey Vladimirovich

Mathematical Institute of the Academy of Sciences, USSR, Academic degree of Doctor of Physico-Mathematical Sciences, based on his defense, 13 December 1954, in the Council of the Moscow Order of Lenin State University named after Lomonosov, of his dissertation: "The peculiarities of the conduct of electrons of conductivity in the theory of ionic crystals".

Academic degree and/or title: Doctor of Sciences

SO: Decisions of VAK, List no 8, 2 April 55, Byulleten' MVO SSSR, No. 14, July Moscow pp 4-22, Uncl.
JPRS/NY-429

TYABLIKOV, S. V.

FD 418

USSR/Physics - Electron energy spectrum

Card 1/1 Pub. 147-4/16

Author : Tyablikov, S. V.

Title : Energy spectrum of an electron in a polar crystal. II

Periodical : Zhur. eksp. i teor. fiz. 545-550, May 1954

Abstract : Investigates the form of the energy spectrum of a "surplus" electron in a polar crystal under assumption that the interaction of an electron with polarized oscillations possesses an adiabatic character. Carries out a treatment approximating the method of almost free electrons.

Institution : Mathematics Institute, Acad Sci USSR

Submitted : October 8, 1953

TYABLIKOV, S. V., and BOGOLYUBOV, N. N., (Moscow)

"Approximative secondary quantization methods in the quantum theory of magnetism," a paper submitted at the International Conference on Physics of Magnetic Phenomena, Sverdlovsk, 23-31 May 56.

TYABLIKOV, S. V. (Moscow)

"On the Theory of Antiferromagnetism," a paper submitted at the International Conference on Physics of Magnetic Phenomena, Sverdlovsk, 23-31 May 56.

TYABLIKOV, S. V., and GUSEV, A. A., (Moscow)

"On the Temperature and Field dependence of Magnetic Anisotropy Constants,"
a paper submitted at the International Conference on Physics of Magnetic Phenomena,
Sverdlovsk, 23-31 May 56.