

VIKTOROVA, R. Ye.; KOVALEVSKIY, S.A.

~~VIKTOROVA, R. Ye.; KOVALEVSKIY, S.A.~~
The Akchagynlian stage in Moldavia. Dokl. AN SSSR 94 no. 4:737-740
P '54. (MLRA 7:2)
(Moldavia--Geology, Stratigraphic) (Geology, Stratigraphic--
Moldavia)

ALEKSANDROVA, T.; VIKTOROV, A.

By the hands of students. Kryl. rod. 15 no.2:20 F '64. (MIRA 18:7)

VIKTOROV, A., inzhener

~~Stroi.mat., izdel. i konstr. i no.8:34 Ag'55.~~
The grade of test samples and strength limit of aggregate materials.
Stroi.mat., izdel. i konstr. i no.8:34 Ag'55. (MLRA 8:11)
(Concrete)

VIKTOROV, A., inzhener

Ancient structures in Ples. Tech. vol. 23 no. 5:18 May '55.
(Ples--Embankments) (MLRA 8:6)

VIKTOROV, A. (Vladmir)

Fight for new records. Kryl.rod. 12 no.3:3 Mr '61.
(MIRA 14:6)

(Aeronautics as recreation)

VIKTOROV, A.

MYSHKO, D., redaktor; ASEYEV, Yu.; BEVZO, A.; VIKTOROV, A.; GRISHKO, N.;
DOROSHENKO, Ye.; YEVTOUSHENKO, A.; IGNATKIN, I.; KOZYRENKO, M.;
LOLA, A.; LYSENKO, A.; LYSENKO, N.; PANKEYEV, V.; POLUPANOVA, I.;
TELEGIN, D.; CHUDNOVSKAYA, I.; DEREVYANKO, G., tekhnicheskii
redaktor.

[Kiev; a guidebook] Kiev; spravochnik-putevoditel'. Kiev, Gos.
izd-vo polit. lit-ry USSR, 1954. 284 p. [Microfilm] (MLRA 8:2)
(Kiev--Guidebooks)

VIKTOROV, A.

A day in Dubki. Kryl.rod. 12 no.10:15 0 '61. (MIRA 15:2)
(Saratov Province--Flight training)

VIKTOROV, A., inzh.

"Digging" for seas. Tekh.mol. 29 no.10:25 '61. (MIRA 14:10)
(Mineral waters) (Hydraulic engineering)

ACCESSION NR: AP4017787

S/0085/64/000/002/0020/0020

AUTHOR: Aleksandrova, T.; Viktorov, A.

TITLE: Student science exhibition

SOURCE: Kry*l'ya rodiny*, No. 2, 1964, 20

TOPIC TAGS: aircraft types, civil aviation, helicopter, glider

ABSTRACT: The article describes the exhibition of scientific research and experimental design works given by students of higher educational institutions of the RSFSR. Among the works described are a map of the earth as seen from space; a light flying-wing aircraft with a pusher-type 80-hp engine (landing speed 110 kph, flight duration 5 hr, wing span 5 m, length 5.2 m); the MAI-8 (0.36 hp at 15,000 rpm, spark-plug ignition) and MAI-9 (0.48 hp at 19,000 rpm, compression ignition) model airplane engine, intended for control line models; the MAI-2 submarine glider, which can be towed behind a launch and plane under water as well as in the air (made of fiberglass, length 3.6 m, width 2.5 m, height 1 m); a one-seater helicopter with a 40-hp jet engine, weighing 190 kg (with

Card 1/2

ACCESSION NR: AP4017787

pilot) and 1.8 m high; the "Aist" and KAI-21A gliders for sports gliding; a light aircraft for crop dusting; and various model aircraft. Orig. art. has 2 photos.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 11Mar64

ENCL: 00

SUB CODE: AC

NO REF SOV: 000

OTHER: 000

Card 2/2

ANOSOV, D., inzh.; VIKTOROV, A.

Fire-prevention measures for rural construction sites. Sel'.
stroi. 9 no.2:20-21 Mr-Ap '54. (MIRA 13:2)
(Fire prevention)

~~VIKTOROV~~ Inzhener.

Enigma in treasure hunting. Tekh. mol. 25 no.3:8 Mr '57. (MIRA 10:6)
(Minerals in plants)

VIKTOROV, A., inzh.

~~Characteristic values for the specific weight of building sands.~~
Stroi. mat. 4 no. 7:33 J1 '58. (MIRA 11:7)
(Sand)

VIKTOROV, A., inzh.

Why do opals "explode?" Tekh.mol. 28 no.10:25 '60. (MIRA 13:10)
(Opals)

VIKTOROV, A.

It happens that. *IUn. nat. no.12:32-33 D '62.*
(Science--Miscellanea)

(MIRA 16:1)

VIKTOROV, M.M.

ANOSOV, A.M.; VIKTOROV, A.A.; SOLOV'YEV, S.G.; GERASIMOV, N.S., redaktor;
POLIKARPOV, M., redaktor; KONYASHINA, A., tekhnicheskii redaktor

[Collection of fire prevention regulations] Sbornik rukovodivshchikh dokumentov po pozharnoi profilaktike. Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR. Vol.2. 1955. 535 p.
(MIRA 9:1)

(Fire prevention--Laws and regulations)

VIKTOROV, A.F.; KAZHAYEV, D.G.; FINKLER, A., red.; DMUKHAR, V., tekhn.
red.

[Makhachkala; economic-geographical study] Makhachkala; ekonomiko-
geograficheskii ocherk. Makhachkala, Dagestanskoe knizhnoe izd-vo,
1958. 99 p. (MIRA 13:4)
(Makhachkala--Economic conditions)

YIKTOROV, A.F.; GIMMEL'REYKH, V.A.; L'VOV, P.L.; MIKULICH, I.N.;
EL'DAROV, M.M.; MASLOV, Ye.P., kand.geograf.nauk, starshiy
nauchnyy sotrudnik, otv.red.; GODOV.METS, Z.A., red.;
VERBITSKAYA, M., tekhn.red.

[Daghestan A.S.S.R.; survey of physical and economical
geography] Dagestanskaii ASSR; fiziko-geograficheskii i
ekonomiko-geograficheskii obsor. Makhachkala, Dagestanskoe
uchebno-pedagog.isd-vo, 1958. 252 p. (MIRA 12:7)

1. Institut geografii Akademii nauk SSSR (for Maslov).
(Daghestan--Geography)

VIKTOROV, A. (Vladimir)


At the zonal competition. Kryl. rod. 14 no.10:41 0 '63.
(MIRA 16:11)

VIKTOROV, A., insh.

Amusing historical facts. Tekh.Mol. 30 no.11:4 '62. (MIRA 16:9)
(No subject headings)

VIKTOROV, A.K., agronom; YURKIN, S.N., agronom

Again groundless recommendations. Zvezdolie 27 no.6:47-48 Je
'65. (MFA 12:9)



VIRIKOV, A. P.

uchebnoe posobie. dlia dorozhno mekhanicheskikh tekhnikov. Geology and soil science;
textbook. Moskva, Dorizdat, 1947. 294 p. maps. (43-13157)

QE33.V5

VIKTOROV, A.

How amber is formed. *Vokrug sveta* no.6:9 Je '53.

(MLBA 6:6)
(Amber)

VIKTOROV, A., inzh.

Pumped storage hydroelectric power stations. Tekh.mol. 28 no.11:
24 '60. (MIRA 13:12)

(Hydroelectric power stations)

VIKTOROV, A., inzhener.

Basalt casting. Tekh.molod. 21 no.8:9 Ag '53.

(MLRA 6:7)
(Stone, Cast)

VIKTOROV, A.M., inzhener.

Experience in the X-ray photography of concrete and fillers. Stroi.prom.
31 no.6:31-32 Je '53. (MLRA 6:7)
(Concrete, Reinforced) (X-rays--Industrial applications)

VIKTOROV, A.M.

VIKTOROV, A.M.; KRIVENKO, redaktor; OVCHINNIKOVA, S.V., redaktor;
~~GORODYANKO~~, Ye.B., tekhnicheskiy redaktor

[Methods of inspecting oil well walls and bottoms] Sposob ozmotra
stenok i zaboia skvazhin. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry
po geol. i okhrane neдр, 1954. 14 p. (MLRA 8:4)
(Oil wells)

VIKTOROV, A.

Petrological exploration. Vokrug sveta no.5:10-12 My '54. (MLBA 7:6)
(Petrology)

VIKTOROV, Andrey Fedorovich; MAKSTMAN, I., red. ; VENGERSKAYA, S.,
tekh.red.

[Daghestan industry in a new upsurge] Promyshlennost' Dagestana
na novom pod'eme. Dagestan, Dagestanskoe knizhnoe izd-vo, 1959.
47 p. (MIRA 14:7)
(Daghestan—Industries)

VIKTOROV, A.M.

Figures in the depths of rock deposits. Priroda 50 no.1:100-102 Ja
'61, (MIRA 14:1)

1. Gidroproyekt, Moskva.
(Geology, Structural)

~~VIKTOROV, A.M., inzhener-geolog.~~

Files on the Volga. Zdorov'e 1 no.7:22 J1 '55

(MLA 9:5)

(FILES DESCRIPTION)

VIKTOROV, A.M.

Economic method for preparing geological core samples.

Razved.i okh.nedr 21 no.1:59-60 Ja-F '55.

(MLRA 9:12)

(Borings)

VIKTOROV, Aleksandr Markovich; SAFONOV, P.V., redaktor izdatel'stva;
KUL'NICHENKO, F.P., tekhnicheskiiy redaktor

[On-the-site research in concrete at hydraulic structures] *Naturnye issledovaniia betona v gidrotekhnicheskikh sooruzheniakh.* Moskva, Gos. izd-vo lit-ry po stroit. i arkhitekture, 1956. 29 p. (MLRA 9:9)
(Concrete)

VIKTOROV, Aleksandr Markovich; MEDVEDEV, V.M., redaktor; LARIONOV, G.Ye.,
tehnicheskly redaktor

[Mineral fillers for hydraulic concrete] Mineral'nye zapolniteli
dlia gidrotekhnicheskogo betona. Pod red. V.M.Medvedeva. Moskva,
Gos. energ. izd-vo, 1956. 143 p. (MLRA 9:7)
(Concrete)

VIRI GEDN A. II

AGAPOV, D.S.; ARTIBILOV, B.M.; VIKTOROV, A.M.; GINTS, A.N.; GOR'KOV, A.V.; GUSYATINSKIY, M.A.; KARPOV, A.S.; KOLOT, I.I.; KOMAROVSKIY, V.T.; KORYAGIN, A.I.; KRIVSKIY, M.H.; KRAYNOV, A.O.; NESTEROVA, I.H.; OBMS, I.S., kandidat tekhnicheskikh nauk; SOSNOVIKOV, K.S.; SUKHOZ-SKIY, S.F.; CHLENOV, G.O.; YUSOV, S.K.; ZHUK, S.Ya., akademik, glavnyy redaktor; KOSTROV, I.N., redaktor; BARONENKOV, A.V., professor, doktor tekhnicheskikh nauk, redaktor; KIRZHNER, D.M., professor, doktor tekhnicheskikh nauk, redaktor; SHESHKO, Ye.F., professor, doktor tekhnicheskikh nauk, redaktor; AVERIN, N.D., inzhener, redaktor [deceased]; GOR'KOV, A.V., inzhener, redaktor; KOMAROVSKIY, V.T., inzhener, redaktor; ROGOVSKIY, L.V., inzhener, redaktor; SHAPOVALOV, T.I., inzhener, redaktor; RUSSO, G.A., kandidat tekhnicheskikh nauk, redaktor; FILIMONOV, N.A., inzhener, redaktor; VOLKOV, L.N., inzhener, redaktor; GRISHIN, M.M., professor, doktor tekhnicheskikh nauk, redaktor; ZHURIN, V.D., professor, doktor tekhnicheskikh nauk, redaktor; LIKHACHEV, V.P., inzhener, redaktor; MKDVEDEV, V.M., kandidat tekhnicheskikh nauk, redaktor; MIKHAYLOV, A.V., kandidat tekhnicheskikh nauk, redaktor; PETROV, G.D., inzhener, redaktor; RAZIN, N.V., redaktor; SOBOL'EV, V.P., inzhener, redaktor; FRINGER, B.P., inzhener, redaktor; TSYPLAKOV, V.D., inzhener, redaktor; ISAYEV, N.V., redaktor; TISTROVA, O.N., redaktor; SKVORTSOV, I.M., tekhnicheskii redaktor

[The Volga-Don Canal; technical report on the construction of the Volga-Don Canal, the TSimlyanskaya hydro development and irrigation works (1949-1952); in five volumes] Volgo-Don; tekhnicheskii otchet (continued on next card)

AGAPCV, D.S. --- (continued) Card 2.

o stroitel'stvo Volgo-Don'skogo sudokhodnogo kanala imeni V.I.Lenina.
TSimlianskogo gidrouzla i orositel'nykh sooruzhenii (1949-1952) v
piati tomakh. Glav.red. S.IA. Zhuk. Moskva, Gos.energ. izd-vo.
Vol.5. [Quarry management] Kar'ernoie khoziaistvo. Red.toma I.N.
Kostrov. 1956. 172 p. (MLRA 10:4)

1. Russia (1923- U.S.S.R.) Ministerstvo elektrostantsii. Byuro
tekhnicheskogo otcheta o stroitel'stve Volgo-Dona. 2. Deystvitel'nyy
cheln Akademii stroitel'stva, i arkhitektury SSSR (for Razin)
(Quarries and quarrying)

VIKTOROV, A.M.

Overgrowth of filter openings subject to passage of ferruginous
water. Vod. i san. tekhn. no. 6:6-8 Je '56. (MLRA 9:8)
(Filters and filtration)

VIKTOROV, A.M.

We must maintain this road in good condition. Avt.dor. 19 no.12:31
D '56. (MIRA 10:10)

(Kuybyshev Province--Roads--Maintenance and repair)

VIKTOROV, A.M.

Underwater photography in wells. Razved. i okh. nedr 22 no.3:
49-53 Mr '56. (MIRA 9:7)

(Wells) (Photography, Underwater)

VIKTOROV, A.M., inzhener.

Investigating concretes in hydanlic structures by drilling. Gidr.
stroj. 25 no.11:27-30 D '56. (MLRA 10:1)
(Concrete--Testing)

VIKTOROV, A.M., inzhener.

Inspecting filters of deep bilge pumps in trenches. Stroi.prom.
34 no.2:44-45 F '56. (MIRA 9:5)

1. Hidroproyekt.
(Pumping machinery)

VIKTOROV, A.M.

USSR/ Geology

Card 1/1 Pub. 86 - 31/42

Authors : Victorov, A. M. (Moscow)

Title : An artificial terrace in the valley of the Volga

Periodical : Priroda 45/1, 116-117, Jan 56

Abstract : The geological formations between Kostroma and Kineshma are described where the volga has cut into Triassic marls. It is related that in this region, in the process of drainage and bank reinforcement work, old wooden reinforcements made some hundred years ago were found. Illustrations.

Institution :

Submitted :

VIKTOROV, A.M. (Moskva)

Thickening of ground deposits in the Volga. Priroda 45 no.6:116
Je '56. (MLRA 9:8)

1. Gidroproyekt.
(Volga River--Sedimentation and deposition)

VIKTOROV, A.M. inzhener-geolog.

Dimensions of stone specimens used in compression tests. Standartizatsia no.2:80 Mr-Ap '57. (MIRA 10:6)

1. Gidroproyekt.
(Stone--Testing--Standards)

VIKTOROV, A.M., inzhener.

Determining the efficient grain composition of sands used for
making concretes. Bet. i zhal.-bet. no.4:146 Ap '57. (MIRA 10:6)
(Sand) (Concrete)

VIKTOROV, A.M., inzhener.

Rapid field test for the strength of stone materials. Avt.dor. 20
no.6:27 Je '57. (MIRA 10:10)
(Road materials--Testing)

VIKTOROV, A.M.

~~VIKTOROV, A.M.~~

Variation in the strength of cores obtained by boring. Razved. i
okh. nedr 23 no. 22-26 F '57. (MLRA 10:5)

1. Nauchno-issledovatel'skaya stantsiya Gidroproyekta.
(Borings)

VIKTOROV, Aleksandr Markovich; POSPELOVA, A.M., red.izd-va; GUROVA, O.A.,
tekh.n.red.

[Using photography in boring test holes] Opyt fotografirovaniia v
burovykh skvazhinakh. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po
geol.i okhrane nedr, 1958. 33 p. (MIRA 12:3)
(Boring) (Photographic surveying--Equipment and supplies)

VIKTOROV, A F

Makhachkala; ekonomiko-geograficheskiy ocherk "Makhachkala; an
Economic-geographical work," by A. F. Viktorov, i D. G. Kazhlayev.

Makhachkala, DASSR, 1958.

99 p. illus., map.

Bibliographical footnotes.

AUTHOR: Viktorov, A.M., Engineer. SOV/97/58/2/11/16

TITLE: Cohesion of Stone Aggregate with Cement Grout (O stseplenii kamnya s tsementnym rastvorom).

PERIODICAL: Beton i Zhelezobeton, 1958, Nr 2 pp 74-75, (USSR).

ABSTRACT: The author tested stone aggregate to find its adhesion value to cement grout in the scientific and research laboratory of Hidroproyekt. Tests were carried out with cubes to which steel plates were fixed by cement grout. Portland cement had an "activity" of 400kg/cm². Tests were made after thirty hours of hardening. The machine is illustrated with specially designed gripping mechanism on which tests were carried out. Other tests were carried out when glass 10mm thick was cemented to test cubes. The results of tests proved that stratification of the stone has no effect on the magnitude of cohesion. According to the chemical and mineralogical composition carbon stratification (limestone and marble) has quite variable degrees of adhesion. Silica rock, e.g. quartz, sandstones, has quite a high cohesion with grout, much higher than quartz and sand-

Card 1/2

Cohesion of Stone Aggregate with Cement Grout. ^{SOV} /97/58/2/11/16

stones containing spar. A table shows that dolomite limestone has the highest cohesion, i.e. 8.3-9.2kg/cm², and at the same time has the highest water absorption 3.26-3.94%. It could be concluded that cohesion depends on water absorption, the surface quality of the stone aggregate being less important. The chemical and mineral composition of stones does not affect the cohesion between the stones and the cement grout. There is one illustration and one table.

1. Cement--Adhesion 2. Rock--Adhesion 3. Dolomite--Properties

Card 2/2

VIKTOROV, A.M.

AUTHOR: Viktorov, A.M., Engineer, 98-58-3-16/22

TITLE: Photographing the Walls of Bore Holes in Concrete (Fotografirovaniye stenok skvazhin v betone)

PERIODICAL: Gidrotekhnicheskoye Stroitel'stvo, 1958, Nr 3, pp 51-53(USSR)

ABSTRACT: To check the density and solidity of concrete structures in large hydrotechnical installations, core drilling is being used for obtaining samples of concrete. However, experience has shown that it is not always possible to procure normal cores, which implies the possibility of hidden defects. In such a case only bore hole photostcopy will ascertain the presence and nature of defects. The FEB-220 bore hole photostcope is an apparatus which consists of a tube enclosing a photographic device, which is lowered into the bore hole (Figure 1). Figures 2, 3 and 4 show photographs obtained with this apparatus, revealing miscellaneous defects in the texture of the concrete, such as lack of cement in fillers, flaws and cracks. The photostgraphic apparatus has no shutter. Exposures are obtained by means of flash lights. As a rule, the inside of the bore hole must be free from moisture. A special apparatus "Fotos 2"

Card 1/2

98-58-3-16/22

Photographing the Walls of Bore Holes in Concrete.

has been designed for taking photographs in bore holes in which water leaks through the walls. Bore hole photostopy is being introduced in a number of installations as an additional means of checking the quality and solidity of concrete structures. There are 4 photos and 1 Soviet reference.

Card 2/2

1. Photography-Applications
2. Photography-Equipment
3. Concrete structures-Test methods

VIKTOROV, A. inzh.

Determining the strength of granite according to the amount of
the absorbed water. Stroi.mat. 4 no.10:40 0 '58. (MIRA 11:11)

(Granite)

AUTHOR: Viktorov, A.M., Engineer SOV-98-58-9-9/21

TITLE: The Destruction of the Bank of the Uglich Reservoir (Raz-rusheniye berega Uglichskogo vodokhranilishcha)

PERIODICAL: Gidrotekhnicheskoye stroitel'stvo, 1958, Nr 9, p 30 (USSR)

ABSTRACT: The author describes how the banks of the Uglich reservoir, which resisted the action of water for 14 years, were washed out by the combined 5-day action of wind and waves. In 5 days, the bank in some places receded as much as 6 m. There is 1 photo.

1. Inland waterways--USSR 2. Soils--Erosion 3. Wind--Applications

Card 1/1

SOV/97-58-12-11/13

AUTHOR: Viktorov, A.M., Engineer.

TITLE: The Effect of High Temperatures on the Quality of Concrete Aggregates (Vliyaniye vysokotemperaturnogo obogreva na kachestvo zapolniteley)

PERIODICAL: Beton i Zhelezobeton, 1958, Nr.12, pp.472-473 (USSR)

ABSTRACT: One of the methods of preheating coarse aggregate is by utilizing waste heat of 600-700°C. When such a high temperature is used on frozen stone it is assumed that detrimental changes in the physical properties of the stone may take place. The author of this article carried out investigations in the laboratory of the scientific and research sector of the Hydroproject (Nauchno-issledovatel'skiy sektor Gidroyekta) to verify this assumption. Various frozen stones and compositions of aggregate were tested under extreme conditions of freezing and heating. Two sample groups of aggregate from various quarries were investigated. The first group consisted of 10 samples, which were tested by drying, saturating with water, freezing to a

Card 1/4

SOV/97-58-12-11/13

The Effect of High Temperatures on the Quality of Concrete Aggregates.

temperature of -20°C for a duration of 5 hours and heating up to $600-700^{\circ}\text{C}$ for a duration of 15 minutes; cooling, and repeated saturation, after which the samples were placed in a refrigerator and underwent 50 cycles of freezing and defreezing, to find the frost-resistant properties of the material. During these tests changes in specific weight, water absorption and crack formation were checked after each defreezing (see Table 1). From values given in Table 1 it will be seen that samples containing carbon (calcareous and dolomites), subjected to high temperature, saturation by water and freezing, showed changes in physical properties. The water absorption considerably increased, the specific weight decreased, and cracks appeared. The least frost-resistant appear to be limestones of "afanite" structure. Sandstones are very little affected. Granites, porphyries and diabase do not change much as far as water absorption is concerned, and the specific weight remains constant. During these tests the effect of heat on wet aggregate was not fully explained: therefore, further tests were

Card 2/4

SOV/97-58-12-11/13

The Effect of High Temperatures on the Quality of Concrete Aggregates.

carried out when freezing and defreezing were omitted. Samples were saturated by water and heated to a temperature of 600-700°C for a duration of 15 minutes: their physical properties were checked before and after heating. Values in Table 2 show that changes in physical properties were mainly caused by heating. For example, a sample of fine-crystalline limestone before heating weighed 2.7 g/cm³, and after, only 2.63 g/cm³. At the same time water absorption increased from 0.58-1.46%. In the first test the same sample had, before heating, specific weight of 2.7 g/cm³ and water absorption of 0.17%; after heating the weight decreased to 2.68 g/cm³ and water absorption increased to 0.34%. A sample of porous dolomite showed, in the second test: before heating, weight 2.53 g/cm³, after, 2.44 g/cm³; water absorption before heating, 2.1, and after, 3.1%. Values in the first test for the same sample showed decrease in weight from 2.57 to 2.5 g/cm³, and increase in water absorption from 1.89 to 3.05%. The results of the investigations show that high temperature preheating of frozen aggregate

Card 3/4

SOV/97-58-12-11/13

The Effect of High Temperatures on the Quality of Concrete Aggregates.

does not practically speaking change the physical properties of volcanic stones and sandstones, but it considerably affects water absorption, and it reduces the weight of stones containing carbonates. Aggregates preheated by high temperature should not be dolomites, limestones of "afanite" structure, or micaceous laminated sandstones. There are 2 tables.

Card 4/4

VIKTOROV, A.M.

VIKTOROV, A.M., insh.

Lowering a photographic device into bore holes for determining the
fracturing of rocks, Avt. dor. 21 no.1:30-31 Ja '58. (MIRA 11:1)
(Photography--Scientific applications) (Borings)

VIKTOROV, A.M.

Effect of shot drilling on well walls in rocks. Razved. i okh.
nedr 24 no.10:48-50 0 '58. (MIRA 12:2)

1. Nauchno-issledovatel'skiy sektor Gidroproyekta.
(Boring)

VIKTOROV, A.M., insh.

Volume weight of crushed stone. Avt.dor. 22 no.2:25 F '59.
(MIRA 12:2)

(Stone, Crushed)

VIKTOROV, A.M., inzh.-geolog

Pamphlet which fails to reach its goal ("Road construction materials" by P.I. Pushkin. Reviewed by A.M. Viktorov).
Avt. dor. 22 no.5:3 of cover My '59. (MIRA 12:8)
(Road materials) (Pushkin, P.I.)

VIKTOROV, A.M.; IVANOV, N.N., prof., retsenzent; FOLOSIN-NIKITIN,
S.M., dots., retsenzent; BUYALOV, S.I., dots., retsenzent;
BELYAKOVA, Ye.V., red.

[Procedures in planning and working construction quarries]
Priemy proektirovaniia i razrabotki stroitel'nykh kar'ercv.
Moskva, Vysshiaia shkola, 1964. 154 p. (MIRA 17:9)

KUVYKIN, B.A., prof.; PSHENITSYN, P.A., inzh.; GORDEYEV, A.A.,
inzh.; VIKTOROV, A.M., inzh.; MOLCHANOVSKIY, A.S., red.

[Concrete for hydraulic engineering; a manual to improve
the qualifications of workers in laboratories for concrete
used in hydraulic structures] Gidrotekhnicheskii beton;
uchebnoe posobie dlia povysheniia kvalifikatsii rabotnikov
laboratorii betona gidrotekhnicheskikh stroitel'stv. [By]
B.A.Kuvykin i dr. Moskva, Energiia. No.1. 1964. 112 p.
(MIRA 17:9)

VIKTOROV, A.M.

Thermal method of determining deleterious admixtures in
filler for concrete. Avt. dor. 27 no.4:20 Ap '64. (MIRA 17:9)

VIKTOROV, A.M.

Frost resistance of rocks. Stroi. mat. no.11:20-22 N '65.
(MIRA 18:12)
1. Rukovoditel' laboratorii kamennykh materialov normativno-
issledovatel'skoy stantsii Vsesoyuznogo ordena Lenina proyektno-
izyskatel'skogo i nauchno-issledovatel'skogo instituta im. Z.Ya.
Zhuka.

VIKTOROV, A.M., 'nsh.

Keeping uniform humidity of sand after its dewatering. Avt.dor.
27 no.12:26 D '64. (MIRA 18:2)

VIKTOROV, A.M. (Moskva)

Petrified traces. Priroda 52 no.8:106-107 Ag '63. (MIRA 16:9)
(Khvalynsk region--Paleontology)

VIKTOROV, A.M., inzh.

Determining the speed at which water cools crushed stone. Gidr.
stroil. 33 no.10:25-26 0 '62. (MIRA 15:12)
(Stone, Crushed—Thermal properties)

1. VIKTOROV, A.M., VYKOVSKIY, N.I., BEZRUK, V.M.
2. USSR (600)
4. *Geology and Geography*
7. *Geology and Soil Science*, A.M. Viktorov, N.I. Vykovskiy and V.M. Bezruk.
(Moscow, Highway Press, 1947). Reviewed by A.V. Yefremova, *Sov. Kniga*, No. 1, 1948.
9. ~~Report U-3081~~, 16 Jan. 1953, Unclassified.

VIK TOROV, A.K.

Modulus of elasticity for types of stone used as concrete aggregates.
Stroi. mat. 7 no.9:40-3 of cover S '61. (MIRA 14:11)

1. Nachal'nik otdeleniya kamennykh materialov Normativno-issledovatel'skoy stantsii Gidroproyekta.
(Aggregates (Building materials))

VIKTOROV, A.M.

Composition of the alluvium in the Northern Caucasus. *Biul.KoB.*
chetv.per. no.23:85-87 '59. (MIRA 13:4)
(Caucasus, Northern--Alluvium)

VIKTOROV, A.M., inzh.

Effect of the surface of aggregates on the rupture strength of
concretes. Bet. 1 zhel.-bet. no.10:481-482 0 '60.

(Concrete--Testing)

(MIRA 13:10)

VIKTOROV, Aleksandr Markovich; KUVIKIN, B.A., prof., red.; BUL'DYAYEV,
N.A., tekhn. red.

[How to prepare materials for concrete used in hydraulic
engineering] Kak prigotavlivaiutsia materialy dlia gidro-
tekhnicheskogo betona. Moskva, Gosenergoizdat, 1963. 92 p.
(MIRA 17:3)

KOVAL', T.A.; VIKTOROV, A.S., red.; PONOMAREVA, A.A., tekhn.
red.

[Economic problems of agricultural development in the
U.S.S.R.] Ekonomicheskie voprosy razvitiia sel'skogo kho-
ziaistva SSSR. Moskva, Ekonomizdat, 1963. 446 p.

(MIRA 16:12)

(Agriculture--Economic aspects)

MISHCHENKO, Ivan Grigor'yevich; OVCHINIKOVA, Nikolay Grigor'yevich;
VIKTOROV, A.S., red.

[Capital assets of U.S.S.R. agriculture] Osnovnye fondy sel'skogo khoz'istva SSSR. Moskva, Ekonomika, 1964. 210 p.
(MIRA 17:10)

VIKTOROV, A.S., agronom

New taskg. Zemledelie 7 no.1:26-28 Ja '59. (MIRA 12:1)

1. Predsedatel' kolkhoza "Pobeda," Vereyskogo rayona, Moskovskoy oblasti.

(Agriculture)

VIKTOROV, A.S. TROSHIN, D.M.; TSITSIN, N.V., akademik, redaktor; KALASHNIKOVA, V.S., redaktor; SOKOLOVA, N.N., tekhnicheskii redaktor

[The All-Union Agricultural Exhibition of 1954] Vsesoiuznaia sel'skokhoziaistvennaia vystavka 1954 goda. Pod red. N.V.TSitsina. Moskva, Gos. izd-vo selkhoz. lit-ry, 1955. 806 p. (MLRA 9:8)

1. Moscow. Vsesoyuznaya sel'skokhozyaystvennaya vystavka, 1954-
(Moscow--Agricultural exhibitions)

VIKTOROV, Aleksandr Viktorovich; VASILENKO, Lidiya Vladimirovna;
KSENOFONTOVA, Ye.F., red.; TIKHONOVA, Ye.A., tekhn. red.

[English language for operating engineers and mechanics in
sea transport] Angliiskii iazyk dlia ekspluatatsionnikov i
mekhanizatorov morskogo transporta. Moskva, Izd-vo "Morskoi
transport," 1962. 155 p. (MIRA 16:4)

(English language--Technical english)
(Marine service--Terminology)

GUSLITSER, I.I.; VIKTOROV, A.Ye., red.

[Organization of unloading and bucking operations at the lower
landings of logging roads] Organizatsiia razgruzochno-raskriazhe-
vochnykh rabot na nishnikh skladakh lesovoznykh dorog. Ioshkar-Ola,
1957. 63 p. (MIRA 14:4)
(Lumbering--Transportation)

VIKTOROV, B.

"Medical science against religious superstitions" by M.I.
Hurevych, M.A., Kondratovych. Reviewed by B.Viktorov. Nauka i
zhyttia 8 no.5:61 My '58. (MIRA 13:4)
(Medicine and religion)
(Hurevych, M.I.)
(Kondratovych, M.A.)

VIKTOROV, B., polkovnik yustitsii

Constantly increase vigilance. Voen.vest. 40 no.10:33-38 0 '60.
(MIRA 14:5)

(Espionage, American)

VIKTOROV, B.

A day in the chest clinic surgery clinic. Nauka i zhyttia 11 no.2:31-33
F '61. (Klpa 14:3)

(KIEV--HOSPITALS)
(CHEST--SURGERY)

VIKTOROV, B.

Great power of the living work. Nauka i zhyttia 10 no.3:5-8
Mr '60. (MIRA 14:8)
(Lectures and lecturing)
(Novovolynsk--Efficiency, Industrial)

VIKTOROV, B.

Aid to economic education. Nauka i zhyttia 6 no.9:38
S '56. (MIRA 13:5)
(Economics)

1. B. VIKTOROV
2. USSR (600)
4. A. S. Aliykrinskaya
7. Friends and comrades ("Comradeship and friendship. Mol, kolkh, 20 no. 1. 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

VIKTOROV, B.

17

A valuable textbook. Nauka i zhyttia 9 no.8:54-55 S '59.
(MIRA 13:1)

(Atheism)

PROCESSES AND PROPERTIES INDEX

21

CA

Gas in Greasy. B. Viktorov. *Greenenski Neflyasit* 2, Nos. 3-4, 50 (1942).
The nature of gas deposits in the Molgalskii and Alkhasovskii districts is described.
A. A. BOBTLINIK

ASB-314 METALLURGICAL LITERATURE CLASSIFICATION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

VIKTOROV, B.

The "NKMZ" trade-mark. Znan.ta pratsia no.9:11 S '59.

(MIRA 13:1)

(Kramatorsk--Machinery industry)

VIKTOROV, B., nauchnyy sotrudnik

Lost and recovered weight. Nauka i zhizn' 29 no.5:42 My '62.
(TRA 15:11)

(Astronautics)

38065. VIKTOROV, B.

Skorosti nikolaya ponomareva. [Rukovoditel' molodezhnoy brigady tokarey -
skorost - nikov. Ocmerk]. Prikam'e, No. 12, 1949, S. 236-45

VIKTOROV, B.

For people's health. Nauka i zhyttia 11 no.8:45 Ag '61.
(UKRAINE--PUBLIC HEALTH) (MIRA 14:12)

VIKTOROV, B.

Sukhoy ~~Man~~ Harbor. Znan. ta pratsia no.4:12-14 Ap '61.
(MIRA 14:12)

(Odessa--Harbor)

VIKTOROV, B.

Valuable contribution to the development of trade. Vnesh.torg.
42 no.12:22 '62. (MIRA 15:12)
(Moscow—Exhibitions) (Italy—Manufactures)

~~HEBERLY, E. E., JENSEN, H., JONES, E. P., BAILEY, R. H.,~~
~~LEBEVA, N. S., MEDVEDOVA, G. V., MEREDITH, S. A., SANDERS, E. P.,~~
~~UNIK, V. I., BRISHKINA, I. D., LAPCHINSKIY, A. G.~~

Apparatus for the conservation of whole organs by chilling with artificial circulation and its use in experiments on transplantation of extremities and kidneys of dogs 177

Noye khirurgicheskie apparaty i instrumenty i opyt ikh primeneniye (New SURGICAL Equipment and Instruments and Experience in Their Use) NO. 1, Moscow, 1957. A collection of Papers of the Scientific Research Inst. for Experimental Surgical Equipment and Instruments.

NIIEKHA 1

VIT'ROV, B.N.

Tectonics of a piedmont plain in northeastern Ciscaucasia. Prikl.
geofiz. no.10:103-108 '53. (MLRA 8:7)
(Caucasus, Northern--Geology, Structural)

VIKTOROV, B.N.

Structure relationship in the area of the Predgornyy trough.
Geol. nefti i gaza 5 no. 2:6-8 F '61. (MIRA 1:2)

1. Trest Groznestegeofizika.
(Caucasus, Northern--Geology, Structural)

VIKTOROV, B.N.

Geological structure of the Kuma Valley in eastern Ciscaucasia.
Geol. nefti 2 no.11:20-25 N '58. (MIRA 11:12)

1. Trest Gorzneftegeofizika.
(Kuma Valley--Geology, Structural)