

ACC NR: AP6021448

(A)

SOURCE CODE: UR/0413/66/000/011/0073/0073

INVENTORS: Korshak, V. V.; Vinogradova, S. V.; Siling, S. A.

ORG: none

TITLE: A method for obtaining heat-resisting polyarylates. Class 39, No. 182329

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 11, 1966, 73

TOPIC TAGS: polyaryl plastic, dicarboxylic acid, formaldehyde, thermoplastic material, polymer, plastic, phenol

ABSTRACT: This Author Certificate presents a method for obtaining heat-resisting polyarylates by treating linear saturated thermoplastic polyarylates (based on bis-phenols and dicarboxylic acids) with novolak or formaldehyde. To expand the assortment of heat-resisting materials, polyarylates based on phenolphthalein and dicarboxylic acids are used as linear saturated thermoplastic polyarylates.

SUB CODE: 11/ SUBM DATE: 24May63

07/

Card 1/1

UDC: 678.673.073-9:547.281.1

ACC NR: AP6029050

(A)

SOURCE CODE: UR/0113/66/000/011/0000/0000

INVENTORS: Korshak, V. V.; Vinogradova, S. V.; Salazkin, S. N.

ORG: none

TITLE: A method for obtaining polyarylates. Class 39, No. 183935 [announced by Institute of Organo-elemental Compounds AN SSSR (Institut' elementoorganicheskikh soyedineniy AN SSSR)]

SOURCE: Izobret prom obraz tqv zn, no. 14, 1966, 80

TOPIC TAGS: polyaryl ~~phthalic~~ dicarboxylic acid, phenol

ABSTRACT: This Author Certificate presents a method for obtaining polyarylates based upon chloranhydrides of dicarboxylic acids and bis-phenols. To impart noncombustibility to the polyarylates, 2- β -chloroethyl-3,3-bis(4-hydroxyphenyl) phthalimidine is used as bis-phenol.

SUB CODE: 11/

SUBM DATE: 29May65

UDC: 678.673'52'52

Card 1/1

L 21421-66 EWT(m)/EWP(j)/T/ETC(m)-6 221/RM
ACC NR: AP6009796

SOURCE CODE: UR/0062/66/000/002/0308/0314
25
24
B

AUTHOR: Vinogradova, S. V.; Salazkin, S. N.; Korshak, V. V.

ORG: Institute of Heteroorganic Compounds, Academy of Sciences SSSR (Institut elementoorganicheskikh soyedineniy Akademii nauk SSSR)

TITLE: Heterochain polyesters. 62. Polyarylates from bisphenyldicarboxylic acids

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 2, 1966, 308-314

TOPIC TAGS: aromatic polyester, polyarylate, bisphenyl dicarboxylic acid, dihydric phenol, heat resistant polymer, polymer solubility, polymer film

ABSTRACT: The combination of high heat resistance⁶ and good mechanical properties with solubility in organic solvents was the purpose of this study of polyarylates (PA), synthesized from a dihydric phenol and a bicyclic dicarboxylic aromatic acid. 4,4'- (I) or 2,2'-bisphenyldicarboxylic (II) or combinations of (I) and (II) acids were used as the bicyclic acid component, and bisphenol-A, phenolphthalein, phenolphthalein anilide, "phenoldiphenol" [2,2'-bis-(4-hydroxybenzoyl)bisphenyl] or xylenolphthalein were used as the phenolic component. Nonmixed and mixed PA were synthesized by equilibrium condensation in a nitrogen stream, in "Sovol" solution (Sovol-chlorinated bisphenyl). Only the acid components, i.e., (I), (II), or terephthalic acid, were used to prepare mixed PA. It was found that PA from (I) have a higher softening temperature as compared with analogous polyterephthalates and are still

Card 1/2

UDC: 541.6+542.91

I 21421-66

ACC NR: AP6009796

soluble in organic solvents (exception: PA from bisphenol-A). This solubility makes it possible to use these PA for manufacturing films, fibers, and lacquer coatings. The dependence of the physical properties on the structure and composition of the PA obtained is discussed. Among other points it was noted that loose packing of polymer chains in phthaloyl or phthaloyl anilide derivatives is caused by the size of these side groups and the effect of the ortho-substitution in (II), which sharply decreases the softening temperature. Both nonmixed and mixed PA containing (I) can form mechanically strong films from solutions; such films retain their good mechanical properties at 290C. Orig. art. has: 1 figure and 5 tables. [BN]

SUB CODE: 07, 11/ SUBM DATE: 19Sep63/ ORIG REF: 010/ OTH REF: 010/ ATD PRESS: 4221

Cont 2/2 ULR

VINOGRADOVA, S.V.; KORSHAK, V.V.; KORCHEVEY, M.G.

Copolymerization of allyl side chain containing unsaturated polyarylates with styrene. Vysokom. soed. 7 no.11:1284- 888 N '65.

Copolymerization of allyl side chain-containing unsaturated polyarylates with methyl methacrylate. Ibid.:1889-1893 (MIRA 19:1)

1. Institut elementoorganicheskikh soyedineniy AN SSSR. Submitted December 7, 1964.

KORSHAK, V.V.; RAFIKOV, S.R.; VINOGRADOVA, S.V.; FOMINA, Z.Ya.

Photochemical degradation of polyarylates in solution. *Vysokom.*
soed. 7 no.11:1908-1912 N '65. (MIRA 19:1)

1. Institut elementoorganicheskikh soyedineniy AN SSSR. Submitted
December 9, 1964.

VINGRADOVA, S.V.; KORCHAK, V.V.; FRIDMAN, Ye.I.; ANDRUSHEVA, M.A.;
BARABCSHKINA, L.N.

Heat resistant electric insulation plastics on a polyarylate
base. Plast. massy. no.9:16-19 '65. (MIRA 18:9)

VINOGRADOVA, S.V.; ANDREYEVA, M.A.; DAVYDOVA, V.F.; KORSHAK, V.V.

Studying the possibilities of the hardening and processing in goods
of thermosetting polyarylates. Plast. massy no.10:1-3 '65.
(MIRA 18:10)

A

L 10190-66 EWT(m)/EWP(1)/T WJ/RM

ACC NR: ~~RP5026490~~ SOURCE CODE: UR/0286/65/000/020/0066/0066

INVENTOR: Korshak, V. V.^{44,55}; Vinogradova, S. V.^{44,55}; Fomina, Z. Ya.^{44,55} 34

ORG: none B

TITLE: Preparative method for polyaryl esters. Class 39, No. 175656 15

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 20, 1965, 66

TOPIC TAGS: polyester plastic, heat resistant plastic, thermosetting material, ester, polyaryl plastic

ABSTRACT: An Author Certificate has been issued for a preparative method for poly-aryl esters from dihydric phenols and aromatic dicarboxylic acid chlorides. To impart thermosetting properties to the polyesters, trihydric phenols, such as phloroglucinol, are added to the reaction mixture. [SM]

SUB CODE: 0711/ SUBM DATE: 29May64/ ATD PRESS: 4158

Card *gc*

UDC: 678.673 2

KORSHAK, V.V.; VINOGRADOVA, S.V.; ANTONOVA-ANTIPOVA, I.P.

Colored polyarylates based on some dihydroxyanthraquinones.
Vysokom. soed. 7 no.9:1543-1548 S '65. (MIRA 18:10)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

L 2925-66 ENT(m)/EPF(c)/ENP(j)/I/ETC(m) NN/RM

ACCESSION NR: AP5022610

UR/0190/65/007/009/1514/1618
678.01:54+678.674

AUTHORS: Rode, V. V.; Zhuravleva, I. V.; Rafikov, S. R.; Korshak, V. V.;
Vinogradova, S. V.; Pankratov, V. A.

TITLE: The high temperature degradation of polydihydroxydiphenylfluorentere-
phthalate. 24th communication in the series "Chemical Transformation of Polymers"

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 9, 1965, 1614-1618

TOPIC TAGS: thermal degradation, thermal oxidation, organic compound, polymer/
D 9 polyarylate

ABSTRACT: The thermal degradation and thermooxidation of polyarylate D-9 was investigated. This investigation is an extension of the previously published work of I. V. Zhuravleva, V. V. Rode, and S. R. Rafikov (Izv. AN SSSR, ser. khim., 1965, 269). The thermal degradation and thermooxidation were carried out over the temperature region from 325 to 500C by 25C intervals. Graphs for the kinetics of gas evolution during degradation and thermooxidation are presented. The composition of the thermooxidation-degradation products are tabulated. The

Card 1/3 2

L 2925-66

ACCESSION NR: AP5022610

experimental results obtained for the thermooxidation in air are shown graphically in Fig. 1 on the Enclosure. It is concluded that the thermooxidation degradation of polyarylate D-9¹⁵ proceeds via a homolytic chain rupture accompanied by the evolution of CO₂, CO, and H₂ gases. No induction period for the thermooxidation was observed. Orig. art. has: 2 tables and 6 graphs.

ASSOCIATION: Institut elementoorganicheskikh sovedineniy AN SSSR (Institute for Heteroorganic Compounds, AN SSSR)

SUBMITTED: 23 Oct 64

ENCL: 01

SUB CODE: OC

NO REF SOV: 003

OTHER: 000

Card 2/3

KORSHAK, V.V.; VINOGRADOVA, S.V.; BASKAKOV, A.N.; VALTEKIY, P.M.

Synthesis of polyarylates based on 2,2-di-(4-hydroxy-3-methylphenyl) propane. Vysokom. soed. 7 no.9:1633-1636 S '65.

(MIRA 18:10)

1. Institut elementoorganicheskikh soyedineniy AN SSSR.

KORSHAK, V.V.; PAVLOVA, S.A.; TIMOFEYEVA, G.I.; VINOGRADOVA, S.V.;
PANKRATOV, V.A.

Effect of the method of preparation and of the size of the
side chain radical on the viscosometric properties of
polyarylates. Vysokom.soed. 7 no.10:1679-1683 0 '65.
(MIRA 18:11)

1. Institut elementoorganicheskikh sovedineniy AN SSSR.

KORSHAK, V.V.; VINOGRADOVA, S.V.; PANKRATOV, V.A.

Synthesis and study of polyarylates based on 4,4'-diphenyldi-carboxylic acid and bisphenols with various substituents at the central carbon atom. Vysokom.soed. 7 no.10:1689-1692 0 '65. (MIRA 18:11)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

KORSHAK, V.V.; MANUCHAROVA, I.F.; VINOGRADOVA, S.V.; PANKRATOV, V.A.

Investigation of the thermal stability of a number of poly-
arylates by differential thermal analysis. *Vysokom. soed.* 7
no.10:1813-1817 0 '65. (MIRA 18:11)

1. Institut elementoorganicheskikh so'yedineniy AN SSSR i
Institut obshchey i neorganicheskoy khimii AN SSSR.

(A) L 13518-66 EWT(m)/EWP(j)/T RM

ACC NR: AP6001859

SOURCE CODE: UR/0190/65/007/012/2048/2051

AUTHORS: Vinogradova, S. V.; Korshak, V. V.; Korzeneva, Yu. I.ORG: Institute of Elemento-organic Compounds, AN SSSR (Institut elementoorganicheskikh soyedineniy, AN SSSR)TITLE: Kinetics of polycondensation of $4,4'-(\beta, \beta'$ -dihydroxyethoxyphenyl)-2,2-propane ^{1,1,1,5} /Abstracter's note: word "phenyl" is added to correct the error in the original title/ and $4,4'-(\beta, \beta'$ -dihydroxypropoxyphenyl)-2,2-propane with fumaric acid. 79th report in the series On Heteropolyesters

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 12, 1965, 2048-2051

TOPIC TAGS: polycondensation, fumaric acid, polymerization kinetics, adhesive, polyester plastic

ABSTRACT: Kinetics of polycondensation of $4,4'-(\beta, \beta'$ -dihydroxyethoxyphenyl)-2,2-propane (I) and $4,4'-(\beta, \beta'$ -dihydroxypropoxyphenyl)-2,2-propane (II) with fumaric acid (III) at 190--220C was investigated. The reaction is of interest as it leads to formation of adhesives of high thermal resistivity and of high mechanical and insulatory properties which are required in the preparation of reinforced glass. This reaction was conducted with equimolar amounts of reagents in a molten state, in a stream of oxygen-free nitrogen. The progress was followed by determining oxygen number of the reaction mixture at various time intervals according to the method

Card 1/2

UDC: 541.64+678.574
2

L 13518-66

ACC NR: AP6001859

described by T. N. Kasterina and L. S. Kalinina (Khimicheskiye metody issledovaniya sinteticheskikh smol i plasticheskikh mass, Goskhimizdat, M., 1963, str. 178). The data obtained at various temperatures are summarized in Fig. 1, a and b. It was




Fig. 1. Polycondensation of fumaric acid: a - with I; b - with II. 1 - 190C, 2 - 200C, 3 - 210C, 4 - 220C.

established that the reaction is of the second order. The rate constants for various temperatures between 190--220C were calculated and so were the activation energies, which were 13200 cal/mol for reaction of I with III and 16500 cal/mol for reaction of II with III. Orig. art. has: 3 tables and 3 figures.

SUB CODE: 07/
Card 2/2 DR

SUBM DATE: 07Dec64/

ORIG REF: 003

(A) L 13519-66 ENT(m)/ENP(j)/T/ENA(c)/ETC(m) WW/RM

ACC NR: AP6001860

SOURCE CODE: UR/0190/65/007/012/2052/2056

AUTHORS: Vinogradova, S. V.; Korshak, V. V.; Antonova-Antipova, I. P.

54
B

ORG: Institute of Elemento-organic Compounds AN SSSR (Institut elementoorganicheskikh soedineniy AN SSSR)

TITLE: Colored polyarylates of 4,4'-dihydroxyazobenzene. 80th report in the series On Heteropolyesters

SOURCE: Vysokomolekulyarnyye soedineniya, v. 7, no. 12, 1965, 2052-2056

TOPIC TAGS: polymer, polyaryl plastic, polycondensation, thermomechanical property

ABSTRACT: Polyarylates of 4,4'-dihydroxyazobenzene (I) with phenolphthalein (II), dian (III), isophthalic (IV), and terephthalic (V) acids were synthesized and their physical properties were investigated. Study of the effects of the dibasic phenol upon the structure of the product and of the azo group upon its color was of particular interest. Experimental work was performed using methods described by the authors in earlier publications (Vysokomolek. soyed., 6, 2174, 1964; 7, 322, 1965; 7, 1543, 1965). It was found that polyarylates of I with IV and V do not melt but decompose above 400C. Thermomechanical curves (see Fig. 1) indicate that while polymers derived from I reacted with IV and V possess low deformation and high rigidity, but that introduction of II and III increases the former and lowers the latter property. The solubility of homopolyarylates of I in organic solvents may be

UDC: 678.674

Card 1/3

L 13519-66

ACC NR:

AP6001860




Fig. 1. Thermomechanical curves of polyarylates from I with dian (III), phenolphthalein (II), terephthalic (V), and isophthalic (IV) acids.

- 1 - I:V=1:1 (interphase polycondensation);
- 2 - I:III:V = 0.5:0.5:1 (interphase polycondensation);
- 3 - I:III:V = 0.2:0.8:1 (interphase polycondensation);
- 4 - I:V = 1:1 (equilibrium polycondensation);
- 5 - I:II:V = 0.5:0.5:1 (equilibrium polycondensation);
- 6 - I:IV = 1:1 (equilibrium polycondensation).

Card 2/3

L 13519-66

ACC NR: AP6001860

increased by substituting a portion of I by II or III. Such solutions can be used for preparing strong, transparent yellow films which, when heated for several hours at 250C, still maintain up to 50% of their original tensile strength. Spectra of the products in the visible and UV regions are reported. Orig. art. has: 3 figures, and 4 tables.

SUB CODE: 07/ SUBM DATE: 23Dec64/ ORIG REF: 003/ OTH REF: 003

Card 3/3 *SR*

KORSHAK, V.V.; VINOGRADOVA, S.V., doktor khim.nauk

Recent developments in the study of polyarylates. Vest. AN SSSR 35
no.6:72-77 Je '65. (MIRA 18:8)

1. Institut elementoorganicheskikh soedineniy AN SSSR. 2. Chlen-
korrespondent AN SSSR (for Korshak).

KORSHAK, V.V.; VINOGRADOVA, S.V.; SILING, S.A.

Heat resistant films on a base of thermosetting polyacrylates. Khim.
volok. no.3:16-19 '65. (MIRA 18:7)

1. Institut elementoorganicheskikh soedineniy AN SSSR, Moskva (for
Korshak, Vinogradova). 2. Vsesoyuznyy nauchno-issledovatel'skiy in-
stitut iskusstvennogo volokna (for Siling).

KORSHAK, V.V.; VINOGRADOVA, S.V.; PANKRATOV, V.A.

Heterochain polyesters. Report 56: Fluorine-containing polyarylates.
Izv. AN SSSR. Ser. khim. no.9:1649-1654 '65. (MIRA 18:9)

1. Institut elementoorganicheskikh soyedineniy AN SSSR i Khimiko-
tehnologicheskij institut im. D.I. Mendelejeva.

L 01046-66 ENG(j)/ENT(m)/EPF(c)/EWP(j)/T/EWA(h)/EWA(1) WW/RM

ACCESSION NR: AP5019781

UR/0062/65/000/007/1286/1288

541.6+539.238

AUTHOR: Pankratov, V. A.^{44,55}; Korshak, V. V.^{44,55}; Vinogradova, S. V.^{44,56}


40
36
B1

TITLE: Synthesis of polyaryl esters of 2',7'-dihydroxyspiro[fluorene-9,9'-xanthene]

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 7, 1965, 1286-1288

TOPIC TAGS: polyaryl ester, heat resistant polymer, solubility

ABSTRACT: Homo- and co-polymeric polyaryl esters based on 2',7'-dihydroxyspiro[fluorene-9,9'-xanthene] have been prepared in an attempt to produce polyaryl esters having both heat resistance and good solubility in common organic solvents, and hence, better processability. The other reactants were terephthalic and/or isophthalic chloride and various bisphenols of the type




Card 1/2

L 01046-66

ACCESSION NR: AP5019781

(where R_1 and R_2 are aliphatic, perfluorinated, and aromatic substituents) as well as hydroquinone and resorcinol. The polymers and copolymers had high softening points (320—370C) and good solubility in tricresol, tetrahydrofuran, and chlorinated hydrocarbons. The presence in the polymer repeat unit



of stable aromatic systems increases their thermal stability and suggests that they will also exhibit high radiation resistance. ¹⁵ Orig. art. has: 1 table and 3 formulas.

[SM]

ASSOCIATION: Institut elementoorganicheskikh sovedineniy Akademii nauk SSSR
(Institute of Organoelemental Compounds, Academy of Sciences, SSSR)

SUBMITTED: 30Oct64

ENCL: 00

SUB CODE: OC,GC

NO REF SOV: 005

OTHER: 002

ATD PRESS: 4068

Card 2/2 *BP*

L 2324-66 EWT(m)/EPP(c)/EWP(j)/T/ETC(m) WW/RM

ACCESSION NR: AP5022222

UR/0191/65/000/009/0016/0019

678.673,01:536.495:537.311

AUTHOR: Vinogradova, S. V.; Korshak, V. V.; Fridman, Ye. I.; Andreyeva, M. A.; Baraboshkina, L. N.

TITLE: Heat-resistant electroinsulating polyarylate plastic material

SOURCE: Plasticheskiye massy, no. 9, 1965, 16-19

TOPIC TAGS: plasticizer, heat resistant plastic, heat resistant material, polyaryl plastic, terephthalic acid, electric insulator, plastic, heat resistance, polyarylate, phenolphthalein, bisphenol A, isophthalic acid, softening point

ABSTRACT: The possibility of preparing heat-resistant plastics suitable for electric insulators and capable of being compression molded was studied by preparing neat and mixed compositions from phenolphthalein isophthalate or terephthalate based polyarylates (i.e., aromatic polyesters). It was also attempted to prepare polymers which had to be kept at their melting temperature during compression molding for a minimum time. Thus, powdered poly(phenolphthalein isophthalate) could be compression molded at 270-300C into semitransparent light-brown samples of plastic designated as F-1, while the poly(phenolphthalein terephthalate), designated as plastic F-2, cracked

Card 1/2

L 2324-66
ACCESSION NR: AP5022222

and disintegrated after being taken out of the molds. The addition of plasticizers, "Sovol" [biphenol dichloride], a polysiloxane and some other polyarylates based on either bisphenol A or phenolphthalein sebacate, made it possible to prepare compression molded samples from F-2 with softening points from 255 to 340C. The addition of Sovol in varying amounts or the same polysiloxane to F-1 produced plastics with softening points between 250 and 285C. Even the sample with 10% Sovol still had a softening point of 230C, which was considered to be sufficiently high, combined with good workability of the material. The introduction of fillers (up to 40% by weight of the composition) was also studied for the purpose of reducing cracking of the plastic and to save polymer materials. Good results were obtained with quartz flour or talcum, while aluminum oxide or silica gel were ineffective. The filled F-2 polyarylate samples were resistant to thermal shock; they withstood repeated sharp temperature change from -60 to 250C. The polyarylate compositions obtained had high dielectric properties in a rather wide range of temperatures. Orig. art. has: 4 figures and 4 tables. [BN]

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: MT, 02

NO REF SOV: 004
Card 2/2, *nd*

OTHER: 000

ATD PRESS: 4/107

L 3785-66 ENT(m)/EFF(c)/ENP(j)/I/ENA(c) RFL WH/RM

ACCESSION NR: AP5025510

UR/0062/65/000/009/1649/1654
541.6+661.723-16

AUTHOR: ^{44.55} Korshak, V. V.; ^{44.55} Vinogradova, S. V.; ^{44.55} Pankratov, V. A.

TITLE: Heterochain polyesters. 56. Fluorinated polyarylates | ^{44.55}

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 9, 1965, 1649-1654

TOPIC TAGS: polymer, fluorinated polymer, polyester, polyarylate

ABSTRACT: The purpose of this work was to prepare homo- and heteropolyarylates from 2,2-bis-(4-hydroxyphenyl)-1,1,1,3,3,3-hexafluoropropane / 2,2-bis-(4-hydroxyphenyl)-1,1,1-trifluoro-2-phenylethane with terephthalic, isophthalic, perfluoro-adipic, and perfluorosebacic acids, and to investigate the properties of the polymers obtained. It was found that replacement of the methyl group at the central carbon atom of the diphenols by a trifluoromethyl group lowers the softening temperature of the homo- and heteropolyarylates obtained from them. Condensation of ω,ω,ω -trifluoroacetophenone with phenol yielded 2,2-bis-(4-hydroxyphenyl)-1,1,1-trifluoro-

Card 1/2

L 3785-66

ACCESSION NR: AP5025510

2-phenylethane. The characteristics of the polyarylates obtained are given in tabular form. Orig. art. has: 2 tables. [VS]

ASSOCIATION: Institut elementoorganicheskikh soedineniy Akademii nauk SSSR (Institute of Heteroorganic Compounds, Academy of Sciences, SSSR); Khimiko-technologicheskiiy institut im. D. I. Mendeleeva (Chemical Technology Institute)

SUBMITTED: 02Jul63

ENCL: 00

SUB CODE: MT, OC, CC

NO REF SOV: 010

OTHER: 009

ATD PRESS: 4118

cc
Card 2/2

L 1868-66 EPA(s)-2/EWT(m)/EPF(c)/EWP(j)/T/ETC(m) WW/RM

ACCESSION NR: AP5024495

UR/0191/65/000/010/0001/0003

678.673.4:678.029.44

AUTHOR: Vinogradova, S. V.; Andreyeva, M. A.; Davydova, V. F.; Korshak, V. V.

TITLE: Study of the feasibility of curing and converting thermosetting polyarylester into end products

SOURCE: Plasticheskiye massy, no. 10, 1965, 1-3


TOPIC TAGS: polyarylester, heat resistant plastic, polyarylester plastic

ABSTRACT: A study has shown that unfilled or quartz-filled cross-linked D-5 polyarylester can be processed into end products by molding. D-5, prepared from terephthaloyl chloride, bisphenol A, and 1,1,1-trimethylolpropane (1/0.5/0.5 molar ratio), is partly cross-linked (38% insoluble in chloroform) at the outset. Study of further cross-linking by various curing agents revealed that maleic and endic (cis-3,6-endomethylene-1,2,3,6-tetrahydrophthalic)anhydrides or tetrabutoxytitanium give the best results. Cross-linking occurs as follows:

Card 1/4

L 1868-66

ACCESSION NR: AP5024495



Study of D-5 molding showed the expediency of using a cross-linked polymer softening at 200—210C and 60—70% insoluble. Such a polymer is rapidly molded (at 110—160C) into solid products. Fig. 1 of the Enclosure shows the thermomechanical properties of D-5 and, for comparison, of D-2 polyaryl ester (from terephthalic acid and bisphenol A). As Fig. 1 indicates, cross-linking considerably improves heat resistance

Card 2/4

L 1868-66

ACCESSION NR: AP5024495

Cross-linked D-5 withstands temperature cycling from -60 to 250C and exhibits good dielectric properties. Orig. art. has: 1 table and 4 figures. [SM]

ASSOCIATION: none

SUBMITTED: 00

ENCL: 01

SUB CODE: MT

NO REF SOV: 002

OTHER: 000

ATD PRESS: 4/12

Card 3/4

L 1868-66
ACCESSION NR: AP5024495

ENCLOSURE: 01




Fig. 1. Thermomechanical curves

- 1 - Initial D-5 polyaryl ester;
- 2 - D-2 polyaryl ester; 3 - D-5 cross-linked with 15% maleic anhydride; 4 - D-5 cross-linked with 15% tetrabutyltitanium.

Card 4/4

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860010006-9

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860010006-9"

L 1898-66 EWT(m)/EPF(c)/EWP(j)/T RM

ACCESSION NR: AP5021600

UR/0286/65/000/013/0070/0070
678.673

AUTHOR: Korshak, V. V.; Vinogradova, S. V.; Salazkin, S. N.

TITLE: Preparative method for polyaryl esters. Class 39, No. 172492

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 70

TOPIC TAGS: polymerization, heat resistant polymer, polyaryl ester

ABSTRACT: An Author Certificate has been issued for a preparative method for polyaryl esters based on bisphenols and 4,4'-diphenylphthalide dicarboxylic acid chloride [sic].

[SM]

ASSOCIATION: none

SUBMITTED: 08Jun64

ENCL: 00

SUB CODE: MT, GC

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4188

Mell
Card 1/1

L 1894-66 EWT(m)/EPF(c)/EWP(j)/T RPL WW/RM
ACCESSION NR: AP5021551

UR/0286/65/000/013/0017/0017
678.744.45.002.2
547.566.1
547.391.1

AUTHOR: ^{44.55} Korshak, V. V.; ^{44.55} Vinogradova, S. V.; ^{44.55} Korchevey, M. G. ²³

TITLE: Preparative method for polymers and copolymers ^{44.55} of an acrylic compound.
Class 12, No. 172312 ✓

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 17

TOPIC TAGS: polymer, polymerization, allylphenol methacrylate, heat resistant polymer

ABSTRACT: An Author Certificate has been issued for a preparative method for acrylic polymers and copolymers of increased heat resistance. The method involves bulk polymerization of 2-allylphenol methacrylate at elevated temperature in the presence of free radical initiators [unspecified]. [SM]

ASSOCIATION: none

Card 1/2

L 1894-66

ACCESSION NR: AP5021551

SUBMITTED: 26Feb64

ENCL: 00

SUB CODE: MT, GC

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4088

mlb
Card 2/2

L 1809-66 EWP(m)/EPF(c)/EWP(v)/EWP(j)/T RPL RM/WW

ACCESSION NR: AP5025026

UR/0286/65/000/016/0082/0082

678.673.7-13

677 521

AUTHOR: Korshak, V. V.; Vinogradova, S. V.; Korchevey, M.; Kul'chitskiy, V. I.

TITLE: Preparative method for copolymers of unsaturated allyl-substituted polyaryyl esters. Class 39, No. 173936

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 16, 1965, 82

TOPIC TAGS: polyaryl ester, heat resistant polymer, cross linking

ABSTRACT: An Author Certificate has been issued for a preparative method for copolymers of unsaturated allyl-substituted polyaryl esters. The method involves copolymerization of the appropriate polyaryl esters with cross-linking agents at elevated temperature in the presence of free radical initiators. To improve the heat and chemical resistance of the copolymers, the cross-linking agents used are tetrafunctional acrylic monomers, e.g., allyl methacrylate, 2-allylphenol methacrylate, or 4, 4'-isopropylidenediphenol methacrylate. The copolymers so prepared are suitable as binders in glass-reinforced plastics. [SM]

Card 1/2

L 1809-66

ACCESSION NR: AP5025026

ASSOCIATION: none

SUBMITTED: 23Nov64

ENCL: 00

SUB CODE: OC, MT

NO REF SOV: 000

OTHER: 000

ATD PRESS: 411

Card 2/2

KORSHAK, V.V.; VIKHOREV, V.V., et al. *Vysokom. soed.* 7 no.3:457-461 (1965).

Thermal cross-linking of unsaturated polyacrylates containing allyl side groups. *Vysokom. soed.* 7 no.3:457-461 (1965). (MIRA 18:7)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 8, 1965, 1406-1409

TOPIC TAGS: polymer, polyarylene, polymer exchange, polyamide, copolymer, block copolymer

ABSTRACT: The process of...

4 00005-02
ACCESSION NR: APS020070

L 1968-66 EWT(m)/EPF(c)/T/EWP(j) LW/RM

ACCESSION NR: AP5022599

UR/0190/65/007/009/1543/1548
678.674

AUTHOR: Korshak, V. V.; Vinogradova, S. V.; Antonova-Antipova, I. P.

TITLE: Colored polyaryl esters based on certain dihydroxyanthraquinones

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 9, 1965, 1543-1548

TOPIC TAGS: polyaryl ester, polymerization color, heat resistant polymer

ABSTRACT: To eliminate the dyeing step and to improve colorfastness, intrinsically colored polyaryl esters have been synthesized from dihydroxyanthraquinones, viz., alizarin, quinizarin, and quinizarin blue. Such starting materials were also of interest from the standpoint of the effect of repeat-unit structure on polymer properties, and because such polymers could be modified by treatment with metal salts. Homo- and co-polymeric polyaryl esters were prepared from the dihydroxyanthraquinones and terephthalic and isophthalic acids, and phenolphthalein by polycondensation in high boiling solvents. It was found that homo- and co-polymeric polyaryl esters from quinizarin and terephthalic or isophthalic acids, and from alizarin blue and terephthalic acid have high softening points, e.g., 475-500C for the polymer from quinizarin and terephthalic acid. Copolymeric

Card 1/2

L 1968-66

ACCESSION NR: AP5022599

polyaryl esters from the dihydroxyanthraquinones and phenolphthalein had good solubility in organic solvents and could be readily cast from solution to form films. Such films were colored, strong (800—1200 kg/cm²) and elastic (10—15%). Film color could be modified by adding the appropriate metal salt to the polymer solution. Orig. art. has: 3 formulas, 3 figures, and 2 tables. [SM]

ASSOCIATION: Institut elementoorganicheskikh sovedinenii AN SSSR (Institute of Heteroorganic Compounds, AN SSSR)

SUBMITTED: 13Oct64

ENCL: 00

SUB CODE: MT, GC

NO REF SOV: 006

OTHEF: 002

ATD PRESS: 4090

Card 2/2

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 9, 1965, 1633-1636

plasticization effect of the substituents. Synthesis was carried out by interfacial and low- and high-temperature solution polycondensation. Isophthaloyl and terephthaloyl chlorides and hydroquinone, resorcinol, and phenolphthalein were used with 1 to prepare homo- and copolymeric poly(aryl) esters. It was found that in comparison

Card

L 3938-66 EWT(m)/EPF(c)/EWP(j)/T RM

ACCESSION NR: AP5025956

UR/0190/65/007/010/1689/1692

541.64+678,674

AUTHOR: Korshak, V. V.; Vinogradova, S. V.; Pakhratov, V. A.

TITLE: Synthesis and investigation of polyarylates from 4,4'-biphenyldicarboxylic acid and diphenols with various substituents at the central carbon atom

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 10, 1965, 1689-1692

TOPIC TAGS: polyester, plastic, polyarylate

ABSTRACT: In the course of continuing investigations of polyesters, a series of polyarylates were prepared from bis-(4-hydroxyphenyl)methane, 2,2-bis-(4-hydroxyphenyl)propane, 2,2-bis-(4-hydroxyphenyl)hexafluoropropane, bis-(4-hydroxyphenyl)phenylmethane, bis-(4-hydroxyphenyl)methylphenylmethane, bis-(4-hydroxyphenyl)trifluoromethylphenylmethane, bis-(4-hydroxyphenyl)diphenylmethane, 9,9-bis-(4-hydroxyphenyl)fluorene, and 4,4'-biphenyldicarboxylic acid. It was found that the physical properties of the polyarylates obtained depend to a large extent on the nature of the substituent at the central carbon atom. The physical constants and the mechanical characteristics of the polyarylates are given in tabular form. Orig. art. has: 2 tables.

[VS]

ASSOCIATION: Institut elementoorganicheskikh soyedineniy AN SSSR (Institute of Heteroorganic Compounds, AN SSSR)

Card 1/2

L 3938-66

ACCESSION NR: AP5025956

SUBMITTED: 02Nov64

ENCL: 00

SUB CODE: NT,OC,GC

NO REF SOV: 009

OTHER: 001

ATD PRESS: 4118

Card 2/2

DP

L 3936-66 EWT(m)/EPF(c)/EWP(j)/T/ETC(m) RPL WW/RM

ACCESSION NR: AP5025968

UR/0190/65/007/010/1813/1817
678.01:54+678.67

AUTHOR: Korshak, V. V.; Manucharova, I. F.; Vinogradova, S. V.; Pankratov, V. A.

TITLE: Investigation of the thermal stability of a series of polyarylates by differential thermal analysis

SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 10, 1965, 1813-1817

TOPIC TAGS: polyarylate, plastic, polymer, thermal stability

ABSTRACT: Polyarylates were prepared from diphenols and terephthalic acid and subjected to differential thermal analysis utilizing thermogravimetric methods. It was found that the nature of the substituent at the central carbon of the diphenol (of the di-p-hydroxyphenylmethane type) exerts an appreciable influence on the thermal stability of the polyarylate. Thus, e.g., replacement of methyl groups at the central carbon atom by trifluoromethyl groups improves the stability of the polyarylate. The temperatures of incipient decomposition of the polyarylates investigated ranged from 375 to 465C. The most thermally stable polyarylate was obtained from 9,9-bis-(4-hydroxyphenyl)fluorene and terephthalic acid. Orig. art. has: 2 tables and 5 figures. [VS]

Card 1/2

L 3936-66

ACCESSION NR: AP5025968

ASSOCIATION: Institut elementoorganicheskikh soyedineniy AN SSSR (Institute of Heteroorganic Compounds, AN SSSR); Institut obshchey i neorganicheskoy khimii AN SSSR (Institute of General and Inorganic Chemistry, AN SSSR)

SUBMITTED: 26Nov64

ENCL: 00

44,53 6
SUB CODE: MT, OC, GC, TD

NO REF SOV: 011

OTHER: 000

44,55
ATD PRESS: 4-118

Card 2/2 DP

L 3398-66 EWT(m)/EPF(c)/ENP(j) RM

ACCESSION NR: AP5024214

UR/0020/65/164/003/0563/0566

AUTHORS: Vinogradova, S. V.; Korshak, V. V. (Corresponding member AN SSSR);
Pankratov, V. A.; Tur, D. R.

TITLE: Investigation of the kinetics of polycondensation of bisphenols with the
acid chloride of terephthalic acid

SOURCE: AN SSSR. Doklady, v. 164, no. 3, 1965, 563-566

TOPIC TAGS: polycondensation, terephthalic acid, bisphenol, organic compound,
polymer

ABSTRACT: The kinetics of the polycondensation of bis-(4-oxyphenyl)-methane, 2,2-bis-(4-oxyphenyl) propane, 2,2-bis-(4-oxyphenyl)-hexafluoropropane, bis-(4-oxyphenyl)-phenylmethane, 2,2-bis-(4-oxyphenyl)-2-phenylethane, bis-(4-oxyphenyl) trifluoromethylphenylmethane, and bis-(4-oxyphenyl)-diphenylmethane with the acid chloride of terephthalic acid in the temperature region from 160-200C was investigated. The purpose of the investigation was the determination of the influence of the nature of substituents at the central carbon atom of bisphenols on the reactivity of the latter. The reactions were carried out in ditoluy methane in a

Card 1/3

I, 3398-66

ACCESSION NR: AP5024214

3

current of dry oxygen-free nitrogen. The experimental results are shown graphically (see Fig. 1 on the Enclosure). Energies of activation and frequency factors derived from Arrhenius' plots are tabulated. A reaction mechanism is proposed. It is concluded that the reactions studied belong to the slow class of bimolecular reactions. Orig. art. has: 2 tables, 3 graphs, and 2 formulas.

ASSOCIATION: Institut elementoorganicheskikh soyedineniy, Akademii nauk SSSR (Institute for Heteroorganic Compounds, Academy of Sciences, SSSR) 44, 55

SUBMITTED: 22Mar65

ENGL: 01

SUB CODE: OC, GC

NO REF SOV: 002

OTHER: 000

Card 2/3

L. 3398-66

ACCESSION NR: AP5024214

ENCLOSURE: 01 0




Fig. 1. The dependence of degree of completion of reaction on the duration of polycondensation of the acid chloride of terephthalic acid with bis-(4-oxyphenyl)diphenylmethane

Card 3/3 *h.d.*

KORSHAK, V.V.; VINOGRADOVA, S.V.; SILING, S.A.

Synthesis and analysis of cross-linked polyarylates. Khim.
volok. no.1:35-38 '65. (MIRA 18.2)

1. Institut elementoorganicheskikh soyedineniy AN SSSR (for
Korshak, Vinogradova). 2. VNIIV (for Siling).

KORCHEVEI, M.G.; KOLB, V.V.; VINOGRADOVA, S.Y.


Block polymerization of some allyl and acryl monomers. *Vysokom. soed.*
7 no.1:150-155 Ja '65. (MIRA 18:5)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

KORSHAK, V.V.; VINGRADOVA, S.V.; ANTONOVA-ANTIPOVA, I.P.

Colored polyarylates based on 3,3'-azobenzenedicarboxylic acid. *Vysokom. soed.* 7 no.2:322-327 7 '65.

(MIRA 18:3)



NO REF ID: 000

OTHER: (X)

Card 2/2

KORSHAK, V.V.; VINOGRADOVA, S.V.; SELING, S.A.

Structuration of polyarylates containing free hydroxyl groups
in the chain. Vysokom. soed. 7 no.4:701-706 Ap '65.

(MIRA 18:6)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

1. The first part of the document is a list of references.


2. The second part of the document is a list of references.

ABSTRACT: This document is a list of references.

ACCESSION NUMBER

polymer properties. The advantages of using concentrated solutions, in particular, the better mechanical properties of polymers so prepared, are noted. The advantages of using concentrated solutions of polymers are discussed briefly.

Card 2 D



L 59476-65

ACCESSION NR: AP7015031

Q

resorcinol, Bisphenol A, and terephthalic acid show a tensile strength of

Polyaryl esters can be processed into end products by conventional methods. Although the tensile strength of these polymers is low, their inherent properties are good.

Korshak and Vinogradova predict widespread acceptance of polyaryl esters if the polymers are made to have high heat stability, high resistance, good dielectric properties, and high strength are desired.

... ..

Card 4/5

ACCESSION NR: AFS015831

ASSOCIATION: Institut elementaire de recherche scientifique et technique
de l'Armee (I.E.R.S.T.A.)

and 575

L 52138-65 BWF(c)/SWP(j)/SWT(m)/T Pc-1/Pr-1 RM

ACCESSION NR: AP5015289

UR/0286/65/000/001/0067 0067

AUTHORS: Korshak, V. V.; Vinogradova, S. V.; Salazkin, S. N.; Vygodkiy, Ya. S.

TITLE: A method for obtaining polyarylates. / Class 39, No. 170661

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 9, 1965, 67

TOPIC TAGS: polyarylate, diphenyl chloride, dicarboxylic acid, phenol, polymer

ABSTRACT: This Author Certificate presents a method for obtaining polyarylates by the condensation of chloranhydrides of dicarboxylic acids with two-atom phenols in solutions of a high boiling point solvent. To increase the molecular weight of the obtained polymer, to lower the amount of solvent used, and to simplify the technique of separating the polymer, diphenyl chloride is used as the high boiling point solvent.

ASSOCIATION: none

SUBMITTED: 13Aug62

ENCL: 00

SUB CODE: 00

NO REF SOV: 000

OTHER: 000

Card 1/1 745

L 52133-65 (INT/INT/INT/INT) (INT/INT/INT/INT) (INT/INT/INT/INT) (INT/INT/INT/INT)

ACCESSION NO: APS015295

JR/0286/65/000/000/0068/0068

AUTHORS: Korshak, V. V.; Rafikov, S. R.; Vinogradova, S. V.; Fomins Z. Ye.

TITLE: A method for obtaining uniform and mixed polyarylates. Class 1, No. 170007

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 9, 1965, 68

TOPIC TAGS: polyarylate, chloranhydride, phenol, dicarboxylic acid, ultraviolet light, diphenol, sulfophthalein

ABSTRACT: This Author Certificate presents a method for obtaining uniform and mixed polyarylates based on chloranhydrides of dicarboxylic acids and 2-atom phenols. To obtain polyarylates stable under the action of ultraviolet rays, diphenols containing sulfo-groups, such as sulfophthalein, are used as 2-atom phenols.

ASSOCIATION: none

SUBMITTED: 08Jun64

ENCL: 00

SUB CODE: 00

NO REF SOV: 000

OTHER: 000

Card 1/1 *7/1/68*

L 56661-65 EWT(m)/EXP: T Po-1 AK

010.073.002.2

AUTHOR: Vinogradova, S. V.; Korshak, V. V.; Vygodskiy, Ya. S. 16 B

TITLE: A method for producing aromatic polyamides Class 39, No. 171592

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 11, 1965, 76

TOPIC TERMS: polyamide polymer, aromat. diamine, aromatic polyamide

KORSHAK, V.V.; SIDOROV, T.A.; VINOGRALOVA, S.V.; KOMAROVA, I.I.; VALETSKIY,
P.M.; LEBEDEVVA, A.S.

Heterochain complex polyesters. Report No.52: Determination of
double bonds in unsaturated polyarylates by infrared spectro-
scopy. Izv. AN SSSR Ser. khim. no.2:261-268 '65.

(MIRA 18:2)

1. Institut elementoorganicheskikh soyedineniy AN SSSR.

PANKRATOV, V.A.; VINOGRADOVA, S.V.; FEDOROVA, R.D.

Heterochain polyesters. Report No.63: Synthesis and investigation of the new types of polyarylates based on 2,2-bis-(4-hydroxyphenyl)-2-phenylethane. Izv. A SSSR. Ser. khim. no.2:342-348 '65.

(MIRA 18:2)

1. Institut elementoorganicheskikh soedineniy AN SSSR i Moskovskiy khimiko-tekhnologicheskii institut im. D.I. Mendeleeva.

... has been achieved by cross-linking the backbones of polyarylates by a controlled incidence of cross-linking.

... was modified by introducing a small number of free hydroxyls as substituents in its structure.

ACCESSION NR: AFD01252

I 441- 225

AMERICAN CHEMICAL SOCIETY

2) esterifying the free hydroxyl groups with anhydrides of dibasic organic acids.

indicated that, in general, mechanical properties improve after controlled cross-linking, and that the nature of the cross-linking agent has little effect on this

ASSOCIATION of Chemists and Technicians of the USSR (Institute of Heteroorganic Compounds, AN SSSR)
Card 73

KORSHAK, V.V.; PAVLOVA, S.A.; TIRAFYEVA, G.I.; VINOGRADOVA, S.V.; FANJANOV, V.A.

Influence of the steric factor on the viscoelastic properties and polydispersity of polyarylates. Dokl. AN SSSR 160 no.1:119-122
Ja '65. (MIRA 18:2)

1. Institut elementoorganicheskikh soyedineniy AN SSSR. 2. Chlen-korrespondent AN SSSR (for Korshak).

... 20130_00 ... RPL ...

... shipping polyethylene, ...

ASSOCIATION: none

... 20Jun68

... 00

SUB CODE: CC

... 07

... 000

KORSHAK, V.V.; VINOGRADOVA, S.V.; VINOGRADOV, N.S.

Ring formation in beryllium polyacrylate diacetate solution.
Vysokom. soed. 6 no.11:1987-1991 E 162 (MIRA 38:2)

1. Institut elementorganicheskikh soedineniy AN SSSR.

VINOGRADOVA, S.V.; KORSHAK, V.V.; SALAZKIN, S.N.; BEREZA, S.V.

Heterochain polyesters. Part 60: Polyarylates based on phenolphthalein
anilide. Vysokom.soed. 6 no.8:1403-1406 Ag '64.

(MIRA 17:10)

1. Institut elementoorganicheskikh soyedineniy AN SSSR.

VINOGRADOVA, S.V.; KORSHAK, V.V.; SALAZKIN, S.H.; BEREZA, S.V.

Heterochain polyesters. Part 41: Synthesis of polyarylates of phenolphthalein anilide by interfacial polycondensation. *Vysokom. soed.* 6 no.9:1555-1558 S '64. (MIRA 17:10)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

10

1 32476-65 EWT to NPP16 NEWP ...

AUTHORS: Korshak, V. I.; Vysokomol. Soedin., B. 7, 1965; Antsyeva, I. I.

SOURCE: Vysokomolekulyarnyye soedineniya, v. 7, no. 2, 1965, 322-327

TOPIC AREA: dicarboxylic acids, substituted acids, carbon, elements, ...

ABSTRACT: The synthesis of 3,3'-azobenzenedicarboxylic acid polyarylates was accomplished by the equilibrium method and also by interphase polycondensation. ... hydroquinone, and resorcinol. The 3,3'-azobenzenedicarboxylic acid was obtained with a yield of 80-90% by diazotization of m-aminobenzoic acid with subsequent decomposition of the diazo compounds. The 3,3'-azobenzenedicarboxylic acid ...

Card 1/2

L 35476-65
ACCESSION NR: AP5005602

(melting point = 83.5-84.5°C). This product, colored yellow, was used as initial material for producing synthetic polyarylates. Both homogeneous and multipolyarylates were formed. With phenolphthalein, both were found to be readily soluble in dimethyl sulfoxide at room temperature. The melting point of the polyarylate formed with phenolphthalein was 100-105°C. The polyarylate formed with phenolphthalein was found to be soluble in dimethyl sulfoxide at room temperature. The polyarylate formed with phenolphthalein was found to be soluble in dimethyl sulfoxide at room temperature. The polyarylate formed with phenolphthalein was found to be soluble in dimethyl sulfoxide at room temperature.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: 00


NO REF 30V: 001

OTHER: 003

Card 1 of 2

PROPERTY OF THE
CENTRAL INTELLIGENCE AGENCY
APPROVED FOR RELEASE: 09/01/2001

Card 1



AKUTIN, M. S.; KORSHAK, V. V.; RODIVILOVA, L. A.; VINOGRADOVA, S. V.;
BUDNITSKIY, Yu. M.; VALETSKIY, P. M.; ~~LEBEDEVA, A. S.; Priznani-~~
uchastiye: BONDAREVA, Ye. A., laborant; RESHETNIKOVA, L. M.,
laborant; KOVALEVA, T. G., laborant

New data on the processing and properties of polyarylates.
Plast. massy no.11:20-26 '62. (MIRA 16:1)

(Esters) (Condensation products(Chemistry))

KORSHAK, V.V.; VINOGRADOVA, S.V.; U BAN-YUAN' [Wu P'ang-yüan]

Heterochain polyesters. Report No.50: Structure of polyamidoarylates obtained by interfacial polycondensation. Izv. AN SSSR Ser. khim. no.7:1288-1292 J1 '64.

(MIRA 1

Heterochain polyesters. Report No.51: Polyamidoarylates and polyarylates based on acid chloride of bis-(p-carboxyphenyl)-methylphosphine oxide. Izv. AN SSSR Ser. khim. no.7:1292-1295 J1 '64.

(MIRA 17:8)

1. Institut elementoorganicheskikh soyedineniy AN SSSR.

TOPIC TAGS:

TOPIC TAGS:

TOPIC TAGS: heterochain polyester, polyarylate, polyethylene oxide, dihyaline

ferent molecular weights for a...

2000...

Card 1/3

AN UNIDENTIFIED SOURCE

... ..

temperature level with 50-70% of high air

Card 2/3

L 16004-05

ACCESSION NR: AP4042878

lar weight, the larger the amount of PEO that may be incorporated to improve
solubility, without adversely affecting temperature with 29 wt. % of a high mo e-

ASSOCIATION Institut elementoorganicheskikh soyedineniy Akademii nauk SSSR
Institute of Organometallic Compounds Academy of Sciences SSSR Institut

SUBMITTED: 12Dec62

ENCL 00

SUB CODE GC, CC

NO REF SOV 001

OTHER: 000

Card 3/3

ACCESSION NR: AP4045419

S/0190/64/006/009/1555/1558

13

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860010006-9

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860010006-9"

KORSHAK, V.V.; VINGRADOVA, S.V.; PAPAIA, G.SH.; TSISKARI KHIZI, P.D.

Study of mixed block polyarylates. Dokl. AN SSSR 156 no. 2:
368-371 My '64. (MIRA 17.7)

1. Institut elementoorganicheskikh soedineniy AN SSSR i
Institut khimii imeni Melikishvili AN Gruzinskoy SSR. 2.
Chlen-korrespondent AN SSSR (for Korshak).

TEPLYAKOV, M.M.; KORSHAK, V.V.; VINOGRALOVA, S.V.

Exchange reaction between polyanide and polyarylate. Izv. AN SSSR.
Ser.khim. no.2:334-340. F 16%. (MIRA 17:3)

1. Institut elementoorganicheskikh soyedineniy AN SSSR i Moskovskiy
khimiko-tekhnologicheskii institut im. D.I.Mendeleyeva.

ACCESSION NR: AP4032574

8/0190/64/006/004/0729/0733

AUTHORS: Korshak, V. V.; Vinogradova, S. V.; Vinogradov, M. G.

TITLE: Studies in coordination polymers. 19. Exchange reactions in the poly-coordination process

SOURCE: Vy*sokomolek. soyedin., v. 6, no. 4, 1964, 729-733

TOPIC TAGS: coordination polymer, polycoordination process, acetoacetyl diphenyloxide, beryllium acetylacetonate, polycoordination exchange reaction, Huggins equation, Huggins constant, high molecular fraction, low molecular fraction

ABSTRACT: In order to study the exchange reactions it was necessary to produce polymer fractions differing considerably in molecular weight. This was achieved by fractionating a polymer synthesized from 4,4'-bis-(acetoacetyl)diphenyloxide and beryllium acetylacetonate in solution, at 160C, in vacuum, as described in an earlier paper by the authors (Vy*sokomolek. soyed., 5, 1771, 1964). The fractionation of the polymer was conducted by methanol precipitation from a 1% dimethylformamide solution. Fourteen fractions were isolated, and the specific viscosities of these and of the nonfractionated polymers were determined in 0.5% dimethylform-

Card 1/2

ACCESSION NR: AP4032574

amide solutions. Values of 0.30-0.80 were obtained. They matched closely the 0.31-0.80 range for specific viscosities calculated by the Huggins equation. The study of the exchange reactions taking place during the polycondensation process was conducted on a mixture of high-molecular fraction of the polymer with a low-molecular fraction. The latter polymer was obtained under conditions of excess beryllium acetylacetonate and contained no terminal free enolic groups. The experiment was conducted in a 25% dimethylformamide solution. The viscosity of the mixture of the two fractions was determined after heating the mixture to 100C for periods up to 10 hours. It was found that the molecules of the polymer interacted at a rate of approximately the same order of magnitude as the rate of their growth from the issuing materials. It is concluded that the reaction of polycoordination of 4,4'-bis-(acetoacetyl)diphenyloxide and beryllium acetylacetonate is a process of balanced polycondensation. Orig. art. has: 3 charts, 1 table, and 1 formula.

ASSOCIATION: Institut elementoorganicheskikh sovedineniy AN SSSR (Institute of Organoelemental Compounds, AN SSSR)

SUBMITTED: 28 May 63

DATE ACQ: 11 May 64

ENCL: 00

SUB CODE: CH

NO REF SOV: 002

OTHER: 001

Card 2/2

KORSHAK, V.V.; VINOGRADOVA, S.V.; LEBEDEVA, A.S.; Prinsipalno uchastnye
RESHETNIKOVA, L.D.

Heterochain polyesters. Part 41. Vysokom. soed. 5 no.5:674-680
My '63. (MIRA 17:3)

1. Institut elementoorganicheskikh soedineniy AN SSSR.

KORSHAK, V.V.; VINOGRADOVA, S.V.; PAPAFA, G.Sh.

Heterochain polyesters. Report No.53: Mixed block polyarylates
based on polyethylene oxide, diene, and terephthalic acid chloride.
Izv.AN SSSR. Ser.khim. no.1:132-141 Je '64. (MIRA 17:4)

1. Institut elementoorganicheskikh soyedineniy AN SSSR i Institut
khimii im. Melikishvili AN GruzSSR.

KORSHAK, V.V.; VINOGRADOVA, S.V.; PANKRATOV, V.A.; BASKAKOV, A.N.

Heterochain polyesters. Report No.54: Synthesis and investigation of new types of polyarylates based on phenyl-bis(4-oxyphenyl) methane and diphenyl-bis(4-oxyphenyl)methane. Izv.AN SSSR. Ser.khim. no.1:141-148 Ja '64. (MIRA 17:4)

1. Institut elementoorganicheskikh soyedineniy AN SSSR i Moskovskiy khimiko-tehnologicheskii institut im. D.I.Mendeleeva.

PAPAVA, G.Sh.; VINOGRADOVA, S.V.; KORSHAK, V.V.; TSISKARISHVILI, P.D.

Heterochain polyesters. Report no.56: Mixed block polyarylates based on polypropylene oxide, dihydric phenols, and aromatic dicarboxylic acid chlorides. Izv.AN SSSR. Ser.khim. no.1:149-155 Ja' '64. (MIRA 17:4)

1. Institut elementoorganicheskikh soyedineniy AN SSSR i Institut khimii im. Melikishvili AN GruzSSR.

KORSHAK, V.V.; VINOGRADOVA, S.V.; VINOGRADOV, M.G.

New method for the production of macrocyclic compounds from linear polymers. Dokl. AN SSSR 155 no.6:1354-1356 Ap '64.

(MIRA 17:4)

1. Institut elementoorganicheskikh soedineniy AN SSSR.
- 2/ Chlen-korrespondent AN SSSR (for Korshak).

KORSHAK, Vasilii Vladimirovich; VINOGRADOVA, Svetlana Vasil'yevna;
RAFIKOV, S.R., doktor khim. nauk, ctv. red.; LOSKUTOVA,
I.P., red.

[Polyaryalates] Poliarilaty. Moskva, Izd-vo "Nauka,"
1964. 67 p. (MIRA 17:6)

1. Deystvitel'nyy chlen AN Kaz.SSR (for Rafikov).

VINOGRADOV, M.G.; VINOGRADOVA, S.V.; DAVIDOVICH, Yu.A.; KORSHAK, V.V.

Coordination polymers. Report No.19: Properties of an inner-complex beryllium-containing polymer based on 4,4'-bis (acetoacetyl) diphenyl oxide. Izv. AN SSSR. Ser. khim. no.11: 2023-2027 N '63. (MIRA 17:1)

1. Institut elementoorganicheskikh soyedineniy AN SSSR.