



DEC 1977

STATUS OF REQUEST FOR WATER  
POLLUTION SURVEYS

PSD, Hqs.

 Washington, D.C.

STATINTL

1. In a telephone call to Mr. Terman, GSA, this date to get status of our request to GSA to arrange for surveys at these facilities, Mr. Terman stated that Mr. Schick of his office had been in touch with Mr. George Williams, EPA Office of Water Programs, Philadelphia, Penn., this week. Mr. Williams had (according to Mr. Terman) told Mr. Schick that he would get in touch with me the next time he is in town regarding his schedule for making the surveys. Although GSA has been told that they are to arrange for these surveys on our behalf (at  suggestion) they have acceded to Mr. Williams' preference and suggestion that he contact us directly about his schedule for these surveys.

STATINTL

2. I have been calling Mr. Terman periodically regarding the proposed schedule of Mr. Williams.

3. I will continue to keep Mr. Terman's office involved when Mr. Williams calls me.

 FEB

STATINTL

UNITED STATES OF AMERICA

Approved For Release 2001/09/03 : CIA-RDP86-01019R000200020029-1

GENERAL SERVICES ADMINISTRATION  
Public Buildings Service  
Washington, D.C. 20405



DEC 2 1971

Mr. John W. Coffee  
Deputy Director for Support  
Central Intelligence Agency  
Washington, DC 20505

Dear Mr. Coffee:

We agree with the Central Intelligence Statement of Background Data of July 13, 1971, that the proposed garage at CIA Headquarters, Langley, Virginia, construction contract GS-03B-16758, will have negligible adverse effects on the environment.

You as "lead agency," however, must determine compliance with Section 5 (b) of the Guidelines of the National Environmental Policy Act of 1969 (Public Law 91-190) as it applies to this project.

Please inform us of your determination as soon as practicable so that we may avoid any delays in our continuing development of your garage.

Sincerely,

Signed A. F. Sampson  
Commissioner  
Public Building Service

Approved For Release 2001/09/03 : CIA-RDP86-01019R000200020029-1

OL 1 6452