

9 MAR 1978

MEMORANDUM FOR THE RECORD

SUBJECT: Followup on "Statement of Requirements to Support CAMS"

1. On 7 March 1978, the undersigned contacted [redacted] Deputy Director for Processing, to ascertain the status of the subject paper. The original paper was formulated in December of 1977 but was held back for redrafting by [redacted], Director of Data Processing. [redacted] said that we would not likely see the paper very soon. It was then agreed that RECD would not proceed until the redraft of the paper was available.

2. While on the subject of CAMS, the timing of interim CAMS was discussed. The following sequence of events was provided by [redacted]

FY 1978:

a. ODP procures and installs a new VM processor in GC03.

b. ODP relocates a 158 from GC03 to GC47 for interim upgrade (needs no 400 Hz power or chilled water).

c. ODP relocates a 360/65 from GC47 to a location outside of Headquarters.

Further, [redacted] stated that he could never see more than three computers in GC47 and that the earliest a new machine could be made available that might require 400 Hz power would be the fall of this year.

[redacted signature block]

STATINTL

Chief
Headquarters Engineering Branch, RECD/OL

Distribution:

Orig. - OL/RECD/HQB Official

1 - OL/RECD

STATINTL

10 JAN 1978

3. C
2. DC SEEN
1. EX / [initials]
SA B
4. C/REB
RO
C/FEngB
PE
C/HEB
PE

ODP-028-78
6 January 1978

CY CAMS
Action TO
LSD - 1/12/78

MEMORANDUM FOR: Chief, Real Estate and Construction Division
Office of Logistics

STATINTL FROM : [Redacted]
Chief, Administrative Staff, ODP

SUBJECT : Space Projection Fiscal Year 1980

REFERENCE : Your Memo, Same Subject, dtd 22 December 1977

STATINTL

1. We have a requirement for additional space and parking at [Redacted] Building to accommodate the buildup in staffing the CAMS project. It is anticipated that by FY-80 we will need space for 50 people and 20 plus CRT's. Our parking requirement at [Redacted] will increase proportionately. Presently 3700 square feet (1600 at [Redacted] and 2100 at Headquarters) is dedicated to CAMS. By FY-80 CAMS must be consolidated [Redacted]

STATINTL

STATINTL

STATINTL

2. ODP has previously indicated the priority need to relocate our Special Project Staff, which presently occupies 7000 square feet at Ames Building, into appropriate space in the Headquarters Building. If this relocation is approved by FY-80 we could relinquish the 7000 square feet at Ames.

STATINTL

