

A Swedish Firm Presents Self-Destructive Plastic Packaging Film.

EMBALLAGES - October 1971, pp 151-152.

FSTC-HT-23-1873-72

PACKAGING WITH SHRINKABLE FILM

complete 10 f-p
LANGUAGE-FR COUNTRY-FR

EMBALLAGES NU 299 DEC 1972 PP 290-297

ARA/
FSTC-HT-23-0025-74

Hauge, H.P.

Shock-Absorbing Material

8 pp

EMBALLERINGM, Vol 3, No 1, 1972, pp 32-36

FSTC-HT-23-1053-73

DISTRIBUTION LIMITED TO U.S. GOVT AGENCIES

Biographies of Prominent Cypriot Businessmen,
5 pp.

EMBORIKI, Nicosia, 28 Apr, 13 May, 1, 8,
15 Jul 73, p 16.

JPRS 59907

Sep 73

USSR-Cyprus Economic Relations Constantly
Improving, 8 no.
EMBORIKI, Nicosia, 3 Mar 74, pp 1, 7.
JPRS 61691

Jun 74

Stereofot 67 19 pp

BRUNN ARSENAL (Switzerland), 73

ESTC-111-23-2187-77

Dr. Neubert

Testing of Demagnetization Procedures on Vari-
ous Tanks: Part II, Absolute- and Gradient-
Field Measurements
EMS Report no. 59, 2nd Encl. to T IIII8 2020/65
Rendsburg, 24 Oct 65
FSTC-HT-23-620-72

Ivanovic, Zdravko

Environmental Protection in Montenegro Urged,
10 pp.

ENCYCLOPAEDIA MODERNA, Zagreb, No 25, Fall 73,

pp 99-103.

JPRS 61968

Jul 74

FISCHER, U.

//LENDOKRINOLOGIE//

--/--/1972, V0060, H0001,

Effect of Anesthetics and Heparin on Glucose-

Induced Secretion of Insulin in Dogs,

12: 27-26, 1100 72-1180-0000

Endokrynologia Polska, Vol 23, No 3, 1972.

Cover-to-Cover by NTIS TT 72-54008/03

Available at Iy Serials

Apr 73

COVER TO COVER

ENDOKRYNOLOGIA POLSKA, Vol 23, No 4, 1972, pp 249-328

NTIS TT 72-54008/4

avail ly info

may 73

Polish Endocrinology,
ENDOKRYNOLOGIA POLSKA, Vol. XXIII, No. 5, 1972.
NTIS tt 72 54008/05

ENDOKRYNOLOGIA POLSKA, No.6, 1972, pp.411-461.
NTIS TT 72-54008/06

Oziblo, L.

Estimation of zinc and cobalt content in human semen.
ENDOKRYNOLOGIA POLSKA, Vol 24, No 1, 1973, pp 91-95

NTC 73-14624-07B

Stoica, Gl.

Reduction of Fuel Consumption in Electropower
System Discussed, 5 pp.

ENERGETICA, Bucharest, Sep 73, pp 401-404.

JPRS 61060

Feb 74

Technical Session of Power Institute, Entorpriso
Reported, 8 pp.
ENERGETICA, Bucharest, Dec 73, pp 578-580.
JPRS 61843

Jun 74

Selective Films on Glass and Their Characteristics, by
N. B. Rekant, 12 pp.
ENERGETICHESKIY INSTITUT. PREOBRAZOVATELI SOLNECHNOY
ENERGIY NA POLUPROVODNIKAKH, Nauka Press, 1968,
pp 190-199.
ARM/FSTC/HT-23-1028-72

Mar 73

ASSIGNMENT OF NONLINEAR BOUNDARY CONDITIONS O
F THE THIRD TYPE ON MODELS MADE OF

MATSEVIMYY, YU. LANGUAGE-RU COUNTRY-UR

ENERGETICHESK. MASHINOSTROY. KHARKOV, NO. 7 1
968 PP 27-31

FSTC-HT-23-1599-73

Voznesenskiĭ, A.N. et al. 1967
Energy resources of the USSR - Waterpower resources
(Energeticheskie resursy SSSR - gidroenergeticheskie
resursy)
Izd. "Nauka," Moscow, 199p. In Russian.

Transl. by ERIC for U.S. Dept. of Int., 1971, 646pp.,
monog. Avail. DTIC as TT 70-60069, price \$9.00.

Avail. on loan - ERIC, Wash., D.C.

Original Article Checked

Power Systems for Spacecraft, Part I, by
A. A. Kulandin, S. V. Timashev, 264 pp.
RUSSIAN, bk, Energeticheskiye Sistemy Kosmicheskikh
Apparatov, Moscow, 1972, 427 pp.
JPRS 58612-1

Apr 73

Power Systems for Spacecraft, Part II, by
A. A. Kulandin, S. V. Timashev, 191 pp.
RUSSIAN, bk, Energeticheskiye Sistemy Kosmicheskikh
Apparatov, Moscow, 1972, 427 pp.
JPRS 58612-2

Apr 73

KASATKINA, L.G.
//ENERGETICHESKOYE MASHINOSTROYENIYE (KHARKOV)//
--/--/1970, V----, N0009,
Muffler system for a setup used in a study of turbine-
blade cooling, 7 pp.
pp 124-128, AIR/FTD-HT-23-1103-7400

KARTING, V. H.

//EMERGENCYESKOTE MASHINOSTROYENIYE//

---/---/1970, V-----, NO010,

Study of Local Heat Exchange Along the Contour

of a Turbine Profile, 9 pp1

AP 12-07, AM/EPD/AF-83-014-7200

Shamraev, N. G.

Utilization of Transformer Oil at low Temperatures

ENERGETIK, v. 15, n. 10, 1967

UPT UPT-195

Yanovskiy, L. P.

Control of the rapping regime of collecting electrodes of electrostatic precipitators.

ENERGETIK, Vol 11, 1972, pp 18-18

NTC 73-14625-13B

TESTING TURBOGENERATORS IN OPERATIONAL CONDIT
IONS

BUCURNU, P. P. LANGUAGE-RU COUNTRY-UR

ENERGETIK, 1975, #4, "ENERGIYA", 23 -24.

ESTC-HT-25-0930-74

USSR Power Industry Announces 1973 Socialist
Obligations, 7 pp.
ENERGETIK, Moscow, No 5, May 73, pp 3-4.
JPRS 59518

Jul 73

Flakserman, Yu. N.

Economics of Energy System Development Described.

5 pp

ENERGETIK, Moscow, No 6, June 1973, pp 21-23.

JPRS 59633

Borisov, Ye. I.

Increased, Improved Electrification of Agriculture Urged.

6 pp

ENERGETIK, Moscow, No 7, 1973, pp 1-3.

JPRS 59942

Labor Productivity Increase in Power Industry
Stressed.

7 pp

ENERGETIK, Moscow, No 8, 1973, pp 3-4.

JPRS 60216

Zalogin, N. G.

Measures to Reduce Pollution From Electric
Power Stations Outlined, 5 pp.

ENERGETIK, Moscow, No 10, 1973, pp 6-8.

JPRS 61286

Mar 74

Parfir'yev, V. A.

Development of Atomic Electric Power Stations,
Channel-Type Reactors Traced.

5 pp

ENERGETIK, Moscow, No 6, June 74, pp 3-4.

JPRS 62518

Flakserman, Yu. N.

Technical Progress in Thermal Power.

6 pp

ENERGETIK, Moscow, No 8, Aug 74, pp 3-5.

JPRS 63023

Jirasek, V.

On the sulphur balance in steam generators.
ENERGETIKA, PRAGUE, 1966, v. 16, n. 4, p. 169-176.

NTC 73-12259-21B

KOUTNIK, J.
//ENERGETIKA. PRAGUE//
--/--/1969, V0019, N----,
Fluid-Bed Combustion of Coal for Desulphurizing
the Combustion Products,
pp 222-228, NTC 74-20004-21D@

PODLAHA, J.
//ENERGETIKA. PRAGUE//
--/--/1969, V0019, N-----,
Contribution to the Simulating of Atmospheric
Diffusion Procedures,
pp 489-492, NTC 74-20005-20D00

Decade of 'Mir' Unified Power Systems Work
Reviewed, by Gencho Kalaykov, 8 pp.
BULGARIAN, per, Energetika, Sofia, No 9,
Sep 72, pp 1-5.
JPRS 58545

Apr 73

Trojanowski, Jerzy

Power Industry Plant Targets to 1975 Outlined,
5 pp.

ENERGETYKA, Warsaw, No 7, Jul 73, pp 219-221.

JPRS 60077

Oct 73

GHIMPATI-POPESCU, CR.
//ENERGETICA.//
--/--/1972. V0020, N0011,
Damage to chimney stacks of power stations,
pp 524-532 C. E. TRANS 642700

RUSSIAN

JPRS-58700
9 pp

CSO: B34/1750 W
6 March 1973 SP

Determining power conversion ratios and thermal efficiencies for atomic electric power station thermal layouts, by M.I. Shchepetil'nikov.

Minsk, Energetika, No. 12, 1972, pp 75-81.

Please publish and provide JPRC/ad hoc with a

Please publish and provide JFRC/ad hoc with a copy and the source. Make reproductions, if possible, document may be clipped.

Hraseova, V.

Colorimetric determination of sulphur
dioxide in combustion products.
ENERGETIKA, PRAGUE, 1966, pp 344-346,
v. 16, n. 7.
NTC 73-12104-07B.

Rusnak, Milan

Power Situation Last Winter and in Forth-
coming Winter Season, 10 pp.

GOVERNMENT USE ONLY

ENERGETIKA, Prague, No 8, Aug 73, pp 337-341.

JPRS/L 718

Nov 73

Lis, Inzynier Bronislaw

Vice Minister Bartoszek Comments on Power Industry.
5 pp

ENERGETYKA, Warsaw, Sept 1973, pp 289-291.
JPRS 60672

Holdschmidt, Jan

First Czechoslovak Nuclear Power Plant
Reviewed, 9 pp.

GOVERNMENT USE ONLY

ENERGETIKA, Prague, No 7, Jul 74, pp 273-276.

PPR571 5013

Jan 74

Technical Progress in Electric Power Engineering
in the Ukraine, by G. A. Klimenko, 6 pp.

RUSSIAN, per, Energetika i Elektrifikatsiya,

Kiev, No 1, Jan-Feb 1973, pp 3-6.

JPRS 58800

Apr 73

Efficiency in Atomic Electric Power Stations,
by V. S. Vitrenko, 5 pp.
RUSSIAN, per, Energetika i Elektrifikatsiya,
Mosc, No 1, Jan-Feb 1973, pp 29-31.
JPRS 58800

Apr 73

Plans for Further Development of Electrical
Energy, 7 pp.
ENERGETIKA I ELEKTRIFIKATSIYA, Kiev, No 2,
Mar-Apr 73, pp 3-6.
JPRS 59666

Sep 73

Yershevich, V. V.

Peak Electrical Loads in the Southern
Electric-Power System, 6 pp.
ENERGETIKA I ELEKTRIFIKATSIYA, Kiev, No 2,
Mar-Apr 73, pp 7-9.
JPRS 59666

Sep 73

Tsuyakh, V. N.

Electric Power for Agriculture in the
Ukrainian SSR, 7 pp.

ENERGETIKA I ELEKTRIFIKATSIYA, Kiev, No 2,
Mar-Apr 73, pp 46-49.

JPRS 59666

72

Masumov, V. I.

Power System Progress Reduces Yield on Investment.

8 pp

ENERGETIKA I ELEKTRIFIKATSIA, Moscow, No 3,

1973, pp 23-26.

JPRS 59841

Makukhin, A. N.

Results and Plans of Electric Power Production in
the Ukraine Discussed.

6 pp

ENERGETIKA I ELEKTRIFIKATSIYA, Kiev, No 1, 1974,

pp 3-6.

JPRS 61765

Martynyuk, V. I.

Ukrainian Rural Power Networks Discussed.

5 pp

ENERGETIKA I ELEKTROFIKATSIYA, Kiev, No 4, Jul-

Aug 74, pp 39-41.

JPRS 63066

Potentials of Candidate Energy Sources Discussed.
3 pp

ENERGETIKA I TRANSPORT, Moscow, No 3, May-Jun 74,
pp 6-7.

JPRS 62774

Kostenko, M. P.

High-Power Generators for Atomic Power Plants
Described.

7 pp

ENERGETIKA I TRANSPORT, Moscow, No 6, 1973,

pp 18-25.

JPRS 61383

Lollezhal', N. A.
Reactor Choices for Future Nuclear Power Discussed
9 pp
ENERGETIKA I TRANSPORT, Moscow, No 3, May-Jun 74,
pp 20-26.
JPRS 62774

Projanowski, Jerry

Data on 1973 Plan Fulfillment, 1974 Tasks of
Power Industry, 5 pp.

ENERGETYKA, Warsaw, May 74, pp 145-148.

APRS 42326

20-74

E. ISTVAN

Compensations Used in the Calculation of Thermal
Requirements in Heating.

ENERGIA ES ATOMTECHNIKA, Vol 24, pp 358-363, 1971.
NTC 73-10016-20M

Mar 73

Harry Kollan

Progress and Tasks of Construction of the
Daks Nuclear Power Plant, 9 pp.

ENERGIA ES ATOMTECHNIKA, Budapest, No 8, Aug 74,

pp 347-353.

JPRS 63420

Dec 74

Csom, Gyula

Nuclear Research at the Nuclear Reactor of
Budapest Technical University, 11 pp.

ENERGIA ES ATOMTECHNIA, Budapest, No 8,

Aug 74, pp 362-365.

JPRS 63420

see 24

T. SCOZZAFAVA

Faraday Effect Instrument Transformers for UHV
Power Plants.

ENERGIA ELETTRICA, Vol 47, pp 655-664, 1970.

NTC 73-10094-09C

Mar 73

PATTINI, G.

//ENERGIA ELETTRICA//

--/--/1972, V0049, N----

Variation of the Electric Strength of Solid
Insulating Materials Subjected to Alternating
Voltage,

pp 395-402, NTC 74-10351-0900@

Predetermination of Short-Term Flows of Watercourses,
by M. Thomasino.

L'ENERGIA ELETTRICA, Vol 49, No 2, 1972, pp 81-93.

*NTIS TT 73-55025

Mar 73


Bidimensional Structures for Overhead Electric Lines,
by L. Paris.
L'ENERGIA ELETTRICA, Vol 49, No 2, 1972, pp 107-121.
*NTIS TT 73-53025

Mar 73

First Use of Tower With Rotating Insulating Cross Arms
for 380kv (Double Circuit) Transmission lines for the
Connection Between the Power House and the Switchyard of
the Lago Delio Pumped-Storage Power Plant, by
D. Dell'Olio.
L'ENERGIA ELETTRICA, Vol. 49, No 3, 1972, pp 162-175.
*NTIS TT 73-53023

Mar 73

International meeting on flow interruption phenomena.
ENERGIA ELETTRICA, No 8, 1972, pp 548-550
C. E. trans 6299



Tarjan, Robert

Problems in Energy Supply Prospects Weighed,
18 pp.

ENERGIAGAZDALKODAS, Budapest, No 11-12, Nov-
Dec 73, pp 545-552.

JPRS 61082

Feb 74

Bunz, P.

Causes, Measurement and Limitation of particulate
Emission from oil-fired Steam Boilers

ENERGIE. MUNICH, v. 23, n. 5, 1971, p. 165-166

ENC 73-11730-13A

Snemus, F.

The economics of regular boiler pickling.

ENERGIE, Vol 23, No 7/8, Jul/Aug 1971, pp 235-240

ESB trans 531

WOMANT, H.

//RESEARCH//

--/--/1971, W0023, H----

Waste Incineration--An Industrial or Community
Pack. Experiences with Incineration of Industrial
Waste at BAW.

in 000-000, in 0 74-1000-10000

Upmalis, A.

Reuperative and regenerative air preheaters.

ENERGIE, Vol 24, Oct 1972, pp 249-254

ESB trans 526

HAMMOND, R. P.

Energy: The Resource of the Future
ENERGIA NUCLEAR (MADRID), vol. 15, pp. 305-313, 1971
NTC 73-10063-05E

March 73

LASLUC/2

16-Jul-74

Urel (LA-tr--74-16) Physiopathology of plutonium
contamination: fundamental concepts. SAENZ, M.D.L.;
RAMIS, i. Translated from Energ. Nucl. (Madrid); 17:
No. 84, 261-282(1973). 43p. Dep. NTIS \$5.25.

FOR radiobiology: translations
PK-48 P NSA

Production of Electrical Energy and Other Applications
of Nuclear Energy (Nuclear Power and Special
Applications). Session B. 1. Review of the Demands
and of the World Resources of Energy up to the Year
2000.

ENERGIA NUCLEARE, Vol 18, pp 663-664, 1971.
NTC 73-10015-18L

Mar 73

VILLANI. S.
//ENERGIA NUCLEARE//
--/--/1974, V0021, N0003
Production of heavy water Part II
pp 139-154 C. E. TRANS 6538##

Mueller, Horst

Industrial Furnace Construction Discussed, 10 pp
ENERGIEAUFBAU, East Berlin, Aug 74, pp 229-
232.

JPRS 63205

see 74

Koehle, H.

Iron oxide deposits and iron oxide formation in boilers.

ENERGIE, Vol 24, No 1, 1972, pp 4-9

NTC 73-13883-13A

CE TRANS 6090

J. GANSHEIMER

The Effect of Certain Vapours and Liquids on the
Friction Properties of Molybdenum Disulphide.
ENERGIE FLUIDE ET LUBRIFICATION ET HYDRAULIQUE
PNEUMATIQUE ET ASSERVISSEMENTS, No 10, pp 85-94, 1970.
NTC 73-10099-11H

Mar 73

Klump, W.

All look at corrosion, erosion and cavitation in
heat power plants
ENERGIE, MUENCHEN, v. 21, n. 11, 1969, pp. 382-389
NTC 72-12975-11F

20-Sep-73
Uncl (AEC-tr--7464) Detritiation of heavy water from
nuclear reactors. LEGER, D.; DIRIAN, G.; ROTH, E.
Translated from Energ. Nucl. (Paris); 12: 135
142(1970). 20p. Dep. NTIS \$3.00.

07A chemical engineering; 07E chemistry (radio and
radiation); 18J reactor materials; translations
MN-4 P NSA

COOPER, R.
//MAGNETIC RECORDING//
--/--/1971, 10000, 10000,
Steel/Zirconium Mechanical and Metallurgical Joints,
PP 33-11, 110 74-10503-10000

Metteil, A.

Problems posed by the operation of nuclear power
stations.

ENERGIE NUCLEAIRE, v. 13, p. 28-38, 1971

NTC 73-10807-18L

The Programme Agreement Between the State and E.D.F.
ENERGIE NUCLEAIRE, vol. 13, pp. 52-55, 1971
NCC 73-10095-05A

March 73

Blum, J. M.

The separation of boron isotopes
ENERGIE NUCLEAIRE, Vol 14, No 1, pp 33-37, Jan 1972
C.E. Trans 6176

may 73

DORNER, H.
//ENERGIE NUCLEAIRE//
--/06/1978,V0014,N0003,
Nuclear power plant components
pp 200-217,APL/JHU T-2865##

Design Features of a New Class of BWR, by
A. P. Bray, 17 pp.
GOVERNMENT USE ONLY
FRENCH, per, Energie Nucleaire, Paris,
Vol 14, Nov-Dec 72, No 6, pp 415-423.
JPRS/L 4455

Apr 73

FRENCH

*Comp. Sp. (49) partial 15 pgs Ch 3*CSO: 8319/1404
29 Jan. 1974

1. Fuel Assemblies for Gas-Cooled Rapid Reactors, by J.M. Yellowless, et al;
2. Pressurized Water Reactors in the Federal Republic of Germany, by D. Knoedler;
3. The Components of Nuclear Power Plants, by H. Dorner, et al.

Paris, Energie Nucleaire, Vol 14, No 3, May-June 1972, pages 161-167, 180-189, 200-217.

Spec type B

Do not publish

Single spaced draft plus one

LEWIS, J. W.
//PROVIDE INFORMATION//
-1-10-1957, 1000-1000,
Proc. Am. Chem. Soc.: New Technique for, and
Aspects of, the Treatment of Uranium Ores, 22 pp
of 12-10, 1000-1000-1000

JPCS/L 4837

Design of Industrial Plant for Vitrifying
Nuclear Waste, for Storing Very Highly
Radioactive Glass, by J. P. Giraud, 27 pp.
GOVERNMENT USE ONLY
FRENCH, see, Energie Nucleaire, Paris, Vol 15,
No 1, 1973, pp 41-50.
JPRS/L 4537

Jun 73

SEAWATER AND BRACKISH WATER DESALINATION

LIBERT, J

LANGUAGE-FR

COUNTRY-FR

*completed
11/77*

ENERGIE NUCLEAIRE, VOL15, NO3, MAY-JUNE '73, PP
166-172

FSTC-HT-23-0667-74

Winkens, H. P.

Friesenheimer Insel, dual-fired heat and power
station, incorporating refuse incineration at
Ranheim

ENERGIE UND TECHNIK, vol. 16, no. 7, 1964, pp. 211-
216

C. E. TRANS 6220

Formation of Precipitation and Fog by Cooling Towers,
by H. Henning.
ENERGIE UND TECHNIK, Vol 23, No 3, 1971, pp 87-79?
NAVY/APL/JHU-T-2707

May 73

RUSWURN, HANS-PETER
//ENERGIEANWENDUNG/
--/06/1974, V---, N---,
Better energy planning needed, 5 pp.
pp 161-163, JPRS62997##

UHLICH, KLAUS
//ENERGIEANWENDUNG//
--/06/1974, V---, N---,
Energy planning for 1975 discussed, 9 pp.
pp 163-165, JPRS62997##

MEHLIG. G.

//ENERGIETECHNIK//

--/06/1968, V0018, N0006

Determination of air exit conditions in the
case of evaporative cooling towers

pp 244-247 C. E. TRANS 6541##

SCHWARZ, D.

//RESEARCH UNIT RECEIVED//
--/04/1973, 9---, 11, 13, 17

Development of High Temperature Reactors in the
German Federal Republic. Part 2,
U. S. Comm. (1973)

D. Schaller

*Method for determination of reliability of supply in
electrical systems.*

*ENERGIETECHNIK, Vol 21, No 9, 1971, pp 391-394
O.A. trans 829*

apr 73