

~~CONFIDENTIAL~~

OIT 01601-88

OIT/TRIS  
LOGGED  
25 JAN 1988

21 January 1988

MEMORANDUM FOR: Director of Information Technology

25X1 FROM:  Director  
Current Production and Analytic Support

SUBJECT: Replacement of CIA FAX Nets


1. Action Requested: That OIT initiate action to survey the facsimile machines used by CIA offices in the Washington area and then coordinate the replacement of obsolete systems with an Agency-standard machine.

2. Background: In addition to the interagency WASHFAX system, the Operations Center maintains and operates four other facsimile systems that are used to transmit documents between Headquarters and Agency facilities--largely in the Washington Area. As with the main WASHFAX system, these supplementary systems have been in service for many years and are becoming increasingly difficult to maintain.

3. One of our four facsimile nets uses a "dial-up" DACOM unit to communicate with DOD facilities around the country. Until DOD decides on a new facsimile standard, and moves to replace the obsolete DACOM units at all installations with which we communicate, we will have to keep a DACOM machine operational. This machine predates current facsimile standards and can only communicate with other DACOMs.

4. The other three nets are used to communicate with CIA components and thus are subject to our control. Since these machines are operated by a number of different Agency components, we believe that OIT is the most logical office to take the lead in surveying these systems, and coordinating the purchase and installation of replacements.

25X1



~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

SUBJECT: Replacement of CIA FAX Nets

Distribution:

- Original -- Director, OIT
- 1 -- D/CPAS
- 1 -- DD/CPAS
- 1 -- EXO/CPAS
- 1 -- Chief, Operations Center, CPAS
- 1 -- Deputy Chief, Operations Center, CPAS
- 1 -- Chief, ADP Control Unit
- 1 -- CPAS Front Office Chrono File

25X1

CPAS/ADP:  (21 January 1988)

CONFIDENTIAL

23 FEB 1988  
OIT/TRIS  
LOGGED

OIT-0091-88  
19 February 1988

MEMORANDUM FOR: Director, Current Production and Analytical Support

FROM:

[Redacted]

Chief, Customer Service Group, OIT

SUBJECT: Replacement of CIA FAX Nets

REFERENCE: Your Memo, dtd 21 Jan 88, Same Subject

1. We have forwarded your request for a Replacement of CIA FAX Nets to OIT's Information Technology Management Board (ITMB). This along with a separate one from OIR, [Redacted] asking OIT to look at a replacement system for the ITS-W will be combined and addressed together.

2. Within 30 days of the ITMB review your request will be assigned to an OIT project officer for action.

[Redacted]

cc: OIT/SI  
SE/CSG

**SUBJECT: Replacement of CIA FAX Nets**

STAT DC/CSG/OIT/[redacted] (18 Feb 88)

**Distribution:**

**Original - Addressee**

- STAT
- 1 - OIT/SI/[redacted]
  - 1 - SE/CSG
  - 1 - CSG Chrono
  - 1 - CSG Subject
  - 3 - OIT/ISC