

Page Denied

ROUTING			
TO:	NAME AND ADDRESS	DATE	INITIALS
1			
2			
3			
4			
	ACTION	DIRECT REPLY	PREPARE REPLY
	APPROVAL	DISPATCH	RECOMMENDATION
	COMMENT	FILE	RETURN
	CONCURRENCE	INFORMATION	SIGNATURE
REMARKS:			
FROM: NAME, ADDRESS, AND PHONE NO.			DATE

SECRET

64

(Security Classification)



25X1

(See inside cover)

CONTROL NO. Z-14944/83

NPIC/PEG (8/83)

COPY _____ OF _____



Warning Notice

Intelligence Sources or Methods Involved

NATIONAL SECURITY INFORMATION

Unauthorized Disclosure Subject to Criminal Sanctions



SECRET

(Security Classification)

Warning Notice
Intelligence Sources or Methods Involved
(WNINTEL) or (D)

NATIONAL SECURITY INFORMATION
Unauthorized Disclosure Subject to Criminal Sanctions

DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-	Not Releasable to Foreign Nationals
NOCONTRACT-	Not Releasable to Contractors or Contractor/Consultants
PROPIN-	Caution-Proprietary Information Involved
ORCON-	Dissemination and Extraction of Information Controlled by Originator
REL . . .	This Information has been Authorized for Release to . . .

SECRET



25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

Page 1 of 1

Attachment to Z-14944/83

Copy _____



NPIC/PEG (8/83)

LATE-STAGE TEST PREPARATIONS
SHAGAN RIVER TEST AREA, USSR




25X1

1. **SIGNIFICANCE:** LATE-STAGE TEST PREPARATIONS ARE UNDERWAY AT SILO 15 OF VULNERABILITY AREA 108. (SWN)

2. **REMARKS:**  THE HIGH-EXPLOSIVE SIMULATION TECHNIQUE (HEST) STRUCTURE AND BERM-LOADED EXPLOSIVE SIMULATION TECHNIQUE (BLEST) BED HIGH EXPLOSIVE CHARGES HAVE BEEN ALMOST COMPLETELY EARTH COVERED. ONLY THE NORTHEAST CORNER OF THE HEST STRUCTURE AND A SMALL AREA OF THE BLEST BED IS YET TO BE EARTH COVERED.  FOUR LIGHTNING ARRESTERS HAVE BEEN ERECTED NEAR THE FOUR CORNERS OF THE HEST STRUCTURE. AT LEAST FOUR VEHICLES AND THREE PROBABLE SUPPORT TRAILERS REMAIN AT OR NEAR THE TEST AREA. (SWN)

25X1

25X1

3.  COORDINATES 49-59-25N 078-55-43E

25X1



25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.



25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1